

PHASE ONE ENVIRONMENTAL SITE ASSESSMENT

Eastern Portion of 6728 Sixth Line, Milton, Ontario

Project #: 22-0209 Prepared for: Anatolia Capital Corp. Date: November 15, 2023

Report Version: 01

6415 Northwest Drive Units 37-40 Mississauga, ON L4V 1X1 envisionconsultants.ca



November 15, 2023

Anatolia Capital Corp. 8300 Huntington Road Vaughan, Ontario L4H 4Z6

Attention: Josh Berry, Planning Manager

SUBJECT: PHASE ONE ENVIRONMENTAL SITE ASSESSMENT, EASTERN PORTION OF 6728 SIXTH LINE, MILTON, ONTARIO

EnVision Consultants Ltd. is pleased to present the enclosed Phase One Environmental Site Assessment report for the above-noted property. This Phase One Environmental Site Assessment was completed in accordance with Ontario Regulation 153/04, as amended and, as such, can be used to file a Record of Site Condition with the Ministry of Environment, Conservation and Parks within 18 months. This Phase One Environmental Site Assessment does not include sampling or testing and is based solely on visual observations and a review of available or supplied factual data.

The report provides site information from the site reconnaissance, records reviews, interviews, and our conclusions for your consideration.

We thank you for utilizing EnVision for this assignment. If there are any questions regarding the enclosed report, please do not hesitate to contact us.

Yours sincerely,

indique

Shawna Lundrigan, B.Sc., EP Project Manager, Environment slundrigan@envisionconsultants.ca

ISSUE FIRST ISSUE		REVISION 1	REVISION 2
PROJECT NUMBER	22-0209	22-0209	
PROJECT REFERENCE	Phase One Environmental Site Assessment, Eastern Portion of 6728 Sixth Line, Milton, Ontario	Phase One Environmental Site Assessment, Eastern Portion of 6728 Sixth Line, Milton, Ontario	
VERSION NO.	01	01	
REMARKS	Final Report	Final Report; added FOI records	
PREPARED BY	Maryanne Caluori	Maryanne Caluori	
SIGNATURE	Mcaboii	Mcaboii	
REVIEWED BY	Shawna Lundrigan	Shawna Lundrigan	
SIGNATURE	Hundregan	Hundregan	
REVIEWED BY	Rodney Obdeyn	Rodney Obdeyn	
SIGNATURE	Kall	Kall	
DATE	September 21, 2023	November 15, 2023	

The original of this digital file will be kept by EnVision for a period of not less than 10 years. As the digital file transmitted to the intended recipient is no longer under the control of EnVision, its integrity cannot be assured. As such, EnVision does not guarantee any modifications made to this digital file subsequent to its transmission to the intended recipient

TABLE OF CONTENTS

1.	Executive Summary1		
2.	Intro	duction	4
	2.1.	Phase One Property Information	4
3.	Over	view of the Investigation	6
	3.1.	Objectives	6
	3.2.	Scope	6
4.	Reco	rds Review	7
	4.1.	Preliminary Records Review	7
	4.2.	General Records Review	7
	4.3.	Environmental Source Information	10
	4.4.	Physical Setting Sources	13
	4.5.	Site Operating Records	16
5.	Inter	view	19
6.	Site Reconnaissance		
	6.1.	General Requirements	20
	6.2.	Specific Observations Within the Phase One Property	21
	6.3.	Observations Within the Study Area	26
7.	Revi	ew And Evaluation of Information	28
	7.1.	Conceptual Site Model	28
8.	Clos	ng	30
	8.1.	Conclusions	30
	8.2.	Whether Phase Two Environmental Site Assessment Required Before Record Of Site Condition Submitted	30
	8.3.	Record Of Site Condition Based On Phase One Environmental Site Assessment Alone	30
	8.4.	Qualifications of the Assessors	30
	8.5.	Certification and Signatures	31
	8.6.	Qualifier	31
9.	Refe	rences	33

LIST OF TABLES (INCLUDED WITHIN THE REPORT)

Table 2-1:	Phase One Property Information	.4
Table 4-1:	Summary of the Preliminary Records Review	.7
Table 4-3:	Summary of Occupancy and Ownership Information	.8
Table 4-4:	Summary of Previous Reports Pertaining to the Phase One Property	. 8
Table 4-5:	Summary of Environmental Source Records Review1	0
Table 4-6:	Summary of Aerial Photograph and Satellite Imagery Review1	4
Table 4-7:	Summary of the Physical Setting Records Review1	5
Table 4-8:	Summary of Site Operating Records1	6
Table 5-1:	Summary of the Phase One Interview(s)1	9
Table 6-1:	Summary of General Requirements of the Site Reconnaissance	20
Table 6-2	Summary of Specific Observations within the Phase One Property	21
Table 6-3:	Summary of the Enhanced Investigation Observations during the Site Reconnaissance2	24
Table 6-3:	Summary of Observations within the Study Area	26
Table 7-1:	Summary of a Review and Evaluation of Information gathered during the Phase One ESA.2	28
Table 7-2:	Written Description of the Conceptual Site Model2	29

LIST OF TABLES (ATTACHED TO THE REPORT)

Table 1	Current and Past Uses of the Phase One Property
Table 2	Summary of Potentially Contaminating Activities

Table 3Areas of Potential Environmental Concern

LIST OF FIGURES (ATTACHED TO THE REPORT)

- Figure 1 Phase One Conceptual Site Model
- Figure 2 Areas of Potential Environmental Concern

LIST OF APPENDICES

APPENDIX A: Legal Survey

APPENDIX B: Occupancy and Ownership Documents

APPENDIX C: ERIS Report

APPENDIX D: Regulatory Requests

APPENDIX E: Aerial Photographs and Satellite Imagery

APPENDIX F: Site Photographs

GLOSSARY

TERM	DEFINITION
ABNs	Acid-base neutral compounds
APEC	area(s) of potential environmental concern as defined in O. Reg. 153/04, "the area on, in or under a phase one property where one or more contaminants are potentially present, as determined through the phase one environmental site assessment, including through (a) identification of past or present uses on, in or under the phase one property, and (b) identification of potentially contaminating activity"
APU	Assessment of Past Uses
As	arsenic
AST	above ground storage tank
B-HWS	boron (hot water soluble)
BTEX	benzene, toluene, ethylbenzene, xylene
CA	Certificate of Approval
Са	calcium
CN-	cyanide
СОРС	contaminant(s) of potential concern
CPs	chlorophenols
Cr-	chromium
Cr (VI)	hexavalent chromium
CSM	conceptual site model
EASR	Environmental Activity and Sector Registry
EBR	Environmental Registry
EC	electrical conductivity
ECA	Environmental Compliance Approval
ERIS	Environmental Risk Information Services
ESA	environmental site assessment
ESR	environmental site registry
FIP	fire insurance plan
FOI	freedom of information
ha	hectare(s)

TERM	DEFINITION
Hg	mercury
km	kilometre(s)
L	litre(s)
m	metre(s)
masl	metres above sea level
mbgs	metres below ground surface
Mg	magnesium
Metals	O. Reg. 153/04 regulated metals as per Protocol for Analytical Methods Used in the Assessment of Properties under Part XV.1 of the Environmental Protection Act
MNDM	Ministry of Northern Development and Mines
MNRF	Ministry of Natural Resources and Forestry
MECP	Ministry of Environment, Conservation and Parks
NPRI	National Pollutant Release Inventory
N/S	not specified in Table 2, Schedule D, of O. Reg. 153/04
Na+	sodium
OCs	organochlorine pesticides
O. Reg. 153/04	Ontario Regulation 153/04, as amended
O. Reg. 347	Ontario Regulation 347, as amended
O. Reg. 406/19	Ontario Regulation 406/19, as amended
ORPs	other regulated parameter(s) per Protocol for Analytical Methods Used in the Assessment of Properties under Part XV.1 of the Environmental Protection Act
PAH	polycyclic aromatic hydrocarbon
PCA	potentially contaminating activity as defined in O. Reg. 153/04, "a use or activity set out in Column A of Table 2 of Schedule D that is occurring or has occurred in a Phase One study area"
PCB	polychlorinated biphenyl
РНС	petroleum hydrocarbon
PIN	property identification number
PTTW	permission to take water
PUP	property underwriter plan
PUR	property underwriter report

TERM	DEFINITION
QA/QC	quality assurance/quality control
QP _{ESA}	Qualified Person for ESAs according to MECP (O. Reg. 153/04)
RA	risk assessment
RSC	Record of Site Condition
Rules Document	Rules for Soil Management and Excess Soil Quality Standards
SAP	Sampling and Analysis Plan
SAR	sodium adsorption ratio
Sb	antimony
SCR	Soil Characterization Report
SCS	Site Condition Standards
Se	selenium
THM	trihalomethane
TSSA	Technical Standards and Safety Authority
UST	underground storage tank
VOC	volatile organic compound
WWIS	water well information system

1. EXECUTIVE SUMMARY

EnVision Consultants Ltd. (EnVision) was retained by Anatolia Capital Corp. (the 'Client') to conduct a Phase One Environmental Site Assessment (ESA) for the eastern portion of the property municipally identified as 6728 Sixth Line, Milton, Ontario (the 'Phase One Property' or the 'Site'). For further clarity, the Site comprises the eastern portion of the former Trafalgar Golf & Country Club situated at the southwest corner of the intersection of Sixth Line and Derry Road in a mixed agricultural, industrial, commercial, and residential area in the Town of Milton.

The Site is primarily rectangular in shape occupying an area of approximately 17 ha (42 acres) in plan area. The golf course has been closed, however; it was previously developed with four (4) buildings which included:

- The "Club House", a one-storey structure with full basement, located on the east-central portion of the Site (Site Building A);
- The "Pro Shop Building", a one-storey structure with full basement, located on the east-central portion of the Site (Site Building B);
- The "Maintenance Shop Building", a one-storey slab on grade structure, located on the southeast portion of the Site (Site Building C); and,
- The "House", a one-storey residential structure with full basement, located on the northeast portion of the Site (Site Building D).

The Site is planned for redevelopment to include one (1) industrial building and will include a future channel to divert an existing watercourse.

The remainder of the former golf course lands to the west (not included as part of the current Phase One Property or Site) will be developed to include two (2) industrial buildings. In addition to the proposed buildings, the western lands will include lands to be conveyed to the Town of Milton for a new public roadway in the central portion of the Site running north-south. In addition, a future channel will be constructed on the west and south portions of the western lands to divert an existing watercourse. Each of the industrial buildings will also include adjacent stormwater detention basins.

It is EnVision's understanding that this report was requested to support the redevelopment of the Site and to support the planning application with the Town of Milton. Phase One and Two ESAs prepared in accordance with Ontario Regulation 153/04 (O. Reg. 153/04) were requested by the Town of Milton in support of this process; however, as a change in property use to a more sensitive use is not proposed, the filing of a Record of Site Condition (RSC) with the Ministry of the Environment, Conservation, and Parks (MECP) is not required at this time.

The scope of this Phase One ESA conforms to the requirements as outlined in O.Reg. 153/04, as amended. The general objectives of the assessment were to develop a preliminary determination of the likelihood that one or more contaminants have affected soil and/or groundwater at the Site and determine the need for additional investigation in the form of a Phase Two ESA.

Based on the records review, site reconnaissance, and evaluation of information, EnVision presents the following findings:

- Based on the 1877 Halton County Atlas, the Phase One Property was historically utilized for agricultural and residential purposes. Based on a review of the County Atlas along with a review of legal ownership documents and aerial photographs, the Phase One Property was historically owned by Benjamin Tuck Sr. in 1877 and used for agricultural/residential purposes from this time until the mid-1950s. Site Building D (The House) was present at the northeast corner of the Site in the earliest available aerial photograph from 1954. The Phase One Property was purchased by Trafalgar Golf & Country Club Ltd, in 1958. Aerial images show that Site Buildings A, B, and C were developed on the Site circa 1965. With exception of building additions/ renovations being made to Site Building C in approximately 2004 and Site Building A in 2018, the Site remained largely unchanged until the golf course was closed.
- The Site ranges in elevation from approximately 185 to 193 metres above sea level (masl). The regional topography in the vicinity of the Site generally slopes to the southeast. Based on the local topography, the inferred shallow groundwater flow direction within the Study Area is anticipated to be to the southeast towards Sixteen Mile Creek and connected tributaries, which at the nearest point, transects the southeastern portion of the Phase One Property. Groundwater flow direction can be influenced by seasonal fluctuation, utility services, and other subsurface features and can only be confirmed with long term monitoring.
- Based on a review of a 2018 Golder Associates (Golder) Phase Two ESA report, the stratigraphy
 was described as fill material comprised of silty clay, silty sand, or sandy silt to depths ranging from
 0.5 to 3.1 metres below ground surface (mbgs) followed by predominantly silty clay with trace sand
 and gravel extending to 6.1 mbgs. The water level measurements ranged from 0.78 mbgs to 3.94
 mbgs.
- One (1) potable water well was identified within the Phase One Property. Ten (10) domestic wells were identified for the surrounding Study Area.
- The following Areas of Natural Significance were identified:
 - Unevaluated wetlands are located at the southeastern corner of the intersection of Sixth Line and Derry Road, approximately 15 m north of the Phase One Property and approximately 25 m east of the Project Area;
 - The Phase One Property as well as properties located east, west, and south of the Phase One Property were identified as Greenland Area A, as per Schedule B of the Milton Official Plan. Under the Greenlands System, this area is considered to be an ANSI, according to the Town of Milton Official Plan; and
 - A woodland is interspersed within this area, according to the Region of Halton's Tree-By-Law, tree cutting requires a permit for woodlands that are greater than 0.5 hectares (1.1 acres).
- The following PCAs were identified at the Phase One Property and Study Area:
 - Multiple above-ground storage tanks (ASTs) were identified on the Phase One Property including three (3) ASTs (PCA 28) east adjacent to Site Building C, located on the southeastern portion of the Site. It was noted minor staining was present around the ASTs. One (1) UST was identified during records review as being removed in 1986. The location of the UST was not specified and is anticipated to have been historically located where the present fuel ASTs are located;
 - Site Building C comprised a maintenance garage (PCA 27) located on the southeastern corner of the property, equipped with a hydraulic lift inside the garage. A waste management record

is associated with Trafalgar Golf and Country Club Ltd. (PCA 58) for the generation, use, and/or storage of petroleum distillates and waste crank oil & lubricants. During the site reconnaissance, three (3) 205 L waste oil drums and six (6) 20 L pails (PCA B) of oil were noted 10 m east of Site Building C;

- One (1) fuel oil AST (PCA 28) was located along the southwestern wall of the basement inside Site Building B, located on the east-central portion of the Site and one (1) fuel oil AST is located in the basement of Site Building D, on the northeast portion of the Site. A fuel oil spill (PCA A) of unknown volume occurred in 2017 from a fuel oil AST. Although the exact location of the spill is unknown, it is anticipated that the spill likely occurred in the vicinity of the fuel oil AST located in the basement of Site Building B. A waste management record is associated with Danosh Construction (PCA 58) for the generation, use, and/or storage of light fuels between 2018 and 2019;
- On the eastern portion of the Phase One Property, adjacent to Sixth Line is a pad mounted transformer (PCA 55);
- Pesticides (PCA 40) are anticipated to have been used on a large scale for maintaining the Site as an operational golf course and/or maintenance around the former house at the northeast corner of the Site; and,
- It is anticipated that fill materials (PCA 30) of unknown environmental quality were brought to the Phase One Property during the development of the parking lot area.

Based on the information obtained as part of the Phase One ESA, it is concluded that there were potentially contaminating activities (PCAs) identified on the Phase One Property that have resulted in the identification of twelve (12) areas of potential environmental concern (APECs) on the Site. Based on the APECs identified during this investigation, associated contaminants of potential concern (COPCs) in soil and groundwater include metals and other regulated parameters (ORPs), petroleum hydrocarbons (PHCs), benzene, toluene, ethylbenzene, and xylene (collectively referred to as BTEX), volatile organic compounds (VOCs), polycyclic aromatic hydrocarbons (PAHs), polychlorinated biphenyls (PCBs) and organochlorine pesticides (OCs).

2. INTRODUCTION

EnVision Consultants Ltd. (EnVision) was retained by Anatolia Capital Corp. (the 'Client') to conduct a Phase One ESA for the property municipally identified as 6728 Sixth Line, Milton, Ontario (the 'Phase One Property' or 'Site'). For further clarity, the Site comprises the eastern portion of the former Trafalgar Golf & Country Club situated at the southwest corner of the intersection of Sixth Line and Derry Road in a mixed agricultural, industrial, commercial, and residential area in the Town of Milton.

The Site is located southwest adjacent to the intersection of Sixth Line and Derry Road in a mixed agricultural, industrial, commercial, and residential area in the Town of Milton. The Site is primarily rectangular in shape occupying an area of approximately 17 ha (42 acres) in plan area. The golf course has been closed, however; it was previously developed with four (4) buildings which included:

- The "Club House", a one-storey structure with full basement, located on the east-central portion of the Site (Site building A);
- The "Pro Shop Building", a one-storey structure with full basement, located on the east-central portion of the Site (Site Building B);
- The "Maintenance Shop Building", a one-storey slab on grade structure, located on the southeast portion of the Site (Site Building C); and,
- The "House", a one-storey residential structure with full basement, located on the northeast portion of the Site (Site Building D).

The location and orientation of the Site is depicted on Figure 1 and Figure 2, attached.

It is EnVision's understanding that this proposal was requested to support the redevelopment of the Site for industrial use and to support the planning application with the Town of Milton. Phase One and Two ESAs prepared in accordance with Ontario Regulation 153/04 (O. Reg. 153/04) were requested by the Town of Milton in support of this process; however, as a change in property use to a more sensitive use is not proposed, the filing of a Record of Site Condition (RSC) with the Ministry of the Environment, Conservation, and Parks (MECP) is not required at this time. This Phase One ESA was prepared in accordance with O. Reg. 153/04, as amended, under the Environmental Protection Act.

2.1. PHASE ONE PROPERTY INFORMATION

Information pertaining to the Phase One Property is provided in *Table 2-1*, below:

Table 2-1:Phase One Property Information

CRITERION	PHASE ONE PROPERTY INFORMATION
MUNICIPAL ADDRESS(S)	6728 Sixth Line, Milton, Ontario
LEGAL DESCRIPTION	Part of Lot 10, Concession 8 Town of Milton, Regional Municipality of Halton
PROPERTY IDENTIFICATION NUMBER(S) (PIN)	PIN 24937-0008 (LT)

CRITERION	PHASE ONE PROPERTY INFORMATION
GEOGRAPHICAL COORDINATES	595,621.96 m E 4,821,651.66 m N
OWNER OF THE PHASE ONE PROPERTY	Anatolia Capital Corp. 8300 Huntington Road, Vaughan, Ontario L4H 4Z6 Tel: 905 771 3800
PERSON WHO ENGAGED THE QP TO CONDUCT THE PHASE ONE ESA	Josh Berry Anatolia Capital Corp. 8300 Huntington Road, Vaughan, Ontario L4H 4Z6 Tel: 905 771 3800 X 636 email: josh.berry@anatoliacapitalcorp.com
QUALIFIED PERSON (QP)	Rodney Obdeyn, P.Eng., QP _{ESA} EnVision Consultants Ltd. 6415 Northwest Drive U37-40, Mississauga, ON, L4V1X1 email: robdeyn@envisionconsultants.ca Tel: 647-287-5192

A Draft Plan of Survey, completed by Ontario Land Surveyor Cunningham McConnell Ltd. was provided for the Phase One Property. The Plan of Survey is included as **Appendix A**.

3. OVERVIEW OF THE INVESTIGATION

3.1. OBJECTIVES

The general objectives of the Phase One ESA are to do the following:

- To develop a preliminary determination of the likelihood that one or more contaminants have affected any land or water on, in or under the Phase One Property;
- To determine the need for a Phase Two ESA; and,
- To provide a basis for carrying out subsequent investigation(s) of the Site based on the Phase One ESA findings.

3.2. SCOPE

The scope of the Phase One ESA included the following components:

- A records review;
- Interview;
- Site reconnaissance;
- A review and evaluation of the information gathered from the records review, and the site reconnaissance, including the preparation of a CSM; and,
- The preparation of a Phase One ESA report.

The following key elements were conducted in accordance with O. Reg. 153/04 as part of this assessment:

- Establishment of an appropriate search radius (the 'Study Area') to adequately evaluate adjacent and neighbouring properties;
- Request and review of historical information (i.e., previous reports, site operating records, fire insurance plans, aerial photographs, occupancy search, etc.) to establish current and past land uses of the Phase One Property and identify PCAs at or affecting the surrounding Study Area;
- Request and review of an Environmental Risk Information Services (ERIS) database report for the Phase One Property and properties within the Study Area. The ERIS provides information with respect to storage tanks, waste disposal Sites, PCB storage, compliance, convictions, and spills;
- Request and review of applicable physical setting sources and documents (i.e., maps, provincial and federal archives, etc.);
- Request and review of applicable federal and provincial databases, including information available from the TSSA with regards to any storage tanks at the Phase One Property and/or on adjacent properties;
- · Completion of a site reconnaissance and interviews with knowledgeable site representatives; and,
- Documentation of the findings in tables and figures summarizing information of each PCA and APEC.

4. RECORDS REVIEW

The records review was conducted to obtain and review records that relate to the Study Area, including both the current and past uses of the Phase One Property and the PCAs at or affecting the Phase One Property, in order to determine if an APEC exists on, in or under the Phase One Property.

The records review complies with the requirements outlined in Section 3 of Schedule D to O. Reg. 153/04.

PRELIMINARY RECORDS REVIEW 4.1.

Preliminary records were reviewed to determine the history of development and land use of the Phase One Property and properties within the Study Area. The preliminary record sources and results of the review are provided in Table 4-1, below:

CRITERION	RECORDS REVIEW RESULTS	
PHASE ONE STUDY AREA	The Study Area for this undertaking included properties wholly, or partially, within 250 m of the Phase One Property boundary. Properties wholly beyond 250 m of the Phase One Property boundary were not added to the Study Area due to low potential to impact the environmental condition of the Phase One Property. The limits of the Phase One Study Area are presented on Figure 1, attached.	
FIRST DEVELOPED USE OF THE PHASE ONE PROPERTY	The date of the first developed use of the Phase One Property was determined through a review of records including the 1877 Halton County Atlas, city directories, legal ownership documents, and aerial photographs. The Phase One Property was historically owned by Benjamin Tuck Sr. in 1877 and used for agricultural/residential purposes from this time until the mid-1950s. Site Building D was present in the earliest available aerial photograph from 1954. The Phase One Property was purchased by Trafalgar Golf & Country Club Ltd. in 1958. Aerial images from 1965 show that Site Buildings A, B and C were present at the time of the photographs. With exception of building additions/renovations being made to Site Building C in approximately 2004 and Site Building A in 2018, the Site remained largely unchanged until the closure of the golf course.	

Table 4-1:	Summary	of the	Preliminary	/ Records Review

4.2. **GENERAL RECORDS REVIEW**

As part of the records review, the QP made all reasonable inquiries to determine the following general information pertaining to the Phase One Property and properties within the Study Area, including inquiries to obtain reasonably accessible records pertaining to the current use(s) and all past uses of the Phase One Property. The general information sources and results of the review are provided in subsequent sections below.

4.2.1. Historical Insurance Information

A Fire Insurance Plan (FIP) search of the property was conducted for the Site; however, no documents were found pertaining to the Phase One Property.

4.2.2. Occupancy and Ownership Information

A summary of occupancy and ownership Information pertaining to the Phase One Property and/or properties within the surrounding Study Area is presented in Table 4-2, below. Copies of supporting documents are provided as Appendix B.

Table 4-2: Summary of Occupancy and Ownership Information

YEAR	SUMMARY OF SALIENT INFORMATION
CITY DIRECTORIES	As part of this assessment, EnVision reviewed a summary of Polk's Halton/Peel Regions, Ontario Criss-Cross directories between 1970 and 2000 at approximately 5 to 10-year intervals. The City Directory was retrieved from a Phase One Report of the Site, conducted by Golder Associates Ltd. in 2015 completed by LGI on behalf of Golder Associates Ltd.
	The Site was first listed in the City Directories in 1994 as the Trafalgar Golf & Country Club, prior to 1994 the Site was not listed. The Site was listed as Chowders Catering in 2000.
	 Generally, properties within the Study Area were first listed in the early 1970s, primarily for residential use. District Hospital was listed between the years of 1989 and 2000, located at 30 Derry Road; however, the location of the hospital is not currently within the Project Area. No PCAs were identified within the City Directory.
TITLE SEARCH AND ASSESSMENT ROLLS	A chain of title search was not completed as part of this assessment. Information pertaining to the ownership and/or use of the Phase One Property was obtained from a review of the Parcel Register summarizing the legal ownership of the property and other records reviewed as part of this assessment, as detailed in previous and subsequent sections of this report.

4.2.3. Previous Reports

The following reports pertaining to the Phase One Property was/were provided to EnVision for review as part of this assessment:

Table 4-3: *Summary of Previous Reports Pertaining to the Phase One Property*

	CRITERION	SUMMARY OF SALIENT INFORMATION			
	REPORT TITLE	Phase I Environmental Site Assessment Trafalgar Golf and Country Club, 6728 Sixth Line, Milton, Ontario			
	REPORT DATE	March 19, 2015			
KT 1	PREPARED FOR/BY	Trafalgar Golf and Country Club Limited., by Golder Associates Ltd. (Golder)			
REPORT	SUMMARY OF SALIENT INFORMATION	Golder completed a Phase I Environmental Site Assessment (ESA) for general upkeep of the property and to identify any PCAs. It is noted that the Phase I ESA was prepared for former Trafalgar Golf and Country Club lands which included the Site under review (east portion of the former golf club lands) as well as the adjacent lands (west portion of the former golf club lands). the Site including the property located west adjacent.			

CRITERION SUMMARY OF SALIENT INFORMATION				
		The scope of the assessment included a review of historical and regulatory records relating to the site and adjacent properties, interviews with relevant persons, a visual Site reconnaissance, and the preparation of a Phase I ESA report.		
		The following PCAs were identified within the report:		
		 Based on an interview with a site representative, it was believed that one (1) UST was decommissioned in place. The UST was reportedly located adjacent to Site Building A and was used to store fuel for the furnace; 		
		 Based on the TSSA records, one (1) former gasoline UST was removed by Twiss Fuels in 1986. No other information was provided. 		
		 The golf club stored pesticides in a shed located adjacent to the Maintenance Shop (Site Building C), the building appeared to be in good condition with no staining in the area; 		
		 The golf club contained one (1) diesel and one (1) gasoline AST located on a concrete pad adjacent to Site Building C. An additional fuel oil AST was located adjacent to the Club House (Site Building A), minor staining was observed around the tank; 		
		 Multiple empty 55 gallon drums of oil were observed, stored adjacent to Site Building C and inside the garage area. No staining was observed near the drums; and, 		
		 One (1) single walled AST was located adjacent to Site Building C, minor staining was visible in the area of the tank. 		
	ASSESSMENT OF VALIDITY OF INFORMATON	The Environmental and historical information presented in the Phase I report is consistent with information obtained through other records reviewed. As such, the information provided in this report is considered reliable.		
	REPORT TITLE	Phase Two Environmental Site Assessment, 6728 Sixth Line, Milton, ON		
	REPORT DATE	October 2, 2018		
	PREPARED FOR/BY	Anatolia Investment Corp. (Anatolia) by Golder		
REPORT 2	SUMMARY OF SALIENT INFORMATION	Golder was retained by Anatolia to conduct a Phase II ESA of the property located at 6728 Sixth Line, Milton, Ontario to assess the soil and groundwater conditions with respect to potential contaminants identified during the Phase I ESA conducted in March of 2015. It is noted that the Phase II ESA was prepared for the former Trafalgar Golf and Country Club lands which included the Site under review (east portion of the former golf club lands) as well as the adjacent lands (west portion of the former golf club lands).		
		The Phase II ESA included the advancement of nine (9) boreholes (three (3) advanced on the Phase One Property and six (6) advanced on the east adjacent property) ranging from 3.05 to 6.10 mbgs and the installation of six (6) monitoring wells. No monitoring wells were installed for the Phase One Property. Three (3) additional surface soil samples were collected during the program.		
		The stratigraphy was described as fill material comprised of silty clay, silty sand, or sandy silt to depths ranging from 0.5 to 3.1 mbgs followed by predominantly silty clay with trace sand and gravel extending to 6.1 mbgs. The inferred groundwater flow was concluded to be southerly and water level measurements ranged from 0.78 mbgs (MW18-2) to 3.94 mbgs (MW18-1).		

CRITERION	SUMMARY OF SALIENT INFORMATION			
	Soil samples were sent to Maxxam Analytics Inc. for the analysis of one or more of metals and Inorganics, PHCs, VOCs, PAHs, and OCs. One (1) groundwater sample from each monitoring well was submitted for analysis of PHCs. One (1) groundwater sample from MW18-01 was also submitted for OCs.			
	 As BH/MW18-1 was located within 30 m of a water body, laboratory results for soil and groundwater were assessed by comparison to the MECP Table 8: Generic Site Condition Standards (SCS), for medium to fine textured soils. The remaining soil and groundwater samples were compared to the MECP Table 2 SCS for medium to fine textures soils. No exceedances of the applicable standards were reported for the soil and groundwater samples collected for the parameters tested. 			
ASSESSMENT OF VALIDITY OF INFORMATON	The analytical results presented in the Phase II report and Golder's interpretation of them can be considered reliable and reproducible.			

4.3. ENVIRONMENTAL SOURCE INFORMATION

The QP made all reasonable inquiries to obtain information that pertains to the following subsections, as are reasonably accessible and pertain to the Phase One Property and properties within the Study Area.

EnVision obtained an ERIS Database Report for the Phase One Property and lands within a 250 m radius of the Phase One Property. The ERIS report tabulates the results of a search of provincial, federal, and private source databases which are considered relevant in the identification of potential environmental risks associated with the Phase One Property. A copy of the ERIS report is included as **Appendix C**.

To supplement the ERIS report and meet the requirements of the regulatory information review, available information from the MECP and other regulatory agencies was requested through the Freedom of Information (FOI) and Protection of Privacy Act for review. Further, information pertaining to fuel storage was requested from the Technical Standards and Safety Authority (TSSA) for review.

A summary of the results of the Environmental Source record review is provided in *Table 4-4*, below.

Table 4-4: Summary of Environmental Source Records Review

CRITERION	SUMMARY OF RECORDS REVIEW RESULTS
NATIONAL POLLUTANT RELEASE INVENTORY (NPRI)	The ERIS report did not identify any NPRI records for the Phase One Property or properties within the Study Area.
PCB INVENTORIES	The ERIS report did not identify any PCB Inventory records for the Phase One Property or properties within the Study Area.
ENVIRONMENTAL COMPLIANCE APPROVAL (ECA),	The ERIS report did not identify MECP ECA, CA, PTTW, or CPU records for the Phase One Property. Three (3) records pertaining to one (1) property within the Study Area were identified for private sewage works.

ne ERIS report for the Phase
gement Corp., operating as Ailton Ontario.

CERTIFICATE OF APPROVAL (CA), PERMITS TO TAKE WATER (PTTW), AND CERTIFICATE OF PROPERTY USE (CPU)	Four (4) Permits to Take Water records were identified in the ERIS report for the Phase One Property between 2008 and 2022 for Golfnorth Management Corp., operating as Trafalgar Gold & Country Club located at 6728 Sixth Line, Milton Ontario.
INVENTORY OF COAL GASIFICATION PLANTS	The ERIS report did not identify records of coal gasification plants or coal tar sites associated with the Phase One Property or properties within the Study Area.
RECORDS OF ENVIRONMENTAL INCIDENTS, ORDERS, OFFENCES, SPILLS, DISCHARGES OF CONTAMINANTS, OR INSPECTIONS	 Three (3) records of a spills were identified as summarized below: In December 2017, an unknown volume of fuel oil leaked from an AST on the Phase One Property. The location of the spill is unknown, however; it is anticipated that the spill likely occurred in the vicinity of the fuel oil AST located in the basement of the pro shop building (Site Building B). Two (2) records pertaining to incidents and/or releases at properties within the Study Area were identified; however, due to distance from the Phase One Property, the location relative to the inferred groundwater flow direction, and/or the nature of the products released, the remaining incidents/releases identified in these databases were not anticipated to have impacted the environmental quality of the Phase One Property and are therefore not listed herein. Details pertaining to these additional records can be found in the ERIS report in Appendix C. A Freedom of Information (FOI) request was submitted to the MECP, requesting information pertaining to environmental incidents, orders, offences, spills, discharges of contaminants, or inspections for the Phase One Property. A confirmation of receipt (File # A-2022-05150) was received on September 21, 2023. A response was received October 19, 2023. The FOI response indicated the following records: The Site is registered within the Permit to Take Water (PTTW) database. Based on the most recent application dated March 2022, water from the Sixteen Mile Creek was approved to be pumped into irrigations ponds located on Site at a rate of 1,136 litres/minute (L/min) for a total of 1,635,840 L/day over a period of 275 days. In December 2017, an incident report was filed for the Site. The record noted that on December 7, 2023, Danosh Construction (Danosh) was on Site to remove an AST located in the vicinity of the 2015 Golder Phase I ESA, the suspected UST was likely located in the vicinity of the 2015 Golder Phase I ESA, the suspected UST was likely located in the v

SUMMARY OF RECORDS REVIEW RESULTS

CRITERION

reconstruction of Site Building A in the summer of 2018.

CRITERION	SUMMARY OF RECORDS REVIEW RESULTS			
	A copy of the FOI request and/or response is provided in Appendix D.			
WASTE MANAGEMENT	The ERIS report did not identify Waste Receiver Records for the Phase One Property or properties within the Study Area.			
RECORDS, INCLUDING CURRENT AND HISTORICAL	The ERIS report identified seven (7) O. Reg. 347 Waste Generator Summary Records for the Phase One Property, as summarized below:			
WASTE STORAGE LOCATIONS, O. REG. 347 WASTE GENERATOR / RECEIVER SUMMARY RECORDS, AND MECP	 Trafalgar Golf and Country Club Ltd. was registered for the generation, use, and/or storage of petroleum distillates and waste crank oil & lubricants, between 1992 and 2022. Based on information obtained from the Site reconnaissance, waste generation was noted in the vicinity of Site Building C. In addition, based on a review of previous reports prepared by Golder, wastes were stored adjacent to the Site Building C. 			
WASTE DISPOSAL INVENTORY	 Danosh Construction was registered in 2018 and 2019 at 6278 for the generation, use, and/or storage of light fuels. Based on a review of aerial photographs, staging associated with the construction is noted to have taken place between Site Buildings A and B. 			
	The ERIS report did not identify O. Reg. 347 Waste Generator Summary Records for the Study Area.			
	The ERIS report did not identify records pertaining to the Phase One Property or Study Area with regards to large or small scale, active or closed landfill sites.			
RECORDS OF FUEL STORAGE	The ERIS report identified five (5) records of fuel storage for the Phase One Property, as summarized below:			
MAINTAINED BY TECHNICAL STANDARDS AND SAFETY AUTHORITY (TSSA)	 Two (2) fuel storage tank records are available for the golf course property, each referring to the installation of one (1) double walled horizontal ASTs in November of 2001. The Installation of the ASTs were described as a self serve fuel outlet for Trafalgar Golf Club Ltd. Based on the Site reconnaissance, these tanks are likely the ASTs observed adjacent to Site Building C; and, 			
	 Two (2) historic fuel storage tank records were available for the golf course property, documenting one (1) gasoline double wall AST and one (1) diesel double wall AST in August of 2007, with an installation date of 1997. One (1) Private and Retail Fuel Storage Tank record was available for the Site for the database which searched for available records between 1989 and 1996. 			
	An information request was submitted to the TSSA pertaining to underground and aboveground fuel storage for the Phase One Property and adjacent properties. The TSSA response indicated that three (3) records were identified for the property located east adjacent of the Phase One Property for two (2) liquid fuel tanks and one (1) private fuel self-serve outlet; additionally, a TSSA request made by Golder Associates Ltd., in 2015 for a Phase I ESA indicated the following:			
	 One (1) UST was removed by Twiss Fuels in 1986; used to store gasoline. No other information was provided; 			
	 One (1) 1,360 liter double walled steel AST used to store diesel fuel was installed in 1997; and, 			
	One (1) 2,200 liter double walled steel AST used to store gasoline fuel was installed in 1997.			
	A copy of the TSSA response and request is provided in Appendix D .			

CRITERION	SUMMARY OF RECORDS REVIEW RESULTS
NOTICES AND INSTRUMENTS, INCLUDING RECORDS OF SITE CONDITION (RSCS) POSTED ON THE SITE REGISTRY	The ERIS report did not identify Environmental Registry records relating to the Phase One Property or properties within the Study Area.
OTHER COMMERCIAL AND INDUSTRIAL RECORDS	The ERIS report did not identify further commercial and/or industrial records relating to the Phase One Property or properties within the Study Area.
AREAS OF NATURAL SIGNIFICANCE MAINTAINED BY THE MINISTRY OF NATURAL RESOURCES AND FORESTRY (MNRF)	 The Natural Heritage Areas database lists areas of natural significance including provincial parks, conservation reserves, areas of natural and scientific interest, wetlands environmentally significant areas, habitats of a threatened or endangered species, and wilderness areas. A review of this database listed the Midland Painted Turtle and Snapping Turtle as species of Special Concern within 1 km of the Phase One Property. According to the MNRF, both turtle species are highly aquatic and spend most of their time in shallow water bodies. As two (2) water bodies are located on the Site, and Sixteen Mile Creek transects the southeastern portion of the Phase One Property, it is possible that these species could be found within the Phase One Property and the surrounding Study Area. If required, an environmental specialist could be retained to undertake a Phase One Property-specific ecological assessment; however, at this time, further assessment is not deemed warranted. The Natural Heritage Areas database also identified the following areas of natural significance in the Study Area, as depicted on Figure 1. The following ANSIs were identified: Unevaluated wetlands are located at the southeastern corner of the intersection of Sixth Line and Derry Road, approximately 15 m north of the Phase One Property and approximately 25 m east of the Project Area; The Phase One Property as well as properties located east, west and south of the Phase One Property were identified as Greenland Area A, as per Schedule B of the Milton Official Plan. Under the Greenlands System, this area is considered to be an ANSI, according to the Town of Milton Official Plan; and A woodland is interspersed within this area, according to the Region of Halton's Tree-By-Law, tree cutting requires a permit for woodlands that are greater than 0.5 hectares (1.1 acres).

4.4. PHYSICAL SETTING SOURCES

4.4.1. Aerial Photographs and Satellite Imagery

Aerial Photographs from the Town of Milton were reviewed as part of this assessment. The first available pre-development aerial photograph from 1954 was reviewed in order to determine early land use. Subsequent aerial photographs were obtained for review at approximately ten-year intervals, as available (i.e., 1965, 1974, 1985, 2004, 2018 and 2021) in order to observe changes to the Phase One Property and Study Area over time. The County Atlas of Halton was utilized to obtain a more historical

image from 1877. Significant information depicted in these photographs is summarized in *Table 4-5*, below and a copy of the aerial photographs reviewed are provided in **Appendix E**.

 Table 4-5:
 Summary of Aerial Photograph and Satellite Imagery Review

YEAR SUMMARY OF SALIENT INFORMATION

1877 HALTON COUNTY The Phase One Property was a portion of a large parcel of land owned by Benjamin Tuck Sr. and the eastern portion of the Site was occupied by a residential building and an orchard. ATLAS The surrounding properties were utilized for residential and agricultural purposes. Derry Road East and Sixth Line were depicted in their present-day locations, north and east adjacent to the Phase One Property Respectively. Sixteen Mile Creek appeared east adjacent to the Site. The Phase One Property was a portion of a larger lot utilized for agricultural purposes. A building, likely residential, appeared to be located on the northeast portion of the property at the southeast corner of the Site. Two tributaries of Sixteen Mile Creek crossed the property at the southeast corner of the Site. Two tributaries of Sixteen Mile Creek appeared to transect the central portion of the property in a north to south orientation, and on the south portion of the southeast corner of the Site. 1965 The Phase One Property had been developed for commercial use as a golf course with greens, sand traps and an irrigation pond (southeast corner of the Site). Site Building A, B and C were developed including a driveway on the northeastern portion of the Site napproximately their present-day orientation, with the driveway exiting to Sixth Line. The Phase One Property appeared similar to the 1965 aerial photograph, with the exception of the addition of a parking area located north adjacent to the pool. The Phase One Property appeared similar to the 1965 aerial photograph, with the exception of light residential development northwest adjacent to the Site. 1974 The Phase One Property and Study Area appeared similar to the 1965 aerial photograph, with the exception of light residential development no		
 building, likely residential, appeared to be located on the ast portion of the property in the present-day location of Site Building D. A portion of Sixteen Mile Creek appeared to transect the central portion of the property in a north to south orientation, and on the south portion of the property in a west to east orientation. Both tributaries met downstream with the creek on the southeast corner of the Site. Neighboring/adjacent properties appeared to be used primarily for agricultural and/or residential purposes. The Phase One Property had been developed for commercial use as a golf course with greens, sand traps and an irrigation pond (southeast corner of the Site.) Site Building A, B and C were developed including a driveway on the northeastern portion of the Site in approximately their present-day orientation, with the driveway exiting to Sixth Line. A pool was noted north of the parking lot. Two (2) residential buildings were located on the northeast portion of the Site, including Site Building D that had a driveway exiting to Sixth Line. A pool was noted north of the addition of a parking area located north adjacent to the pool. The Phase One Property appeared similar to the 1965 aerial photograph, with the exception of the addition of a parking area located north adjacent to the Site. The Phase One Property and Study Area appeared similar to the 1974 aerial photograph, with the exception of light residential development northwest adjacent to the Site. The Phase One Property and Study Area appeared similar to the 1985 aerial photograph, with the exception of a residential development northwest adjacent to the Site. The Phase One Property appeared similar to the 1985 aerial photograph, with the exception of a residential development northwest of Site Building C with two (2) smaller irrigation ponds developed approximately 90 m west of Site Building C with two (2) smaller irrigation ponds developed west of the large	COUNTY	the eastern portion of the Site was occupied by a residential building and an orchard. The surrounding properties were utilized for residential and agricultural purposes. Derry Road East and Sixth Line were depicted in their present-day locations, north and east adjacent to the Phase One Property Respectively.
 In this concern toperty had occreated excloped to recompeted to be a guilding A, B and C were developed including a driveway on the northeastern portion of the Site). Site Building A, B and C were developed including a driveway on the northeastern portion of the Site in approximately their present-day orientation, with the driveway exiting to Sixth Line. A pool was noted north of the parking lot. Two (2) residential buildings were located on the northeast portion of the Site, including Site Building D that had a driveway exiting to Sixth Line. The Phase One Study Area appeared similar to the 1954 aerial photograph. 1974 The Phase One Property appeared similar to the 1965 aerial photograph, with the exception of the addition of a parking area located north adjacent to the pool. The Phase One Study Area appeared similar to the 1965 aerial photograph, with the exception of light residential development northwest adjacent to the Site. 1985 The Phase One Property and Study Area appeared similar to the 1974 aerial photograph. 2004 An addition was added to Site Building C and a driveway was extended from the building to Sixth Line. The Phase One Study Area appeared similar to the 1985 aerial photograph, with the exception of a residential/commercial building being developed south adjacent to the Site and a large pond developed approximately 90 m west of Site Building C with two (2) smaller irrigation ponds developed west of the larger pond. 2018 The Phase One Property appeared similar to the 2004 aerial photograph within the exception of Site Building A. The framing of the roof of Site Building A was exposed and the building appeared be undergoing re-construction. Based on a review of the FOI records, a fire occurred 	1954	building, likely residential, appeared to be located on the northeast portion of the property in the present-day location of Site Building D. A portion of Sixteen Mile Creek crossed the property at the southeast corner of the Site. Two tributaries of Sixteen Mile Creek appeared to transect the central portion of the property in a north to south orientation, and on the south portion of the property in a west to east orientation. Both tributaries met downstream with the creek on the southeast corner of the Site. Neighboring/adjacent properties appeared to be used primarily for agricultural and/or
 Internase one Property appeared similar to the 1965 aerial photograph, with the exception of light residential development northwest adjacent to the pool. The Phase One Study Area appeared similar to the 1965 aerial photograph, with the exception of light residential development northwest adjacent to the Site. The Phase One Property and Study Area appeared similar to the 1974 aerial photograph. An addition was added to Site Building C and a driveway was extended from the building to Sixth Line. The Phase One Study Area appeared similar to the 1985 aerial photograph, with the exception of a residential/commercial building being developed south adjacent to the Site and a large pond developed approximately 90 m west of Site Building C with two (2) smaller irrigation ponds developed west of the larger pond. The Phase One Property appeared similar to the 2004 aerial photograph within the exception of Site Building A. The framing of the roof of Site Building A was exposed and the building appeared be undergoing re-construction. Based on a review of the FOI records, a fire occurred 	1965	sand traps and an irrigation pond (southeast corner of the Site). Site Building A, B and C were developed including a driveway on the northeastern portion of the Site in approximately their present-day orientation, with the driveway exiting to Sixth Line. A pool was noted north of the parking lot. Two (2) residential buildings were located on the northeast portion of the Site, including Site Building D that had a driveway exiting to Sixth Line.
 An addition was added to Site Building C and a driveway was extended from the building to Sixth Line. The Phase One Study Area appeared similar to the 1985 aerial photograph, with the exception of a residential/commercial building being developed south adjacent to the Site and a large pond developed approximately 90 m west of Site Building C with two (2) smaller irrigation ponds developed west of the larger pond. The Phase One Property appeared similar to the 2004 aerial photograph within the exception of Site Building A. The framing of the roof of Site Building A was exposed and the building appeared be undergoing re-construction. Based on a review of the FOI records, a fire occurred 	1974	the addition of a parking area located north adjacent to the pool. The Phase One Study Area appeared similar to the 1965 aerial photograph, with the exception
 2018 ²⁰¹⁸ The Phase One Property appeared similar to the 2004 aerial photograph within the exception of Site Building A. The framing of the roof of Site Building A was exposed and the building appeared be undergoing re-construction. Based on a review of the FOI records, a fire occurred 	1985	The Phase One Property and Study Area appeared similar to the 1974 aerial photograph.
of Site Building A. The framing of the roof of Site Building A was exposed and the building appeared be undergoing re-construction. Based on a review of the FOI records, a fire occurred	2004	Sixth Line. The Phase One Study Area appeared similar to the 1985 aerial photograph, with the exception of a residential/commercial building being developed south adjacent to the Site and a large pond developed approximately 90 m west of Site Building C with two (2) smaller irrigation
	2018	of Site Building A. The framing of the roof of Site Building A was exposed and the building appeared be undergoing re-construction. Based on a review of the FOI records, a fire occurred

YEAR SUMMARY OF SALIENT INFORMATION

	A truss bridge was also developed on the southeast portion of the Site, spanning Sixteen Mile
	Creek.
	The Phase One Study Area appeared similar to the 2004 aerial photograph.
2021	The Phase One Property and Study Area appeared similar to the 2018 aerial photograph.

4.4.2. Regional Topography, Physiography, Geology, and Hydrogeology

Mapping resources available from federal, provincial, and territorial agencies were reviewed to assess the physical settings of the Phase One Property. The findings of the review are summarized in *Table 4-6*, below:

Table 4-6:Summary of the Physical Setting Records Review

CRITERION PHYSICAL SETTING RECORDS REVIEW RESULTS

TOPOGRAPHY	The topography at the Phase One Property is relatively flat with an elevation of approximately 190 masl. The regional topography in the vicinity of the Phase One Property slopes to the southeast. Based on the local topography, the inferred shallow groundwater flow direction within the Study Area is anticipated to be to the southeast towards Sixteen Mile Creek and connected tributaries, which at the nearest point, transects the southeastern portion of the Phase One Property. Groundwater flow direction can be influenced by seasonal fluctuation, utility services, and other subsurface features and can only be confirmed with long term monitoring. The approximate topography and inferred groundwater flow direction within the Study Area is depicted on Figure 1.
PHYSIOGRAPHY	The Phase One Property is situated within the Sand Plains physiographic region.
MECP WELL RECORDS, GEOLOGY AND HYDROGEOLOGY	The Phase One Property is at an intersection of multiple surficial geology regions which include coarse textured glaciolacustrine deposits characterized by sand, gravel, minor silt and clay and Foreshore deposits. Modern alluvial deposits are also present around Sixteen Mile Creek, and connected tributaries, characterized by clay, silt, sand and gravel. The remaining balance of the site is described as till, which is characterized as clay to silt textured till. The bedrock in the Study Area is shale, limestone, dolostone, and siltstone of the Georgian Bay and Queenston Formation.
	The ERIS report did not identify well records for Phase One Property. 23 records were identified within the surrounding Study Area. Based on a review of these records, the stratigraphy in the vicinity of the Phase One Property was generally described as topsoil ranging in depth from surface to 0.6 mbgs, underlain by sandy clay at depths ranging from 0.6 to 6.4 mbgs in turn underlain by sand from 5.8 to 9.4 mbgs. Gravelly sand was documented at a depth of 9.4 to 19.8 mbgs, underlain by clay to a maximum reported depth of 21.9 mbgs. Shale bedrock was identified in the records at depths ranging between 16.7 and 25.0 mbgs. The depth to groundwater measured in the Study Area ranged from 3.0 to 10.6 mbgs. One (1) domestic well was identified for the Site, ten (10) domestic wells were identified for the surrounding Study Area. Based on a review of the 2018 Golder Phase II ESA report, the stratigraphy was described as
	fill material comprised of silty clay, silty sand, or sandy silt to depths ranging from 0.5 to 3.1

CRITERION PHYSICAL SETTING RECORDS REVIEW RESULTS

mbgs followed by predominantly silty clay with trace sand and gravel extending to 6.1 mbgs. The water level measurements ranged from 0.78 mbgs to 3.94 mbgs The approximate well locations are depicted on **Figure 1**.

4.5. SITE OPERATING RECORDS

To be classified as an enhanced investigation property, the Phase One Property must be used or have been used in whole or in part for any of the following uses:

- any industrial use;
- as a garage;
- as a bulk liquid dispensing facility, including a gasoline outlet; or,
- or the operation of dry-cleaning equipment.

The Phase One Property contains a garage for the maintenance and upkeep of vehicles used to maintain the golf course and is therefore considered an enhanced investigation property. The additional review of available site operating records, as are applicable and reasonably accessible, is provided in *Table 4-7*, below.

Table 4-7:	Summary	of Site	Operating	Records
------------	---------	---------	-----------	---------

CRITERION	SITE OPERATING REVIEW RESULTS
REGULATORY PERMITS AND RECORDS RELATED TO APECS	According to the Site interviewee, the MECP FOI search response, and the ERIS report, there were no records of regulatory permits or records available related to APECs.
SAFETY DATA SHEETS (SDS)	SDS were not provided during this assessment.
UNDERGROUND UTILITY DRAWINGS	No utility drawings were provided.
INVENTORIES OF CHEMICALS, CHEMICAL USAGE AND CHEMICAL STORAGE AREAS	 According to the Site interviewee and the records requests, there were no inventories of chemicals or records of chemicals used at the Phase One Property. Chemicals at the Phase One Property were stored in the chemical storage shed, located west adjacent of Site Building C. The following materials were stored within the chemical and pesticide storage sheds: Approximately three (3) 113 L drums of Revolution (plant growth); Approximately ten (10) 4 L pails and three (3) 22 kg bags of fungicide; Approximately three (3) 4 L bottles of GreenPig (pigment additive); Approximately seventeen (17) 1 L bottles of Knockdown (antifoaming agent); Approximately two (2) 1 L bottles of Runway (turf marking foam); Approximately five (5) 13 kg bags of granular insecticide; Approximately ten (10) 400 g bottles of Pre-Strike (insect growth regulator);

CRITERION	SITE OPERATING REVIEW RESULTS
	 Approximately two (2) 10 L bottles of turf herbicide; Approximately three (3) 20 L bottles of Signal (blue spray pattern indicator); A pallet of Grigg Garys Green Ultra (fertilizer); Two (2) pallets of Agromart Magic Carpet Fertilizer; A pallet of Plant Science Mineral Builder Homogeneous Fertilizer; and Three (3) 113 L drums of Grigg A-O-K Plus (fertilizer)
INVENTORY OF ASTS AND USTS	 According to the Site interviewee there were no available records of inventory for storage tanks at the time of assessment. The following ASTs were observed during the Site reconnaissance: One (1) 909 L, single walled, steel AST was located in the basement of Site Building B within the southern portion of the basement adjacent to the southern
	 wall. The AST was installed in 2000 and was used to store fuel oil. No secondary containment was provided; One (1) AST was located in the basement of Site Building D. Vent fill pipes were observed on the northern portion of the Site Building. EnVsion was not able to enter the Site Building and therefore, no further details regarding the capacity, age and materials of construction can be provided; and Two (2) 2,200 L, double walled, steel ASTs were located adjacent to the eastern portion of Site Building C. The ASTs were installed in 2014 and are used to store diesel and gasoline. The ASTs were installed on a concrete pad.
ENVIRONMENTAL MONITORING DATA	No environmental monitoring data was provided during this assessment.
WASTE MANAGEMENT RECORDS	No waste management records were provided by the client at the time of this assessment. During the records review, two (2) records were identified for the Phase One Property outlining former and present O. Reg. 347 Waste Generators, as summarized in <i>Table 4-4</i> , above.
	Waste management operations observed on-site included the presence of three (3) 205 L waste oil drums and six (6) 20 L pails 10 m east of Site Building C.
PROCESS, PRODUCTION AND MAINTENANCE DOCUMENTS RELATED TO APECS	No process, production and/or maintenance documents were provided for review at the time of this assessment.
RECORDS OF SPILLS AND DISCHARGES OF CONTAMINANTS	No records of spills and/or discharges of contaminants were provided for review at the time of this assessment. One (1) record was identified for the Phase One Property in the ERIS report; however, information regarding the location of the spill was unavailable.
EMERGENCY RESPONSE AND CONTINGENCY PLANS	Emergency plan records were available in the office/warehouse area of the on Phase One Property building at the time of the reconnaissance. Granular absorbent material was available in the garage to place on any material spills.
ENVIRONMENTAL AUDIT REPORT	The interviewee was not aware of any Environmental Audit Reports for the Phase One Property, and the MECP FOI search request did not identify any reports for the Phase One Property.

CRITERION	SITE OPERATING REVIEW RESULTS
PHASE ONE PROPERTY PLAN OF FACILITY SHOWING AREAS OF PRODUCTION AND MANUFACTURING	No production or manufacturing records were provided during this assessment.

5. INTERVIEW

An interview was conducted to obtain information to assist in determining if any APECs exists within the Phase One Property, including identifying details of PCAs or potential contaminant pathways in, on, or under the Phase One Property.

The interview were conducted in accordance with the requirements outlined in Section 5 through Section 8 of Schedule D to O. Reg. 153/04.

CRITERION	SUMMARY OF INTERVIEW DETAILS
DATE	July 27, 2022
LOCATION	Remote
METHOD	Email/in person
INTERVIEWEE(S)	Joseph Frans, Maintenance Manager
RATIONALE	Joseph Frans was the maintenance manager of the Site and is considered knowledgeable about past operations at the Phase One Property.
RELEVANT INFORMATION CONCERNING PCAS AND APECS	Mr. Frans informed EnVision personnel that one (1) fuel oil AST was located in the basement of Site Building B, one (1) fuel oil AST was located in the basement of Site Building D, and two (2) fuel oil ASTs were located adjacent to the east portion of Site Building C.
ASSESSMENT OF VALIDITY OF INFORMATION PROVIDED BY THE INTERVIEWEE	The information provided by the interviewee regarding fuel storage is consistent with the ERIS report and TSSA. Through a comparison of the information provided by the interviewees with information collected through the records review, the QP believes that the interviewees are reliable sources for valid information about the Phase One Property.

Table 5-1:Summary of the Phase One Interview(s)

6. SITE RECONNAISSANCE

A site reconnaissance of the Phase One Property was conducted by EnVision as part of this assessment to determine if any APECs exists through observations about current and past uses and PCAs on, in or under the Phase One Property The reconnaissance included a visual inspection of adjacent properties and properties located within the Study Area, conducted from the boundary of the Site and from publicly accessible areas to identify any PCAs.

A written description documenting the observations and investigation of the Phase One Property and Phase One Study Area is provided in the following subsections. The site reconnaissance was conducted in accordance with the requirements outlined in Section 10 through Section 15 of Schedule D to O. Reg. 153/04, with the following exceptions:

• Access into Site Building D was not provided.

6.1. GENERAL REQUIREMENTS

A summary of the general requirements of the site reconnaissance is provided in *Table 6-1*, below:

Table 6-1:	Summary of General F	Requirements of the Site Reconnaissance
------------	----------------------	---

CRITERION	SUMMARY OF GENERAL DETAILS
DATE AND TIME	July 14, 2022, 9:00 – 13:00
WEATHER CONDITIONS	The temperature was approximately 26°C and weather conditions were clear.
LENGTH OF TIME	4 hours
WHETHER THE FACILITY WAS OPERATING AT THE TIME OF THE INVESTIGATION AS AN ENHANCED INVESTIGATION PROPERTY	At the time of the site reconnaissance, the Phase One Property was utilized for commercial purposes, operating as the Trafalgar Golf and Country Club. The property contains a maintenance shop building and was therefore considered to be operating as an enhanced investigation property.
THE NAME AND QUALIFICATIONS OF THE INVESTIGATOR	The site reconnaissance was conducted by Maryanne Caluori, M.A.Sc. Maryanne's qualifications are outlined in <i>Section 8.4</i> .
IMPEDIMENTS AND/OR LIMITATIONS	No limitations and/or impediments were encountered during the Site reconnaissance.

Select photographs taken during the Site reconnaissance, including a written description and explanation, are provided in **Appendix F**.

The reconnaissance included a visual inspection of the Phase One Property, including the interior of any on-site structures. A summary of the specific observations within the Phase One Property is provided in *Table 6-2*, below:

Table 6-2Summary of Specific Observations within the Phase One Property

	CRITERION	SUMMARY OF SPECIFIC OBSERVATIONS
	STRUCTURES AND OTHER IMPROVEMENTS, INCLUDING NUMBER AND AGE OF BUILDINGS AND BELOW-GROUND STRUCTURES	 The Phase One Property was occupied by three (3) commercial buildings (developed in approximately 1965): Site Building A (Approximately 1,115 m²); Site Building B (Approximately 93 m²); Site Building C (Approximately 465 m²); and The Phase One Property was also occupied by one (1) residential building (developed pre-1954): Site Building D (Approximately 65 m²).
STRUCTURES	DETAILS OF ALL ASTS AND USTS, INCLUDING MATERIAL, METHOD OF CONSTRUCTION, AGE, CONTENTS, VOLUME, AND DETAILS OF USE	 There was no evidence of USTs observed at the Phase One Property during the site reconnaissance, including vent pipes, fill pipes, or soil depressions. The following ASTs were observed during the Site reconnaissance: One (1) 909 L, single walled, steel AST was located in the basement of Site Building B within the southern portion of the basement adjacent to the southern wall. The AST was installed in 2000 and was used to store fuel oil. No secondary containment was provided; One (1) AST was located in the basement of Site Building D. Vent and fill pipes were observed on the northern portion of the Site Building. EnVsion was not able to enter the Site Building and therefore, no further details regarding the capacity, age and materials of construction can be provided; and Two (2) 2,200 L, double walled, steel ASTs were located adjacent to the eastern portion of Site Building C. The ASTs were installed in 2014 and are used to store diesel and gasoline. The ASTs were installed on a concrete pad.
	POTABLE AND NON- POTABLE WATER SOURCES	Potable water is supplied by one (1) municipal water well located south of Site Building D. Irrigation lines are located throughout the Phase One Property and are supplied by five (5) irrigation ponds.

	CRITERION	SUMMARY OF SPECIFIC OBSERVATIONS
UTILITIES	UNDERGROUND UTILITIES AND CORRIDORS	A water well is located south of Site Building D and supplies water to all on- Site Buildings. Three (3) septic systems are located east of Site Building B, west of Site Building C, and north of Site Building D. Underground hydro was noted to enter Site Buildings A through C from Sixth Line. Site Building D was serviced via overhead hydro. Underground communications were noted to enter Site Buildings A through D from Sixth Line. Propane gas was noted to enter Site Building A. Multiple catch basins were observed in the parking area along the western exterior of the building.
	EXIT AND ENTRY POINTS	 Site Building A: Various exit and entry points were located around the perimeter of the Site Building. Site Building B: Various exit and entry points were located around the perimeter of the Site Building. Site Building C: Two exit and entry doors were located on the eastern and western portions of the Site Building. Site Building D: Two exit and entry doors are located on the western and southern portions of the Site Building.
INTERIOR OF STRUCTURES	DETAILS OF EXISTING AND FORMER HEATING AND COOLING SYSTEMS, INCLUDING FUEL SOURCE	Site Building A was heated via a propane fired furnace. Cooling for the Site Building was supplied by rooftop and window mounted air-conditioning units. Site Building B was heated via a fuel oil furnace and electric heaters. Cooling for the Site Building was supplied by pad mounted air conditioning units. Site Building C was heated via propane suspended unit heaters. Cooling for Site Building C was supplied by electric fans and window-mounted air conditioning units. Site Building D was inferred to be heated via a fuel oil furnace based on the inferred vent fill pipes and previous reports. Cooling for the Site Building was supplied by window-mounted air conditioning units.
	DETAILS OF DRAINS, PITS, AND SUMPS, INCLUDING CURRENT AND FORMER USE AND ANY EVIDENCED OF STAINING OR CORROSION	Two (2) pits were observed in the mechanical room of Site Building A, one (1) of which was equipped with an in-ground sub-pit. Drainage grates were noted in Site Building B and Site Building C. Floor drains were observed in the washrooms of Site Buildings A through C. In addition, one (1) hydraulic pit were observed within Site Building C.
	DETAILS OF ANY UNIDENTIFIED SUBSTANCES	None identified
MISCELLANEOUS	DETAILS AND LOCATIONS OF WELLS	Four (4) monitoring wells associated with a previous environmental assessment completed for the Phase One Property were identified south and east of Site Building B, west of Site Building C, and southeast of Site Building D. Details of monitoring well construction are provided in a previous environmental investigation.

	CRITERION	SUMMARY OF SPECIFIC OBSERVATIONS
	DETAILS OF SEWAGE WORKS, INCLUDING LOCATION	 The Site not serviced by municipal sanitary sewers. Septic systems were observed in the following location: East portion of Site Building B and servicing Site Building A and B; East portion of Site Building C and servicing Site Building C; and North portion of Site Building D and servicing Site Building D.
	DETAILS OF GROUND SURFACE, INCLUDING TYPE OF COVER	The ground surface within the Phase One Property is primarily covered by grass, vegetation, and landscaping within the exception of the ground surface surrounding Site Building C which is primarily covered with gravel.
	DETAILS OF CURRENT OR FORMER RAILWAYS LINES OR SPURS	No evidence or current or former railway lines or spurs were identified at the Phase One Property during the site reconnaissance.
	AREAS OF STAINED SOIL, VEGETATION, OR PAVEMENT	Stained concrete blocks were observed north adjacent of the fueling ASTs located at Site Building C.
	AREAS OF STRESSED VEGETATION	There was no evidence of stressed vegetation observed.
EXTERIOR OBSERVATIONS	AREAS WHERE FILL AND DEBRIS MATERIALS HAVE BEEN PLACED OR GRADED	 Piles of sand, gravel, mulch, and soil were observed west of Site Building C. According to Mr. Frans, these piles are obtained from various companies (Growers Choice, Divot, James Dick) and are utilized to maintain the grounds of the golf course. These fill piles are not considered to contribute to an APEC at the Phase One Property Fill material of unknown environmental quality is anticipated to have been placed within the parking lot area of the Phase One Property.
	POTENTIALLY CONTAMINATING ACTIVITY	 The following PCAs were identified on Site: Site Building C operates as a garage for maintenance and repair of vehicles (golf carts, gators) (PCA 27). A fuel-oil AST was located in the basement of Site Building B (PCA 28). Two (2) gasoline and diesel ASTs were located adjacent to the eastern portion of Site Building C (PCA 28). A fuel- oil AST was located in the basement of Site Building D (PCA 28). Three (3) 205 L drums pails and six (6) 20 L pails containing waste motor oil waste were stored approximately 10 m east of Site Building C (PCA B); and Fill material of unknown environmental quality is anticipated to have been placed within the parking lot area of the Phase One Property (PCA 30).
	DETAILS OF UNIDENTIFIED SUBSTANCES	There were no unidentified substances observed within the Phase One Property.

6.2.1. Enhanced Investigation Phase One Property

Based on the current and historical uses, the Phase One Property has been used in a manner described in clause 32 (1) (b) of O. Reg. 153/04 and therefore is considered an enhanced investigation property.

A summary of the enhanced investigation observations is provided in *Table 6-3*, below:

 Table 6-3:
 Summary of the Enhanced Investigation Observations during the Site Reconnaissance

CRITERION	SUMMARY OF DETAILS
OPERATIONS, INCLUDING PROCESSING OR MANUFACTURING	A portion of the Site was utilized as a maintenance shop. Operations within the Site Building included maintenance of equipment (golf carts, gators, industrial equipment utilized for grass cutting/maintenance).
STORAGE OR USE OF HAZARDOUS MATERIALS	 Information was not available at the time of the interview, however; at the time of the Site reconnaissance, EnVision personal noted: The following hazardous materials were stored within the shop area: Approximately seven (7) 20 L pails of engine oil; Approximately five (5) 20 L pails of diesel exhaust fluid; Four (4) compress gas cylinders (acetylene and oxygen); Approximately Five (5) 4 L bottles of degreaser; and Approximately ten (10) cans of spray paint The following hazardous materials were stored within the chemical and pesticide storage sheds: Approximately three (3) 113 L drums of revolution (plant growth); Approximately three (3) 4 L bottles of GreenPig (pigment additive); Approximately three (3) 4 L bottles of GreenPig (pigment additive); Approximately three (10) 4 L pails and three (3) 22 kg bags of fungicide; Approximately three (3) 4 L bottles of GreenPig (pigment additive); Approximately seventeen (17) 1 L bottles of Knockdown (antifoaming agent); Approximately two (2) 1 L bottles of Runway (turf marking foam); Approximately two (2) 1 L bottles of Pre-Strike (insect growth regulator); Approximately two (2) 10 L bottles of Signal (blue spray pattern indicator); Approximately three (3) 20 L bottles of Signal (blue spray pattern indicator); A pallet of Grigg Garys Green Ultra (fertilizer); Two (2) pallets of Agromart Magic Carpet Fertilizer; A pallet of Plant Science Mineral Builder Homogeneous Fertilizer; and Three (3) 113 L drums of Grigg A-O-K Plus (fertilizer)
PRODUCTS MANUFACTURED	No products are manufactured on-Site.

$\overline{\vee}$

CRITERION	SUMMARY OF DETAILS
BY-PRODUCTS AND WASTES	Waste motor oil was stored in three (3) 205 L drums located approximately 10 m east of Site Building C. Waste motor oil was also stored adjacent to the ASTs located at Site Building C. Waste motor oil is reportedly removed on an as-needed basis.
RAW MATERIALS HANDLING AND STORAGE LOCATIONS	No raw materials were stored on the Phase One Property.
DETAILS OF DRUMS, TOTES AND BINS	Three (3) 205 L drums and six (6) 20 L pails containing waste motor oil were stored approximately 10 m east of Site Building C, and north adjacent of the ASTs located at Site Building C, respectively.
DETAILS OF ALL OIL/WATER SEPARATORS, INCLUDING LOCATION, INSTALLATION DATE, SOURCE OF INCOMING LIQUID AND EFFLUENT DISCHARGE LOCATION	No oil/water separators were observed at the time of the site reconnaissance.
ALL VEHICLE AND EQUIPMENT MAINTENANCE AREAS, INCLUDING THE LOCATIONS OF MAINTENANCE, FLUID STORAGE, AND WASTE STORAGE AREAS, WHETHER IN USE OR NOT	Vehicle and equipment storage is located in the northern portion of Site Building C. Maintenance of vehicles is conducted within the southern portion of Site Building C. Engine oil, hydraulic oil, and diesel exhaust fluid which is not in use is stored in the northern portion of Site Building C. In use oils are stored in the southern portion of Site Building C. Compressed gases, degreaser and spray paint are stored in the southern portion of Site Building C.
DETAILS OF ALL SPILLS INCLUDING THE DATES, LOCATIONS, MATERIALS INVOLVED, AND VOLUMES OF MATERIAL SPILLED	Some staining was observed on concrete blocks north adjacent of the fueling ASTs located at Site Building C.
DETAILS OF LIQUID DISCHARGE POINTS SUCH AS WATER AND FRENCH DRAINS, INCLUDING THEIR LOCATIONS	No liquid discharge points were observed at the time of the site reconnaissance.
DETAILS OF OPERATIONS AT THE PROPERTY, INCLUDING PROCESSING OR MANUFACTURING AND EQUIPMENT USED IN PROCESSING OR MANUFACTURING	No processing or manufacturing of equipment was observed at the time of the site reconnaissance.

CRITERION

SUMMARY OF DETAILS

DETAILS OF ALL HYDRAULIC LIFT EQUIPMENT AT THE PROPERTY, INCLUDING ELEVATORS, IN-GROUND HOISTS AND LOADING DOCKS

One (1) hydraulic lift was located within Site Building C. No staining was observed in the vicinity of the hydraulic lift equipment and the concrete in the vicinity of the equipment was observed to be in good condition (i.e., no cracking or pitting).

6.3. OBSERVATIONS WITHIN THE STUDY AREA

The reconnaissance included a visual inspection of adjacent properties and properties located within the Study Area conducted from the boundary of the Phase One Property and from publicly accessible areas. A summary of the specific observations within the Study Area is provided in *Table 6-4*, below:

Table 6-4:Summary of Observations within the Study Area

CRITERION	SUMMARY OF OBSERVATIONS
ADJACENT LAND USES	Adjacent land uses observed at the time of the site reconnaissance were noted as follows: Adjacent land uses observed at the time of the site reconnaissance were noted as follows: Northeast: Sixth Line followed by agricultural land. Northwest: Derry Road West followed by agricultural land. Southeast: Forested and agricultural land followed by a commercial building located at 6566 Sixth Line. Southwest: A golf course followed Fifth Line. A high-level summary of adjacent land uses is depicted on Figure 1.A high-level summary of adjacent land uses is depicted on Figure 1.
POTENTIALLY CONTAMINATING ACTIVITY	The locations PCAs identified in the Study Area during the site reconnaissance are depicted on Figure 1 and further discussed in Table 2, attached.
WATER BODIES	A tributary of Black Creek was located approximately 65 m northeast of the Phase One Property. Based on field observations, the tributary flows southeast. Sixteen Mile Creek and connected tributaries, transects the southeastern portion of the Phase One Property.
AREAS OF NATURAL SIGNIFICANCE	 The following ANSIs were identified: Unevaluated wetlands are located at the southeastern corner of the intersection of Sixth Line and Derry Road, approximately 15 m north of the Phase One Property and approximately 25 m east of the Project Area; The Phase One Property as well as properties located east, west, and south of the Phase One Property were identified as Greenland Area A, as per Schedule B of the Milton Official Plan. Under the Greenlands System, this area is considered to be an ANSI, according to the Town of Milton Official Plan; and



CRITERION SUMMARY OF OBSERVATIONS

.

A woodland is interspersed within this area, according to the Region of Halton's Tree-By-Law, tree cutting requires a permit for woodlands that are greater than 0.5 hectares (1.1 acres).

7. REVIEW AND EVALUATION OF INFORMATION

A review and evaluation of information gathered from the records review, interviews, and site reconnaissance was conducted in accordance with the requirements of Subsections (1) to (6) of Section 16 of Schedule D to O. Reg. 153/04, as summarize in Table 7-1, below:

 Table 7-1:
 Summary of a Review and Evaluation of Information gathered during the Phase One ESA

CRITERION	SUMMARY OF REVIEW AND EVALUATION
CURRENT AND PAST USES	The table of current and past uses of the Phase One Property is provided as Table 1 , attached.
	The date and names of owners and the historical property uses were inferred from records obtained during the records review.
POTENTIALLY CONTAMINATING ACTIVITY	PCAs identified within the Phase One Property and/or the Study Area, along with EnVision's assessment for the potential for these activities to impact the environmental quality of the Phase One Property are summarized in Table 2, attached.
	PCAs, including the number and location of any ASTs and USTs (if known), are illustrated on Figure 1.
AREAS OF POTENTIAL	Based on a review of the PCAs summarized in Table 2 , APECs were identified within the Phase One Property.
ENVIRONMENTAL CONCERN	The table of APECs presented in the form as approved by the Director is provided as Table 3 , attached. The resulting APECs are depicted on Figure 2 , 2A and 2B .

7.1. CONCEPTUAL SITE MODEL

Through analysis and interpretation of available information gathered during the Phase One ESA, a CSM was developed for the Phase One Property, as depicted on Figure 1 and Figure 2, attached, which includes:

- Existing buildings and structures on the Phase One Property;
- Roads, including names, within the Study Area;
- Uses of properties adjacent to the Phase One Property;
- Areas where PCAs have occurred, including the location of any tanks;
- Location of APECs;
- Water bodies located in whole, or in part, within the Study Area;
- · Areas of natural significance located in whole, or in part, within the Study Area; and,
- Water wells within the Study Area.

A written description of the CSM is summarized in *Table 7-2*, below:

Table 7-2:	Written	Description	of the	Conceptual	Site Model

CRITERION	WRITTEN DESCRIPTION
ANY AREAS WHERE PCAS ON, OR POTENTIALLY AFFECTING THE PHASE ONE	Table 2 provides a summary and assessment of the identified PCAs within the Study Area,including an assessment of which PCAs were determined to be contributing to an APECon, in or under the Phase One Property.PCAs identified within the Phase One Property and/or Study Area are depicted onThe Phase Determined to be contributing to an APEC
PROPERTY HAVE OCCURRED	Figure 1. PCAs determined to be contributing to an APEC are shown in red, all other PCAs are shown in black.
CONTAMINANTS OF POTENTIAL CONCERN (COPCS)	Table 3 provides a summary of the APECs on, in or under the Phase One Property,identifying the PCAs considered to be contributing to the APEC, the location within thePhase One Property, the associated COPCs, and the medium that is potentially affected.Figure 2 of the CSM depicts the location of the identified APECs.
AVAILABLE REGIONAL OR SITE SPECIFIC GEOLOGICAL AND HYDROGEOLOGICAL INFORMATION	The Phase One Property is at an intersection of multiple surficial geology regions which include coarse textured glaciolacustrine deposits characterized by sand, gravel, minor silt and clay and Foreshore deposits. Modern alluvial deposits are also present around Sixteen Mile Creek, and connected tributaries, characterized by clay, silt, sand and gravel. The remaining balance of the site is described as till, which is characterized as clay to silt textured till. The bedrock in the Study Area is shale, limestone, dolostone, and siltstone of the Georgian Bay and Queenston Formation.
	Based on a review of these records, the stratigraphy in the vicinity of the Phase One Property was generally described as topsoil ranging in depth from surface to 0.6 mbgs, underlain by sandy clay at depths ranging from 0.6 to 6.4 mbgs in turn underlain by sand from 5.8 to 9.4 mbgs. Gravely sand was documented at a depth of 9.4 to 19.8 mbgs, underlain by clay to a maximum reported depth of 21.9 mbgs. Shale bedrock was identified in the records at depths ranging between 16.7 and 25.0 mbgs.
	The depth to groundwater measured in the Study Area ranged from 3.0 to 10.6 mbgs. Based on the local topography, the inferred shallow groundwater flow direction within the Study Area is anticipated to be to the southeast towards Sixteen Mile Creek and connected tributaries, which at the nearest point, transects the southeastern portion of the Phase One Property.
HOW UNCERTAINTY OR ABSENCE OF INFORMATION OBTAINED IN EACH	During the records review, EnVision relied on information obtained from municipal, provincial, and independent sources as referenced in this report. Although the information was assessed for consistency, verification of the accuracy or the completeness of this third-party information was not completed.
OF THE COMPONENTS OF THE PHASE ONE ESA COULD AFFECT THE VALIDITY OF THE MODEL	EnVision made all reasonable inquiries to obtain accessible information for this assessment as outlined in each subsection. The evaluation provided in this report reflects our best judgement considering the information available at the time of the report preparation.

8. CLOSING

8.1. CONCLUSIONS

Based on the information obtained as part of the Phase One ESA, it is concluded that PCAs on the Phase One Property and within the Phase One Study Area resulted in the identification twelve (12) APECs on the Site. Based on the APECs identified during this investigation, associated COPCs include metals and ORPs, PHCs, VOCs, PAHs, OC's and PCBs. The table of APECs presented in the form as approved by the Director is provided in Table 3, attached.

8.2. WHETHER PHASE TWO ENVIRONMENTAL SITE ASSESSMENT REQUIRED BEFORE RECORD OF SITE CONDITION SUBMITTED

Based on the findings of the Phase One ESA, APECs were identified on the Site, therefore, a Phase Two ESA is required to characterize the soil and groundwater quality at the Site prior to filing an RSC.

8.3. RECORD OF SITE CONDITION BASED ON PHASE ONE ENVIRONMENTAL SITE ASSESSMENT ALONE

Based on the analysis of the results of this Phase One ESA, it was determined that current and historical PCAs on the Phase One Property were identified as having contributed to an APEC at the Phase One Property, as indicated and discussed in Section 7. As such, a Phase Two ESA is required, and this Phase One ESA is not suitable to support the filing of a Record of Site Condition.

8.4. QUALIFICATIONS OF THE ASSESSORS

Maryanne Caluori, M.A.Sc., GIT, Project Coordinator - Environment

Maryanne Caluori is a Project Coordinator with EnVision Consultants Ltd. Maryanne has obtained a Bachelor of Science in Earth Sciences and a Master of Applied Science in Civil Engineering at McMaster University and is a Geoscientist-in-Training (GIT). Maryanne has over two years experience and has been involved in numerous environmental projects including Phase One and Phase Two Environmental Site Assessments (ESAs) in accordance with O. Reg. 153/04, as well as Excess Soil Management in accordance with O. Reg. 406/19. Maryanne has experience coordinating multidisciplinary projects, maintaining, and tracking project schedules, overseeing, assisting with, and reviewing the execution of field services, field supervision, geo-environmental drilling as well as technical report writing.

Shawna Lundrigan, B.Sc., EP, Team Coordinator - Environment

Shawna Lundrigan is a Certified Environmental Professional (EP) and Team Coordinator and Project Manager with EnVision Consultants Ltd. Shawna has nine years of experience conducting Phase One and Two ESAs on a variety of residential, commercial, and industrial properties. Shawna's project management experience includes preparation of proposals, work plans and cost estimates, setting, maintaining, and tracking project schedules and budgets, overseeing, assisting with, and reviewing the execution of projects and report writing, and liaising with technical specialists to ensure technical



integrity. Shawna also has experience in coordinating projects, field supervision, geo-environmental drilling, and collecting environmental samples of different mediums. Additionally, she has been involved in soil vapour and air monitoring on various Risk Assessment projects and overseen remedial excavations for various tank and gasoline service station decommissioning. Further technical duties include data analysis and technical report writing.

Rodney Obdeyn, P.Eng., QP_{ESA}, Senior Environmental Engineer

Rodney Obdeyn is a Senior Environmental Engineer with EnVision Consultants Ltd., licensed in the Province of Ontario. Rodney obtained a Bachelor of Engineering Degree from McMaster University and has been involved with hundreds of Phase One and Phase Two Environmental Site Assessments for both private and public sector projects including residential, commercial, and industrial land uses as well as large infrastructure projects. He also possesses extensive experience in soil and groundwater remediation, Risk Assessment, Record of Site Conditions, and Excess Soil Management in accordance with O. Reg. 406/19 and is a Qualified Person (QP_{ESA}) under O. Reg. 153/04 and O. Reg 406/19.

8.5. CERTIFICATION AND SIGNATURES

Prepared by

Malori

Maryanne Caluori, M.S.Sc., GIT Project Coordinator - Environment mcaluori@envisionconsultants.ca

Reviewed by

Shawna Lundrigan, B.Sc., EP Team Coordinator slundrigan@envisionconsultants.ca



Rodney Obdeyn, P.Eng., QP_{ESA} Senior Environmental Engineer robdeyn@envisionconsultants.ca

8.6. QUALIFIER

EnVision prepared this report solely for the use of the intended recipient in accordance with the professional services agreement. In the event a contract has not been executed, the parties agree that the EnVision General Terms and Conditions, which were provided prior to the preparation of this report, shall govern their business relationship.

The report is intended to be used in its entirety. No excerpts may be taken to be representative of the findings in the assessment. The conclusions presented in this report are based on work performed by trained, professional and technical staff, in accordance with their reasonable interpretation of current and accepted engineering and scientific practices at the time the work was performed.

The content and opinions contained in the report are based on the observations and/or information available to EnVision at the time of preparation, using investigation techniques and engineering analysis methods consistent with those ordinarily exercised by EnVision and other engineering/scientific practitioners working under similar conditions, and subject to the same time, financial and physical constraints applicable to this project.

EnVision disclaims any obligation to update this report if, after the date of this report, any conditions appear to differ significantly from those presented in this report; however, EnVision reserves the right to amend or supplement this report based on additional information, documentation or evidence.

EnVision makes no other representations whatsoever concerning the legal significance of its findings. The intended recipient is solely responsible for the disclosure of any information contained in this report. If a third party makes use of, relies on, or makes decisions in accordance with this report, said third party is solely responsible for such use, reliance or decisions. EnVision does not accept responsibility for damages, if any, suffered by any third party as a result of decisions made or actions taken by said third party based on this report.

EnVision has provided services to the intended recipient in accordance with the professional services agreement between the parties and in a manner consistent with that degree of care, skill and diligence normally provided by members of the same profession performing the same or comparable services in respect of projects of a similar nature in similar circumstances. It is understood and agreed by EnVision and the recipient of this report that EnVision provides no warranty, express or implied, of any kind. Without limiting the generality of the foregoing, it is agreed and understood by EnVision and the recipient of this report that EnVision makes no representation or warranty whatsoever as to the sufficiency of its scope of work for the purpose sought by the recipient of this report.

In preparing this report, EnVision has relied in good faith on information provided by others, as noted in the report. EnVision has reasonably assumed that the information provided is correct and EnVision is not responsible for the accuracy or completeness of such information.

Unless otherwise agreed in writing by EnVision, the Report shall not be used to express or imply warranty as to the suitability of the site for a particular purpose. EnVision disclaims any responsibility for consequential financial effects on transactions or property values, or requirements for follow-up actions /or costs.

This limitations statement is considered an integral part of this report.

9. REFERENCES

Golder Associates Ltd. (2015). Phase I Environmental Site Assessment, Trafalgar Golf and Country Club, 6728 Sixth Line, Milton, Ontario. March 19, 2015.

Golder Associates Ltd. (2018). Phase Two Environmental Site Assessment, 6728 Sixth Line, Milton, Ontario. October 2, 2018.

Environmental Risk Information Services (ERIS) 2019. ERIS Database Report, APU – 6728 Sixth Line, Milton, ON, Requested by EnVision Consultants Ltd. on July 5, 2022.

Google Earth (Google). 2022. Image © 2018 DigitalGlobe Image NASA.

Government of Ontario (Ontario). 2018. Brownfields Environmental Registry. https://www.ontario.ca/page/brownfields-redevelopment.

McGill University (McGill). 2001. The Canadian County Atlas Digital Project. http://digital.library.mcgill.ca/countyatlas/searchmapframes.php.

Ontario Ministry of the Environment, Conservation and Parks (MECP). 2010. Access Environment – Certificates of Approval. http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/GoSearch.action? search=basic.

Ontario Ministry of the Environment, Conservation and Parks (MECP). 2011. Ontario Regulation 153/04, as amended, Records of Site Condition – Part XV.1 of The Act, made under the Environmental Protection Act. July 1, 2011

Ontario Ministry of the Environment, Conservation and Parks (MECP). 2019. Ontario Regulation 406/19, as amended, On-Site and Excess Soil Management, made under the Environmental Protection Act. December 4, 2019.

Ontario Ministry of the Environment, Conservation and Parks (MECP). 2020. Rules for Soil Management and Excess Soil Quality Standards. December 8, 2020

Ontario Ministry of the Environment, Conservation and Parks (MECP). 2016a. Environmental Monitoring and Reporting Branch Well Records. https://www.ontario.ca/environment-and-energy/map-well-records.

Ontario Ministry of the Environment, Conservation and Parks (MECP). 2016b. Hazardous Waste Information Network. https://www.hwin.ca/hwin/index.jsp..

Ontario Ministry of the Environment, Conservation and Parks (MECP). 2016c. National Pollutant Release Inventory. https://www.ec.gc.ca/inrp-npri/.

Ontario Ministry of Natural Resources and Forestry (MNRF). 2008. Ontario Base Map Index. https://www.ontario.ca/data/ontario-base-map-index. =

Ontario Ministry of Natural Resources and Forestry (MNRF). 2015. Natural Heritage Areas. http://www.giscoeapp.lrc.gov.on.ca/Mamnh/Index.html?site=MNR_NHLUPS_NaturalHeritage&viewer=Nat uralHeritage&locale=en-US.. Ontario Ministry of Northern Development and Mines (MNDM). 2016. Ontario Geological Society Maps. 2016





Table 1 - Current and Past Uses of the Phase One Property (Refer to clause 16(2)(b), Schedule D, O. Reg. 153/04)

6728 Sixth Line, Milton, ON

A legal description was not provided to EnVision during this assessment

Year	Name of Owner	Description of Property Use	Property Use	Other Observations from Aerial Photographs, Fire Insurance Plans, Etc.
1877 - 1958	Benjamin Tuck Sr. (and potentially other private owners)	Mixed agricultural and residential	Agriculture or other use	Based on a review of the 1877 Halton County Atlas, the Phase One Property was a part of a larger agricultural lot owned by Benjamin Tuck Sr.
1958 - 2019	Trafalgar Golf & Country Club Ltd			Based on the Phase One interview, aerial images and a Parcel Register document taken from Service Ontario the Site has been utilized as a commercial golf course
2019 - Present	Anatolia Investment Corp.	The Site is maintained as a golf course and contains a residential building	Mixed commercial and residential	since approximately 1957, when the property was first acquired by Trafalgar Golf & Country Club Ltd. A single- family residential dwelling (Site Building D) was located on the northeastern portion of the Site from approximately 1954 Based on aerial imagery. Site

Notes:

1 - for each owner, specify one of the following types of property use (as defined in O. Reg. 153/04) that applies:

Agriculture or other use

Commercial use

Community use

Industrial use

Institutional use

Parkland use

Residential use



Table 2 - Summary of Potentially Contaminating Activities On-Site and Within Study Area(Refer to Table 2, Schedule D, O. Reg. 153/04)

Potentially Contaminating Activity (PCA)		Description
27 .1	Garages and Maintenance and Repair of Railcars, Marine Vehicles and Aviation Vehicles	Phase One Property - An operational auto service garage was identified on the Phase One Property, within Site Building C, located on the southeastern portion of the Site. The garage is used to service vehicles used for the maintenance of the property. (APEC 1)
28 .1	Gasoline and Associated Products Storage in Fixed Tanks	Phase One Property - Based on a review of TSSA documents as well as a previous Phase I ESA prepared by Golder, one (1) underground storage tank (UST) was located at the property and was removed in 1986 by Twiss Fuels. The location of the UST is unknown; however, it is assumed that the UST was historically located in the vicinity of the present day refueling aboveground storage tanks (ASTs) located in the vicinity of Site Building C. (APEC 2)
28.2	Gasoline and Associated Products Storage in Fixed Tanks	Phase One Property - Based on a review of TSSA records and the Site reconnaissance, two (2) active ASTs (gasoline and diesel) are located on the southeast portion of the Site, east adjacent to Site Building C. (APEC 2)
28 .3	Gasoline and Associated Products Storage in Fixed Tanks	Phase One Property - Based on the Site reconnaissance and previous Phase I report, one (1) fuel oil AST is located on the eastern portion of the Site, southwest adjacent to Site Building B. (APEC 3)
28 .4	Gasoline and Associated Products Storage in Fixed Tanks	Phase One Property - Based on a review of TSSA records and the previous Phase I report, an AST was historically located on the southeastern portion of the Site, east adjacent to Site Building C. (APEC 4)
28 .5	Gasoline and Associated Products Storage in Fixed Tanks	Phase One Property - Based on a review of a previous Phase I report prepared by Golder as well as information obtained during the Site reconnaissance, a fuel oil AST is located on the northeastern portion of the Site, on the northern side of Site Building D. (APEC 5)
30 .1	Importation of Fill Material of Unknown Quality	Phase One Property - It is anticipated that fill materials of unknown environmental quality were brought to the Phase One Property during the development of the parking lot area. (APEC 6)



Potentially Contaminating Activity (PCA)		Description
40 .1	Pesticides (including Herbicides, Fungicides and Anti-Fouling Agents) Manufacturing, Processing, Bulk Storage and Large- Scale Applications	Phase One Property - Based on the Site reconnaissance, pesticides are anticipated to be used on a large scale for maintaining the Site as an operational golf course. (APEC 7)
55 .1	Transformer Manufacturing, Processing and Use	<u>Phase One Property</u> – Based on the Site reconnaissance, a concrete mounted transformer is located on the eastern portion of the Phase One Property, adjacent to Sixth Line. (APEC 8)
58 .1	Waste Disposal and Waste Management, including thermal treatment, landfilling and transfer of waste, other than use of biosoils as soil conditioners	<u>Phase One Property</u> – Based on a review of the ERIS report, Trafalgar Golf and Country Club Ltd., located on the Phase One Property is registered under waste management records for the for the generation, use, and/or storage of petroleum distillates and waste crank oil & lubricants, between 1992 and 2022. (APEC 9)
58 .2	Waste Disposal and Waste Management, including thermal treatment, landfilling and transfer of waste, other than use of biosoils as soil conditioners	<u>Phase One Property</u> – Based on a review of the ERIS report, Danosh Construction was located on the Phase One Property and registered under waste management records for the for the generation, use, and/or storage of light fuels, between 2018 and 2019. Aerial images show that the staging of this construction took place between Site Buildings A and B. (APEC 10)
A .1	Spills	Phase One Property – Based on a review of the ERIS report, a fuel oil spill of unknown volume occurred in 2017 from a fuel oil AST. Although the exact location of the spill is unknown, it is anticipated that the spill likely occurred in the vicinity of the fuel oil AST located in the basement of Site Building B. (APEC 11)
A .2	Spills	<u>Study Area</u> – Based on a review of the ERIS report, a gasoline spill occurred in 2005 when a vehicle overturned 160 m west of the Phase One Property, on Derry Road West. Given the distance from the Phase One Property, and the relative direction of ground water flow, this PCA is not considered to be contributing to an APEC.



Potentially Contaminating Activity (PCA)		Description
B.1	Used Motor Oil	<u>Phase One Property</u> – A review of a previous Phase I Report and the Site reconnaissance included the documentation/observation of three (3) 205 L waste oil drums and six (6) 20 L pails 10 m east of Site Building C. (APEC 12)

Notes:

1 - Potentially Contaminating Activity (PCA) means a use or activity set out in Column A of Table 2 of Schedule D of O.Reg 153/04

2 - A, B, C represent PCAs not specified in Table 2, Schedule D of O. Reg 153/04

3 - Red highlighting indicates that the PCA is considered contributing to an APEC



Table 3 - Areas of Potential Environmental Concern

(Refer to clause 16(2)(a), Schedule D, O. Reg. 153/04)

Area of Potential Environmental Concern (APEC)	Location of APEC on Phase One Property	Potentially Contaminating Activity (PCA)		Location of PCA (on-site or off- site)	Contaminants of Potential Concern	Media Potentially Impacted
APEC 1	Southeastern portion of the Phase One Property, in the area of Site Building C	27 .1	Garages and Maintenance and Repair of Railcars, Marine Vehicles and Aviation Vehicles	on-site	metals, As, Se, Sb, Hg, Cr (VI), PHCs, BTEX, VOCs, PAHs	Soil and Groundwater
APEC 2	Southeastern portion of the Phase One Property, east of Site Building C	28 .1, .2	Gasoline and Associated Products Storage in Fixed Tanks	on-site	PHCs, BTEX, VOCs, PAHs	Soil and Groundwater
APEC 3	Central east portion of the Phase One Property, southwest adjacent to Site Builiding B	28 .3	Gasoline and Associated Products Storage in Fixed Tanks	on-site	PHCs, BTEX, VOCs, PAHs	Soil and Groundwater
APEC 4	Southeastern portion of the Phase One Property, east of Site Building C	28 .4	Gasoline and Associated Products Storage in Fixed Tanks	on-site	PHCs, BTEX, VOCs, PAHs	Soil and Groundwater
APEC 5	Northeastern portion of the Site, west adjacent to Site Building D	28 .5	Gasoline and Associated Products Storage in Fixed Tanks	on-site	PHCs, BTEX, VOCs, PAHs	Soil and Groundwater



Area of Potential Environmental Concern (APEC)	Location of APEC on Phase One Property	Potentially Contaminating Activity (PCA)		Location of PCA (on-site or off- site)	Contaminants of Potential Concern	Media Potentially Impacted
APEC 6	Entire Site	30 .1	Importation of Fill Material of Unknown Quality	on-site	metals, As, Se, Sb, Hg, Cr (VI), CN-, B-HWS, PHCs, BTEX, PAHs	Soil
APEC 7	Entire Site	40 .1	Pesticides (including Herbicides, Fungicides and Anti- Fouling Agents) Manufacturing, Processing, Bulk Storage and Large- Scale Applications	on-site	metals, As, Se, Sb, Hg, OCs	Soil and Groundwater
APEC 8	Eastern property line of the Phase One Property	55 .1	Transformer Manufacturing, Processing and Use	on-site	PHCs, BTEX, PAHs, PCBs	Soil
APEC 9	Southeastern portion of the Phase One Property, in the area of Site Building C	58 .1	Waste Disposal and Waste Management, including thermal treatment, landfilling and transfer of waste, other than use of biosoils as soil conditioners	on-site	PHCs, BTEX	Soil and Groundwater



Area of Potential Environmental Concern (APEC)	Location of APEC on Phase One Property	Potentially Contaminating Activity (PCA)		Location of PCA (on-site or off- site)	Contaminants of Potential Concern	Media Potentially Impacted
APEC 10	Central east portion of the Phase One Property, southwest adjacent to Site Builiding B	58 .2	Waste Disposal and Waste Management, including thermal treatment, landfilling and transfer of waste, other than use of biosoils as soil conditioners	on-site	PHCs, BTEX, VOCs, PAH	Soil and Groundwater
APEC 11		A .1	Spills	on-site	PHCs, BTEX, VOCs	Soil and Groundwater
APEC 12	Southeastern portion of the Phase One Property, east of Site Building C	В .1	Used Motor Oil Storage	on-site	PHCs, BTEX, VOCs, PAHs	Soil and Groundwater

Notes:

Area of Potential Environmental Concern means the area on, in or under a phase one property where one or more contaminants are potentially present, as determined through the phase one environmental site assessment, including through,
 (a) identification of past or present uses on, in or under the phase one property, and
 (b) identification of potentially contaminating activity.

- 2 Potentially Contaminating Activity means a use or activity set out in Column A of Table 2 of Schedule D that is occurring or has occurred in a phase one study area
- 3 When completing this column, identify all contaminants of potential concern using the Method Groups as identified in the

Phase One ESA
6728 Sixth Line, Milton
Anatolia Capital Corp




Protocol for in the Assessment of Properties under Part XV.1 of the Environmental Protection Act, March 9, 2004, amended as of July 1, 2011, as specified below:

- ABNs Acid Base Neutral Compounds CPs - Chlorophenyls 1, 4 - Dioxane Dioxins/Furans, PCDDs/PCDFs OCs - Organochlorine Pesticides PHCs - Petroleum Hydrocarbons
- PCBs Polychlorinated Biphenyls PAHs - Polycyclic Aromatic Hydrocarbc THMs - Trihalomethanes VOCs - Volatile Organic Compounds BTEX - Benzene, Toluene, Ethylbenzen Ca, Mg - Calcium, Magnesium

Metals	Na - Sodium
As, Sb, Se - Arsenic, Antimony, Selenium	CN ⁻ - Cyanide
Electrical Conductivity	Hg - Mercury
B-HWS - Boron (Hot Water Soluable)	Methyl Mercury
Cr (VI) - Hexavalent Chromium	High/Low pH
SAR - Sodium Adsorption Ratio	





LEGEND

- 250 m STUDY AREA
- SITE BUILDING
- 1 m TOPOGRAPHIC CONTOURS (mASL)
- → INFERRED GROUNDWATER FLOW DIRECTION
- MECP WATER WELL

- WETLAND
 - WATERCOURSE
- MIDDLE SIXTEEN MILE CREEK 30 m BUFFER
- GREENLANDS AREA A
 - ENVIRONMENTAL LINKAGE AREA


- GREENLAND AREA A/ENVIROMENTAL LINKAGE
- TANK CONTRIBUTING TO APEC
- # PCA NOT CONTRIBUTING TO APEC
- # PCA CONTRIBUTING TO APEC

ANATOLIA CAPITAL CORP.

PROJECT

PHASE ONE ENVIRONMENTAL SITE ASSESSMENT 6728 SIXTH LINE MILTON, ONTARIO

A ST A					N A
•			Ager	ton	
<		640			
		6th Line			
	G (
and a series				Royal O Golf C	ntario
		Countr	ry Club	Goire	
		Sth Line			
-	4				
ALC: NO	Derth	¥			
1 1	0 7	Sca	le: 1:50,000		Sth Li
and the		POTENTIALLY CONTA	MINATING ACTIVITIE	ES (PCAs)	
	(27) GARAGES ANI AVIATION VEH	D MAINTENANCE AND HICLES	D REPAIR OF RAILC	ARS, MARINE VEH	HICLES AND
	(28) GASOLINE AN	ND ASSOCIATED PROE	DUCTS STORAGE IN	I FIXED TANKS	
	(30) IMPORTATION	N OF FILL MATERIAL C	F UNKNOWN QUA	LITY	
		NCLUDING HERBICID RING, PROCESSING, B			
	(55) TRANSFORME	ER MANUFACTURING,	PROCESSING AND	USE	
		DSAL AND WASTE MAN GAND TRANSFER OF V FIONERS			
0 H I	(A) SPILLS				
-	B USED MOTOR	R OIL STORAGE			
1					
State of the local division of the local div					
a sur a					
Section 1					
Contraction of the second					
and a strength					
1					
1					
	TITLE				
					$\overline{}$
	PHASE ON	IE CONCEPTUAL SI	TE MODFI	(=	()
					v /
	3	DATE NOVEMBER 2023		APPROVED BY	FIGURE 1



127.1metals, As, Se, Sb, Hg, Cr (VI), PHCs, BTEX, VOCs, PAHsSoil and Groundwate228.1, .2PHCs, BTEX, VOCs, PAHsSoil and Groundwate328.3PHCs, BTEX, VOCs, PAHsSoil and Groundwate428.4PHCs, BTEX, VOCs, PAHsSoil and Groundwate528.5PHCs, BTEX, VOCs, PAHsSoil and Groundwate630.1PHCs, BTEX, VOCs, PAHsSoil and Groundwate740.1metals, As, Se, Sb, Hg, Cr (VI), CN-, B- HWS, PHCs, BTEX, PAHsSoil and Groundwate740.1metals, As, Se, Sb, Hg, OCsSoil and Groundwate958.1PHCs, BTEX, VOCs, PAHsSoil and Groundwate1058.2PHCs, BTEX, VOCs, PAHSoil and Groundwate11A.1PHCs, BTEX, VOCs, PAHSoil and Groundwate	APEC	PCA	S OF POTENTIAL ENVIRONMENTAL	Media
1 27 .1 Hg, Cr (VI), PHCs, BTEX, VOCs, PAHs Soil and Groundwate 2 28 .1, .2 PHCs, BTEX, VOCs, PAHs Soil and Groundwate 3 28 .3 PHCs, BTEX, VOCs, PAHs Soil and Groundwate 4 28 .4 PHCs, BTEX, VOCs, PAHs Soil and Groundwate 4 28 .4 PHCs, BTEX, VOCs, PAHs Soil and Groundwate 5 28 .5 PHCs, BTEX, VOCs, PAHs Soil and Groundwate 6 30 .1 PHCs, BTEX, VOCs, PAHs Soil and Groundwate 7 40 .1 metals, As, Se, Sb, Hg, Cr (VI), CN-, B- HWS, PHCs, BTEX, PAHs, PAHs Soil 7 40 .1 metals, As, Se, Sb, Hg, OCs Soil and Groundwate 9 58 .1 PHCs, BTEX, PAHs, PCBs Soil 9 58 .1 PHCs, BTEX, VOCs, PAH Soil and Groundwate 10 58 .2 PHCs, BTEX, VOCs, PAH Soil and Groundwate 11 A .1 PHCs, BTEX, VOCs, PAHs Soil and Groundwate 12 B .1 PHCs, BTEX, VOCs, PAHs Soil and Groundwa		r CA		IVICUID
BTEX, VOCs, PAHs 2 28 .1, .2 PHCs, BTEX, VOCs, PAHs Soil and Groundwate 3 28 .3 PHCs, BTEX, VOCs, PAHs Soil and Groundwate 4 28 .4 PHCs, BTEX, VOCs, PAHs Soil and Groundwate 5 28 .4 PHCs, BTEX, VOCs, PAHs Soil and Groundwate 5 28 .5 PHCs, BTEX, VOCs, PAHs Soil and Groundwate 6 30 .1 metals, As, Se, Sb, Hg, Cr (VI), CN-, B- HWS, PHCs, BTEX, PAHs Soil and Groundwate 7 40 .1 metals, As, Se, Sb, Hg, OCs Soil and Groundwate 8 55 .1 PHCs, BTEX, VOCs, PAHs Soil and Groundwate 9 58 .1 PHCs, BTEX, VOCs, PAHs Soil and Groundwate 10 58 .2 PHCs, BTEX, VOCs, PAH Soil and Groundwate 11 A .1 PHCs, BTEX, VOCs, PAH Soil and Groundwate 12 B .1 PHCs, BTEX, VOCs, PAH Soil and Groundwate APEC 1 & 9 APEC 2, 4, 12 APEC 3, 10 & 11 APEC 5 APEC 5 APEC 6 & 7 AP	1	27 1		Soil and Groundwate
2 28 .1, .2 PHCs, BTEX, VOCs, PAHs Soil and Groundwate 3 28 .3 PHCs, BTEX, VOCs, PAHs Soil and Groundwate 4 28 .4 PHCs, BTEX, VOCs, PAHs Soil and Groundwate 5 28 .5 PHCs, BTEX, VOCs, PAHs Soil and Groundwate 5 28 .5 PHCs, BTEX, VOCs, PAHs Soil and Groundwate 6 30 .1 metals, As, Se, Sb, Hg, Cr (VI), CN-, B-HWS, PHCs, BTEX, PAHs Soil 7 40 .1 metals, As, Se, Sb, Hg, OCs Soil and Groundwate 8 55 .1 PHCs, BTEX, VOCs, PCBs Soil and Groundwate 9 58 .1 PHCs, BTEX, PAHs, PCBs Soil 9 58 .1 PHCs, BTEX, VOCs, PAH Soil and Groundwate 10 58 .2 PHCs, BTEX, VOCs, PAH Soil and Groundwate 11 A .1 PHCs, BTEX, VOCs, PAH Soil and Groundwate 11 A .1 PHCs, BTEX, VOCs, PAH Soil and Groundwate 12 B .1 PHCs, BTEX, VOCs, PAHs Soil and Groundwate	1	27.1		Soli and Groundwate
2 28<.1, .2				
3 28 .3 PHCs, BTEX, VOCs, PAHs Soil and Groundwate 4 28 .4 PHCs, BTEX, VOCs, PAHs Soil and Groundwate 5 28 .5 PHCs, BTEX, VOCs, PAHs Soil and Groundwate 6 30 .1 metals, As, Se, Sb, Hg, Cr (VI), CN-, B- HWS, PHCs, BTEX, PAHs Soil 7 40 .1 metals, As, Se, Sb, Hg, OCs Soil and Groundwate 9 58 .1 PHCs, BTEX, VOCs, PAHs Soil and Groundwate 10 58 .2 PHCs, BTEX, VOCs, PAH Soil and Groundwate 10 58 .2 PHCs, BTEX, VOCs, PAH Soil and Groundwate 11 A .1 PHCs, BTEX, VOCs, PAH Soil and Groundwate 12 B .1 PHCs, BTEX, VOCs, PAH Soil and Groundwate APEC 1 & 9 APEC 3, 10 & 11 APEC 5 APEC 5 APEC 6 & 7	2	28 .1, .2)	Soil and Groundwate
3 28 .3 PAHs Soil and Groundwate 4 28 .4 PHCs, BTEX, VOCs, PAHs Soil and Groundwate 5 28 .5 PHCs, BTEX, VOCs, PAHs Soil and Groundwate 6 30 .1 metals, As, Se, Sb, Hg, Cr (VI), CN-, B- HWS, PHCs, BTEX, PAHs Soil and Groundwate 7 40 .1 metals, As, Se, Sb, Hg, OCs Soil and Groundwate 8 55 .1 PHCs, BTEX, PAHs, PCBs Soil and Groundwate 9 58 .1 PHCs, BTEX, PAHs, PCBs Soil and Groundwate 10 58 .2 PHCs, BTEX, VOCs, PAH Soil and Groundwate 10 58 .2 PHCs, BTEX, VOCs, PAH Soil and Groundwate 11 A .1 PHCs, BTEX, VOCs, PAH Soil and Groundwate 12 B .1 PHCs, BTEX, VOCs, PAH Soil and Groundwate APEC 1 & 9 APEC 2, 4, 12 APEC 5 APEC 5 APEC 6 & 7				
4 28 .4 PHCs, BTEX, VOCs, PAHs Soil and Groundwate 5 28 .5 PHCs, BTEX, VOCs, PAHs Soil and Groundwate 6 30 .1 metals, As, Se, Sb, Hg, Cr (VI), CN-, B- HWS, PHCs, BTEX, PAHs Soil 7 40 .1 metals, As, Se, Sb, Hg, OCs Soil and Groundwate 8 55 .1 PHCs, BTEX, PAHs, PCBs Soil and Groundwate 9 58 .1 PHCs, BTEX, VOCs, PAHs, PCBs Soil and Groundwate 10 58 .2 PHCs, BTEX, VOCs, PAH Soil and Groundwate 11 A .1 PHCs, BTEX, VOCs, PAH Soil and Groundwate 11 A .1 PHCs, BTEX, VOCs, PAH Soil and Groundwate 12 B .1 PHCs, BTEX, VOCs, PAHs Soil and Groundwate 12 B .1 PHCs, BTEX, VOCs, PAHs Soil and Groundwate APEC 1 & 9 APEC 3, 10 & 11 APEC 5 APEC 4 & 7	3	28 .3		Soil and Groundwate
4 28<.4			_	
5 28 .5 PHCs, BTEX, VOCs, PAHs Soil and Groundwate 6 30 .1 metals, As, Se, Sb, Hg, Cr (VI), CN-, B- HWS, PHCs, BTEX, PAHs Soil 7 40 .1 metals, As, Se, Sb, Hg, OCs Soil and Groundwate 8 55 .1 PHCs, BTEX, PAHs, PCBs Soil and Groundwate 9 58 .1 PHCs, BTEX, VOCs, PAH Soil and Groundwate 10 58 .2 PHCs, BTEX, VOCs, PAH Soil and Groundwate 10 58 .2 PHCs, BTEX, VOCs, PAH Soil and Groundwate 11 A .1 PHCs, BTEX, VOCs, PAH Soil and Groundwate 12 B .1 PHCs, BTEX, VOCs, PAHs Soil and Groundwate APEC 1 & 9 APEC 2, 4, 12 APEC 3, 10 & 11 APEC 5 APEC 5 APEC 6 & 7 APEC 6 & 7 APEC 6 & 7	4	28 .4		Soil and Groundwate
5 28 .5 PAHs Soil and Groundwate 6 30 .1 metals, As, Se, Sb, Hg, Cr (VI), CN-, B- HWS, PHCs, BTEX, PAHs Soil 7 40 .1 metals, As, Se, Sb, Hg, OCs Soil and Groundwate 8 55 .1 PHCs, BTEX, PAHs, PCBs Soil and Groundwate 9 58 .1 PHCs, BTEX, VOCs, PAH Soil and Groundwate 10 58 .2 PHCs, BTEX, VOCs, PAH Soil and Groundwate 11 A .1 PHCs, BTEX, VOCs, PAH Soil and Groundwate 11 A .1 PHCs, BTEX, VOCs, PAH Soil and Groundwate 12 B .1 PHCs, BTEX, VOCs, PAHs Soil and Groundwate APEC 1 & 9 .1 APEC 3, 10 & 11 APEC 5 APEC 5 APEC 5 .1 APEC 6 & 7 APEC 6 & 7			-	
630.1metals, As, Se, Sb, Hg, Cr (VI), CN-, B- HWS, PHCs, BTEX, PAHsSoil740.1metals, As, Se, Sb, Hg, OCsSoil and Groundwate855.1PHCs, BTEX, PAHs, PCBsSoil958.1PHCs, BTEX, VOCs, PAHSoil and Groundwate1058.2PHCs, BTEX, VOCs, PAHSoil and Groundwate11A.1PHCs, BTEX, VOCs, PAHSoil and Groundwate12B.1PHCs, BTEX, VOCs, PAHsSoil and GroundwateAPEC 1 & 9APEC 2, 4, 12APEC 3, 10 & 11APEC 5APEC 6 & 7APEC 6 & 7	5	28 .5		Soil and Groundwate
6 30 .1 Hg, Cr (VI), CN-, B- HWS, PHCs, BTEX, PAHs Soil 7 40 .1 metals, As, Se, Sb, Hg, OCs Soil and Groundwate 8 55 .1 PHCs, BTEX, PAHs, PCBs Soil and Groundwate 9 58 .1 PHCs, BTEX, VOCs, PAH Soil and Groundwate 10 58 .2 PHCs, BTEX, VOCs, PAH Soil and Groundwate 11 A .1 PHCs, BTEX, VOCs, PAH Soil and Groundwate 12 B .1 PHCs, BTEX, VOCs, PAHs Soil and Groundwate APEC 1 & 9 APEC 2, 4, 12 APEC 3, 10 & 11 APEC 5 APEC 5 APEC 6 & 7 APEC 6 & 7 APEC 5				
6 30 .1 HWS, PHCs, BTEX, PAHs Soil 7 40 .1 metals, As, Se, Sb, Hg, OCs Soil and Groundwate 8 55 .1 PHCs, BTEX, PAHs, PCBs Soil and Groundwate 9 58 .1 PHCs, BTEX, VOCs, PAH Soil and Groundwate 10 58 .2 PHCs, BTEX, VOCs, PAH Soil and Groundwate 11 A .1 PHCs, BTEX, VOCs, PAH Soil and Groundwate 12 B .1 PHCs, BTEX, VOCs, PAHs Soil and Groundwate APEC 1 & 9 APEC 2, 4, 12 APEC 3, 10 & 11 APEC 5 APEC 5 APEC 6 & 7 APEC 6 & 7				
PAHs metals, As, Se, Sb, Hg, OCs Soil and Groundwate 8 55 .1 PHCs, BTEX, PAHs, PCBs Soil and Groundwate 9 58 .1 PHCs, BTEX, VOCs, PAH Soil and Groundwate 10 58 .2 PHCs, BTEX, VOCs, PAH Soil and Groundwate 11 A .1 PHCs, BTEX, VOCs, PAH Soil and Groundwate 12 B .1 PHCs, BTEX, VOCs, PAHs Soil and Groundwate APEC 1 & 9 .4PEC 2, 4, 12 .5 .5 APEC 5 .10 & 11 .4PEC 6 & 7 .5	6	30.1		Soil
7 40 .1 metals, As, Se, Sb, Hg, OCs Soil and Groundwate 8 55 .1 PHCs, BTEX, PAHs, PCBs Soil 9 58 .1 PHCs, BTEX, VOCs, PAH Soil and Groundwate 10 58 .2 PHCs, BTEX, VOCs, PAH Soil and Groundwate 11 A .1 PHCs, BTEX, VOCs, PAH Soil and Groundwate 12 B .1 PHCs, BTEX, VOCs, PAHs Soil and Groundwate APEC 1 & 9 .1 PHCs, BTEX, VOCs, PAHs Soil and Groundwate APEC 2, 4, 12 .1 APEC 3, 10 & 11 APEC 5 APEC 6 & 7 APEC 6 & 7 APEC 5				
7 40 .1 Hg, OCs Soil and Groundwate 8 55 .1 PHCs, BTEX, PAHs, PCBs Soil and Groundwate 9 58 .1 PHCs, BTEX, VOCs, PAH Soil and Groundwate 10 58 .2 PHCs, BTEX, VOCs, PAH Soil and Groundwate 11 A .1 PHCs, BTEX, VOCs Soil and Groundwate 12 B .1 PHCs, BTEX, VOCs, PAHs Soil and Groundwate APEC 1 & 9 APEC 2, 4, 12 Soil and Groundwate APEC 5 APEC 5 APEC 6 & 7				
Hg, OCs Hg, OCs 8 55 .1 PHCs, BTEX, PAHs, PCBs Soil 9 58 .1 PHCs, BTEX, VOCs, PAH Soil and Groundwate 10 58 .2 PHCs, BTEX, VOCs, PAH Soil and Groundwate 11 A .1 PHCs, BTEX, VOCs, PAH Soil and Groundwate 12 B .1 PHCs, BTEX, VOCs, PAHs Soil and Groundwate APEC 1 & 9 APEC 2, 4, 12 APEC 3, 10 & 11 APEC 5 APEC 6 & 7 APEC 6 & 7 APEC 5 APEC 6 & 7	7	40.1		Soil and Groundwate
8 55 .1 PCBs Soil 9 58 .1 PHCs, BTEX Soil and Groundwate 10 58 .2 PHCs, BTEX, VOCs, PAH Soil and Groundwate 11 A .1 PHCs, BTEX, VOCs Soil and Groundwate 12 B .1 PHCs, BTEX, VOCs, PAHs Soil and Groundwate APEC 1 & 9 APEC 2, 4, 12 Soil and Groundwate APEC 5 APEC 6 & 7			U .	
9 58 .1 PHCs, BTEX Soil and Groundwate 10 58 .2 PHCs, BTEX, VOCs, PAH Soil and Groundwate 11 A .1 PHCs, BTEX, VOCs Soil and Groundwate 12 B .1 PHCs, BTEX, VOCs, PAHs Soil and Groundwate APEC 1 & 9 APEC 2, 4, 12 APEC 3, 10 & 11 APEC 5 APEC 6 & 7	8	55.1		Soil
10 58 .2 PHCs, BTEX, VOCs, PAH Soil and Groundwate 11 A .1 PHCs, BTEX, VOCs Soil and Groundwate 12 B .1 PHCs, BTEX, VOCs, PAHs Soil and Groundwate 12 B .1 PHCs, BTEX, VOCs, PAHs Soil and Groundwate APEC 1 & 9 APEC 2, 4, 12 APEC 3, 10 & 11 APEC 5 APEC 6 & 7				
10 58 .2 PAH Soil and Groundwate 11 A .1 PHCs, BTEX, VOCs Soil and Groundwate 12 B .1 PHCs, BTEX, VOCs, PAHs Soil and Groundwate APEC 1 & 9 APEC 2, 4, 12 APEC 3, 10 & 11 APEC 5 APEC 6 & 7	9	58.1		Soil and Groundwate
PAH PAH 11 A .1 PHCs, BTEX, VOCs Soil and Groundwate 12 B .1 PHCs, BTEX, VOCs, PAHs Soil and Groundwate APEC 1 & 9 APEC 2, 4, 12 APEC 3, 10 & 11 APEC 5 APEC 6 & 7 APEC 6 & 7 APEC 5	10	58.2		Soil and Groundwate
12 B .1 PHCs, BTEX, VOCs, PAHs Soil and Groundwate APEC 1 & 9 APEC 2, 4, 12 APEC 3, 10 & 11 APEC 5 APEC 5 APEC 6 & 7 APEC 6 & 7				
12 B .1 PAHs Soil and Groundwate APEC 1 & 9 APEC 2, 4, 12 APEC 3, 10 & 11 APEC 5 APEC 5 APEC 6 & 7 APEC 6 & 7	11	A .1		Soil and Groundwate
APEC 1 & 9 APEC 2, 4, 12 APEC 3, 10 & 11 APEC 5 APEC 6 & 7	12	B.1		Soil and Groundwate
APEC 2, 4, 12 APEC 3, 10 & 11 APEC 5 APEC 6 & 7			PAHs	
APEC 3, 10 & 11 APEC 5 APEC 6 & 7		PEC 1 & 9		
APEC 3, 10 & 11 APEC 5 APEC 6 & 7	A	PFC 2. 4. 1	2	
APEC 5				
APEC 6 & 7			& 11	
	A	PEC 5		
APEC 8		PEC 6 & 7		
		PEC 8		
		LCO		

AREAS OF POTENTIAL ENVIRONMENTAL CONCERN



PROJECT NO.	DATE	PREPARED BY	APPROVED BY	FIGURE
22-0209	NOVEMBER 2023	TP	RO	2

N Site Building A
58.2
Site Building B
urce: Open Data Ontario

- an	Data Source: Open Data Unitario	Metres
Consult	LEGEND	LIENT
Vision (SITE BOUNDARY	ANATOLIA CAPITAL CORP.
Drive - El	TANK CONTRIBUTING TO APEC	
n\One	PCA NOT CONTRIBUTING TO APEC	ROJECT
\Users\TanyaPeters(PCA CONTRIBUTING TO APEC	PHASE ONE ENVIRONMENTAL SITE ASSESSMENT 6728 SIXTH LINE MILTON, ONTARIO

AREAS OF POTENTIAL ENVIRONMENTAL CONCERN (APECs)			
APEC	PCA	COPCs	Media
1	27 .1	metals, As, Se, Sb, Hg, Cr (VI), PHCs, BTEX, VOCs, PAHs	Soil and Groundwater
2	28 .1, .2	PHCs, BTEX, VOCs, PAHs	Soil and Groundwater
3	28 .3	PHCs, BTEX, VOCs, PAHs	Soil and Groundwater
4	28 .4	PHCs, BTEX, VOCs, PAHs	Soil and Groundwater
5	28 .5	PHCs, BTEX, VOCs, PAHs	Soil and Groundwater
6	30 .1	metals, As, Se, Sb, Hg, Cr (VI), CN-, B- HWS, PHCs, BTEX, PAHs	Soil
7	40 .1	metals, As, Se, Sb, Hg, OCs	Soil and Groundwater
8	55 .1	PHCs, BTEX, PAHs, PCBs	Soil
9	58.1	PHCs, BTEX	Soil and Groundwater
10	58 .2	PHCs, BTEX, VOCs, PAH	Soil and Groundwater
11	A .1	PHCs, BTEX, VOCs	Soil and Groundwater
12	B.1	PHCs, BTEX, VOCs, PAHs	Soil and Groundwater


APEC 3, 10 & 11

TITLE

AREAS OF POTENTIAL ENVIRONMENTAL CONCERN

PROJECT NO.	DATE	PREPARED BY	APPROVED BY	FIGURE
22-0209	NOVEMBER 2023	TP	RO	2A





AREAS OF POTENTIAL ENVIRONMENTAL CONCERN (APECs)			
APEC	PCA	COPCs	Media
1	27 .1	metals, As, Se, Sb, Hg, Cr (VI), PHCs, BTEX, VOCs, PAHs	Soil and Groundwater
2	28 .1, .2	PHCs, BTEX, VOCs, PAHs	Soil and Groundwater
3	28 .3	PHCs, BTEX, VOCs, PAHs	Soil and Groundwater
4	28 .4	PHCs, BTEX, VOCs, PAHs	Soil and Groundwater
5	28 .5	PHCs, BTEX, VOCs, PAHs	Soil and Groundwater
6	30 .1	metals, As, Se, Sb, Hg, Cr (VI), CN-, B- HWS, PHCs, BTEX, PAHs	Soil
7	40 .1	metals, As, Se, Sb, Hg, OCs	Soil and Groundwater
8	55 .1	PHCs, BTEX, PAHs, PCBs	Soil
9	58.1	PHCs, BTEX	Soil and Groundwater
10	58 .2	PHCs, BTEX, VOCs, PAH	Soil and Groundwater
11	A .1	PHCs, BTEX, VOCs	Soil and Groundwater
12	B .1	PHCs, BTEX, VOCs, PAHs	Soil and Groundwater

APEC 1 & 9

APEC 2, 4, 12

22-0209


S					
	TITLE				
	AREAS OF POTENTIAL ENVIRONMENT		NTAL CONCERI		V
	PROJECT NO.	DATE	PREPARED BY	APPROVED BY	FIGURE
	22-0209	NOVEMBER 2023	TP	RO	2B

RO

NOVEMBER 2023 TP

APPENDIX A: Legal Survey






PLAN OF SURVEY OF PART OF LOT 10, CONCESSION 6 NEW SURVEY GEOGRAPHIC TOWNSHIP OF TRAFALGAR TOWN OF MILTON REGIONAL MUNICIPALITY OF HALTON SCALE 1:1500

GRAPHIC SCALE CUNNINGHAM McCONNELL LIMITED ONTARIO LAND SURVEYORS

THE INTENDED PLOT SIZE OF THIS PLAN IS 1300mm IN WIDTH BY 600mm IN HEIGHT AT A SCALE OF 1:1500

METRIC NOTE:

DISTANCES AND COORDINATES SHOWN ON THIS PLAN ARE IN METRES AND CAN BE CONVERTED TO FEET BY DIVIDING BY 0.3048.



INTEGRATION DATA

BEARINGS ARE UTM GRID, DERIVED FROM OBSERVED REFERENCE POINTS (ORP'S) A AND B, UTM ZONE 17, NAD 83 (CSRS) 2010.

COORDINATES ARE UTM ZONE 17, NAD 83 (CSRS) 2010, TO URBAN ACCURACY PER SEC. 14 (2) OF O.REG. 216/10, AND CANNOT, IN THEMSELVES, BE USED TO RE-ESTABLISH CORNERS OR BOUNDARIES SHOWN ON THIS PLAN.

ORP	NORTHING	EASTING
A	4821239.54	594794.12
В	4821961.48	595521.25

DISTANCES ARE GROUND AND CAN BE CONVERTED TO GRID BY MULTIPLYING BY THE COMBINED SCALE FACTOR OF 0.99970762.

FENCE NOTE

ALL SURVEYED LIMITS SHOWN HEREON ARE NOT FENCED UNLESS STATED OTHERWISE.

SURVEYOR'S CERTIFICATE

I CERTIFY THAT: 1. THIS SURVEY AND PLAN ARE CORRECT AND IN ACCORDANCE WITH THE SURVEYS ACT, THE SURVEYORS ACT AND THE LAND TITLES ACT

- AND THE REGULATIONS MADE UNDER THEM.
- 2. THE SURVEY WAS COMPLETED ON

ROBERT D. McCONNELL ONTARIO LAND SURVEYOR


THIS PLAN OF SURVEY RELATES TO THE AOLS PLAN SUBMISSION FORM NUMBER

..\..\..\..\..\..\..\..\..\..\..\Carlson Projects\Blocks\CML_LogoFinal_Horizontal.tif

PLAN	ROTATION FOR NORTHEAST BEARINGS
P2	- 00°24'55"
P4	- 00*50'00"
P5	– 01°01'30"

ONTARIO LAND SURVEYORS 205 MAIN STREET 1200 SPEERS ROAD, UNIT 38 MILTON, ONTARIO L9T 1N7 OAKVILLE, ONTARIO L6L 2X4 PHONE (905) 878-6672 PHONE (905) 845-3497 FAX (905) 878-6672 FAX (905) 845–3519 EMAIL: milton.office@cmlsurveyors.ca EMAIL: infooak@cmIsurvyers.ca 0.L.S. FILE # 107-22-3B

APPENDIX B: Occupancy and Ownership Documents





An SCM Company

175 Commerce Valley Drive W Markham, Ontario L3T 7Z3

T: 905-882-6300 W: www.optaintel.ca

Report Completed By:

Midori


Site Address:

6728 Sixth Line, Milton, ON Project No:

22060101061 Opta Order ID: Requested by: Eleanor Goolab ERIS

Date Completed: 7/7/2022 7:24:30 AM

111429



ENVIROSCAN Report

Opta Historical Environmental Services Enviroscan Terms and Conditions Requested by:



OPTA INFORMATION INTELLIGENCE

Project #: 22060101061 P.O. #: 220209.110

Eleanor Goolab Date Completed: 07/07/2022 07:24:30

Opta Historical Environmental Services Enviroscan [™] Terms and Conditions

Report

The documents (hereinafter referred to as the "Documents") to be released as part of the report (hereinafter referred to as the "Report") to be delivered to the purchaser as set out above are documents in Opta's records relating to the described property (hereinafter referred to as the "Property"). Opta makes no representations or warranties respecting the Documents whatsoever, including, without limitation, with respect to the completeness, accuracy or usefulness of the Documents, and does not represent or warrant that these are the only plans and reports prepared in association with the Property or in Opta's possession at the time of Report delivery to the purchaser. The Documents are current as of the date(s) indicated on them. Interpretation of the Documents, if any, is by inference based upon the information which is apparent and obvious on the face of the Documents only. Opta does not represent, warrant or guarantee that interpretations other than those referred to do not exist from other sources. The Report will be prepared for use by the purchaser of the services as shown above hereof only.

Disclaimer

Opta disclaims responsibility for any losses or damages of any kind whatsoever, whether consequential or other, however caused, incurred or suffered, arising directly or indirectly as a result of the services (which services include, but are not limited to, the preparation of the Report provided hereunder), including but not limited to, any losses or damages arising directly or indirectly from any breach of contract, fundamental or otherwise, from reliance on Opta Reports or from any tortious acts or omissions of Opta's agents, employees or representatives.

Entire Agreement

The parties hereto acknowledge and agree to be bound by the terms and conditions hereof. The request form constitutes the entire agreement between the parties pertaining to the subject matter hereof and supersedes all prior and contemporaneous agreements, negotiations and discussions, whether oral or written, and there are no representations or warranties, or other agreements between the parties in connection with the subject matter hereof except as specifically set forth herein. No supplement, modification, waiver, or termination of the request shall be binding, unless confirmed in writing by the parties hereto.

Governing Document

In the event of any conflicts or inconsistencies between the provisions hereof and the Reports, the rights and obligations of the parties shall be deemed to be governed by the request form, which shall be the paramount document.

Law

This agreement shall be governed by and construed in accordance with the laws of the Province of Ontario and the laws of Canada applicable therein.



175 Commerce Valley Drive W

Markham, Ontario

L3T 7Z3

T: 905.882.6300

Toll Free: 905.882.6300

F: 905.882.6300

An SCM Company

www.optaintel.ca

Page: 4 Project Name: Phase One ESA ENVIROSCAN Report

No Records Found

Project #: 22060101061 P.O. #: 220209.110 Requested by: Eleanor Goolab Date Completed: 07/07/2022 07:24:30 9. enviroscan

OPTA INFORMATION INTELLIGENCE

No Records Found

APPENDIX C: ERIS Report



DATABASE REPORT

Project Property:

Project No: Report Type: Order No: Requested by: Date Completed: Phase One ESA 6728 Sixth Line Milton ON LOP 22-0209.110 Quote - Custom-Build Your Own Report 22060101061 EnVision Consultants Ltd. July 5, 2022

Table of Contents

Table of Contents	2
Executive Summary	3
Executive Summary: Report Summary	
Executive Summary: Site Report Summary - Project Property	
Executive Summary: Site Report Summary - Surrounding Properties	9
Executive Summary: Summary By Data Source	12
Мар	19
Aerial	20
Topographic Map	21
Detail Report	22
Unplottable Summary	111
Unplottable Report	113
Appendix: Database Descriptions	146
Definitions	155

Notice: IMPORTANT LIMITATIONS and YOUR LIABILITY

Reliance on information in Report: This report DOES NOT replace a full Phase I Environmental Site Assessment but is solely intended to be used as a database review of environmental records.

License for use of information in Report: No page of this report can be used without this cover page, this notice and the project property identifier. The information in Report(s) may not be modified or re-sold.

Your Liability for misuse: Using this Service and/or its reports in a manner contrary to this Notice or your agreement will be in breach of copyright and contract and ERIS may obtain damages for such mis-use, including damages caused to third parties, and gives ERIS the right to terminate your account, rescind your license to any previous reports and to bar you from future use of the Service.

No warranty of Accuracy or Liability for ERIS: The information contained in this report has been produced by ERIS Information Limited Partnership ("ERIS") using various sources of information, including information provided by Federal and Provincial government departments. The report applies only to the address and up to the date specified on the cover of this report, and any alterations or deviation from this description will require a new report. This report and the data contained herein does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein and does not constitute a legal opinion nor medical advice. Although ERIS has endeavored to present you with information that is accurate, ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

Trademark and Copyright: You may not use the ERIS trademarks or attribute any work to ERIS other than as outlined above. This Service and Report (s) are protected by copyright owned by ERIS Information Limited Partnership. Copyright in data used in the Service or Report(s) (the "Data") is owned by ERIS or its licensors. The Service, Report(s) and Data may not be copied or reproduced in whole or in any substantial part without prior written consent of ERIS.

Executive Summary

6728 Sixth Line Milton ON LOP

Property Information:

Project Property:

Project No:

22-0209.110

Phase One ESA

Order Information:

Order No: Date Requested: Requested by: Report Type: 22060101061 June 1, 2022 EnVision Consultants Ltd. Quote - Custom-Build Your Own Report

Historical/Products:

ERIS Xplorer Insurance Products <u>ERIS Xplorer</u> Fire Insurance Maps/Inspection Reports/Site Plans

Executive Summary: Report Summary

Database	Name	Searched	Project Property	Boundary to 0.25km	Total
AAGR	Abandoned Aggregate Inventory	Y	0	0	0
AGR	Aggregate Inventory	Y	0	0	0
AMIS	Abandoned Mine Information System	Y	0	0	0
ANDR	Anderson's Waste Disposal Sites	Y	0	0	0
AST	Aboveground Storage Tanks	Y	0	0	0
AUWR	Automobile Wrecking & Supplies	Y	0	0	0
BORE	Borehole	Y	0	0	0
CA	Certificates of Approval	Y	0	0	0
CDRY	Dry Cleaning Facilities	Y	0	0	0
CFOT	Commercial Fuel Oil Tanks	Y	0	0	0
CHEM	Chemical Manufacturers and Distributors	Y	0	0	0
СНМ	Chemical Register	Y	0	0	0
CNG	Compressed Natural Gas Stations	Y	0	0	0
COAL	Inventory of Coal Gasification Plants and Coal Tar Sites	Y	0	0	0
CONV	Compliance and Convictions	Y	0	0	0
CPU	Certificates of Property Use	Y	0	0	0
DRL	Drill Hole Database	Y	0	0	0
DTNK	Delisted Fuel Tanks	Y	0	0	0
EASR	Environmental Activity and Sector Registry	Y	0	0	0
EBR	Environmental Registry	Y	0	1	1
ECA	Environmental Compliance Approval	Y	0	2	2
EEM	Environmental Effects Monitoring	Y	0	0	0
EHS	ERIS Historical Searches	Y	2	5	7
EIIS	Environmental Issues Inventory System	Y	0	0	0
EMHE	Emergency Management Historical Event	Y	0	0	0
EPAR	Environmental Penalty Annual Report	Y	0	0	0
EXP	List of Expired Fuels Safety Facilities	Y	0	0	0
FCON	Federal Convictions	Y	0	0	0
FCS	Contaminated Sites on Federal Land	Y	0	0	0
FOFT	Fisheries & Oceans Fuel Tanks	Y	0	0	0
FRST	Federal Identification Registry for Storage Tank Systems (FIRSTS)	Y	0	0	0
FST	Fuel Storage Tank	Y	2	0	2
FSTH	Fuel Storage Tank - Historic	Y	2	0	2
GEN	Ontario Regulation 347 Waste Generators Summary	Y	7	0	7
GHG	Greenhouse Gas Emissions from Large Facilities	Y	0	0	0
HINC	TSSA Historic Incidents	Y	0	0	0

Database	Name	Searched	Project Property	Boundary to 0.25km	Total
IAFT	Indian & Northern Affairs Fuel Tanks	Y	0	0	0
INC	Fuel Oil Spills and Leaks	Y	0	0	0
LIMO	Landfill Inventory Management Ontario	Y	0	0	0
MINE	Canadian Mine Locations	Y	0	0	0
MNR	Mineral Occurrences	Y	0	0	0
NATE	National Analysis of Trends in Emergencies System	Y	0	0	0
NCPL	(NATES) Non-Compliance Reports	Y	0	0	0
NDFT	National Defense & Canadian Forces Fuel Tanks	Y	0	0	0
NDSP	National Defense & Canadian Forces Spills	Y	0	0	0
NDWD	National Defence & Canadian Forces Waste Disposal	Y	0	0	0
NEBI	Sites National Energy Board Pipeline Incidents	Y	0	0	0
NEBP	National Energy Board Wells	Ŷ	0	0	0
NEES	National Environmental Emergencies System (NEES)	Ŷ	0	0	0
NPCB	National PCB Inventory	Y	0	0	0
NPRI	National Pollutant Release Inventory	Y	0	0	0
OGWE	Oil and Gas Wells	Y	0	0	0
OOGW	Ontario Oil and Gas Wells	Y	0	0	0
OPCB	Inventory of PCB Storage Sites	Y	0	0	0
ORD	Orders	Y	0	0	0
PAP	Canadian Pulp and Paper	Y	0	0	0
PCFT	Parks Canada Fuel Storage Tanks	Y	0	0	0
PES	Pesticide Register	Y	0	0	0
PINC	Pipeline Incidents	Y	0	0	0
PRT	Private and Retail Fuel Storage Tanks	Y	1	0	1
PTTW	Permit to Take Water	Y	4	0	4
REC	Ontario Regulation 347 Waste Receivers Summary	Y	0	0	0
RSC	Record of Site Condition	Y	0	0	0
RST	Retail Fuel Storage Tanks	Y	0	0	0
SCT	Scott's Manufacturing Directory	Y	0	0	0
SPL	Ontario Spills	Y	1	2	3
SRDS	Wastewater Discharger Registration Database	Y	0	0	0
TANK	Anderson's Storage Tanks	Y	0	0	0
TCFT	Transport Canada Fuel Storage Tanks	Y	0	0	0
VAR	Variances for Abandonment of Underground Storage Tanks	Y	0	0	0
WDS	Waste Disposal Sites - MOE CA Inventory	Y	0	0	0
WDSH	Waste Disposal Sites - MOE 1991 Historical Approval Inventory	Y	0	0	0
WWIS	Water Well Information System	Y	5	18	23
	-	Total:	24	28	52

_

Executive Summary: Site Report Summary - Project Property

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev diff (m)	Page Number
<u>1</u>	PRT	TRAFALGAR GOLF CLUB LTD	6728 SIXTH LINE MILTON ON	NNE/0.0	-0.82	<u>22</u>
1	GEN	TRAFALGAR GOLF & COUNTRY CLUB LIMITED	6278 SIXTH LINE MILTON ON L9T 2Y3	NNE/0.0	-0.82	<u>22</u>
<u>1</u>	GEN	TRAFALGAR GOLF & COUNTRY CLUB LTD.37-880	6278 SIXTH LINE P.O. BOX 56 MILTON ON L9T 2Y3	NNE/0.0	-0.82	<u>22</u>
1	FSTH	TRAFALGAR GOLF CLUB LTD	6728 SIXTH LA MILTON ON	NNE/0.0	-0.82	<u>22</u>
<u>1</u>	PTTW	Trafalgar Golf & Country Club Ltd.	6728 6th Line Lot: 10, Concession: 6 Town of Milton, Regional Municipality of Halton GeoReference: Zone: 17, UTM Easting: 595450, UTM Northing: 4821800 TOWN OF MILTON ON	NNE/0.0	-0.82	<u>23</u>
1	FSTH	TRAFALGAR GOLF CLUB LTD	6728 SIXTH LA MILTON ON	NNE/0.0	-0.82	<u>23</u>
1	PTTW	Trafalgar Golf & Country Club Ltd.	ON	NNE/0.0	-0.82	<u>24</u>
<u>1</u>	FST	TRAFALGAR GOLF CLUB LTD	6728 SIXTH LA MILTON L9T 2X7 ON CA ON	NNE/0.0	-0.82	<u>24</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev diff (m)	Page Number
<u>1</u>	FST	TRAFALGAR GOLF CLUB LTD	6728 SIXTH LA MILTON L9T 2X7 ON CA ON	NNE/0.0	-0.82	<u>25</u>
1	PTTW	Trafalgar Golf & Country Club Limited	Trafalgar Golf & Country Club 6728 Sixth Line Town of Milton, Regional Municipality of Halton TOWN OF MILTON ON	NNE/0.0	-0.82	<u>25</u>
<u>1</u>	EHS		6728 6 Line Milton ON L0P1E0	NNE/0.0	-0.82	<u>26</u>
1	SPL	Danosh Construction Inc.	6728 Sixth Line Milton ON L9T 2X7	NNE/0.0	-0.82	<u>26</u>
<u>1</u>	GEN	Danosh Construction	6728 Sixth Line Milton ON L9T 2Y3	NNE/0.0	-0.82	<u>26</u>
<u>1</u>	GEN	Danosh Construction	6728 Sixth Line Milton ON L9T 2Y3	NNE/0.0	-0.82	<u>27</u>
<u>1</u>	GEN	Trafalgar Golf & Country Club GolfNorth Properties	6728 Sixth Line 110 Frederick Street Milton ON L9T 2Y3	NNE/0.0	-0.82	<u>27</u>
<u>1</u>	GEN	Trafalgar Golf & Country Club GolfNorth Properties	6728 Sixth Line 110 Frederick Street Milton ON L9T 2Y3	NNE/0.0	-0.82	<u>27</u>
<u>1</u>	PTTW	Golfnorth Management Corp., operating as Trafalgar Golf & Country Club	6728 Sixth Line Milton, ON Canada ON	NNE/0.0	-0.82	<u>28</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev diff (m)	Page Number
<u>1</u>	GEN	Trafalgar Golf & Country Club GolfNorth Properties	6728 Sixth Line 110 Frederick Street Milton ON L9T 2Y3	NNE/0.0	-0.82	<u>28</u>
<u>2</u>	WWIS		lot 10 con 6 ON	ENE/0.0	-1.32	<u>28</u>
			Well ID: 2802601			
<u>3</u>	WWIS		lot 10 con 6 ON	ENE/0.0	-6.16	<u>31</u>
			Well ID: 2808031			
<u>4</u>	WWIS		lot 10 con 6 ON	NE/0.0	0.00	35
			Well ID: 2808206			
<u>5</u>	WWIS		lot 10 con 6 ON	NE/0.0	-0.50	<u>38</u>
			Well ID: 2808205			
<u>6</u>	WWIS		lot 10 con 6 ON	S/0.0	1.00	<u>42</u>
			Well ID: 2802597			
Z	EHS		Derry Green Milton ON	SSW/0.0	1.00	<u>45</u>

Executive Summary: Site Report Summary - Surrounding Properties

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>8</u>	WWIS		lot 10 con 6 ON	NNE/8.9	-0.94	<u>45</u>
			Well ID: 2807993			
<u>9</u>	WWIS		DERRY RD MILTON ON	WNW/16.7	0.00	<u>50</u>
			Well ID: 7274001			
<u>10</u>	WWIS		DERRY RD MILTON ON	NW/16.9	0.00	<u>53</u>
			Well ID: 7274002			
<u>11</u>	EHS		Trafalgar Rd Derry Rd Milton ON	WNW/17.2	1.00	<u>55</u>
<u>12</u>	WWIS		6689 SIXTH LINE Milton ON	ENE/39.5	-8.00	<u>55</u>
			Well ID: 7266010			
<u>13</u>	WWIS		lot 10 con 6 ON	N/45.5	-1.73	<u>59</u>
			Well ID: 2802600			
<u>14</u>	WWIS		lot 11 con 6 ON	NW/66.0	0.00	<u>62</u>
			Well ID: 2806503			
<u>15</u>	WWIS		lot 11 con 6 ON	W/72.1	1.00	<u>66</u>
			Well ID: 2803736			
<u>16</u>	WWIS		11319 DERRY RD lot 11 con 6 Milton ON	W/81.7	1.00	<u>71</u>
			Well ID: 7316029			
<u>17</u>	WWIS		lot 10 con 6 ON	N/104.3	-5.67	<u>73</u>
			Well ID: 2802599			
<u>18</u>	WWIS		lot 9 con 7 ON	ENE/105.7	-6.07	<u>75</u>
			Well ID: 2808624			
<u>19</u>	WWIS		lot 10 con 7 ON	NNE/132.1	-6.91	<u>79</u>

Мар Кеу	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			Well ID: 2803752			
<u>20</u>	ECA	Radha Soami Society Beas Canada	6566 Sixth Line RR#1, Hornby Halton Hills ON	E/135.1	-9.00	<u>82</u>
<u>20</u>	EBR	Radha Soami Society Beas Canada	6566 Sixth Line Halton Hills Regional Municipality of Halton TOWN OF HALTON HILLS ON	E/135.1	-9.00	<u>82</u>
<u>20</u>	SPL		6566 6th Line Milton ON	E/135.1	-9.00	<u>83</u>
<u>20</u>	ECA	Radha Soami Society Beas Canada	6566 Sixth Line Milton ON L0P 1E0	E/135.1	-9.00	<u>83</u>
<u>21</u>	EHS		5208 Highway 25 & 5215 First Line Milton ON	S/135.6	1.00	<u>83</u>
<u>22</u>	SPL		Derry Rd, 200 m east of Fifth Line Milton ON	WSW/139.2	2.00	<u>84</u>
<u>23</u>	EHS		11801 Derry Road Milton ON L9T 7J5	NNW/143.1	0.00	<u>84</u>
<u>24</u>	WWIS		lot 10 con 7 ON <i>Well ID:</i> 2807985	ENE/157.0	-7.17	<u>84</u>
<u>25</u>	WWIS		lot 11 con 6 ON <i>Well ID:</i> 2802604	W/166.5	0.40	<u>89</u>
<u>26</u>	WWIS		lot 10 con 7 ON <i>Well ID:</i> 2806291	NE/183.9	-7.03	<u>92</u>
<u>27</u>	EHS		n/a Milton ON	NNW/184.7	0.00	<u>96</u>
<u>28</u>	WWIS		11319 Derry Road lot 11 con 6 Milton ON <i>Well ID:</i> 7375667	W/220.1	0.94	<u>96</u>

Мар Кеу	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>29</u>	WWIS		lot 11 con 7 ON <i>Well ID:</i> 2804053	N/221.8	-8.06	<u>99</u>
<u>30</u>	EHS		11515 Derry Road West Milton ON	WNW/227.3	0.00	<u>104</u>
<u>31</u>	WWIS		lot 10 con 6 ON <i>Well ID:</i> 2802603	WSW/241.3	1.00	<u>104</u>
<u>32</u>	WWIS		lot 9 con 6 ON <i>Well ID:</i> 2803180	E/243.6	-7.23	<u>107</u>

Executive Summary: Summary By Data Source

EBR - Environmental Registry

A search of the EBR database, dated 1994 - May 31, 2022 has found that there are 1 EBR site(s) within approximately 0.25 kilometers of the project property.

Site	Address	<u>Distance (m)</u>	<u>Map Key</u>
Radha Soami Society Beas Canada	6566 Sixth Line Halton Hills Regional Municipality of Halton TOWN OF HALTON HILLS ON	135.1	<u>20</u>

ECA - Environmental Compliance Approval

A search of the ECA database, dated Oct 2011- Apr 30, 2022 has found that there are 2 ECA site(s) within approximately 0.25 kilometers of the project property.

Site	<u>Address</u>	Distance (m)	<u>Map Key</u>
Radha Soami Society Beas Canada	6566 Sixth Line RR#1, Hornby Halton Hills ON	135.1	<u>20</u>
Radha Soami Society Beas Canada	6566 Sixth Line Milton ON L0P 1E0	135.1	<u>20</u>

EHS - ERIS Historical Searches

A search of the EHS database, dated 1999-Mar 31, 2022 has found that there are 7 EHS site(s) within approximately 0.25 kilometers of the project property.

Site	Address 6728 6 Line Milton ON L0P1E0	<u>Distance (m)</u> 0.0	<u>Map Key</u> <u>1</u>
	Derry Green Milton ON	0.0	<u>7</u>
	Trafalgar Rd Derry Rd Milton ON	17.2	<u>11</u>

<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
5208 Highway 25 & 5215 First Line Milton ON	135.6	<u>21</u>
11801 Derry Road Milton ON L9T 7J5	143.1	<u>23</u>
n/a Milton ON	184.7	<u>27</u>
11515 Derry Road West Milton ON	227.3	<u>30</u>

FST - Fuel Storage Tank

A search of the FST database, dated Feb 28, 2022 has found that there are 2 FST site(s) within approximately 0.25 kilometers of the project property.

Site	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
TRAFALGAR GOLF CLUB LTD	6728 SIXTH LA MILTON L9T 2X7 ON CA ON	0.0	<u>1</u>
TRAFALGAR GOLF CLUB LTD	6728 SIXTH LA MILTON L9T 2X7 ON CA ON	0.0	<u>1</u>

FSTH - Fuel Storage Tank - Historic

A search of the FSTH database, dated Pre-Jan 2010* has found that there are 2 FSTH site(s) within approximately 0.25 kilometers of the project property.

Site	Address	<u>Distance (m)</u>	<u>Map Key</u>
TRAFALGAR GOLF CLUB LTD	6728 SIXTH LA MILTON ON	0.0	<u>1</u>
TRAFALGAR GOLF CLUB LTD	6728 SIXTH LA MILTON ON	0.0	1

GEN - Ontario Regulation 347 Waste Generators Summary

A search of the GEN database, dated 1986-Feb 28, 2022 has found that there are 7 GEN site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u> TRAFALGAR GOLF & COUNTRY CLUB LIMITED	Address 6278 SIXTH LINE MILTON ON L9T 2Y3	Distance (m) 0.0	<u>Map Key</u> <u>1</u>
TRAFALGAR GOLF & COUNTRY CLUB LTD.37-880	6278 SIXTH LINE P.O. BOX 56 MILTON ON L9T 2Y3	0.0	1
Danosh Construction	6728 Sixth Line Milton ON L9T 2Y3	0.0	1
Danosh Construction	6728 Sixth Line Milton ON L9T 2Y3	0.0	<u>1</u>
Trafalgar Golf & Country Club GolfNorth Properties	6728 Sixth Line 110 Frederick Street Milton ON L9T 2Y3	0.0	<u>1</u>
Trafalgar Golf & Country Club GolfNorth Properties	6728 Sixth Line 110 Frederick Street Milton ON L9T 2Y3	0.0	<u>1</u>
Trafalgar Golf & Country Club GolfNorth Properties	6728 Sixth Line 110 Frederick Street Milton ON L9T 2Y3	0.0	1

PRT - Private and Retail Fuel Storage Tanks

A search of the PRT database, dated 1989-1996* has found that there are 1 PRT site(s) within approximately 0.25 kilometers of the project property.

Site	Address	<u>Distance (m)</u>	<u>Map Key</u>
TRAFALGAR GOLF CLUB LTD	6728 SIXTH LINE MILTON ON	0.0	<u>1</u>

PTTW - Permit to Take Water

A search of the PTTW database, dated 1994 - May 31, 2022 has found that there are 4 PTTW site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	Address	<u>Distance (m)</u>	<u>Map Key</u>
Trafalgar Golf & Country Club Ltd.	ON	0.0	1
Trafalgar Golf & Country Club Limited	Trafalgar Golf & Country Club 6728 Sixth Line Town of Milton, Regional Municipality of Halton TOWN OF MILTON ON	0.0	1
Golfnorth Management Corp., operating as Trafalgar Golf & Country Club	6728 Sixth Line Milton, ON Canada ON	0.0	1
Trafalgar Golf & Country Club Ltd.	6728 6th Line Lot: 10, Concession: 6 Town of Milton, Regional Municipality of Halton GeoReference: Zone: 17, UTM Easting: 595450, UTM Northing: 4821800 TOWN OF MILTON ON	0.0	1

SPL - Ontario Spills

A search of the SPL database, dated 1988-Sep 2020; Dec 2020-Mar 2021 has found that there are 3 SPL site(s) within approximately 0.25 kilometers of the project property.

Site	Address	Distance (m)	<u>Map Key</u>
Danosh Construction Inc.	6728 Sixth Line Milton ON L9T 2X7	0.0	1
	6566 6th Line Milton ON	135.1	<u>20</u>
	Derry Rd, 200 m east of Fifth Line Milton ON	139.2	<u>22</u>

WWIS - Water Well Information System

<u>Site</u>

A search of the WWIS database, dated Sep 30, 2021 has found that there are 23 WWIS site(s) within approximately 0.25 kilometers of the project property.

Address lot 10 con 6 ON	Distance (m) 0.0	<u>Map Key</u> 2
Well ID: 2802601		
lot 10 con 6 ON	0.0	<u>3</u>
Well ID: 2808031		
lot 10 con 6 ON	0.0	<u>4</u>
Well ID: 2808206		
lot 10 con 6 ON	0.0	<u>5</u>
Well ID: 2808205		
lot 10 con 6 ON	0.0	<u>6</u>
Well ID: 2802597		
lot 10 con 6 ON	8.9	<u>8</u>
Well ID: 2807993		
DERRY RD MILTON ON	16.7	<u>9</u>
Well ID: 7274001		
DERRY RD MILTON ON	16.9	<u>10</u>
Well ID: 7274002		
6689 SIXTH LINE Milton ON	39.5	<u>12</u>
Well ID: 7266010		
lot 10 con 6 ON	45.5	<u>13</u>
Well ID: 2802600		
lot 11 con 6 ON	66.0	<u>14</u>

<u>Address</u> Well ID: 2806503	<u>Distance (m)</u>	<u>Map Key</u>
lot 11 con 6 ON	72.1	<u>15</u>
Well ID: 2803736		
11319 DERRY RD lot 11 con 6 Milton ON	81.7	<u>16</u>
Well ID: 7316029		
lot 10 con 6 ON	104.3	<u>17</u>
Well ID: 2802599		
lot 9 con 7 ON	105.7	<u>18</u>
Well ID: 2808624		
lot 10 con 7 ON	132.1	<u>19</u>
Well ID: 2803752		
lot 10 con 7 ON	157.0	<u>24</u>
Well ID: 2807985		
lot 11 con 6 ON	166.5	<u>25</u>
Well ID: 2802604		
lot 10 con 7 ON	183.9	<u>26</u>
Well ID: 2806291		
11319 Derry Road lot 11 con 6 Milton ON	220.1	<u>28</u>
Well ID: 7375667		
lot 11 con 7 ON	221.8	<u>29</u>
Well ID: 2804053		
lot 10 con 6 ON	241.3	<u>31</u>
Well ID: 2802603		


Address

lot 9 con 6 ON

Well ID: 2803180

Distance	<u>(m)</u>
243.6	

<u>Map Key</u> <u>32</u>



Source: © 2021 ESRI StreetMap Premium.

© ERIS Information Limited Partnership



Aerial Year: 2021


Address: 6728 Sixth Line, Milton, ON

Source: ESRI World Imagery

Order Number: 22060101061



© ERIS Information Limited Partnership



Topographic Map

Order Number: 22060101061



Address: 6728 Sixth Line, ON

Source: ESRI World Topographic Map

© ERIS Information Limited Partnership

43°33'N

Detail Report

Мар Кеу	Numbe Record		Elev/Diff (m)	Site	DB
1	1 of 18	NNE/0.0	189.0 / -0.82	TRAFALGAR GOLF CLUB LTD 6728 SIXTH LINE MILTON ON	PRT
Location ID: Type: Expiry Date: Capacity (L): Licence #:		8866 private 0.00 0001068153			
<u>1</u>	2 of 18	NNE/0.0	189.0 / -0.82	TRAFALGAR GOLF & COUNTRY CLUB LIMITED 6278 SIXTH LINE MILTON ON L9T 2Y3	GEN
Generator No SIC Code: SIC Descript Approval Yea PO Box No: Country:	ion:	ON1533700 9651 GOLF COURSES 92,93,97,98,99,00,01		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
<u>Detail(s)</u>					
Waste Class: Waste Class		213 PETROLEUM DIS	TILLATES		
Waste Class: Waste Class		252 WASTE OILS & LU	JBRICANTS		
1	3 of 18	NNE/0.0	189.0 / -0.82	TRAFALGAR GOLF & COUNTRY CLUB LTD.37- 880 6278 SIXTH LINE P.O. BOX 56 MILTON ON L9T 2Y3	GEN
Generator No SIC Code: SIC Descript Approval Yea PO Box No: Country:	ion:	ON1533700 9651 GOLF COURSES 94,95,96		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
<u>Detail(s)</u>					
Waste Class: Waste Class		213 PETROLEUM DIS	TILLATES		
Waste Class: Waste Class		252 WASTE OILS & LU	JBRICANTS		
<u>1</u>	4 of 18	NNE/0.0	189.0 / -0.82	TRAFALGAR GOLF CLUB LTD 6728 SIXTH LA	FSTH

Map Key	Number Records		Elev/Diff) (m)	Site	Ľ
				MILTON ON	
License Issue	Data	4/22/1991			
Tank Status:	Dale.	Licensed			
Tank Status. Tank Status A	- Of				
		August 2007			
Operation Typ	Je.	Private Fuel Outle Gasoline Station			
Facility Type:		Gasonne Station	- Sell Selve		
Details					
Status:		Active			
Year of Install Corrosion Pro		1997			
Capacity:		2200			
Tank Fuel Typ	e:	Liquid Fuel Doubl	e Wall AST - Gasol	ine	
Status:		Active			
Year of Install		1997			
Corrosion Pro	otection:				
Capacity:		1360			
Tank Fuel Typ)e:	Liquid Fuel Doubl	e Wall AST - Diesel		
1	5 of 18	NNE/0.0	189.0 / -0.82	Trafalgar Golf & Country Club Ltd. 6728 6th Line Lot: 10, Concession: 6 Town of Milton, Regional Municipality of Halton GeoReference: Zone: 17, UTM Easting: 595450, UTM Northing: 4821800 TOWN OF MILTON ON	ΡΤΤ
EBR Registry	No:	010-1566		Decision Posted:	
Ministry Ref I	No:	0587-76CQCE		Exception Posted:	
Notice Type:		Instrument\sDecision		Section:	
Notice Stage:				Act 1:	
Notice Date:		May\s27,\s2008		Act 2:	
Proposal Date	e:	September\s04,\s2007		Site Location Map:	
Year:		2007			
Instrument Ty Off Instrumen		(OWRA\ss.\s34)\s	s-\sPermit\sto\sTake	e\sWater	
Posted By: Company Nan	no.	Trafalgar\sGolf\s8	&\sCountry\sClub\sL	td	
Site Address:			x (500001111 y (50105 (52		
Location Othe					
Proponent Na					
Proponent Ad		6728\s6th\sl ine \	sMilton\sOntario,\sC	Canada/sl 9T/s2X7	
Comment Per		0. 20.000 (102 line, 1			
URL:					
	Details:				

<u>1</u>	6 of 18	NNE/0.0	189.0 / -0.82	TRAFALGAR GOLF CLUB LTD 6728 SIXTH LA MILTON ON	FSTH
License Is	sue Date:	4/22/1991			
Tank Statu	us:	Licensed			
Tank Statu	us As Of:	December 2008			
Operation	Type:	Private Fuel Outle	et		
Facility Ty	pe:	Gasoline Station	- Self Serve		

		Elev/Diff (m)	Site	DB
illation: rotection: /pe:	Active 1997 2200 Liquid Fuel Double	wall AST - Gasoli	ne	
illation: rotection: /pe:	Active 1997 1360 Liquid Fuel Double	Wall AST - Diesel		
7 of 18	NNE/0.0	189.0 / -0.82	Trafalgar Golf & Country Club Ltd.	PTTW
			ON	
f No: :: e: :	011-0027 1163-85EP76 Instrument\sDecision July\s26,\s2010 May\s14,\s2010 2010 (OWRA\ss.\s34)\s-	\sPermit\sto\sTake	Decision Posted: Exception Posted: Section: Act 1: Act 2: Site Location Map:	
nt Name: ame: aer: lame: ddress: eriod:				
	Records	Records Distance (m) Ilation: 1997 rotection: 2200 rpe: Liquid Fuel Double Ilation: 1997 rotection: 1360 rpe: Liquid Fuel Double Ilation: 1997 rotection: 1360 rpe: Liquid Fuel Double 7 of 18 NNE/0.0 ry No: 011-0027 No: 1163-85EP76 : Instrument\sDecision : July\s26,\s2010 ite: May\s14,\s2010 2010 2010 ype: (OWRA\ss.\s34)\s- ite: Trafalgar\sGolf\s&\s imme: Trafalgar\sGolf\s&\sLine,\sl it: G728\s6th\sLine,\sl	Records Distance (m) (m) Ilation: 1997 rotection: 2200 rpe: Liquid Fuel Double Wall AST - Gasoli Active Active Ilation: 1997 rotection: 1360 rpe: Liquid Fuel Double Wall AST - Diesel 7 of 18 NNE/0.0 189.0 / -0.82 ry No: 011-0027 No: 1163-85EP76 : Instrument\sDecision : July\s26,\s2010 tte: May\s14,\s2010 2010 2010 ype: (OWRA\ss.\s34)\s-\sPermit\sto\sTake inte: Trafalgar\sGolf\s&\sCountry\sClub\sL :: : :: : :: : :: : :: : :: : :: : :: : :: : :: : :: : :: : :: : :: :	Records Distance (m) (m) Itation: 1997 otection: 2200 pe: Liquid Fuel Double Wall AST - Gasoline Active Active Itation: 1997 otection: 2200 pe: Liquid Fuel Double Wall AST - Gasoline Active Active Itation: 1997 otection: 1360 pe: Liquid Fuel Double Wall AST - Diesel 7 of 18 NNE/0.0 189.0/ -0.82 Trafalgar Golf & Country Club Ltd. ON VNo: 011-0027 Decision Posted: No: 1183-85EP76 Exception Posted: : Instrument\sDecision Section: :: July\s26\s2010 Act 1: :: Act 1: Act 2: :: Site Location Map: :2010 Ype: (OWRA\ss.\s34)\s-\sPermit\sc\sClub\sLtd. :: : : :: : : :: : : :: : : :: : :

Site Location Details:

6728 6th Line Address: Lot: 10, Concession: 6, Milton, Town, Regional Municipality of Halton District Office: Halton-Peel GeoReference: Zone: 17, UTM Easting: 595450, UTM Northing: 4821800, UTM Location Description: Sixteen Mile Creek TOWN OF MILTON

1 8 of 18 NNE/0.0 189.0 / -0.82 TRAFALGAR GOLF CLUB LTD 6728 SIXTH LA MILTON L9T 2X7 ON CA ON	FST
Instance No: 11639887 Manufacturer:	
Status: Serial No:	
Cont Name: Ulc Standard:	
Instance Type: FS Liquid Fuel Tank Quantity:	
Item: Unit of Measure:	
Item Description: FS Liquid Fuel Tank Fuel Type: Diesel	
Tank Type: Double Wall Horizontal AST Fuel Type2: NULL	
Install Date: 7/11/2001 Fuel Type3: NULL	
Install Year: 1997 Piping Steel:	
Years in Service: Piping Galvanized:	
Model: NULL Tanks Single Wall St:	
Description: Piping Underground:	
Capacity: 1360 No Underground:	
Tank Material: Steel Panam Related:	
Corrosion Protect: Painted Panam Venue:	

Мар Кеу	Number Records		Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Overfill Prot Facility Type Parent Facili Facility Loca Device Insta	e: ity Type: ation:	n.	FS Liquid Fuel Tar Fuels Safety Privat 6728 SIXTH LA MI	e Fuel Outlet - Sel			
Device IIIsla			0720 SIATT LA IVI				
Liquid Fuel 1							
Overfill Prot Owner Acco Item:			TRAFALGAR GOL FS LIQUID FUEL 1				
<u>1</u>	9 of 18		NNE/0.0	189.0 / -0.82	TRAFALGAR GOLF (6728 SIXTH LA MILT(ON		FST
Instance No Status: Cont Name: Instance Tyj Item: Item Descrip Tank Type: Install Date: Install Pear: Years in Ser Model: Description: Capacity: Tank Materia Corrosion P Overfill Prot Facility Type Parent Facili Facility Loca Device Instal Device Instal Overfill Prot Overfill Prot Owner Account	pe: otion: rvice: al: protect: tect: s: ty Type: tition: lled Locatio Tank Details tection:	FS Liquid Double V 7/11/200 1997 NULL 2200 Steel Painted	d Fuel Tank d Fuel Tank Vall Horizontal AST	te Fuel Outlet - Sel LTON L9T 2X7 Of F CLUB LTD		Gasoline NULL NULL	
<u>1</u>	10 of 18		NNE/0.0	189.0 / -0.82		ntry Club Limited ntry Club 6728 Sixth Line onal Municipality of Halton	PTTW
EBR Registi Ministry Ref Notice Type Notice Stagy Notice Date: Proposal Da Year: Instrument T Off Instrume Posted By: Company Na Site Address Location Oth	F No: e: ate: fype: ont Name: ame: s:	February					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Proponent N Proponent A Comment Pe URL:	ddress:	Post\sOffice\sBox\s	Delivery\s56,\sPc	stal\sStation\sMain,\sMilto	on\sOntario,\sCanada\sL9T\s2Y3	

Site Location Details:

Trafalgar Golf & Country Club 6728 Sixth Line Town of Milton, Regional Municipality of Halton TOWN OF MILTON

1 11-510				
<u>1</u> 11 of 18	NNE/0.0	189.0 / -0.82	6728 6 Line Milton ON L0P1E0	EHS
Order No: Status: Report Type:	20150212041 C Custom Report		Nearest Intersection: Municipality: Client Prov/State:	ON
Report Date:	20-FEB-15		Search Radius (km):	.25
Date Received:	12-FEB-15		X:	-79.820005
Previous Site Name:			Y:	43.539826
Lot/Building Size: Additional Info Ordered	_			
Additional Into Ordered				
<u>1</u> 12 of 18	NNE/0.0	189.0 / -0.82	Danosh Construction 6728 Sixth Line Milton ON L9T 2X7	Inc. SPL
Ref No:	7108-ATXRCJ		Discharger Report:	
Site No:	2957-5ZUHKW		Material Group:	
Incident Dt:	2017/12/07		Health/Env Conseq:	2 - Minor Environment
Year:			Client Type:	Corporation
Incident Cause:			Sector Type:	Miscellaneous Communal
Incident Event:	Leak/Break		Agency Involved:	
Contaminant Code:	13		Nearest Watercourse:	
Contaminant Name:	FURNACE OIL		Site Address:	6728 Sixth Line
Contaminant Limit 1:			Site District Office:	Halton-Peel
Contam Limit Freq 1:			Site Postal Code:	L9T 2X7
Contaminant UN No	1202		Site Region:	Central
1: Environment (manage)			Cite Municipality	Milton
Environment Impact: Nature of Impact:			Site Municipality: Site Lot:	Milton
Receiving Medium:			Site Conc:	NA
Receiving Env:	Land: Source Water Zone		Northing:	4821800
MOE Response:	No		Easting:	595450
Dt MOE Arvl on Scn:			Site Geo Ref Accu:	Мар
MOE Reported Dt:	2017/12/11		Site Map Datum:	NAD83
Dt Document Closed:			SAC Action Class:	TSSA - Fuel Safety Branch - Hydrocarbon Fue Release/Spill
Incident Reason:	Unknown / N/A		Source Type:	Tank - Above Ground
Site Name: Site County/District: Site Geo Ref Meth:	Trafalgar Golf & C Regional Municipa			
Incident Summary: Contaminant Qty:	Trafalgar Golf & C 0 other - see incid	Country: AST leak, vo lent description	ol unknown	
<u>1</u> 13 of 18	NNE/0.0	189.0 / -0.82	Danosh Construction 6728 Sixth Line Milton ON L9T 2Y3	GEN
Generator No: SIC Code:	ON4997342		Status: Co Admin:	Registered

Мар Кеу	Number Records		Elev/Diff n) (m)	Site		DB
SIC Descripti Approval Yea PO Box No: Country:		As of Dec 2018 Canada		Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:		
<u>Detail(s)</u>						
Waste Class: Waste Class I		221 L Light fuels				
1	14 of 18	NNE/0.0	189.0 / -0.82	Danosh Construction 6728 Sixth Line Milton ON L9T 2Y3		GEN
Generator No SIC Code: SIC Descripti Approval Yea PO Box No: Country:	ion:	ON4997342 As of Oct 2019 Canada		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	Registered	
<u>Detail(s)</u>						
Waste Class: Waste Class I		221 L Light fuels				
1	15 of 18	NNE/0.0	189.0 / -0.82	Trafalgar Golf & Coun Properties 6728 Sixth Line 110 Fr Milton ON L9T 2Y3	-	GEN
Generator No SIC Code: SIC Descripti Approval Yea PO Box No: Country:	ion:	ON3501630 As of Jul 2020 Canada		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	Registered	
<u>Detail(s)</u>						
Waste Class: Waste Class I		252 L Waste crankcas	e oils and lubricants			
<u>1</u>	16 of 18	NNE/0.0	189.0 / -0.82	Trafalgar Golf & Coun Properties 6728 Sixth Line 110 Fr Milton ON L9T 2Y3	-	GEN
Generator No SIC Code: SIC Descripti Approval Yea PO Box No: Country:	ion:	ON3501630 As of Nov 2021 Canada		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	Registered	
<u>Detail(s)</u>						
Waste Class: Waste Class I		252 L Waste crankcas	e oils and lubricants			

erisinfo.com | Environmental Risk Information Services

Order No: 22060101061

Map Key	Number Records		Elev/Diff (m)	Site	D)B
<u>1</u>	17 of 18	NNE/0.0	189.0 / -0.82	Golfnorth Manageme Trafalgar Golf & Cou 6728 Sixth Line Milto ON		w
EBR Registi Ministry Ref Notice Type Notice Stage Notice Date: Proposal Da Year: Instrument T Off Instrume Posted By: Company Na Site Address Location Oth Proponent N Proponent A Comment Pe URL: Site Location	No: No: No: No: No: No: No: No:	Golfnorth Managem 6728 Sixth Line Milton, ON L9T 2X7 Canada	er (OWRA s. 34) ronment, Conserva nent Corp., operati nent Corp., operati	ng as Trafalgar Golf & Cou ng as Trafalgar Golf & Cou 021 (30 days) Closed		
1	18 of 18	NNE/0.0	189.0 / -0.82	Trafalgar Golf & Cou Properties 6728 Sixth Line 110 I Milton ON L9T 2Y3	GEN	v
Generator N SIC Code: SIC Descrip Approval Ye PO Box No: Country: <u>Detail(s)</u>	tion: ears:	ON3501630 As of Feb 2022 Canada		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	Registered	
Waste Class Waste Class		252 L Waste crankcase oi	ls and lubricants			
<u>2</u>	1 of 1	ENE/0.0	188.5/ -1.32	lot 10 con 6 ON	ww	'IS
Well ID: Constructio Primary War Sec. Water (Final Well S Water Type: Casing Mate	ter Use: Use: tatus:	2802601 Not Used 0 Abandoned-Quality		Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version:	1 9/16/1960 TRUE 3514 1	

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Audit No:				Owner:		
Tag:				Street Name:		
Constructio	n			County:	HALTON	
Method:				-		
Elevation (n	n):			Municipality:	MILTON TOWN (TRAFALGAR)	
Elevation R	eliability:			Site Info:		
Depth to Be	drock:			Lot:	010	
Well Depth:				Concession:	06	
Overburden	/Bedrock:			Concession Name:	NS	
Pump Rate:				Easting NAD83:		
Static Water	r Level:			Northing NAD83:		
Flowing (Y/I	V):			Zone:		
Flow Rate:	,			UTM Reliability:		
Clear/Cloud	v.					

PDF URL (Map):

https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/280\2802601.pdf

Additional Detail(s) (Map)

Well Completed Date:	1960/08/07
Year Completed:	1960
Depth (m):	25.908
Latitude:	43.5417855862177
Longitude:	-79.8167984432343
Path:	280\2802601.pdf
U	

Bore Hole Information

Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: Remarks: Elevrc Desc: Location Source Date: Improvement Locatior Improvement Locatior Source Revision Comm Supplier Comment:	n Source: n Method:	Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc: Location Method:	17 595589.50 4821662.00 5 margin of error : 100 m - 300 m p5
Overburden and Bedro	<u>ock</u>		

Materials Interval

Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Mat2 Desc: Mat3:	931429019 3 7 RED 17 SHALE
<i>Mat3 Desc: Formation Top Depth: Formation End Depth: Formation End Depth UOM:</i>	82.0 85.0 ft

Overburden and Bedrock

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Materials Inter	val				
Formation ID: Layer: Color: General Color:		931429018 2 3 BLUE			
Mat1: Most Common Mat2:		05 CLAY 06			
Mat2 Desc: Mat3: Mat3 Desc:		SILT			
Formation Top Formation End Formation End	d Depth:	28.0 82.0 ft			
<u>Overburden ar</u> <u>Materials Inter</u>					
Formation ID: Layer: Color:		931429017 1			
General Color: Mat1: Most Common Mat2: Mat2 Desc:		23 PREVIOUSLY DUG			
Mat3: Mat3 Desc: Formation Top Formation End Formation End	d Depth:	0.0 28.0 ft			
<u>Method of Con</u> <u>Use</u>	nstruction & Well				
Method Consti Method Consti Method Consti Other Method	ruction Code: ruction:	962802601 1 Cable Tool			
Pipe Information	<u>on</u>				
Pipe ID: Casing No: Comment: Alt Name:		10697720 1			
Construction I	Record - Casing				
Casing ID: Layer: Material: Open Hole or I Depth From:	Material:	930253796 1 1 STEEL			
Depth To: Casing Diamet Casing Diamet Casing Depth	ter UOM:	85.0 5.0 inch ft			

Results of Well Yield Testing

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pump Test II	D:	992802601			
Pump Set At	t:				
Static Level:		35.0			
Final Level A	After Pumping:	50.0			
Recommend	led Pump Depth:	50.0			
Pumping Ra	te:	15.0			
Flowing Rate					
Recommend	led Pump Rate:	15.0			
Levels UOM		ft			
Rate UOM:		GPM			
Water State	After Test Code:	1			
Water State	After Test:	CLEAR			
Pumping Tes	st Method:	1			
Pumping Du	ration HR:				
Pumping Du	ration MIN:				
Flowing:		No			
<u>Water Detail</u>	<u>s</u>				
Water ID:		933604707			
Layer:		1			
Kind Code:		2			
Kind:		SALTY			
Water Found	d Depth:	85.0			
	d Depth UOM:	ft			
	•				

<u>3</u>	1 of 1	ENE/0.0	183.7/ -6.16	lot 10 con 6 ON		WWIS
Well ID:		2808031		Data Entry Status:		
Constructi	on Date:			Data Src:	1	
Primary W	ater Use:	Domestic		Date Received:	10/22/1992	
Sec. Water	· Use:			Selected Flag:	TRUE	
Final Well	Status:	Water Supply		Abandonment Rec:		
Water Type	e:			Contractor:	1660	
Casing Ma	terial:			Form Version:	1	
Audit No:		43800		Owner:		
Tag:				Street Name:		
Constructi	on			County:	HALTON	
Method:				-		
Elevation ((m):			Municipality:	MILTON TOWN (TRAFALGAR)	
Elevation I	Reliability:			Site Info:		
Depth to B	edrock:			Lot:	010	
Well Depth	n:			Concession:	06	
Overburde	n/Bedrock:			Concession Name:	NS	
Pump Rate	ə:			Easting NAD83:		
Static Wate	er Level:			Northing NAD83:		
Flowing (Y	/N):			Zone:		
Flow Rate:	,			UTM Reliability:		
Clear/Clou	dy:					
PDF URL (I	Мар):	https://d2khazk8e8	3rdv.cloudfront.net/	moe_mapping/downloads/	2Water/Wells_pdfs/280\2808031.pdf	

Additional Detail(s) (Map)

Well Completed Date: Year Completed: Depth (m): Latitude: Longitude: Path:

1991/04/26 1991 27.432 43.5413278601596 -79.816072156952 280\2808031.pdf

Map Key	Number o Records		tion/ 1ce (m)	Elev/Diff (m)	Site		Di
Bore Hole Inf	ormation						
Bore Hole ID DP2BR: Spatial Statu Code OB: Code OB Des	s:	10154288			Elevation: Elevrc: Zone: East83: North83:	17 595648.90 4821612.00	
Open Hole: Cluster Kind Date Comple Remarks: Elevrc Desc: Location Sou	ted:	26-Apr-1991 00:00:	00		Org CS: UTMRC: UTMRC Desc: Location Method:	3 margin of error : 10 - 30 m gps	
Improvement Improvement Source Revis Supplier Com	Location So Location Me	ethod:					
Overburden a Materials Inte							
Formation ID:	:	93144992 1	25				
Layer: Color:		8					
General Colo	r:	BLACK					
Mat1: Most Commo	n Material:	02 TOPSOIL					
Mat2:	n material.						
Mat2 Desc:							
Mat3: Mat3 Desc:							
Formation To	p Depth:	0.0					
Formation En Formation En	d Depth:	2.0 V: ft					
<u>Overburden a</u> Materials Inte							
		93144992	-				
Formation ID: Layer:	Ĩ	3	.7				
Color:		6					
General Colo	r:	BROWN					
Mat1: Most Commo	n Material:	28 SAND					
Mat2:		0,					
Mat2 Desc: Mat3:							
Mat3 Desc:							
Formation To		19.0					
Formation En Formation En		31.0 M: ft					
<u>Overburden a</u> Materials Inte							
Formation ID:	:	93144993	80				
Layer:		6					
Color: Conoral Colo		7 860					
General Colo Mat1:	r:	RED 17					
Most Commo	n Material:	SHALE					
Mat2:		85					
Mat2 Desc:		SOFT					

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat3: Mat3 Desc:					
Formation To		72.0			
Formation E	nd Depth:	76.0			
Formation E	nd Depth UOM:	ft			
Overburden Materials Inte	<u>and Bedrock</u> erval				
Formation ID):	931449931			
Layer:		7			
Color:		7 RED			
General Colo Mat1:	Dr:	17			
Most Commo	on Material:	SHALE			
Mat2:	in material.	73			
Mat2 Desc:		HARD			
Mat3:					
Mat3 Desc:	an Dantha	76.0			
Formation To Formation E		90.0			
Formation E	nd Depth UOM:	ft			
<u>Overburden</u> <u>Materials Int</u>	<u>and Bedrock</u> erval				
Formation ID):	931449929			
Layer:		5			
Color:		2			
General Cold	or:	GREY			
Mat1:	n Motorial.	05 CLAY			
Most Commo Mat2:	on material:	CLAT			
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation T	op Depth:	65.0			
Formation E		72.0			
Formation E	nd Depth UOM:	ft			
<u>Overburden</u> <u>Materials Int</u>	<u>and Bedrock</u> erval				
Formation ID):	931449926			
Layer:		2			
Color:		6			
General Colo Mat1:	or:	BROWN 05			
Most Commo	on Material	CLAY			
Mat2:	in material.	02			
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation To Formation E		2.0 19.0			
Formation E	nd Depth UOM:	ft			
<u>Overburden</u> Materials Inte	<u>and Bedrock</u> erval				
Formation ID)-	931449928			
Layer:	-	4			

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Color:		6			
General Colo	or:	BROWN			
Mat1:		28			
Most Commo	on Material:	SAND			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:					
Mat3 Desc:					
Formation To		31.0			
Formation E		65.0			
Formation E	nd Depth UOM:	ft			
<u>Method of Co</u> <u>Use</u>	onstruction & Well				
Method Cons		962808031			
	struction Code:	1			
Method Cons Other Metho	struction: d Construction:	Cable Tool			
<u>Pipe Informa</u>	<u>tion</u>				
Pipe ID:	_	10702858			
Casing No:		1			
Comment:		I			
Alt Name:					
<u>Construction</u>	n Record - Casing				
Casing ID:		930262476			
Layer:		1			
Material:		1			
Open Hole of		STEEL			
Depth From:		00.0			
Depth To:		80.0 6.0			
Casing Diam Casing Diam		6.0 inch			
Casing Diam Casing Dept		ft			
Construction	n Record - Casing				
Casing ID:		930262477			
Layer:		2			
Material:		4			
Open Hole of		OPEN HOLE			
Depth From:					
Depth To:		90.0			
Casing Diam		6.0			
Casing Diam Casing Dept		inch ft			
<u>Results of W</u>	ell Yield Testing				
Pump Test IL	D:	992808031			
Pump Set At	:	-			
Static Level:		18.0			
	fter Pumping:	85.0			
	ed Pump Depth:	86.0			

Recommended Pump Depth:	86.0
Pumping Rate:	4.0
Flowing Rate:	
Recommended Pump Rate:	4.0
Levels UOM:	ft

Мар Кеу	Number Records		Elev/Diff (m)	Site		DB
Rate UOM: Water State A Water State A Pumping Tes Pumping Dui Pumping Dui	After Test: at Method: ration HR:	CLOUDY 2 2 0				
Flowing:		No				
<u>Draw Down &</u>	<u>Recovery</u>					
Pump Test D Test Type: Test Duration Test Level: Test Level U	n:	934180663 Draw Down 15 29.0 ft				
<u>Draw Down 8</u>	Recovery					
Pump Test D Test Type: Test Duration Test Level: Test Level U	n:	934454172 Draw Down 30 44.0 ft				
<u>Draw Down &</u>	Recovery					
Pump Test D Test Type: Test Duration Test Level: Test Level U	1:	934713309 Draw Down 45 67.0 ft				
Draw Down &	<u>Recovery</u>					
Pump Test D Test Type: Test Duration Test Level: Test Level U	n:	934974604 Draw Down 60 85.0 ft				
Water Details	i					
Water ID: Layer: Kind Code: Kind: Water Found Water Found		933611718 1 2 SALTY 83.0 1 : ft				
4	1 of 1	NE/0.0	189.9 / 0.00	lot 10 con 6 ON		WWIS
Well ID: Construction Primary Wat Sec. Water U Final Well St Water Type: Casing Mate Audit No: Tag:	er Use: Jse: tatus:	2808206 Abandoned-Supply 124445		Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name:	1 12/6/1993 TRUE 4005 1	

erisinfo.com | Environmental Risk Information Services

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Constructio	n			County:	HALTON	
Method:						
Elevation (m	n):			Municipality:	MILTON TOWN (TRAFALGAR)	
Elevation Re	eliability:			Site Info:		
Depth to Be	drock:			Lot:	010	
Well Depth:				Concession:	06	
Overburden				Concession Name:	NS	
Pump Rate:				Easting NAD83:		
Static Water				Northing NAD83:		
Flowing (Y/I				Zone:		
Flow Rate:	•).			UTM Reliability:		
Clear/Cloud	y:			o na Renability.		
PDF URL (Ma	ap):	https://d2khazk8e83	Brdv.cloudfront.ne	et/moe_mapping/downloads	s/2Water/Wells_pdfs/280\2808206.pdf	

<u>Additional Detail(s) (Map)</u>

1993/10/21
1993
16.764
43.5425944235374
-79.8175203526977
280\2808206.pdf

Bore Hole Information

Bore Hole ID: DP2BR: Spatial Status:	10154463
Code OB:	
Code OB Desc:	
Open Hole:	
Cluster Kind:	
Date Completed:	21-Oct-1993 00:00:00
Remarks:	
Elevrc Desc:	
Location Source Date:	
Improvement Location S	Source:
Improvement Location N	lethod:
Source Revision Comme	ent:
Supplier Comment:	

<u>Overburden and Bedrock</u> <u>Materials Interval</u>

Formation End Depth UOM: ft

Overburden and Bedrock Materials Interval

Elevation:	
Elevrc:	
Zone:	
East83:	
North83:	
Org CS:	
UTMRC:	
UTMRC Desc:	
Location Method:	

17 595529.90 4821751.00

3 margin of error : 10 - 30 m gps

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	L
Formation ID:		931450639			
Layer:		6			
Color:		7			
General Color	:	RED			
Mat1:		17			
Most Commor	n Material:	SHALE			
Mat2:	matorian	73			
Mat2 Desc:		HARD			
Mat2 Desc. Mat3:		HAILD			
Mat3 Desc:					
	- Dawith	FF 0			
Formation Top	o Deptn:	55.0			
Formation End		55.0			
Formation End	d Depth UOM:	ft			
<u>Overburden a</u> Materials Inter					
Formation ID:		931450634			
Layer:		1			
Color:		6			
General Color		BROWN			
Mat1:	•	05			
	Matorial	CLAY			
Most Commor Mot2	i waterial:				
Mat2: Mat2 Deces		28 SAND			
Mat2 Desc:		SAND			
Mat3:		77			
Mat3 Desc:		LOOSE			
Formation Top	o Depth:	0.0			
Formation End		8.0			
Formation End	d Depth UOM:	ft			
<u>Overburden al</u> Materials Inter					
Formation ID:		931450637			
Layer:		4			
Color:		6			
General Color	:	BROWN			
Mat1:		28			
Most Commor	n Material:	SAND			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:		77			
Mat3 Desc:		LOOSE			
Formation Top	n Denth	53.0			
Formation Top	d Denth:	54.0			
Formation End	d Depth UOM:	54.0 ft			
Simauon En		n			
<u>Overburden a</u> Materials Inter					
Formation ID:		931450635			
Layer:		2			
Color:		6			
General Color	:	BROWN			
Mat1:	-	05			
Most Commor	n Material·	CLAY			
Most Common Mat2:	i Malcílai.				
Matz: Mat2 Desc:					
Mat3:					
	_				
	n Danth.	8.0			
Mat3 Desc: Formation Top	b Depth:				
	d Depth:	21.0			

Map Key	Number Record		Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Formation Er	nd Depth U	OM:	ft				
<u>Overburden a</u> Materials Inte		: <u>k</u>					
Formation ID Layer: Color: General Colo Mat1: Most Commo Mat2: Mat2 Desc: Mat3:	or:		931450638 5 7 RED 05 CLAY				
Mat3 Desc: Formation To Formation Er Formation Er	nd Depth:	ОМ:	54.0 55.0 ft				
<u>Method of Co</u> <u>Use</u>	onstruction	& Well					
Method Cons Method Cons Method Cons Other Method	struction Costruction:	ode:	962808206 1 Cable Tool				
<u>Pipe Informa</u>	<u>tion</u>						
Pipe ID: Casing No: Comment: Alt Name:			10703033 1				
<u>Construction</u>	Record - C	Casing					
Casing ID: Layer: Material: Open Hole of Depth From: Depth To: Casing Diam Casing Diam Casing Depth	eter: eter UOM:		930262804 1 2 GALVANIZED 53.0 6.0 inch ft				
<u>5</u>	1 of 1		NE/0.0	189.4 / -0.50	lot 10 con 6 ON		WWIS
Well ID: Construction Primary Wat Sec. Water L Final Well St Water Type: Casing Mate Audit No: Tag: Construction	er Use: Jse: tatus: rial:	2808205 124443			Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County:	1 12/6/1993 TRUE 4005 1 HALTON	
Method: Elevation (m)):				Municipality:	MILTON TOWN (TRAFALGAR)	

erisinfo.com | Environmental Risk Information Services

Map Key	Number Records		Direction/ Distance (m)	Elev/Diff (m)	Site	
Elevation Re Depth to Be Well Depth: Overburden, Pump Rate: Static Water Flowing (Y/N Flow Rate: Clear/Cloudy	drock: /Bedrock: · Level: v):				Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	010 06 NS
PDF URL (Ma	ap):		https://d2khazk8e83	rdv.cloudfront.ne	et/moe_mapping/downloads	s/2Water/Wells_pdfs/280\2808205.pdf
Additional De	etail(s) (Map	D)				
Well Comple Year Comple Depth (m): Latitude: Longitude: Path:			1993/10/26 1993 25.908 43.5424102803551 -79.8171278568789 280\2808205.pdf			
Bore Hole Ini	formation					
Bore Hole ID DP2BR: Spatial Statu Code OB: Code OB De Open Hole: Cluster Kind Date Comple Remarks: Elevrc Desc: Location Sou Improvement Source Revis Supplier Con	us: esc: eted: urce Date: t Location S t Location M sion Comme	ource: lethod:	62 1993 00:00:00		Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc: Location Method:	17 595561.90 4821731.00 3 margin of error : 10 - 30 m gps
<u>Overburden a</u> Materials Inte	-	<u>k</u>				
Formation ID Layer: Color: General Colo Mat1: Most Commo Mat2 Cosc: Mat2 Desc: Mat3 Desc: Formation E Formation El	or: on Material: op Depth: nd Depth:	DM:	931450632 3 7 RED 17 SHALE 55.0 58.0 ft			
2	and Bedroc		-			
	arval					
<u>Overburden a</u> Materials Inte Formation ID			931450631			

DB

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
General Color:	:	BROWN			
Mat1: Most Common	Matarial	05 CLAY			
Mat2:	i wateriai:	28			
Mat2 Desc:		SAND			
Mat3:		77			
Mat3 Desc:		LOOSE			
Formation Top	Depth:	14.0			
Formation End		55.0			
Formation End	d Depth UOM:	ft			
<u>Overburden ar</u> Materials Inter					
Formation ID:		931450630			
Layer:		1			
Color:		6			
General Color:	:	BROWN			
Mat1:	Matarial	05			
Most Common Mat2:	i Material:	CLAY 77			
Mat2: Mat2 Desc:		LOOSE			
Mat2 Desc. Mat3:		LOOOL			
Mat3 Desc:					
Formation Top	Depth:	0.0			
Formation End	d Depth:	14.0			
Formation End	d Depth UOM:	ft			
<u>Overburden ar</u> <u>Materials Inter</u>					
Formation ID:		931450633			
Layer:		4			
Color:		7			
General Color: Mat1:		RED 17			
Most Common	Matorial:	SHALE			
Mat2:	i watenai.	73			
Mat2 Desc:		HARD			
Mat3:					
Mat3 Desc:					
Formation Top		58.0			
Formation End	d Depth:	85.0			
Formation End	a Depth UOM:	ft			
<u>Method of Cor</u> <u>Use</u>	struction & Well				
Method Const	ruction ID:	962808205			
Method Const		0			
Method Const Other Method		Not Known			
<u>Pipe Informati</u>	<u>on</u>				
Pipe ID:		10703032			
Casing No:		1			
Comment:					
Alt Name:					
Construction	Record - Casing				
	user subrig				

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing ID:		930262803			
Layer:		2			
Material:					
Open Hole or	Material:				
Depth From:					
Depth To:		85.0			
Casing Diame					
Casing Diame	eter UOM:	inch			
Casing Depth	UOM:	ft			
Construction	Record - Casing				
Casing ID:		930262802			
Layer:		1			
Material:					
Open Hole or	Material:				
Depth From:					
Depth To:		58.0			
Casing Diame	otor:	6.0			
Casing Diame					
Casing Diame		inch			
Casing Depth	OOM:	ft			
<u>Results of We</u>	ell Yield Testing				
Pump Test ID		992808205			
Pump Set At:					
Static Level:		10.0			
Final Level A	fter Pumping:	83.0			
	ed Pump Depth:				
Pumping Rate		2.0			
Flowing Rate		2.0			
	ed Pump Rate:				
Levels UOM:	eu Pullip Rale.	<i>t</i> +			
		ft			
Rate UOM:		GPM			
	fter Test Code:				
Water State A					
Pumping Tes					
Pumping Dur	ation HR:	0			
Pumping Dur	ation MIN:	30			
Flowing:		No			
Draw Down &	Recovery				
Pump Test D	etail ID:	934713864			
Test Type:		001. 1000 r			
Test Duration		45			
Test Level:		83.0			
Test Level UC	DM:	ft			
Draw Down &	Recovery				
Pump Toot D	atail ID:	934181224			
Pump Test De	stall ID.	334101224			
Test Type:		15			
Test Duration		15			
Test Level: Test Level UC	DM:	83.0 ft			
<u>Draw Down 8</u>	Recovery				
Pump Test D	-	934454728			
Test Type:					
Test Type: Test Duration		30			

Map Key	Number Records		Elev/Diff) (m)	Site		DB
Test Level: Test Level UG	OM:	83.0 ft				
Draw Down &	<u>Recovery</u>					
Pump Test D Test Type:		934975159				
Test Duratior Test Level: Test Level U(60 83.0 ft				
Water Details	i					
Water ID: Layer: Kind Code: Kind: Water Found Water Found		933611927 1 5 Not stated 83.0 //: ft				
<u>6</u>	1 of 1	S/0.0	190.9/ 1.00	lot 10 con 6 ON		wwis
Well ID: Construction Primary Wat Sec. Water U Final Well St Water Type: Casing Mate Audit No: Tag: Construction Method: Elevation (m Elevation Re Depth to Bed Well Depth: Overburden/ Pump Rate: Static Water Flowing (Y/N Flow Rate: Clear/Cloudy	er Use: Jse: Jse: atatus: arial: n eliability: drock: /Bedrock: /Bedrock: Level: J):	2802597 Commerical Irrigation Water Supply	92rdy cloudfroat or	Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	1 8/3/1965 TRUE 1307 1 HALTON MILTON TOWN (TRAFALGAR) 010 06 NS	
PDF URL (Ma	ар):	https://d2khazk8e	e83rdv.cloudfront.ne	et/moe_mapping/downloads	s/2Water/Wells_pdfs/280\2802597.pdf	
Additional De Well Complet Year Comple Depth (m): Latitude: Longitude: Path:	ted Date:	2) 1965/07/24 1965 13.4112 43.53519280909 -79.82098686279 280\2802597.pdf	983			
Bore Hole Inf	formation					
Bore Hole ID DP2BR: Spatial Statu		10149146		Elevation: Elevrc: Zone:	17	

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site		DE
Code OB: Code OB Des Open Hole: Cluster Kind:				East83: North83: Org CS: UTMRC:	595261.50 4820925.00 5	
Date Complet Remarks: Elevrc Desc:			UTMRC Desc: Location Method:	margin of error : 100 m - 300 m p5		
Location Sour Improvement Improvement	Location Source: Location Method: ion Comment:					
Overburden a Materials Inter						
Formation ID: Layer:		931429007 4				
Color: General Color Mat1:	<u>.</u>	7 RED 17				
Most Commor Mat2: Mat2 Desc: Mat3:	n Material:	SHALE				
Mat3 Desc: Formation Top Formation End Formation End		43.0 44.0 ft				
<u>Overburden a</u> Materials Intel						
Formation ID: Layer: Color: General Color Mat1: Most Commoi	:	931429005 2 7 RED 05 CLAY				
Mat2: Mat2 Desc: Mat3: Mat3 Desc:						
Formation Top Formation En Formation En		15.0 41.0 ft				
Overburden a Materials Inter						
Formation ID: Layer: Color: General Color		931429006 3				
Mat1: Most Commo Mat2: Mat2 Desc: Mat3:		10 COARSE SAND				
Mat3 Desc: Formation Top Formation End		41.0 43.0 ft				

Overburden and Bedrock	
Materials Interval	
	
Formation ID:	931429004
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	
Most Common Material: Mat2:	TOPSOIL 05
Matz. Mat2 Desc:	CLAY
Matz Desc. Mat3:	CEAT
Mato. Mat3 Desc:	
Formation Top Depth:	0.0
Formation End Depth:	15.0
Formation End Depth UOM:	ft
Mothed of Construction & Mall	
<u>Method of Construction & Well</u> Use	
<u>036</u>	
Method Construction ID:	962802597
Method Construction Code:	6
Method Construction:	Boring
Other Method Construction:	, and the second s
Pipe Information	
<u>r ipe information</u>	
Pipe ID:	10697716
Casing No:	1
Comment:	
Alt Name:	
Construction Record - Casing	
_	
Casing ID:	930253791
Layer:	1
Material:	
Open Hole or Material:	CONCRETE
Depth From: Depth To:	43.0
Casing Diameter:	30.0
Casing Diameter UOM:	inch
Casing Depth UOM:	ft
Results of Well Yield Testing	
_	
Pump Test ID:	992802597
Pump Set At:	
Static Level:	20.0
Final Level After Pumping:	
Recommended Pump Depth:	41.0
Pumping Rate:	1.0
Flowing Rate:	1.0
Recommended Pump Rate:	1.0 #
Levels UOM: Pate UOM:	ft CPM
Rate UOM: Water State After Test Code:	GPM

Rate UOM:GPMWater State After Test Code:1Water State After Test:CLEARPumping Test Method:1Pumping Duration HR:Pumping Duration MIN:

Map Key	Number Records		Elev/Diff n) (m)	Site		DB
Flowing:		No				
Water Details	<u>s</u>					
Water ID: Layer:		933604703 1				
Kind Code:		1				
Kind:		FRESH				
Water Found		43.0				
Water Found	Depth UUN	M: ft				
<u>7</u>	1 of 1	SSW/0.0	190.9 / 1.00	Derry Green Milton ON		EHS
Order No:		21053100078		Nearest Intersection:		
Status:		С		Municipality:		
Report Type		Custom Report		Client Prov/State:	ON	
Report Date:		16-JUN-21		Search Radius (km):	.25	
Date Receive		31-MAY-21		X: v:	-79.8212372 43.53446883	
Previous Site Lot/Building Additional Int	Size:			Y:	43.53446883	
<u>8</u>	1 of 1	NNE/8.9	188.9 / -0.94	lot 10 con 6 ON		wwis
Well ID:		2807993		Data Entry Status:		
Construction		Irrigation		Data Src:	1	
Primary Wate		Irrigation		Date Received:	6/9/1992 TRUE	
Sec. Water Us Final Well Sta		Water Supply		Selected Flag: Abandonment Rec:	IRUE	
Water Type:	atus.	Water Suppry		Contractor:	4868	
Casing Mater	rial·			Form Version:	1	
Audit No:	101.	103911		Owner:		
Tag:		10001		Street Name:		
Construction	1 Method:			County:	HALTON	
Elevation (m)):			Municipality:	MILTON TOWN (TRAFALGAR)	
Elevation Rel	liability:			Site Info:		
Depth to Bed	lrock:			Lot:	010	
Well Depth:				Concession:	06	
Overburden/L	Bedrock:			Concession Name:	NS	
Pump Rate:				Easting NAD83:		
Static Water				Northing NAD83:		
Flowing (Y/N) Flow Rate:):			Zone: UTM Reliability:		
Clear/Cloudy	<i></i>			UTW Reliability.		
PDF URL (Ma		https://d2khazk8	2022rdy cloudfront.ne	ot/moo_manning/downloads	s/2Water/Wells_pdfs/280\2807993.pdf	
	1 μ).	https://definition	500rdv.olodanont.no	initio_mapping.downeddo,	2774161/ 776113_p013/20072007000.p01	
Additional De	<u>etail(s) (Map</u>	<u>)</u>				
Well Complet		1992/05/20				
Year Comple	ted:	1992				
Depth (m):		19.5072	_			
Latitude:		43.54425668725				
Longitude: Path:		-79.8189237475 280\2807993.pd				
Bore Hole Inf	formation					
		10154250		Elevation:		
Bore Hole ID:	`-					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site		Ľ
DP2BR:				Elevrc:		
Spatial Status:	•			Zone:	17	
Code OB:				East83:	595413.90	
Code OB Desc	t.			North83:	4821934.00	
Open Hole:	•			Org CS:		
Cluster Kind:				UTMRC:	3	
Date Complete	d: 20-May	y-1992 00:00:00		UTMRC Desc:	margin of error : 10 - 30 m	
Remarks:	20-101	y-1992 00.00.00		Location Method:	-	
Elevrc Desc:				Location Method.	gps	
Location Sour	an Data:					
	Location Source: Location Method:					
Source Revisio						
Supplier Com						
<u>Overburden an</u>						
Materials Inter	<u>val</u>					
Formation ID:		931449754				
.ayer:		8				
Color:		7				
General Color:	;	RED				
Mat1:		11				
Nost Common	Material:	GRAVEL				
Mat2:		13				
Mat2 Desc:		BOULDERS				
Mat3:		73				
Mat3 Desc:		HARD				
ormation Top	Depth:	62.0				
- Formation End		64.0				
Formation End		ft				
Formation ID: .ayer: Color: General Color: Mat1: Most Common Mat2: Mat2 Desc: Mat3 Desc: Formation Top Formation End Formation End) Material:) Depth: 1 Depth:	931449750 4 2 GREY 06 SILT 08 FINE SAND 85 SOFT 29.0 30.0				
<u>Overburden an</u> Materials Inter	nd Bedrock	ft				
Formation ID:		931449753				
.ayer:		7				
Color: Conoral Color:		7 RED				
General Color:	-					
Mat1: Maat Common	Motorial					
Most Common	Material:	CLAY				
Mat2:		28				
Mat2 Desc:		SAND				
Mat3:		73				
Mat3 Desc:		HARD				
	Depth:	56.0				
Formation Top						

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation E Formation E	nd Depth: nd Depth UOM:	62.0 ft			
<u>Overburden a</u> Materials Inte	and Bedrock erval				
Formation ID Layer: Color: General Colo Mat1: Most Commo Mat2: Mat2 Desc: Mat3 Desc: Formation To Formation En	or: on Material: op Depth:	931449749 3 2 GREY 05 CLAY 12 STONES 08 FINE SAND 3.0 29.0 ft			
<u>Overburden a</u> Materials Inte					
Formation ID Layer: Color: General Colo Mat1: Most Commo Mat2: Mat2 Desc: Mat3 Desc: Formation To Formation En	or: on Material: op Depth:	931449748 2 6 BROWN 28 SAND 85 SOFT 1.0 3.0 ft			
<u>Overburden a</u> Materials Inte					
Formation ID Layer: Color: General Colo Mat1: Most Commo Mat2: Mat2 Desc: Mat3 Desc: Formation To Formation Ei	er: on Material: op Depth:	931449752 6 2 GREY 05 CLAY 12 STONES 08 FINE SAND 52.0 56.0 ft			
<u>Overburden a</u> Materials Inte	and Bedrock erval				
Formation ID Layer: Color: General Colo Mat1:		931449747 1 6 BROWN 02			

• •	Imber of ecords	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Most Common Ma	terial:	TOPSOIL			
Mat2:		85			
Mat2 Desc:		SOFT			
Mat3:					
Mat3 Desc:		0.0			
Formation Top De		0.0			
Formation End De Formation End De	eptn:	1.0 ft			
Formation End De	epth UOW:	п			
Overburden and E Materials Interval	<u>Bedrock</u>				
Formation ID:		931449751			
Layer:		5			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Ma	terial:	CLAY			
Mat2:		28			
Mat2 Desc:		SAND			
Mat3:					
Mat3 Desc:					
Formation Top De	pth:	30.0			
Formation End De	epth:	52.0			
Formation End De	epth UOM:	ft			
<u>Annular Space/Al</u> <u>Sealing Record</u>	<u>andonment</u>				
Plug ID:		933139819			
Layer:		1			
Plug From:		0.0			
Plug To:		12.0			
Plug Depth UOM:		ft			
<u>Method of Constr</u> <u>Use</u>	uction & Well				
Method Construct	tion ID:	962807993			
Method Construct	tion Code:	6			
Method Construct	tion:	Boring			
Other Method Cor	nstruction:				
Pipe Information					
Pipe ID:		10702820			
Casing No:		1			
Comment:					
Alt Name:					
Construction Rec	ord - Casing				
Casing ID:		930262410			
Layer:		2			
Material:		2			
Open Hole or Mat	erial:	GALVANIZED			
Depth From:					
Depth To:		60.0			
Casing Diameter:		30.0			
Casing Diameter Casing Depth UO	JOM:	inch			
		ft			

Construction Record - Casing

Casing ID:	930262411
Layer:	3
Material:	4
Open Hole or Material:	OPEN HOLE
Depth From:	
Depth To:	64.0
Casing Diameter:	
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

Construction Record - Casing

Casing ID:	930262409
Layer:	1
Material:	3
Open Hole or Material:	CONCRETE
Depth From:	
Depth To:	1.0
Casing Diameter:	36.0
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

Construction Record - Screen

Screen ID:	933339021
Layer:	1
Slot:	750
Screen Top Depth:	20.0
Screen End Depth:	60.0
Screen Material:	
Screen Depth UOM:	ft
Screen Diameter UOM:	inch
Screen Diameter:	30.0

Results of Well Yield Testing

Pump Test ID:	992807993
Pump Set At:	
Static Level:	22.0
Final Level After Pumping:	40.0
Recommended Pump Depth:	52.0
Pumping Rate:	10.0
Flowing Rate:	
Recommended Pump Rate:	10.0
Levels UOM:	ft
Rate UOM:	GPM
Water State After Test Code:	1
Water State After Test:	CLEAR
Pumping Test Method:	1
Pumping Duration HR:	4
Pumping Duration MIN:	30
Flowing:	No

Draw Down & Recovery

Pump Test Detail ID:	934965531
Test Type:	Recovery
Test Duration:	60
Test Level:	31.0
Test Level UOM:	ft

Draw Down & Recovery

Pump Test Detail ID:	934713289
Test Type:	Recovery
Test Duration:	45
Test Level:	32.0
Test Level UOM:	ft

Draw Down & Recovery

Pump Test Detail ID:	934180639
Test Type:	Recovery
Test Duration:	15
Test Level:	36.0
Test Level UOM:	ft

Draw Down & Recovery

Pump Test Detail ID:	934454149
Test Type:	Recovery
Test Duration:	30
Test Level:	34.0
Test Level UOM:	ft

Water Details

Water ID:	933611670
Layer:	1
Kind Code:	1
Kind:	FRESH
Water Found Depth:	29.0
Water Found Depth UOM:	ft

Water Details

Water ID:	933611671
Layer:	2
Kind Code:	1
Kind:	FRESH
Water Found Depth:	62.0
Water Found Depth UOM:	ft

<u>9</u>	1 of 1	WN	IW/16.7	189.9 / 0.00	DERRY RD MILTON ON		wwis
Well ID: Construction Primary Wat Sec. Water U Final Well Si Water Type: Casing Mate Audit No: Tag: Construction Elevation (m Elevation Re Depth to Be Well Depth: Overburden)	er Use: Jse: tatus: erial: n Method: n): eliability: drock:	7274001 0 Z227669			Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession Name:	10/27/2016 TRUE Yes 6875 7 DERRY RD HALTON MILTON TOWN (TRAFALGAR)	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site		D
Pump Rate: Static Water I Flowing (Y/N) Flow Rate: Clear/Cloudy):			Easting NAD83: Northing NAD83: Zone: UTM Reliability:		
PDF URL (Ma	ap):					
Additional De	etail(s) (Map)					
Well Complet Year Complet Depth (m): Latitude: Longitude: Path:		43.5415724911497 -79.8231957496887				
Bore Hole Inf	formation					
Improvement	s: sc: ted: trce Date: t Location Source: t Location Method: sion Comment:	78888		Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc: Location Method:	17 595073.00 4821631.00 UTM83 4 margin of error : 30 m - 100 m wwr	
Overburden a Materials Inte	and Bedrock erval					
Formation ID Layer: Color: General Colo Mat1: Most Commo Mat2: Mat2 Desc: Mat3 Desc: Formation To Formation Er Formation Er	or: on Material: op Depth:	1006452200 m				
	ce/Abandonment					
	nu					
<u>Annular Spac</u> Sealing Reco Plug ID: Layer: Plug From: Plug To:	<u></u>	1006452206 1				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Sealing Reco	ord				
Plug ID: Layer: Plug From: Plug To: Plug Depth L	JOM:	1006452207 2 0.0 9.149999618530273 m	1		
<u>Method of Co</u> <u>Use</u>	onstruction & Well				
Method Con	struction Code:	1006452205			
<u>Pipe Informa</u>	<u>ition</u>				
Pipe ID: Casing No: Comment: Alt Name:		1006452199 0			
<u>Constructior</u>	n Record - Casing				
Casing ID: Layer: Material: Open Hole o Depth From: Depth To: Casing Diam	eter:	1006452203			
Casing Diam Casing Dept		cm m			
<u>Constructior</u>	n Record - Screen				
Screen ID: Layer: Slot: Screen Top I Screen End I Screen Mate	Depth:	1006452204			
Screen Dept Screen Diam Screen Diam	h UOM: eter UOM:	m cm			
Water Details	<u>s</u>				
Water ID: Layer: Kind Code: Kind: Water Found	l Denth:	1006452202			
	I Depth UOM:	m			
Hole Diamete	<u>er</u>				
Hole ID: Diameter: Depth From:		1006452201			

Мар Кеу	Numbe Record		Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Depth To:							
Hole Depth L			m				
Hole Diamete	er UOM:		cm				
<u>10</u>	1 of 1		NW/16.9	189.9 / 0.00	DERRY RD MILTON ON		wwis
Well ID: Construction Primary Wate Sec. Water U Final Well St Water Type: Casing Mate Audit No: Tag: Construction Tag: Construction Elevation Re Depth to Bec Well Depth: Overburden; Pump Rate: Static Water Flowing (Y/N Flow Rate: Clear/Cloudy	er Use: Ise: atus: rial: n Method:): liability: drock: Bedrock: Level: I):	7274002 0 Z227668			Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession: Concession: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	10/27/2016 TRUE Yes 6875 7 DERRY RD HALTON MILTON TOWN (TRAFALGAR)	
PDF URL (Ma	ap):						
Additional De Well Comple		<u>p)</u>					
Year Comple	eted:						
Depth (m):			10 5 10 100 10 50000				
Latitude:			43.5424631658266				
Longitude: Path:			-79.8222500734816	1			
Bore Hole In	<i>formation</i>						
Bore Hole ID DP2BR: Spatial Statu Code OB: Code OB Des Open Hole: Cluster Kind Date Comple Remarks: Elevrc Desc: Location Sou Improvemen Source Revis Supplier Con	sc: sc: eted: urce Date: t Location t Location sion Comm	Method:	391		Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc: Location Method:	17 595148.00 4821731.00 UTM83 4 margin of error : 30 m - 100 m wwr	
<u>Overburden a</u> Materials Inte		<u>ck</u>					
Formation ID):		1006452209				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Color: General Colo	or:				
Mat1:					
Most Commo	on Material:				
<i>Mat2:</i> <i>Mat2</i> Desc:					
Mat2 Desc. Mat3:					
Mat3 Desc:					
Formation To	op Depth:				
Formation E					
Formation E	nd Depth UOM:	m			
<u>Annular Spa</u> <u>Sealing Reco</u>	<u>ce/Abandonment</u> ord				
-					
Plug ID:		1006452216			
Layer: Plug From:		2 0.0			
Plug To:		14.89999961853027	73		
Plug Depth L	JOM:	m	0		
0,					
<u>Annular Spaces Sealing Reco</u>	<u>ce/Abandonment</u> ord				
Plug ID:		1006452215			
Layer:		1			
Plug From:					
Plug To: Plug Depth U	IOM·	m			
Flug Depth C	ю <i>м.</i>				
<u>Method of Co</u> <u>Use</u>	onstruction & Well				
Method Cons	struction ID: struction Code:	1006452214			
Method Cons					
Other Metho	d Construction:				
<u>Pipe Informa</u>	<u>ition</u>				
Pipe ID:		1006452208			
Casing No:		0			
Comment:					
Alt Name:					
<u>Constructior</u>	<u>n Record - Casing</u>				
Casing ID:		1006452212			
Layer:					
Material:					
Open Hole of					
Depth From: Depth To:					
Casing Diam	eter:				
Casing Diam	eter UOM:	cm			
Casing Dept	h UOM:	m			
<u>Constructior</u>	n Record - Screen				
Screen ID:		1006452213			
Layer:		1000702210			

Мар Кеу	Number Records		Elev/Diff) (m)	Site		DB
Slot:						
Screen Top D						
Screen End D Screen Mater						
Screen Depth		m				
Screen Diame		cm				
Screen Diame						
Water Details						
Water ID:		1006452211				
Layer: Kind Code: Kind:						
Water Found	Depth:					
Water Found	Depth UOM	<i>l:</i> m				
Hole Diamete	<u>r</u>					
Hole ID:		1006452210				
Diameter:						
Depth From:						
Depth To: Hele Depth U	<u>ом.</u>	m				
Hole Depth U Hole Diamete		m cm				
		oni				
<u>11</u>	1 of 1	WNW/17.2	190.9 / 1.00	Trafalgar Rd Derry Rd Milton ON		EHS
Order No:		20140428058		Nearest Intersection:		
Status:		С		Municipality:		
Report Type:		Custom Report		Client Prov/State:	ON	
Report Date:		06-MAY-14		Search Radius (km):	.25	
Date Receive		28-APR-14		X:	-79.824133	
Previous Site				Y:	43.5407	
Lot/Building \$ Additional Inf		Aerial Photos				
Additional III	o Ordered.	Aenai Filolos				
<u>12</u>	1 of 1	ENE/39.5	181.9 / -8.00	6689 SIXTH LINE Milton ON		wwis
Well ID:		7266010		Data Entry Status:		
Construction				Data Src:		
Primary Wate		Monitoring		Date Received:	7/6/2016	
Sec. Water Us		Observation Wells		Selected Flag:	TRUE	
Final Well Sta Water Type:	itus:	Observation wells		Abandonment Rec: Contractor:	7238	
Casing Mater	ial:			Form Version:	7	
Audit No:		Z232700		Owner:		
Tag:		A201621		Street Name:	6689 SIXTH LINE	
Construction				County:	HALTON	
Elevation (m)				Municipality:	MILTON TOWN (TRAFALGAR)	
Elevation Rel				Site Info:		
Depth to Bedi	OCK:			Lot: Concession:		
Well Depth:	Redrock			Concession: Concession Name:		
Overhurden/E	Jeur OCK.			Easting NAD83:		
Pump Rate:	evel:			Northina NAD83:		
Overburden/E Pump Rate: Static Water L Flowing (Y/N)				Northing NAD83: Zone:		
Pump Rate:						

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date:	2016/05/25
Year Completed:	2016
Depth (m):	19.812
Latitude:	43.5424979387193
Longitude:	-79.8142903435076
Path:	

Bore Hole Information

Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc: Location Method:	17 595791.00 4821744.00 UTM83 4 margin of error : 30 m - 100 m wwr
	Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc:

<u>Overburden and Bedrock</u> <u>Materials Interval</u>

Supplier Comment:

Formation ID:	1006131933
Layer:	4
Color:	7
General Color:	RED
Mat1:	06
Most Common Material:	SILT
Mat2:	05
Mat2 Desc:	CLAY
Mat3:	81
Mat3 Desc:	SANDY
Formation Top Depth:	42.0
Formation End Depth:	65.0
Formation End Depth UOM:	ft

Overburden and Bedrock Materials Interval

Formation ID:	1006131931
Layer:	2
Color:	2
General Color:	GREY
Mat1:	05
Most Common Material:	CLAY
Mat2:	28
Mat2 Desc:	SAND
Mat3:	84
Mat3 Desc:	SILTY
Formation Top Depth:	2.0
Formation End Depth:	12.0
Formation End Depth UOM:	ft

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden a</u> Materials Inte					
Formation ID	:	1006131930			
Layer:		1			
Color:					
General Colo	r:	00			
Mat1: Most Commo	n Mətorial·	02 TOPSOIL			
Mat2:	material.				
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation To Formation En	op Depth:	0.0 2.0			
Formation En	nd Depth: nd Depth UOM:	2.0 ft			
	la Depar Com.	n			
<u>Overburden a</u> <u>Materials Inte</u>					
Formation ID	:	1006131932			
Layer:		3			
Color:		2 CDEV			
General Colo. Mat1:	r:	GREY 05			
Most Commo	n Material:	CLAY			
Mat2:	in matorial.	02.00			
Mat2 Desc:					
Mat3:		84			
Mat3 Desc:	5 4	SILTY			
Formation To Formation En	op Depth: od Dopth:	12.0 42.0			
Formation En	nd Depth UOM:	ft			
Annular Spac	ce/Abandonment				
Sealing Reco					
Plug ID:		1006131943			
Layer:		4			
Plug From:		34.0			
Plug To:		0.0			
Plug Depth U	IOM:	ft			
<u>Annular Spac</u> <u>Sealing Reco</u>	ce/Abandonment				
Plug ID:		1006131942			
Layer:		3			
Plug From:		33.0			
Plug To:		34.0			
Plug Depth U	IOM:	ft			
<u>Annular Spac</u> Sealing Reco	ce/Abandonment_ ard				
Plug ID:		1006131941			
Layer:		2			
Diver Freemen		45.0			
Plug From:					
Plug From: Plug To: Plug Depth U		44.0 ft			

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	Ľ
Annular Spac Sealing Reco	e/Abandonment rd				
Plug ID:		1006131940			
Layer:		1			
Plug From:		65.0			
Plug To: Plug Depth U	0.14	45.0 ft			
nug Depth O	Ом.	π			
<u>Method of Co</u> <u>Use</u>	nstruction & Well				
Method Cons		1006131939			
Method Cons Method Cons	truction Code:	6 Derine			
	Construction:	Boring HSA			
Pipe Informat	ion				
Pipe ID:		1006131929			
Casing No:		0			
Comment: Alt Name:					
<u>Construction</u>	<u>Record - Casing</u>				
Casing ID:	•	1006131936			
Layer:		1			
Material:		5			
Open Hole or	Material:	PLASTIC 3.0			
Depth From: Depth To:		39.0			
Casing Diame		2.0			
Casing Diame	eter UOM:	inch			
Casing Depth	UOM:	ft			
<u>Construction</u>	Record - Screen				
Screen ID:		1006131937			
Layer: Slot:		1 10			
Screen Top D	epth:	39.0			
Screen End D	epth:	44.0			
Screen Mater		5			
Screen Depth Screen Diame		ft inch			
Screen Diame		2.25			
Nater Details					
Water ID:		1006131935			
Layer: Kind Codes					
Kind Code: Kind:					
Water Found	Depth:				
Nater Found	Depth UOM:	ft			
Hole Diamete	<u>r</u>				
Hole ID:		1006131934			

2802600 Domestic 0 Water Sup		188.1 / -1.73 83rdv.cloudfront.ne	lot 10 con 6 ON Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	1 10/5/1959 TRUE 1718 1 HALTON MILTON TOWN (TRAFALGAR) 010 06 NS	ww
2802600 Domestic 0 Water Sup	65.0 ft inch N/45.5 oply		ON Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	10/5/1959 TRUE 1718 1 HALTON MILTON TOWN (TRAFALGAR) 010 06 NS	
2802600 Domestic 0 Water Sup	ft inch <i>N/45.5</i>		ON Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	10/5/1959 TRUE 1718 1 HALTON MILTON TOWN (TRAFALGAR) 010 06 NS	ww
2802600 Domestic 0 Water Sup	N/45.5		ON Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	10/5/1959 TRUE 1718 1 HALTON MILTON TOWN (TRAFALGAR) 010 06 NS	ww
Domestic 0 Water Sup	oply		ON Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	10/5/1959 TRUE 1718 1 HALTON MILTON TOWN (TRAFALGAR) 010 06 NS	ww
Domestic 0 Water Sup		83rdv.cloudfront.ne	Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	10/5/1959 TRUE 1718 1 HALTON MILTON TOWN (TRAFALGAR) 010 06 NS	
0 Water Sup		83rdv.cloudfront.ne	Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	10/5/1959 TRUE 1718 1 HALTON MILTON TOWN (TRAFALGAR) 010 06 NS	
0 Water Sup		83rdv.cloudfront.ne	Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	TRUE 1718 1 HALTON MILTON TOWN (TRAFALGAR) 010 06 NS	
Water Sup		83rdv.cloudfront.ne	Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	1718 1 HALTON MILTON TOWN (TRAFALGAR) 010 06 NS	
		83rdv.cloudfront.ne	Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	1 HALTON MILTON TOWN (TRAFALGAR) 010 06 NS	
	https://d2khazk8e8	83rdv.cloudfront.ne	Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	HALTON MILTON TOWN (TRAFALGAR) 010 06 NS	
	https://d2khazk8e8	83rdv.cloudfront.ne	Street Name: County: Municipality: Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	MILTON TOWN (TRAFALGAR) 010 06 NS	
	https://d2khazk8e{	83rdv.cloudfront.ne	County: Municipality: Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	MILTON TOWN (TRAFALGAR) 010 06 NS	
	https://d2khazk8e8	83rdv.cloudfront.ne	Municipality: Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	MILTON TOWN (TRAFALGAR) 010 06 NS	
	https://d2khazk8e8	83rdv.cloudfront.ne	Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	010 06 NS	
	https://d2khazk8e8	83rdv.cloudfront.ne	Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	06 NS	
	https://d2khazk8e8	83rdv.cloudfront.ne	Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	NS	
	https://d2khazk8e8	83rdv.cloudfront.ne	Easting NAD83: Northing NAD83: Zone: UTM Reliability:		
	https://d2khazk8e8	83rdv.cloudfront.ne	Northing NAD83: Zone: UTM Reliability:	s/2Water/Wells_pdfs/280\2802600.pdf	
	https://d2khazk8e8	83rdv.cloudfront.ne	Zone: UTM Reliability:	s/2Water/Wells_pdfs/280\2802600.pdf	
	https://d2khazk8e8	83rdv.cloudfront.ne	UTM Reliability:	s/2Water/Wells_pdfs/280\2802600.pdf	
	https://d2khazk8e{	83rdv.cloudfront.ne		s/2Water/Wells_pdfs/280\2802600.pdf	
	https://d2khazk8e8	83rdv.cloudfront.ne	t/moe_mapping/downloads	s/2Water/Wells_pdfs/280\2802600.pdf	
<u>lap)</u>					
	1959/08/24 1959				
	18.288				
	43.544431687154	.3			
	-79.820175499748				
:	280\2802600.pdf				
1					
10149149	1		Elevation: Elevro:		
			Zone:	17	
			East83:	595312.50	
			North83:	4821952.00	
			Org CS:	-	
24 4.0~ 40					
∠4-Aug-19	00:00:00			0	
				р о	
:					
ment:					
	24-Aug-19 e: n Source: n Method: nment:	10149149 24-Aug-1959 00:00:00 2: n Source: n Method: ament:	10149149 24-Aug-1959 00:00:00 2: n Source: n Method: iment:	10149149 Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: 24-Aug-1959 00:00:00 UTMRC Desc: Location Method: n Source: n Method: imment:	10149149 Elevation: 10149149 Elevation: Elevrc: Zone: Zone: 17 East83: 595312.50 North83: 4821952.00 Org CS: UTMRC: UTMRC: 5 24-Aug-1959 00:00:00 UTMRC Desc: margin of error : 100 m - 300 m Location Method: p5

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID):	931429013			
Layer:		2			
Color: General Colo	Nr.				
Mat1:	л.	02			
Most Commo	on Material:	TOPSOIL			
Mat2:		09			
Mat2 Desc: Mat3:		MEDIUM SAND			
Mat3 Desc:					
Formation Te	op Depth:	1.0			
Formation E		6.0			
Formation E	nd Depth UOM:	ft			
Overburden Materials Inte	<u>and Bedrock</u> erval				
Formation ID) <u>:</u>	931429015			
Layer:		4			
Color: General Colo	<i>Nr</i> -				
Mat1:	<i>.</i>	07			
Most Commo	on Material:	QUICKSAND			
Mat2:					
Mat2 Desc: Mat3:					
Mat3 Desc:					
Formation To	op Depth:	51.0			
Formation E	nd Depth:	57.0			
Formation E	nd Depth UOM:	ft			
<u>Overburden</u> Materials Inte	<u>and Bedrock</u> erval				
Formation ID):	931429014			
Layer:		3			
Color:		5			
General Colo Mat1:	or:	YELLOW 05			
Most Commo	on Material:	CLAY			
Mat2:					
Mat2 Desc:					
Mat3: Mat3 Desc:					
Formation Te	op Depth:	6.0			
Formation E	nd Depth:	51.0			
Formation E	nd Depth UOM:	ft			
<u>Overburden</u> Materials Inte	<u>and Bedrock</u> erval				
Formation ID):	931429016			
Layer:		5			
Color:					
General Colo Mat1:	or:	11			
Most Commo	on Material:	GRAVEL			
Mat2:					
Mat2 Desc:					
Mat3: Mat3 Desc:					
Formation To	op Depth:	57.0			
Formation E		60.0			
	-				

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End	d Depth UOM:	ft			
<u>Overburden a</u> <u>Materials Inter</u>					
Formation ID:		931429012			
Layer:		1			
Color:					
General Color	:	00			
Mat1: Most Commor	Matorial:	02 TOPSOIL			
Mat2:	i material.				
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top	o Depth:	0.0			
Formation End		1.0			
Formation End	d Depth UOM:	ft			
<u>Method of Cor</u> Use	nstruction & Well				
Method Const	ruction ID:	962802600			
Method Const		1			
Method Const		Cable Tool			
Other Method	Construction:				
<u>Pipe Informati</u>	ion				
Pipe ID:		10697719			
Casing No:		1			
Comment:					
Alt Name:					
Construction	Record - Casing				
Casing ID:		930253795			
Layer:		1			
Material:	Matarial	1			
Open Hole or Depth From:	waterial:	STEEL			
Depth To:		60.0			
Casing Diame	ter:	7.0			
Casing Diame	ter UOM:	inch			
Casing Depth	UOM:	ft			
Results of We	ll Yield Testing				
Pump Test ID:		992802600			
Pump Set At:					
Static Level:		20.0			
Final Level Af		25.0			
	d Pump Depth:	20.0 8.0			
Pumping Rate Flowing Rate:		0.0			
Recommende	d Pump Rate:	3.0			
Levels UOM:	unp .u.o.	ft			
Rate UOM:		GPM			
	fter Test Code:	1			
Water State A		CLEAR			
Pumping Test		1			
Pumping Dura	ation HR:	8			

	Site	Elev/Diff (m)	Direction/ Distance (m)		Number Records	Map Key
			0 No		ration MIN:	Pumping Dur Flowing:
					<u>s</u>	Water Details
			933604706 1 FRESH 60.0 ft			Water ID: Layer: Kind Code: Kind: Water Found Water Found
wv	lot 11 con 6 ON	189.9 / 0.00	NW/66.0		1 of 1	<u>14</u>
1 9/2/1986	ata Entry Status: ata Src: ate Received:			2806503 Irrigation		Well ID: Construction Primary Wate
TRUE	elected Flag: bandonment Rec:			Public Test Hole	lse:	Sec. Water Us Final Well Sta
4005 1	ontractor: orm Version: wner:			00257	rial:	Water Type: Casing Mater Audit No:
HALTON MILTON TOWN (TRAFALGAR)	treet Name: ounty: lunicipality: ite Info:			00201): eliability:	Tag: Construction Elevation (m) Elevation Rel
011 06 NS	ot: oncession: oncession Name: asting NAD83:					Depth to Bed Well Depth: Overburden/E Pump Rate:
	orthing NAD83: one: TM Reliability:				l):	Static Water I Flowing (Y/N) Flow Rate: Clear/Cloudy
ater/Wells_pdfs/280\2806503.pdf	manning/downloads	rdy cloudfront ne	https://d2kbazk8e83			۔ PDF URL (Ma

Well Completed Date:	1986/08/14
Year Completed:	1986
Depth (m):	27.432
Latitude:	43.5428539755309
Longitude:	-79.8226026664973
Path:	280\2806503.pdf

Bore Hole Information

Improvement Location Source: Improvement Location Method:

Bore Hole ID:	10152773	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	595118.90
Code OB Desc:		North83:	4821774.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	3
Date Completed:	14-Aug-1986 00:00:00	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	gps
Elevrc Desc:			
Location Source Date:			

erisinfo.com | Environmental Risk Information Services

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Source Revis Supplier Con	sion Comment: nment:				
<u>Overburden</u> <u>Materials Int</u>	<u>and Bedrock</u> erval				
Formation ID Layer: Color: General Colo Mat1: Most Commo Mat2: Mat2 Desc: Mat3 Desc: Formation Te Formation El Formation El	or: on Material: op Depth:	931443111 8 7 RED 17 SHALE 73 HARD 66.0 90.0 ft			
<u>Overburden</u> Materials Inte	<u>and Bedrock</u> erval				
Formation ID Layer: Color: General Colo Mat1: Most Commo Mat2: Mat2 Desc: Mat3: Mat3 Desc: Formation Ed Formation Ed	or: on Material: op Depth:	931443108 5 6 BROWN 05 CLAY 11 GRAVEL 77 LOOSE 44.0 59.0 ft			
Materials Inte Formation IE Layer: Color: General Colo Mat1: Most Commo Mat2: Mat2 Desc: Mat3 Desc: Formation To Formation E	o: or: on Material: op Depth:	931443110 7 7 RED 05 CLAY 29 FINE GRAVEL 73 HARD 61.0 66.0 ft			
<u>Overburden</u> <u>Materials Inte</u> Formation ID Layer: Color: General Colo Mat1:):	931443106 3 2 GREY 05			

Color:2General Color:GREYMat1:05Most Common Material:CLAYMat2:77Mat2 Desc:LOOSEMat3:ELOOSEMat3:T.0Formation Top Depth:17.0Formation End Depth:25.0Formation End Depth:25.0Formation Ind Bedrock.Matarials IntervalFormation ID:931443109Layer:6Color:2General Color:GREYMat1:28Mat2:77Mat2:77Mat2:77Mat2:77Mat2:77Mat2:78Mat2:78Mat3:LOOSEMat3:GREYMat2:71Mat2:73Mat3:S0.0Formation Top Depth:59.0Formation Top Depth:61.0Formation Top Depth:61.0Formation End Depth:61.0Formation	
Mark Desc:GRAVELMark Desc:LOOSEFormation Top Depth:25.0Formation End Depth UOM:ROverburden and BedrockRMark Desc:2Color:2General Color:GREYMark Desc:LOOSEMark Desc:LOOSESomation Desc:SSomation Desc:SSomation Desc:SColor:GREYMark Desc:LOOSEMark Desc:LOOSEMark Desc:LOOSEMark Desc:SFormation Top Depth:17.0Formation End Depth UOM:RColor:2Color:SFormation End Depth:17.0Formation End Depth:17.0Formation End Depth:17.0Formation End Depth:17.0Formation End Depth:2.0Color:2General Color:2General Color:2General Color:2General Color:2Mark Desc:LOOSEMark Desc:LOOSEMark Desc:LOOSEMark Desc:LOOSEMark Desc:LOOSEMark Desc:SColor:2Common Material:SMark Desc:LOOSEMark Desc:SColor:SColor:SGeneral Color:SGeneral Color:SGeneral Color:SGeneral Color:S <tr< td=""><td></td></tr<>	
Marki 77 Marki Desc: LOOSE Formation End Depth: 25.0 Formation End Depth: 38.0 Formation End Depth UOM: ft Overburden and Bedrock. Materials Interval Formation ID: 931443105 Layer: 2 General Color: GREY Mart: 06 Mart: 06 Mart: 100 Formation End Depth: 17.0 Formation End Depth: 25.0 Formation End Depth: 59.0 Formation End Depth:	
Maria Desc: LOOSE Formation Depth: 38.0 Formation End Depth UOM: t Verbruiden and Bedrock.	
Formation Top Depth:25.0Formation End Depth:33.0Formation End Depth:33.0Formation ID:931443105Layer:2Color:2General Color:GREYWatt:05Materials Interval05Watt:05Materials Interval05Watt:05Overburden and Bedrock.05Watt:05Watt:05Watt:000SEWatt:00SEWatt:00SEWatt:00SEWatt:25.0Formation End Depth:25.0Formation End Depth:26.0Color:2General Color:GREYWatt:28Wost Common Material:SANDWat2:77Wat2:50.0Formation End	
Formation End Depth: 38.0 Formation End Depth UOM: t Verburden and Bedrock. Materials Interval Formation ID: 931443105 Layer: 2 Color: 2 General Color: GREY Matt: 05 Most Common Material: CLAY Mat2: 77 Mat2: 77 Mat2: 77 Mat2: 77 Mat2: 25.0 Formation End Depth: 25.0 Formation End Depth: 25.0 Formation End Depth: 25.0 Formation End Depth: 25.0 Formation End Depth UOM: t Dereburden and Bedrock. Materials Interval Formation ID: 931443109 Layer: 6 Color: 2 General Color: GREY Mat2: 77 Mat2: 77 Mat2: 77 Materials Interval Formation ID: 931443109 Layer: 6 Color: 2 General Color: GREY Mat2: 77 Formation ID: 931443109 Layer: 6 Color: 5 Formation ID: 931443109 Layer: 6 Color: 5 Formation ID: 931443109 Layer: 6 Color: 5 Formation ID: 931443104 Mat2: 77 Formation End Depth: 51.0 Formation End Depth: 51.0 Formation End Depth: 51.0 Formation ID: 931443104 Layer: 1 Coreburden and Bedrock. Materials Interval Formation ID: 931443104 Layer: 1 Color: 6 General Color: BROWN	
Formation End Depth UOM: ft Overburden and Bedrock. Materials Interval Formation ID: 931443105 Layer: 2 Golor: 2 General Color: GREY Matt: 05 Most Common Material: CLAY Mat2 7 Mat2 Desc: LOOSE Mat3 House Common Material: Formation Top Depth: 17.0 Formation End Depth: 25.0 Formation ID: 931443109 Layer: 6 Color: 2 General Color: 2 General Color: 2 Mat2: 7 Mat2: 7 Mat2: 7 Materials: 10 Color: 2 General Color: 59.0 Formation Top Depth: 59.0 Formation End Depth: 59.0	
Materials Interval Formation ID: 931443105 Layer: 2 General Color: GREY Matt: 05 Matz: 77 Mat2: 77 Mat2: 00SE Mat3: 25.0 Formation Top Depth: 17.0 Formation End Depth: 25.0 Formation ID: 231443109 Layer: 6 Color: 2 General Color: GREY Mat1: 28 Most Common Material: SAND Mat2: 77 Mat2: 59.0 Formation End Depth:	
Layer: 2 Color: 2 Color: GREY Matt: 05 Most Common Material: CLAY Mat2 77 Mat2 Desc: LOOSE Mat3: TO Formation Top Depth: 17.0 Formation Top Depth: 25.0 Formation End Depth UOM: t Overburden and Bedrock. Solor Mat2: 931443109 Layer: 6 Color: 2 General Color: 6 Color: 2 General Color: 2 Mat1: TO Mat2: TO Mat1: SAND Mat2: TO Mat2: TO Mat3: TO Mat2: TO Mat3: TO Mat3: TO Mat2: TO Mat3: TO Mat3: TO Formation Top Depth: 59.0 Formation Top Depth: 61.0 <td< td=""><td></td></td<>	
Layer: 2 Color: 2 Color: GREY Matt: 05 Most Common Material: CLAY Mat2 77 Mat2 Desc: LOOSE Mat3: TO Formation Top Depth: 17.0 Formation Top Depth: 25.0 Formation End Depth UOM: t Overburden and Bedrock. Solor Mat2: 931443109 Layer: 6 Color: 2 General Color: 6 Color: 2 General Color: 2 Mat1: TO Mat2: TO Mat1: SAND Mat2: TO Mat2: TO Mat3: TO Mat2: TO Mat3: TO Mat3: TO Mat2: TO Mat3: TO Mat3: TO Formation Top Depth: 59.0 Formation Top Depth: 61.0 <td< td=""><td></td></td<>	
Color: 2 General Color: GREY Mat1: 05 Most Common Material: CLAY Mat2: 77 Mat2 Desc: LOOSE Mat3 Desc: E Formation Top Depth: 17.0 Formation End Depth: 25.0 Formation End Depth: 25.0 Formation End Depth UOM: ft Overburden and Bedrock Materials Interval Formation ID: 931443109 Layer: 6 Color: 2 General Color: GREY Mat1: 28 Most Common Material: SAND Mat2: 77 Mat2: 60 Formation Top Depth: 59.0 Formation Top Depth: 59.0 For	
Mat: 05 Most Common Material: CLAY Mat2: 77 Mat2 Desc: LOOSE Mat3: Mat3: 25.0 Formation End Depth: 25.0 Formation End Depth: 25.0 Formation End Depth UOM: tt Overburden and Bedrock Materials Interval Formation ID: 931443109 Layer: 6 Color: 2 General Color: 6 REY Mat2: 77 Mat2 Desc: LOOSE Mat3: Mat2: 77 Mat2 Desc: LOOSE Mat3: Formation End Depth: 69.0 Formation End Depth: 69.0 Formation End Depth: 61.0 Formation End Depth: 61	
Most Common Material: CLAY Mat2: 77 Mat2 Desc: LOOSE Mat3 Mat3 Desc: Formation Top Depth: 17.0 Formation End Depth UOM: ft Overburden and Bedrock Materials Interval Formation ID: 931443109 Layer: 6 Color: 2 General Color: GREY Mat1: 28 Most Common Material: SAND Mat2: 77 Mat2: 77 Mat2: 77 Mat2: 77 Mat2: 59.0 Formation Top Depth: 59.0 Formation Top Depth: 61.0 Formation End Depth UOM: ft Coverburden and Bedrock MataFill Street Sample Sam	
Mat2:77Mat2 Desc:LOOSEMat3:LOOSEMat3:T.0Formation End Depth:25.0Formation End Depth:25.0Formation End Depth UOM:ttTOverburden and Bedrock. Materials IntervalS1443109Layer:6Color:2General Color:GREYMat1:28Most Common Material:SANDMat2:77Mat2 Desc:LOOSEMat3:SANDMat5:SANDSANDSANDMat5:SANDSANDSANDMat5:SANDSANDSANDMat5:SANDSANDSANDMat5:SANDSANDSANDSANDSANDSANDSANDMat1:SANDSANDSANDSANDSANDSANDSAND <td></td>	
Mat2 Desc: LOOSE Mat3 Hat3 Mat3 Desc: 17.0 Formation Top Depth: 25.0 Formation End Depth UOM: t Overburden and Bedrock 1 Matrials Interval 931443109 Layer: 6 Color: 2 General Color: GREY Mat2: 77 Mat2 Desc: LOOSE Mat3: UOSE Mat3: UOSE Mat2: 77 Mat3: UOSE Mat3: UOSE <td></td>	
Mat3: Formation Top Depth: 17.0 Formation Top Depth: 25.0 Formation End Depth 25.0 Formation End Depth Waterials Interval Overburden and Bedrock Materials Interval Formation ID: 931443109 Layer: 6 Color: 2 General Color: GREY Mat2 77 Mat2 Desc: LOOSE Formation Top Depth: 59.0 Formation Top Depth: 61.0 Formation End Depth: 61.0 Formation End Depth: 61.0 Formation End Depth: 61.0 Formation ID: 931443104 Layer: 1 Color: 6 Gold: Status Mat2: 77 Mat3:	
Mats Desc: Formation Top Depth: 17.0 Formation End Depth: 25.0 Formation End Depth UOM: ft Overburden and Bedrock. Materials Interval 931443109 Layer: 6 Color: 2 General Color: 6 Mattrials Interval 8 Materials Interval 8 Materials Interval 931443109 Layer: 6 Color: 2 General Color: GREY Mat1: 28 Most Common Material: SAND Mat2: 77 Mat2 Desc: LOOSE Formation Top Depth: 59.0 Formation End Depth: 61.0 Formation End Depth: 61.0 Formation End Depth: 61.0 Formation End Depth: 1 Overburden and Bedrock Materials Interval Materials Interval 931443104 Layer: 1 Color: 6 General Color: BROWN Mat1: 05 <td></td>	
Formation Top Depth:17.0Formation End Depth:25.0Formation End Depth UOM:ttOverburden and Bedrock. Materials IntervalFormation ID:931443109Layer:6Color:2General Color:GREYMat1:28Mat2 Desc:LOOSEFormation Top Depth:59.0Formation Top Depth:59.0Color:6BCOWNMat1:Mat1:05	
Formation End Depth: 25.0 Formation End Depth UOM: ft Overburden and Bedrock.	
Formation End Depth UOM: ft Overburden and Bedrock Materials Interval 931443109 Formation ID: 931443109 Layer: 6 Color: 2 General Color: GREY Mat1: 28 Most Common Material: SAND Mat2: 77 Mat2 Desc: LOOSE Mat3 Desc: Formation Top Depth: Formation End Depth: 59.0 Formation End Depth: 61.0 Formation End Depth: 59.0 Formation End Depth: 59.0 Formation ID: 931443104 Layer: 1 Color: 6 General Color: BROWN Mat1: 05	
Overburden and Bedrock. Materials Interval Formation ID: 931443109 Layer: 6 Color: 2 General Color: GREY Mat1: 28 Most Common Material: SAND Mat2: 77 Mat2 Desc: LOOSE Mat3 S9.0 Formation End Depth: 61.0 Formation ID: 931443104 Layer: 1 Color: 6 General Color: BROWN Mat1: 05	
Materials Interval Formation ID: 931443109 Layer: 6 Color: 2 General Color: GREY Mat1: 28 Most Common Material: SAND Mat2: 77 Mat2 Desc: LOOSE Mat3 Desc: E Formation Top Depth: 59.0 Formation End Depth: 61.0 Formation End Depth: 61.0 Formation ID: 931443104 Layer: 1 Color: 6 General Color: BROWN Mat1: 05	
Layer:6Color:2General Color:GREYMat1:28Most Common Material:SANDMat2:77Mat2 Desc:LOOSEMat3:***********************************	
Color:2General Color:GREYMat1:28Most Common Material:SANDMat2:77Mat2 Desc:LOOSEMat3:*********************************	
General Color:GREYMat1:28Most Common Material:SANDMat2:77Mat2 Desc:LOOSEMat3Mat3Mat3 Desc:59.0Formation Top Depth:59.0Formation End Depth:61.0Formation End Depth UOM:ttTormation ID:931443104Layer:1Color:6General Color:BROWNMat1:05	
Mat1:28Most Common Material:SANDMat2:77Mat2 Desc:LOOSEMat3Home State St	
Most Common Material:SANDMat2:77Mat2 Desc:LOOSEMat3:	
Mat2:77Mat2 Desc:LOOSEMat3:	
Mat2 Desc:LOOSEMat3:LOOSEMat3 Desc:59.0Formation Top Depth:61.0Formation End Depth61.0Formation End Depth UOM:ftOverburden and Bedrock Materials Interval931443104Layer:1Color:6General Color:BROWNMat1:05	
Mat3: 59.0 Formation Top Depth: 59.0 Formation End Depth: 61.0 Formation End Depth UOM: ft Overburden and Bedrock 1 Materials Interval 931443104 Layer: 1 Color: 6 General Color: BROWN Mat1: 05	
Mat3 Desc: 59.0 Formation Top Depth: 61.0 Formation End Depth UOM: ft Overburden and Bedrock	
Formation Top Depth: 59.0 Formation End Depth: 61.0 Formation End Depth UOM: ft Overburden and Bedrock	
Formation End Depth: 61.0 Formation End Depth UOM: ft Overburden and Bedrock	
Formation End Depth UOM: ft Overburden and Bedrock Materials Interval 931443104 Formation ID: 931443104 Layer: 1 Color: 6 General Color: BROWN Mat1: 05	
Materials Interval Formation ID: 931443104 Layer: 1 Color: 6 General Color: BROWN Mat1: 05	
Layer: 1 Color: 6 General Color: BROWN Mat1: 05	
Color: 6 General Color: BROWN Mat1: 05	
Color: 6 General Color: BROWN Mat1: 05	
Mat1: 05	
Most Common Material: CLAY	
Mat2: 11	
Mat2 Desc: GRAVEL Mat3: 77	
Mat3: 77 Mat3 Desc: LOOSE	
Formation Top Depth: 0.0	
Formation Fod Depth: 0.0	
Formation End Depth UOM: ft	
Overburden and Bedrock Materials Interval	

Materials Interval

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID):	931443107			
Layer:		4			
Color:		6			
General Colo	or:	BROWN			
Mat1:		28			
Most Comme	on Material:	SAND			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:		77			
Mat3 Desc:		LOOSE			
Formation To		38.0			
Formation E	nd Depth:	44.0			
Formation E	nd Depth UOM:	ft			
<u>Method of Co</u> <u>Use</u>	onstruction & Well				
Method Cons		962806503			
	struction Code:	2			
Method Cons		Rotary (Convent.)			
Other Metho	d Construction:				
<u>Pipe Informa</u>	<u>ntion</u>				
Pipe ID:		10701343			
Casing No:		1			
Comment:		•			
Alt Name:					
<u>Construction</u>	<u>n Record - Casing</u>				
Casing ID:		930259767			
Layer:		2			
Material:		2			
Open Hole o		GALVANIZED			
Depth From:					
Depth To:		90.0			
Casing Diam		inch			
Casing Diam	leter UOM: h UOM:	inch ft			
Casing Dept	n oom:	ц			
Construction	<u>n Record - Casing</u>				
Casing ID:		930259766			
Layer:		1			
Material:		3			
Open Hole o	r Material:	CONCRETE			
Depth From:					
Depth To:		61.0			
Casing Diam		4.0			
Casing Diam	eter UOM:	inch			
Casing Dept	h UOM:	ft			
Results of W	lell Yield Testing				
Pump Test II		992806503			
Pump Set At					

Pump Set At:Static Level:32.0Final Level After Pumping:85.0Recommended Pump Depth:86.0Pumping Rate:4.0

Map Key	Number Records		Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Flowing Rate							
Recommende							
Levels UOM:		ft					
Rate UOM: Water State A	ftor Toot C	GPI	VI				
			DUDY				
Water State A			JUDT				
Pumping Tes Pumping Dur		2 2					
Pumping Dur	ation MIN:	0					
Flowing:		No					
Draw Down &	Recoverv						
	-						
Pump Test De	etail ID:		450157				
Test Type:			w Down				
Test Duration	1:	30					
Test Level:		85.0)				
Test Level UC	OM:	ft					
Draw Down &	Recovery						
Pump Test De	etail ID:		970292				
Test Type:			w Down				
Test Duration	1:	60					
Test Level:		85.0)				
Test Level UC	OM:	ft					
Draw Down &	Recovery						
Pump Test De	etail ID:		175674				
Test Type:		Dra	w Down				
Test Duration	n:	15					
Test Level:		85.0)				
Test Level UC	OM:	ft					
Draw Down &	Recovery						
Pump Test De	etail ID:	934	717669				
Test Type:		Dra	w Down				
Test Duration	n:	45					
Test Level:		85.0)				
Test Level UC	OM:	ft					
Water Details	I						
Water ID:		033	609811				
Layer:		900 1	003011				
Kind Code:		1					
Kind Code: Kind:		FRE	-eu				
	Donthi	63.0					
Water Found Water Found)				
<u>15</u>	1 of 1	W	/72.1	190.9 / 1.00	lot 11 con 6 ON		WWIS
Well ID:		2803736			Data Entry Status:		
Construction	Date:	2000/00			Data Entry Status. Data Src:	1	
		Domestic			Date Received:	4/14/1972	
Primarv Wato		0			Selected Flag:	TRUE	
Primary Wate Sec. Water Us		~				INCL.	
Sec. Water Us		Water Supply			Abandonment Rec		
		Water Supply			Abandonment Rec: Contractor:	3637	

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Casing Mate	rial:			Form Version:	1	
Audit No:				Owner:		
Tag:				Street Name:		
Construction	n Method:			County:	HALTON	
Elevation (m):			Municipality:	MILTON TOWN (TRAFALGAR)	
Elevation Re	,			Site Info:	(, , , , , , , , , , , , , , , , , , ,	
Depth to Bed				Lot:	011	
Well Depth:				Concession:	06	
Overburden/	Bedrock:			Concession Name:	NS	
Pump Rate:				Easting NAD83:		
Static Water	Level:			Northing NAD83:		
Flowing (Y/N	 ():			Zone:		
Flow Rate:	/-			UTM Reliability:		
Clear/Cloudy	/:			 ,-		

PDF URL (Map):

https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/280\2803736.pdf

Additional Detail(s) (Map)

Well Completed Date: Year Completed:	1971/03/28 1971
Depth (m):	9.7536
Latitude:	43.538748981579
Longitude:	-79.8270690480042
Path:	280\2803736.pdf

Bore Hole Information

Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: Remarks: Elevrc Desc: Location Source Date: Improvement Location Source Revision Comm Supplier Comment:	Method:	Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc: Location Method:	17 594764.50 4821313.00 4 margin of error : 30 m - 100 m p4
Overburden and Bedroo	<u>:k</u>		

Materials Interval

Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Mat2 Desc: Mat3:	931433046 6 BROWN 12 STONES
<i>Mat3 Desc: Formation Top Depth: Formation End Depth: Formation End Depth UOM:</i>	18.0 24.0 ft

Overburden and Bedrock

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Materials Inte	rval				
Formation ID: Layer: Color:		931433043 3 2			
General Color	r:	GREY			
Mat1:		05			
Most Commo	n Material:	CLAY			
Mat2: Mat2 Desc:					
Mat2 Desc. Mat3:					
Mat3 Desc:					
Formation To		3.0			
Formation En Formation En	d Depth: d Depth UOM:	5.0 ft			
<u>Overburden a</u> Materials Inte					
Formation ID:		931433042			
Layer:		2			
Color: General Color	-	6 BROWN			
Mat1:	-	05			
Most Commo	n Material:	CLAY			
Mat2:					
Mat2 Desc: Mat3:					
Mat3 Desc:					
Formation To		1.0			
Formation En Formation En	d Depth: d Depth UOM:	3.0 ft			
<u>Overburden a</u> <u>Materials Inte</u>					
Formation ID:		931433041			
Layer:		1			
Color:		6 RROW(N			
General Color Mat1:		BROWN 02			
Most Commo	n Material:	TOPSOIL			
Mat2:					
Mat2 Desc: Mat3:					
Mat3 Desc:					
Formation To		0.0			
Formation En	d Depth: d Depth UOM:	1.0 ft			
Formation En	u Deptil OOM.	it.			
Overburden a Materials Inte					
Formation ID:		931433044			
Layer: Color:		4 6			
General Color	r:	o BROWN			
Mat1:		05			
Most Commo	n Material:	CLAY			
Mat2: Mat2 Desc:					
Mat2 Desc. Mat3:					
Mat3 Desc:					

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation Top	Depth:	5.0			
Formation End Formation End		13.0 ft			
Formation End	Depth COM.	n			
<u>Overburden an</u> Materials Inter					
Formation ID:		931433047			
Layer: Color:		7 7			
General Color:		RED			
Mat1:		05			
Most Common	Material:	CLAY			
Mat2: Mat2 Desc:		12 STONES			
Mata:		or on Eo			
Mat3 Desc:					
Formation Top Formation End	Depth:	24.0 32.0			
Formation End		ft			
Overburden an Materials Inter					
Formation ID:		931433045			
Layer:		5			
Color: General Color:		2 GREY			
Mat1:		05			
Most Common	Material:	CLAY			
Mat2:					
Mat2 Desc: Mat3:					
Mat3 Desc:					
Formation Top	Depth:	13.0			
Formation End Formation End		18.0 ft			
i onnation Ena					
<u>Method of Con</u> <u>Use</u>	struction & Well				
Method Constr	ruction ID:	962803736			
Method Constr		6			
Method Constr Other Method		Boring			
Pipe Information	<u>on</u>				
Pipe ID:		10698838			
Casing No: Comment:		1			
Alt Name:					
Construction F	Record - Casing				
Casing ID:		930255538			
Layer:		1			
Material:		3			
Open Hole or I Depth From:	Naterial:	CONCRETE			
Depth To:		32.0			
Casing Diamet	er:	30.0			

Casing Diame Casing Depth		inch		
		ft		
Results of We	ell Yield Testing			
Pump Test ID	:	992803736		
Pump Set At:		10.0		
Static Level:	itor Dumping	10.0 30.0		
Final Level At	ed Pump Depth:	30.0		
Pumping Rate		50.0		
Flowing Rate:				
	d Pump Rate:	5.0		
Levels UOM:	•	ft		
Rate UOM:		GPM		
	fter Test Code:	1		
Water State A		CLEAR		
Pumping Test Pumping Dura		2 2		
Pumping Dura		0		
Flowing:		No		
<u>Draw Down &</u>	Recovery			
Pump Test De	etail ID:	934970758		
Test Type:		Recovery		
Test Duration	:	60		
Test Level:		16.0		
Test Level UC	DM:	ft		
<u>Draw Down &</u>	<u>Recovery</u>			
Pump Test De	etail ID:	934176614		
Test Type:		Recovery		
Test Duration	:	15		
Test Level:		19.0		
Test Level UC	DM:	ft		
<u>Draw Down &</u>	Recovery			
Pump Test De	etail ID:	934451242		
Test Type:		Recovery		
Test Duration	:	30		
Test Level:	NA4.	18.0 #		
Test Level UC)///:	ft		
<u>Draw Down &</u>	<u>Recovery</u>			
Pump Test De	etail ID:	934710444		
Test Type:		Recovery		
Test Duration	:	45		
Test Level:		17.0		
Test Level UC	DM:	ft		
<u>Water Details</u>				
Water ID:		933606261		
Layer:		1		
Kind Code:		1		
Kind: Water Found	Donth:	FRESH 28.0		
waler Found	Deptil.	20.0		

Мар Кеу	Numbe Record		Direction/ Distance (m)	Elev/Diff (m)	Site		D
Water Found	d Depth UC	М:	ft				
<u>16</u>	1 of 1		W/81.7	190.9 / 1.00	11319 DERRY RD los Milton ON	t 11 con 6	wwis
Well ID:		7316029			Data Entry Status:		
Construction	n Date:				Data Src:		
Primary Wat					Date Received:	8/10/2018	
Sec. Water L					Selected Flag:	TRUE	
Final Well St		Abandon	ed-Other		Abandonment Rec:	Yes 3108	
Water Type: Casing Mate					Contractor: Form Version:	7	
Audit No:	a	Z265282			Owner:	1	
Tag:					Street Name:	11319 DERRY RD	
Construction	n Method:				County:	HALTON	
Elevation (m	n):				Municipality:	MILTON TOWN (TRAFALGAR)	
Elevation Re					Site Info:		
Depth to Be	drock:				Lot:	011	
Well Depth: Overburden	Bodrook				Concession: Concession Name:	06 NS	
Pump Rate:	Deurock.				Easting NAD83:	113	
Static Water	Level:				Northing NAD83:		
Flowing (Y/N	I):				Zone:		
Flow Rate:					UTM Reliability:		
Clear/Cloudy	y:						
PDF URL (M	ap):		https://d2khazk8e83	Brdv.cloudfront.ne	et/moe_mapping/downloads	/2Water/Wells_pdfs/731\7316029.pdf	
Well Comple Year Comple Depth (m): Latitude: Longitude: Path:			2018/05/17 2018 43.5395610193539 -79.8263539815287 731\7316029.pdf	I			
Bore Hole In	formation						
Bore Hole ID):	10072384	418		Elevation:		
DP2BR:					Elevrc:	47	
Spatial Statu Code OB:	IS:				Zone: East83:	17 594821.00	
Code OB. Code OB De	SC'				North83:	4821404.00	
Open Hole:					Org CS:	UTM83	
Cluster Kina	l:				UTMRC:	4	
Date Comple	eted:	17-May-2	2018 00:00:00		UTMRC Desc:	margin of error : 30 m - 100 m	
Remarks:					Location Method:	wwr	
Elevrc Desc. Location So							
Improvemen		Source:					
Improvemen							
Source Revi		nent:					
Supplier Col	mment:						
<u>Overburden</u> <u>Materials Int</u>		<u>ck</u>					
	_		4007505040				
Formation IL):		1007505216				
Layer: Color:							
General Colo	or:						

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	D
Mat1: Most Commo Mat2: Mat2 Desc: Mat3: Mat3 Desc:	n Material:				
Formation To Formation En	p Depth: d Depth: d Depth UOM:	ft			
<u>lethod of Co</u> Ise	nstruction & Well				
lethod Cons	truction Code:	1007505221			
Pipe Informat	ion				
Pipe ID: Casing No: Comment: Alt Name:		1007505215 0			
Construction	<u> Record - Casing</u>				
Casing ID: .ayer: Material: Open Hole or Depth From: Depth To:		1007505219			
Casing Diame Casing Diame Casing Depth	eter UOM:	inch ft			
Construction	<u> Record - Screen</u>				
Screen ID: .ayer: Slot: Screen Top D Screen End D Screen Mater	epth:	1007505220			
Screen Depth Screen Diame Screen Diame	UOM: eter UOM:	ft inch			
Vater Details					
Vater ID: .ayer: Kind Code: Kind:		1007505218			
<i>Water Found Water Found</i>		ft			
lole Diamete	<u>r</u>				
lole ID:		1007505217			

	nber of ords	Direction/ Distance (m)	Elev/Diff (m)	Site		D
Diameter:						
Depth From:						
Depth To:		6				
Hole Depth UOM:		ft				
Hole Diameter UON	1:	inch				
<u>17</u> 1 of 1		N/104.3	184.2 / -5.67	lot 10 con 6 ON		wwi
Well ID:	2802599)		Data Entry Status:		
Construction Date:				Data Src:	1	
Primary Water Use:		C		Date Received:	7/30/1953	
Sec. Water Use:	0			Selected Flag:	TRUE	
Final Well Status:	Water Su	upply		Abandonment Rec:		
Water Type:				Contractor:	1642	
Casing Material:				Form Version:	1	
Audit No:				Owner:		
Tag:				Street Name:		
Construction Metho	od:			County:	HALTON	
Elevation (m):				Municipality:	MILTON TOWN (TRAFALGAR)	
Elevation Reliability	/:			Site Info:		
Depth to Bedrock:				Lot:	010	
Well Depth:				Concession:	06	
Overburden/Bedroo	:k:			Concession Name:	NS	
Pump Rate:				Easting NAD83:		
Static Water Level:				Northing NAD83:		
Flowing (Y/N):				Zone:		
Flow Rate:				UTM Reliability:		
- · · ·						
Clear/Cloudy: PDF URL (Map):		https://d2khazk8e83	rdv.cloudfront.ne	t/moe_mapping/downloads	/2Water/Wells_pdfs/280\2802599.pdf	
PDF URL (Map): Additional Detail(s) Well Completed Da Year Completed: Depth (m):		1953/06/08 1953 14.6304	rdv.cloudfront.ne	t/moe_mapping/downloads	/2Water/Wells_pdfs/280\2802599.pdf	
PDF URL (Map): Additional Detail(s) Well Completed Da Year Completed: Depth (m): Latitude:		1953/06/08 1953 14.6304 43.5450628021397		t/moe_mapping/downloads	/2Water/Wells_pdfs/280\2802599.pdf	
PDF URL (Map): Additional Detail(s) Well Completed Da Year Completed: Depth (m):		1953/06/08 1953 14.6304		t/moe_mapping/downloads	/2Water/Wells_pdfs/280\2802599.pdf	
PDF URL (Map): Additional Detail(s) Well Completed Da Year Completed: Depth (m): Latitude: Longitude:	te:	1953/06/08 1953 14.6304 43.5450628021397 -79.8193833426543		t/moe_mapping/downloads	/2Water/Wells_pdfs/280\2802599.pdf	
PDF URL (Map): Additional Detail(s) Well Completed Da Year Completed: Depth (m): Latitude: Longitude: Path:	te:	1953/06/08 1953 14.6304 43.5450628021397 -79.8193833426543 280\2802599.pdf		t/moe_mapping/downloads Elevation: Elevrc:	/2Water/Wells_pdfs/280\2802599.pdf	
PDF URL (Map): Additional Detail(s) Well Completed Da Year Completed: Depth (m): Latitude: Longitude: Path: Bore Hole Informat Bore Hole ID:	te: ion	1953/06/08 1953 14.6304 43.5450628021397 -79.8193833426543 280\2802599.pdf		Elevation:	/2Water/Wells_pdfs/280\2802599.pdf	
PDF URL (Map): Additional Detail(s) Well Completed Da Year Completed: Depth (m): Latitude: Longitude: Path: Bore Hole Informat Bore Hole ID: DP2BR:	te: ion	1953/06/08 1953 14.6304 43.5450628021397 -79.8193833426543 280\2802599.pdf		Elevation: Elevrc:		
PDF URL (Map): Additional Detail(s) Well Completed Da Year Completed: Depth (m): Latitude: Longitude: Path: Bore Hole Informat Bore Hole ID: DP2BR: Spatial Status:	te: ion	1953/06/08 1953 14.6304 43.5450628021397 -79.8193833426543 280\2802599.pdf		Elevation: Elevrc: Zone:	17	
PDF URL (Map): Additional Detail(s) Well Completed Da Year Completed: Depth (m): Latitude: Longitude: Path: Bore Hole Informat Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc:	te: ion	1953/06/08 1953 14.6304 43.5450628021397 -79.8193833426543 280\2802599.pdf		Elevation: Elevrc: Zone: East83: North83:	17 595375.50	
PDF URL (Map): Additional Detail(s) Well Completed Da Year Completed: Depth (m): Latitude: Longitude: Path: Bore Hole Informat Bore Hole ID: DP2BR: Spatial Status: Code OB:	te: ion	1953/06/08 1953 14.6304 43.5450628021397 -79.8193833426543 280\2802599.pdf		Elevation: Elevrc: Zone: East83:	17 595375.50	
PDF URL (Map): Additional Detail(s) Well Completed Da Year Completed: Depth (m): Latitude: Longitude: Path: Bore Hole Informat Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB: Code OB Desc: Open Hole: Cluster Kind:	te: ion 1014914	1953/06/08 1953 14.6304 43.5450628021397 -79.8193833426543 280\2802599.pdf		Elevation: Elevrc: Zone: East83: North83: Org CS:	17 595375.50 4822023.00 9	
PDF URL (Map): Additional Detail(s) Well Completed Da Year Completed: Depth (m): Latitude: Longitude: Path: Bore Hole Informat Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed:	te: ion 1014914	1953/06/08 1953 14.6304 43.5450628021397 -79.8193833426543 280\2802599.pdf		Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc:	17 595375.50 4822023.00 9 unknown UTM	
PDF URL (Map): Additional Detail(s) Well Completed Da Year Completed: Depth (m): Latitude: Longitude: Path: Bore Hole Informat Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB: Code OB Desc: Dpen Hole: Cluster Kind: Date Completed: Remarks:	te: ion 1014914	1953/06/08 1953 14.6304 43.5450628021397 -79.8193833426543 280\2802599.pdf		Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC:	17 595375.50 4822023.00 9	
PDF URL (Map): Additional Detail(s) Well Completed Da Year Completed: Depth (m): Latitude: Longitude: Path: Bore Hole Informat Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed:	te: ion 1014914 08-Jun-1	1953/06/08 1953 14.6304 43.5450628021397 -79.8193833426543 280\2802599.pdf		Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc:	17 595375.50 4822023.00 9 unknown UTM	
PDF URL (Map): Additional Detail(s) Well Completed Da Year Completed: Depth (m): Latitude: Longitude: Path: Bore Hole Informati Bore Hole ID: DP2BR: Spatial Status: Code OB Desc: Open Hole: Cluster Kind: Date Completed: Remarks: Elevrc Desc: Location Source Data	te: ion 1014914 08-Jun-1 nte:	1953/06/08 1953 14.6304 43.5450628021397 -79.8193833426543 280\2802599.pdf		Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc:	17 595375.50 4822023.00 9 unknown UTM	
PDF URL (Map): Additional Detail(s) Well Completed Da Year Completed: Depth (m): Latitude: Longitude: Path: Bore Hole Informati Bore Hole ID: DP2BR: Spatial Status: Code OB Desc: Open Hole: Cluster Kind: Date Completed: Remarks: Elevrc Desc:	te: ion 1014914 08-Jun-1 nte: ion Source:	1953/06/08 1953 14.6304 43.5450628021397 -79.8193833426543 280\2802599.pdf		Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc:	17 595375.50 4822023.00 9 unknown UTM	
PDF URL (Map): Additional Detail(s) Well Completed Da Year Completed: Depth (m): Latitude: Longitude: Path: Bore Hole Informati Bore Hole ID: DP2BR: Spatial Status: Code OB Desc: Open Hole: Cluster Kind: Date Completed: Remarks: Elevrc Desc: Location Source Data Improvement Location	te: ion 1014914 08-Jun-1 hte: ion Source: ion Method:	1953/06/08 1953 14.6304 43.5450628021397 -79.8193833426543 280\2802599.pdf		Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc:	17 595375.50 4822023.00 9 unknown UTM	
PDF URL (Map): Additional Detail(s) Well Completed Day Year Completed: Depth (m): Latitude: Longitude: Path: Bore Hole Informati Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: Remarks: Elevrc Desc: Location Source Date Improvement Location Improvement Location	te: ion 1014914 08-Jun-1 tic: ion Source: ion Method: omment:	1953/06/08 1953 14.6304 43.5450628021397 -79.8193833426543 280\2802599.pdf		Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc:	17 595375.50 4822023.00 9 unknown UTM	
PDF URL (Map): Additional Detail(s) Well Completed Day Year Completed: Depth (m): Latitude: Longitude: Path: Bore Hole Informat. Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: Remarks: Elevrc Desc: Location Source Date Improvement Location Source Revision Code Source Revision Code	te: ion 1014914 08-Jun-1 tic: ion Source: ion Method: omment:	1953/06/08 1953 14.6304 43.5450628021397 -79.8193833426543 280\2802599.pdf		Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc:	17 595375.50 4822023.00 9 unknown UTM	
PDF URL (Map): Additional Detail(s) Well Completed Day Year Completed: Depth (m): Latitude: Longitude: Path: Bore Hole Informat. Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: Remarks: Elevrc Desc: Location Source Date Improvement Location Source Revision Code Source Revision Code	te: ion 1014914 08-Jun-1 nte: ion Source: ion Method: omment:	1953/06/08 1953 14.6304 43.5450628021397 -79.8193833426543 280\2802599.pdf		Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc:	17 595375.50 4822023.00 9 unknown UTM	

Formation ID: Layer: Color:		931429011		
		931429011		
Color		1		
General Color:				
Mat1:	•	05		
Most Common	n Material:	CLAY		
Mat2:		09		
Mat2 Desc:		MEDIUM SAND		
Mat3: Mat3 Desc:				
Formation Top	n Denth:	0.0		
Formation End		48.0		
Formation End		ft		
<u>Method of Cor</u> Use	nstruction & Well			
Method Const	ruction ID.	962802599		
Method Const		1		
Method Const		Cable Tool		
Other Method	Construction:			
Pipe Informati	on			
Pipe ID:		10697718		
Casing No:		1		
Comment:				
Alt Name:				
Construction I	Record - Casing			
Casing ID:		930253794		
Layer:		1		
Material:		1		
Open Hole or l Depth From:	Material:	STEEL		
Depth From. Depth To:		48.0		
Casing Diame	ter:	6.0		
Casing Diame	ter UOM:	inch		
Casing Depth	UOM:	ft		
Results of Wei	ll Yield Testing			
Pump Test ID: Pump Set At:		992802599		
Static Level:		18.0		
Final Level Aft	ter Pumping:			
	d Pump Depth:			
Pumping Rate		1.0		
Flowing Rate: Recommended				
Levels UOM:	a rump nate.	ft		
Rate UOM:		GPM		
	fter Test Code:	1		
Water State Af		CLEAR		
Pumping Test		1		
Pumping Dura Pumping Dura				
Flowing:		No		

Water Details

	Numbe Record		Direction/ Distance (m)	Elev/Diff (m)	Site		D
Water ID:			933604705				
Layer:			1				
Kind Code:			1				
Kind:			FRESH				
Water Found	Depth:		48.0				
Nater Found	Depth UO	М:	ft				
<u>18</u>	1 of 1		ENE/105.7	183.8 / -6.07	lot 9 con 7 ON		ww
Nell ID:		2808624			Data Entry Status:		
Construction	Date:				Data Src:	1	
Primary Wate		Domestic			Date Received:	12/9/1997	
Sec. Water U					Selected Flag:	TRUE	
- inal Well Sta	atus:	Water Sup	oply		Abandonment Rec:		
Nater Type:					Contractor:	2576	
Casing Mater	rial:				Form Version:	1	
Audit No:		185741			Owner:		
Tag:					Street Name:		
Construction	Method:				County:	HALTON	
Elevation (m)					Municipality:	MILTON TOWN (TRAFALGAR)	
Elevation Rel	liability:				Site Info:		
Depth to Bed	lrock:				Lot:	009	
Nell Depth:					Concession:	07	
Overburden/E	Bedrock:				Concession Name:	NS	
Pump Rate:					Easting NAD83:		
Static Water	Level:				Northing NAD83:		
Flowing (Y/N)):				Zone:		
):				Zone: UTM Reliability:		
Flowing (Y/N) Flow Rate: Clear/Cloudy:	-						
Flow Rate: Clear/Cloudy	<i>'</i> :		https://d2khazk8e8	3rdv.cloudfront.ne	UTM Reliability:	/2Water/Wells_pdfs/280\2808624.pdf	
Flow Rate: Clear/Cloudy PDF URL (Ma	r: ap):		https://d2khazk8e8	3rdv.cloudfront.ne	UTM Reliability:	s/2Water/Wells_pdfs/280\2808624.pdf	
Flow Rate: Clear/Cloudy PDF URL (Ma Additional De	r: ap): etail(s) (Ma	<u>p)</u>		3rdv.cloudfront.ne	UTM Reliability:	s/2Water/Wells_pdfs/280\2808624.pdf	
Flow Rate: Clear/Cloudy PDF URL (Ma Additional De Well Complet	r: ap): <u>etail(s) (Ma</u> ted Date:	<u>p)</u>	1997/11/27	3rdv.cloudfront.ne	UTM Reliability:	s/2Water/Wells_pdfs/280\2808624.pdf	
Flow Rate: Clear/Cloudy PDF URL (Ma <u>Additional De</u> Well Complet Year Complet	r: ap): <u>etail(s) (Ma</u> ted Date:	<u>(a</u>	1997/11/27 1997	3rdv.cloudfront.ne	UTM Reliability:	s/2Water/Wells_pdfs/280\2808624.pdf	
Flow Rate: Clear/Cloudy PDF URL (Ma <u>Additional De</u> Well Complet Year Complet Depth (m):	r: ap): <u>etail(s) (Ma</u> ted Date:	<u>p)</u>	1997/11/27 1997 17.3736		UTM Reliability:	/2Water/Wells_pdfs/280\2808624.pdf	
Flow Rate: Clear/Cloudy. PDF URL (Ma Additional De Well Complet Year Complet Depth (m): Latitude:	r: ap): <u>etail(s) (Ma</u> ted Date:	<u>p)</u>	1997/11/27 1997 17.3736 43.5417844646424	ı	UTM Reliability:	s/2Water/Wells_pdfs/280\2808624.pdf	
Flow Rate: Clear/Cloudy PDF URL (Ma Additional De Well Complet Year Complet Depth (m): Latitude: Longitude:	r: ap): <u>etail(s) (Ma</u> ted Date:	<u>p)</u>	1997/11/27 1997 17.3736	ı	UTM Reliability:	s/2Water/Wells_pdfs/280\2808624.pdf	
Flow Rate: Clear/Cloudy. PDF URL (Ma Additional De Well Complet Year Complet Depth (m): Latitude: Longitude: Path:	r: ap): e <u>tail(s) (Ma</u> ted Date: ted:	<u>p)</u>	1997/11/27 1997 17.3736 43.5417844646424 -79.812348627558	ı	UTM Reliability:	s/2Water/Wells_pdfs/280\2808624.pdf	
Flow Rate: Clear/Cloudy. PDF URL (Ma Additional De Well Complet Year Complet Copth (m): Latitude: Longitude: Path: Path: Bore Hole Inf	r: ap): etail(s) (Ma ted Date: ted : formation	<u>(a)</u>	1997/11/27 1997 17.3736 43.5417844646424 -79.812348627558 280\2808624.pdf	ı	UTM Reliability:	s/2Water/Wells_pdfs/280\2808624.pdf	
Flow Rate: Clear/Cloudy. PDF URL (Ma <u>Additional De</u> Well Complet Year Complet Depth (m): Latitude: Longitude: Path: Bore Hole Inf Bore Hole ID:	r: ap): etail(s) (Ma ted Date: ted : formation	<u>p)</u>	1997/11/27 1997 17.3736 43.5417844646424 -79.812348627558 280\2808624.pdf	ı	UTM Reliability:	s/2Water/Wells_pdfs/280\2808624.pdf	
Flow Rate: Clear/Cloudy. PDF URL (Ma Additional De Nell Complet Year Complet Depth (m): Longitude: Path: Path: Bore Hole Inf Bore Hole ID: DP2BR:	r: ap): etail(s) (Ma ted Date: ted : formation :	<u>(a)</u>	1997/11/27 1997 17.3736 43.5417844646424 -79.812348627558 280\2808624.pdf	ı	UTM Reliability: ot/moe_mapping/downloads <i>Elevation:</i>	s/2Water/Wells_pdfs/280\2808624.pdf	
Flow Rate: Clear/Cloudy PDF URL (Ma Additional De Nell Complet Year Complet Year Complet Depth (m): Latitude: Longitude: Depth (m): Latitude: Depth (m): Latitude: Depth (m): Depth (m): De	r: ap): etail(s) (Ma ted Date: ted : formation :	<u>(a)</u>	1997/11/27 1997 17.3736 43.5417844646424 -79.812348627558 280\2808624.pdf	ı	UTM Reliability: et/moe_mapping/downloads Elevation: Elevrc: Zone: East83:		
Flow Rate: Clear/Cloudy. PDF URL (Ma Additional De Vell Complet (ear Complet Depth (m): .atitude: .ongitude: Path: Bore Hole ID: DP2BR: Spatial Status Code OB Des	r: ap): etail(s) (Ma ted Date: ted Date: ted: formation : s:	<u>(a)</u>	1997/11/27 1997 17.3736 43.5417844646424 -79.812348627558 280\2808624.pdf	ı	UTM Reliability: et/moe_mapping/downloads et/moe_mapping/downloads Elevation: Elevrc: Zone: East83: North83:	17	
Flow Rate: Clear/Cloudy. PDF URL (Ma Additional De Vell Complet Year Complet Depth (m): Latitude: Longitude: Path: Bore Hole ID: DP2BR: Spatial Status Code OB Des Dpen Hole:	r: ap): etail(s) (Ma ted Date: ted: formation : s: sc:	<u>(a)</u>	1997/11/27 1997 17.3736 43.5417844646424 -79.812348627558 280\2808624.pdf	ı	UTM Reliability: et/moe_mapping/downloads et/m	17 595949.00 4821667.00	
Flow Rate: Clear/Cloudy. PDF URL (Ma Additional De Vell Complet (ear Complet Depth (m): .atitude: Depth (m): .atitude	r: ap): etail(s) (Ma ted Date: ted: formation : s: sc: :	<u>(a)</u>	1997/11/27 1997 17.3736 43.5417844646424 -79.812348627558 280\2808624.pdf	ı	UTM Reliability: et/moe_mapping/downloads et/m	17 595949.00 4821667.00 3	
Flow Rate: Clear/Cloudy. PDF URL (Ma Additional De Vell Complet Year Complet Depth (m): Latitude: Longitude: Datitude: Date Hole ID: DP2BR: Spatial Status Code OB: Code OB Des Dpen Hole: Cluster Kind: Date Complet	r: ap): etail(s) (Ma ted Date: ted: formation : s: sc: :	ــــــــــــــــــــــــــــــــــــ	1997/11/27 1997 17.3736 43.5417844646424 -79.812348627558 280\2808624.pdf	ı	UTM Reliability: et/moe_mapping/downloads et/moe_et/moe_et/moe et/moe_et/moe et/moe_et/moe et/moe	17 595949.00 4821667.00	
Flow Rate: Clear/Cloudy. PDF URL (Ma Additional De Vell Complet Year Complet Depth (m): Latitude: Longitude: Datitude: Date Hole ID: DP2BR: Spatial Status Code OB: Code OB Des Dpen Hole: Cluster Kind: Date Complet	r: ap): etail(s) (Ma ted Date: ted: formation : s: sc: :	ــــــــــــــــــــــــــــــــــــ	1997/11/27 1997 17.3736 43.5417844646424 -79.812348627558 280\2808624.pdf	ı	UTM Reliability: et/moe_mapping/downloads et/m	17 595949.00 4821667.00 3	
Flow Rate: Clear/Cloudy. PDF URL (Ma Additional De Vell Complet Year Complet Depth (m): Latitude: Dongitude: Path: Bore Hole ID: DP2BR: Spatial Status Code OB Spatial Status Code OB Des Dpen Hole: Cluster Kind: Date Complet Remarks:	r: ap): etail(s) (Ma ted Date: ted : ted: formation : sc: sc: ted:	ــــــــــــــــــــــــــــــــــــ	1997/11/27 1997 17.3736 43.5417844646424 -79.812348627558 280\2808624.pdf	ı	UTM Reliability: et/moe_mapping/downloads et/moe_et/moe_et/moe et/moe_et/moe et/moe_et/moe et/moe	17 595949.00 4821667.00 3 margin of error : 10 - 30 m	
Flow Rate: Clear/Cloudy. PDF URL (Ma Additional De Well Complet Year Complet Year Complet Depth (m): Latitude: Longitude: Path: Bore Hole ID: DP2BR: Spatial Status Code OB Des Code OB Des Code OB Des Copen Hole: Cluster Kind: Date Complet Remarks: Elevrc Desc: Location Sou	r: ap): etail(s) (Ma ted Date: ted Date: ted: formation : sc: sc: sc: : urce Date:	<u>р)</u> 10154881 27-Nov-15	1997/11/27 1997 17.3736 43.5417844646424 -79.812348627558 280\2808624.pdf	ı	UTM Reliability: et/moe_mapping/downloads et/moe_et/moe_et/moe et/moe_et/moe et/moe_et/moe et/moe	17 595949.00 4821667.00 3 margin of error : 10 - 30 m	
Flow Rate: Clear/Cloudy. PDF URL (Ma Additional De Well Complet Year Complet Year Complet Depth (m): Latitude: Longitude: Path: Bore Hole ID: DP2BR: Spatial Status Code OB Des Spatial Status Code OB Des Code OB Des Code Complet Cluster Kind: Date Complet Remarks: Elevrc Desc:	r: ap): etail(s) (Ma ted Date: ted Date: ted: formation : sc: sc: sc: : urce Date:	<u>р)</u> 10154881 27-Nov-15	1997/11/27 1997 17.3736 43.5417844646424 -79.812348627558 280\2808624.pdf	ı	UTM Reliability: et/moe_mapping/downloads et/moe_et/moe_et/moe_et/moe et/moe_et/moe et/moe_et/moe et/moe_et/moe et/moe et/moe_et/moe et/	17 595949.00 4821667.00 3 margin of error : 10 - 30 m	
Flow Rate: Clear/Cloudy. PDF URL (Ma Additional De Well Complet Year Complet Depth (m): Latitude: Dongitude: Path: Bore Hole Inf Dr2BR: Spatial Status Code OB Des Code OB Complet Cluster Kind: Date Complet Elevrc Desc: Location Sou	r: ap): <u>etail(s) (Ma</u> ted Date: ted Date: ted: formation : s: sc: sc: ted: urce Date: t Location t Location	<u>р)</u> 10154881 27-Nov-19 Source: Method:	1997/11/27 1997 17.3736 43.5417844646424 -79.812348627558 280\2808624.pdf	ı	UTM Reliability: et/moe_mapping/downloads et/moe_et/moe_et/moe_et/moe et/moe_et/moe et/moe_et/moe et/moe_et/moe et/moe et/moe_et/moe et/	17 595949.00 4821667.00 3 margin of error : 10 - 30 m	
Flow Rate: Clear/Cloudy. PDF URL (Ma Additional De Vell Complet Year Complet Depth (m): Latitude: Longitude: Path: Bore Hole ID: DP2BR: Spatial Status Code OB Des Dp2BR: Spatial Status Code OB Des Den Hole: Cluster Kind: Date Complet Remarks: Elevrc Desc: Location Sou mprovement	r: ap): etail(s) (Ma ted Date: ted Date: ted: formation : sc: sc: sc: tuce Date: t Location sion Comm	<u>р)</u> 10154881 27-Nov-19 Source: Method:	1997/11/27 1997 17.3736 43.5417844646424 -79.812348627558 280\2808624.pdf	ı	UTM Reliability: et/moe_mapping/downloads et/moe_et/moe_et/moe_et/moe et/moe_et/moe et/moe_et/moe et/moe_et/moe et/moe et/moe_et/moe et/	17 595949.00 4821667.00 3 margin of error : 10 - 30 m	

Overburden and Bedrock Materials Interval

• •	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		931452333			
Layer:		3			
Color:		2			
General Color:		GREY 05			
Mat1: Most Common I	Matorial:	CLAY			
Mat2:	vialeriai.	29			
Mat2 Desc:		FINE GRAVEL			
Mat3:					
Mat3 Desc:					
Formation Top I	Depth:	18.0			
Formation End I Formation End I		48.0 ft			
<u>Overburden and</u> Materials Interva					
Formation ID:		931452334			
Layer:		931452334 4			
Color:		2			
General Color:		GREY			
Mat1:		11			
Most Common I	Material:	GRAVEL			
Mat2:		05			
Mat2 Desc:		CLAY			
Mat3: Mat3 Desc:					
Formation Top I	Denth:	48.0			
Formation End	Depth:	52.0			
Formation End		ft			
<u>Overburden and</u> <u>Materials Interva</u>					
Formation ID:		931452332			
Formation ID: Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common I	Material:	CLAY			
Mat2:					
Mat2 Desc:					
Mat3: Mat3 Desc:					
Formation Top I	Denth:	2.0			
Formation End		18.0			
Formation End	Depth UOM:	ft			
Overburden and					
Materials Interva	<u>al</u>				
Formation ID:		931452335			
Layer:		5			
Color:		3			
General Color:		BLUE			
Mat1:		11			
Most Common I	Material:	GRAVEL			
Mat2:					
Mat2 Desc: Mat3:		FINE SAND			
Mat3 Desc:					
Formation Top I	Depth:	52.0			

• •	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Formation End		57.0 ft			
<u>Overburden and</u> <u>Materials Interva</u>					
Formation ID:		931452331			
Layer: Color:		1			
General Color:		00			
Mat1: Most Common I Mat2:	Material:	02 TOPSOIL			
Mat2. Mat2 Desc: Mat3:					
Mat3 Desc:					
Formation Top I		0.0			
Formation End I Formation End I	Depth: Depth UOM:	2.0 ft			
Annular Space// Sealing Record					
Plug ID:		933140138			
Layer:		1			
Plug From:		0.0			
Plug To:		35.0			
Plug Depth UON	<i>n:</i>	ft			
<u>Method of Cons</u> <u>Use</u>	truction & Well				
Method Constru		962808624			
Method Constru Method Constru Other Method C	iction:	1 Cable Tool			
Pipe Information	2				
Pipe ID:		10703451			
Casing No:		1			
Comment: Alt Name:					
Construction Re	ecord - Casing				
Casing ID:		930263541			
Layer:		1			
Material: Open Hole or Ma	atorial	1 STEEL			
Depth From:		OILLL			
Depth To:		52.0			
Casing Diamete Casing Diamete	r: r UOM:	6.0 inch			
Casing Diamete Casing Depth U		ft			
Construction Re	ecord - Screen				
Screen ID:		933339054			
Layer:		1			
Slot:		018			

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Top D		53.0			
Screen End L		57.0			
Screen Mater					
Screen Depth		ft			
Screen Diam		inch			
Screen Diam	eter:	6.0			
<u>Results of We</u>	ell Yield Testing				
Pump Test ID Pump Set At:		992808624			
Static Level: Final Level A	fter Pumping:	19.0			
Recommende Pumping Rat Flowing Rate		10.0			
Recommende	ed Pump Rate:				
Levels UOM: Rate UOM:		ft GPM			
Water State A Water State A	After Test Code: After Test:				
Pumping Tes		1			
Pumping Dur	ration HR:	4			
Pumping Dur	ration MIN:	0			
Flowing:		No			
<u>Draw Down &</u>	Recovery				
Pump Test D	etail ID:	934447086			
Test Type:		Draw Down			
Test Duration	1:	30			
Test Level:		40.0			
Test Level U	ОМ:	ft			
Draw Down &	Recovery				
Pump Test D	etail ID:	934182346			
Test Type:		Draw Down			
Test Duration	1:	15			
Test Level:		27.0			
Test Level U	ОМ:	ft			
<u>Draw Down &</u>	Recovery				
Pump Test D	etail ID:	934714947			
Test Type:		Draw Down			
Test Duration	ı:	45			
Test Level:		40.0			
Test Level U	ОМ:	ft			
<u>Draw Down &</u>	Recovery				
Pump Test D	etail ID:	934976279			
Test Type:		Draw Down			
Test Duration	ı:	60			
Test Level:		40.0			
Test Level U	ОМ:	ft			
Water Details	2				

Water ID:

ecords	Distance (m) (m)			
	1				
	1				
	FRESH				
th:	-				
th UOM:	ft				
1	NNE/132.1	182.9 / -6.91	lot 10 con 7 ON		WW
2803752			Data Entry Status:	1	
-	innly		•	INGE	
Water Su	ppiy			2627	
				I	
had					
noa:			•	-	
•				MILTON TOWN (TRAFALGAR)	
				04.0	
:					
a a lui				-	
DCK:				IN5	
			0		
1:					
			UTW Reliability:		
	https://d2khazk8e	83rdv.cloudfront.ne	et/moe_mapping/downloads	s/2Water/Wells_pdfs/280\2803752.pdf	
<u>s) (Map)</u>					
Date:	1971/08/12				
		253			
	280\2803752.pdf				
ation					
10150284	4		Elevation:		
				17	
				4822061.00	
				4	
	074 00 00 00				
12-Aug-1	971 00:00:00			5	
			Location Method:	p4	
Date:					
ation Source:					
ation Method:					
ation Method: Comment: ht:					
	f 1 2803752 e: Irrigation 0 Water Su hod: ity: cock: I: bate: hod: 10150284	th:: 53.0 th UOM: ft F1 NNE/132.1 2803752 e: Irrigation 0 Water Supply hod: ity: : ock: I: https://d2khazk8e s) (Map) 1971/08/12 Pate: 1971/08/12 1971 7.9248 43.545375585488 -79.81654254102 280\2803752.pdf	FRESH th: 53.0 th UOM: ti 1 NNE/132.1 182.9/-6.91 2803752 e: Irrigation 0 Water Supply hod: ity: : oock: I: https://d2khazk8e83rdv.cloudfront.ne s) (Map) Pate: 1971/08/12 1971 7.9248 43.5453755854897 -79.8165425410253 280\2803752.pdf ation 10150284	th: 53.0 th UOM: t 1 NNE/132.1 182.9/-6.91 lot 10 con 7 2803752 Data Entry Status: Data Entry Status: Data Erc: Data Src: Data Erc: Data Src: Data Erc: Data Src: Data Entry Status: Data Entry Statu	FRESH th:: 53.0 53.0 53.0 53.0 th:: S3.0 53.0 th:: NNE/132.1 182.9 / -6.91 0N lot 10 con 7 0N 2803752 b:: Data Entry Status: Data Sc:: 1 14/14/1972 b:: Data Received: 0 Water Supply 4/14/1972 Water Supply Bate Received: Contractor: 3637 Form Version: 1 Owner: Street Name: County: HALTON hod: County: HALTON Municipality: Multipality: th: Concession: 07 Ordination: NS concession: 07 Concession: 07 Ordination: stit Street Name: Concession: 07 Ordination: NS statis Northing NAD83: Zone: Concession: 07 Street Name: NS statis 1971/08/12 1971 T.9248 Street Name: NS Street Name: NS statis 1971/08/12 1971 T.9248 Street Name: NS Street Name: NS statist 1971/08/12 1971 T.

Materials Interval

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID: Layer: Color: General Color Mat1: Most Commo Mat2: Mat2 Desc: Mat3 Desc: Formation To Formation En	r: n Material: p Depth:	931433113 3 2 GREY 05 CLAY 13 BOULDERS 09 MEDIUM SAND 6.0 26.0 ft			
<u>Overburden a</u> <u>Materials Inte</u>					
Formation ID: Layer: Color: General Color Mat1: Most Commo Mat2: Mat2 Desc: Mat3: Mat3 Desc: Formation To Formation En	r: n Material: p Depth:	931433111 1 8 BLACK 02 TOPSOIL 0.0 1.0 ft			
<u>Overburden a</u> <u>Materials Inte</u>					
Formation ID: Layer: Color: General Color Mat1: Most Commo Mat2: Mat2 Desc: Mat3 Desc: Formation To Formation En	r: n Material: p Depth:	931433112 2 GREY 05 CLAY 1.0 6.0 ft			
<u>Method of Co</u> <u>Use</u>	nstruction & Well				
Method Cons	truction Code:	962803752 6 Boring			
<u>Pipe Informat</u>	ion				
Pipe ID: Casing No: Comment: Alt Name:		10698854 1			

80

_

Construction Record - Casing

Casing ID:	930255561
Layer:	1
Material:	3
Open Hole or Material:	CONCRETE
Depth From:	
Depth To:	26.0
Casing Diameter:	30.0
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

Results of Well Yield Testing

Pump Test ID:	992803752
Pump Set At:	
Static Level:	4.0
Final Level After Pumping:	26.0
Recommended Pump Depth:	24.0
Pumping Rate:	30.0
Flowing Rate:	
Recommended Pump Rate:	
Levels UOM:	ft
Rate UOM:	GPM
Water State After Test Code:	
Water State After Test:	
Pumping Test Method:	1
Pumping Duration HR:	0
Pumping Duration MIN:	25
Flowing:	No

Draw Down & Recovery

Pump Test Detail ID:	934451251
Test Type:	Recovery
Test Duration:	30
Test Level:	24.0
Test Level UOM:	ft

Draw Down & Recovery

Pump Test Detail ID:	934710453
Test Type:	Recovery
Test Duration:	45
Test Level:	22.0
Test Level UOM:	ft

Draw Down & Recovery

Pump Test Detail ID:	934970767
Test Type:	Recovery
Test Duration:	60
Test Level:	21.0
Test Level UOM:	ft

Draw Down & Recovery

Pump Test Detail ID:	
Test Type:	
Test Duration:	

Map Key	Number Record			lev/Diff n)	Site	DB
Test Level: Test Level U	OM:	24.0 ft				
Water Detail:	<u>s</u>					
Water ID: Layer: Kind Code: Kind: Water Found Water Found		93360628 1 1 FRESH 5.0 // : ft	31			
Water Detail:	<u>s</u>					
Water ID: Layer: Kind Code: Kind: Water Found Water Found		93360628 2 1 FRESH 24.0 //: ft	32			
<u>20</u>	1 of 4	E/135.1	18	80.9 / -9.00	Radha Soami Society Beas Canada 6566 Sixth Line RR#1, Hornby Halton Hills ON	ECA
Approval No Approval Da Status: Record Type Link Source: SWP Area Na Approval Typ Project Type Business Na Address: Full Address Full Address Full PDF Lind PDF Site Loo	te: ame: pe: :: :: :: :: k:	MUNICIP Radha So 6566 Sixt	NICIPAL AND AL AND PRIV pami Society B h Line RR#1, I	ATE SEWAG eas Canada Hornby	MOE District: City: Longitude: Latitude: Geometry X: Geometry Y: WAGE WORKS E WORKS E WORKS	
<u>20</u>	2 of 4	E/135.1	18	20.9 / -9.00	Radha Soami Society Beas Canada 6566 Sixth Line Halton Hills Regional Municipality of Halton TOWN OF HALTON HILLS ON	EBR
EBR Registr Ministry Ref Notice Type: Notice Stage Notice Date: Proposal Dat	No: :	012-7542 0890-A8TJZV Instrument Decision August 24, 2016 May 05, 2016	1		Decision Posted: Exception Posted: Section: Act 1: Act 2: Site Location Map:	
Year: Instrument T Off Instrume Posted By:		2016 (EPA Par	t II.1-sewage)	- Environmen	tal Compliance Approval (project type: sewage)	
Company Na Site Address Location Oth Proponent N	s: ner:	Radha So	oami Society B	eas Canada		
Proponent A Comment Pe URL:	ddress:	6566 Sixt	h Line, Rural F	Route Delivery	/ 1, Halton Hills Ontario, Canada L0P 1E0	

Map Key	Number of	Direction/	Elev/Diff	Site
	Records	Distance (m)	(m)	

Site Location Details:

6566 Sixth Line Halton Hills Regional Municipality of Halton TOWN OF HALTON HILLS

	3 of 4	E/135.1	180.9 / -9.00	6566 6th Line Milton ON		SPI
Ref No:		0706-B96PX7		Discharger Report:		
Site No:		NA		Material Group:		
ncident Dt:		2019/02/07		Health/Env Conseq:	2 - Minor Environment	
Year:				Client Type:		
ncident Ca	use:			Sector Type:	Miscellaneous Communal	
ncident Eve	ent:	Leak/Break		Agency Involved:		
Contaminar	nt Code:	44		Nearest Watercourse:		
Contaminar	nt Name:	SEWAGE, RAW UNCHLO	RINATED	Site Address:	6566 6th Line	
Contaminar	nt Limit 1:			Site District Office:	Halton-Peel	
Contam Lin	nit Frea 1:			Site Postal Code:		
Contaminar	nt UN No 1:	n/a		Site Region:	Central	
Environmer	nt Impact:			Site Municipality:	Milton	
Nature of In	•			Site Lot:		
Receiving N	•			Site Conc:		
Receiving E		Land		Northing:	4821145.38	
NOE Respo		No		Easting:	596361.8	
Dt MOE Arv		-		Site Geo Ref Accu:		
MOE Repor		2019/02/07		Site Map Datum:		
Dt Documer		2010/02/01		SAC Action Class:	Land Spills	
Incident Rea		Unknown / N/A		Source Type:	Sewage Treatment	
Site Name:	a3011.		ciety Beas Canada<		Sewage meatment	
Site Name.	/District	Regional Munici				
Site County Site Geo Re		Regional Munici	bailty of Flatton			
Incident Su		Radha Soami So	ciety Beas Canada -	Sentage Breakout		
Contaminar		0 other - see inci		Septage Dieakout		
<u>20</u>	4 of 4	E/135.1	180.9 / -9.00	Radha Soami Society 6566 Sixth Line	Beas Canada	EC
				Milton ON LOP 1E0		
Approval No		2554-BGULUS		MOE District:	Halton-Peel	
Approval Da	ate:	2019-10-28		City:		
Status:		Approved		Longitude:	-79.81402	
Record Typ		ECA		Latitude:	43.538414	
Link Source		IDS		Geometry X:		
SWP Area N		Halton		Geometry Y:		
Approval Ty	ype:		L AND PRIVATE SE			
Project Typ	e:	MUNICIPAL ANI	D PRIVATE SEWAG	E WORKS		
	ame:	Radha Soami So	ciety Beas Canada			
Business N		6566 Sixth Line				
Business N Address: Full Addres	s:					
Address: Full Addres		https://www.acce	essenvironment.ene.	gov.on.ca/instruments/7435-	BFFM9M-14.pdf	
Address: Full Addres Full PDF Lir	nk:	https://www.acce	essenvironment.ene.	gov.on.ca/instruments/7435-	BFFM9M-14.pdf	
Address:	nk:	https://www.acce	essenvironment.ene.	gov.on.ca/instruments/7435-	BFFM9M-14.pdf	
Address: Full Addres Full PDF Lir	nk:	https://www.acce S/135.6	essenvironment.ene. <u>(</u> 190.9 / 1.00	gov.on.ca/instruments/7435- 5208 Highway 25 & 52 Milton ON		EH
Address: Full Addres Full PDF Lin PDF Site Lo <u>21</u>	nk: ocation:	S/135.6		5208 Highway 25 & 52 Milton ON		EHS
Address: Full Addres Full PDF Lin PDF Site Lo <u>21</u> Order No:	nk: ocation:	S/135.6 20060512018		5208 Highway 25 & 52 Milton ON Nearest Intersection:	215 First Line	EH
Address: Full Addres Full PDF Lin PDF Site Lo <u>21</u> Order No: Status:	nk: ocation: 1 of 1	S/135.6 20060512018 C		5208 Highway 25 & 52 Milton ON Nearest Intersection: Municipality:	2 15 First Line Halton	EH
Address: Full Addres Full PDF Lin PDF Site Lo <u>21</u>	nk: ocation: 1 of 1 e:	S/135.6 20060512018		5208 Highway 25 & 52 Milton ON Nearest Intersection:	215 First Line	EH

DB

Map Key	Number Records		Elev/Diff (m)	Site		DB
Previous Sit Lot/Building Additional Ir	Size:	Fire Insur. Maps an	d/or Site Plans	Y:	43.532921	
22	1 of 1	WSW/139.2	191.9/2.00	Derry Rd, 200 m east Milton ON	of Fifth Line	SPL
Ref No: Site No: Incident Dt:		7063-6BRTT5 4/23/2005		Discharger Report: Material Group: Health/Env Conseq:	0 Oil	
Year: Incident Cau Incident Eve Contaminan Contaminan	ent: t Code:	Overturn - Truck Or Trailer		Client Type: Sector Type: Agency Involved: Nearest Watercourse: Site Address:	Other	
Contaminan Contam Lim Contaminan	t Limit 1: it Freq 1: t UN No 1:	Possible		Site Address: Site District Office: Site Postal Code: Site Region:	Halton-Peel	
Environmen Nature of Im Receiving M Receiving E MOE Respon Dt MOE Arvl MOE Report	pact: ledium: nv: nse: l on Scn:	Vossible Soil Contamination Land 4/23/2005		Site Municipality: Site Lot: Site Conc: Northing: Easting: Site Geo Ref Accu: Site Map Datum:	Milton	
Dt Documen Incident Rea Site Name: Site County/ Site Geo Rei Incident Sun Contaminan	t Closed: ison: District: f Meth: nmary:	Other - Reason not otherwise MVA on Derry Rd< MVA: gas onto road	UNOFFICIAL>	Site Map Datum. SAC Action Class: Source Type:	Spill to Highway (Accident)	
23	1 of 1	NNW/143.1	189.9 / 0.00	11801 Derry Road Milton ON L9T 7J5		EHS
Order No: Status: Report Type Report Date. Date Receive Previous Sit Lot/Building Additional Ir	: ed: re Name: size:	21081200067 C Standard Report 17-AUG-21 12-AUG-21		Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	ON .25 -79.8220973 43.5444616	
<u>24</u>	1 of 1	ENE/157.0	182.7/-7.17	lot 10 con 7 ON		wwis
Well ID: Construction Primary Wat Sec. Water U Final Well St Water Type: Casing Mate Audit No: Tag: Construction Elevation (m Elevation Re	rer Use: Jse: tatus: prial: n Method: n):	2807985 Domestic Water Supply 093638		Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info:	1 5/13/1992 TRUE 3030 1 HALTON MILTON TOWN (TRAFALGAR)	

erisinfo.com | Environmental Risk Information Services

Order No: 22060101061

	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site		D
Depth to Bedri Well Depth: Overburden/E Pump Rate: Static Water L Flowing (Y/N) Flow Rate: Clear/Cloudy:	Bedrock: Level: I:			Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	010 07 NS	
PDF URL (Ma		https://d2khazk8e83	rdv.cloudfront.ne	et/moe_mapping/downloads	/2Water/Wells_pdfs/280\2807985.pdf	
Additional De	tail(s) (Map)					
Well Complet Year Complet Depth (m): Latitude: Longitude: Path:	ed Date:	1992/04/21 1992 10.668 43.5437457922172 -79.8139316707287 280\2807985.pdf				
Bore Hole Infe	ormation					
Bore Hole ID: DP2BR: Spatial Status Code OB: Code OB Des Open Hole: Cluster Kind:	s: c:			Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC:	17 595818.00 4821883.00 3	
Remarks: Elevrc Desc: Location Sou Improvement Improvement Source Revis	rce Date: Location Source: Location Method: ion Comment:	-1992 00:00:00		UTMRC Desc: Location Method:	margin of error : 10 - 30 m gps	
Remarks: Elevrc Desc: Location Sou. Improvement Improvement Source Revis. Supplier Com	rce Date: Location Source: Location Method: ion Comment: ament: and Bedrock	-1992 00:00				
Improvement Source Revis Supplier Com <u>Overburden a</u> <u>Materials Inte</u> Formation ID: Layer: Color: General Colon Mat1: Most Commo. Mat2: Mat2 Desc: Mat3 Desc: Formation To	rce Date: Location Source: Location Method: ion Comment: ionent: and Bedrock arval r: n Material:	931449699 4 6 BROWN 05 CLAY 6.0				
Remarks: Elevrc Desc: Location Soul Improvement Source Revis Supplier Com <u>Overburden a</u> <u>Materials Inte</u> Formation ID: Layer: Color: General Colon Mat1: Most Commo Mat2: Mat2 Desc: Mat3 Desc: Formation To Formation En Formation En	rce Date: Location Source: Location Method: ion Comment: ment: and Bedrock rval r: n Material: n Material: p Depth: nd Depth: nd Depth UOM:	931449699 4 6 BROWN 05 CLAY				
Remarks: Elevrc Desc: Location Sour Improvement Source Revis Supplier Com <u>Overburden a</u> <u>Materials Inte</u> Formation ID: Layer: Color: General Color Mat1: Most Commo Mat2: Mat2 Desc: Mat3 Desc: Formation To Formation En	rce Date: Location Source: Location Method: ion Comment: ment: and Bedrock rval r: n Material: p Depth: d Depth: d Depth: d Depth UOM: and Bedrock rval	931449699 4 6 BROWN 05 CLAY 6.0 10.0				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	D
Mat1:		06			
Most Commor	n Material:	SILT			
Mat2:		12			
Mat2 Desc:		STONES			
Mat3:					
Mat3 Desc:	- Dawith	00.0			
Formation Top		23.0			
Formation End Formation End	d Depth UOM:	30.0 ft			
<u>Overburden al</u> Materials Inter					
Formation ID:		931449698			
Layer:		3			
Color:		6			
General Color	:	BROWN			
Mat1:		08			
Most Commor	n Material:	FINE SAND			
Mat2: Mat2 Desc: Mat3:		91 WATER-BEARING			
Mat3 Desc:					
Formation Top	o Depth:	5.0			
Formation End		6.0			
	d Depth UOM:	ft			
Overburden al Materials Inter					
Formation ID:		931449700			
Layer:		5			
Color:		3			
General Color	:	BLUE			
Mat1:		06			
Most Commor	n Material:	SILT			
Mat2: Mat2 Daga:					
Mat2 Desc: Mat3:					
Mat3 Desc:					
Formation Top	o Depth:	10.0			
Formation End		16.0			
Formation End	d Depth UOM:	ft			
<u>Overburden a</u> Materials Inter	<u>nd Bedrock</u> <u>val</u>				
Formation ID:		931449701			
Layer:		6			
Color:		7			
General Color	:	RED			
Mat1:		05			
Most Commor	n Material:	CLAY			
Mat2: Mat2 Desc:		28 SAND			
Mat2 Desc: Mat3:		SAND 74			
Mat3: Mat3 Desc:		LAYERED			
Formation Top	o Depth:	16.0			
Formation End	d Depth:	23.0			

Overburden and Bedrock

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Materials Inte	erval				
Formation ID Layer: Color: General Colo		931449697 2 6 BROWN			
Mat1: Most Commo Mat2:		05 CLAY 81			
Mat2 Desc: Mat3: Mat3 Desc:		SANDY			
Formation To Formation Er Formation Er		1.0 5.0 ft			
<u>Overburden a</u> <u>Materials Inte</u>					
Formation ID Layer: Color:		931449696 1			
General Colo Mat1: Most Commo Mat2: Mat2 Desc: Mat3:		02 TOPSOIL			
<i>Mat3 Desc: Formation To Formation Er Formation Er</i>		0.0 1.0 ft			
<u>Overburden a</u> Materials Inte					
Formation ID Layer: Color: General Colo Mat1: Most Commo Mat2: Mat2 Desc: Mat3:	r:	931449703 8 2 GREY 28 SAND 11 GRAVEL			
<i>Mat3 Desc: Formation To</i> Formation Er		30.0 32.0 ft			
<u>Overburden a</u> <u>Materials Inte</u>					
Formation ID Layer: Color: General Colo Mat1: Most Commo Mat2: Mat2 Desc: Mat3 Desc:	r:	931449704 9 7 RED 05 CLAY			

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation To Formation Er		32.0 35.0			
	nd Depth UOM:	ft			
<u>Method of Co</u> <u>Use</u>	onstruction & Well				
Method Cons		962807985			
Method Cons	struction Code: struction: d Construction:	6 Boring			
Pipe Informa	tion				
Pipe ID: Casing No: Comment: Alt Name:		10702812 1			
<u>Construction</u>	Record - Casing				
Casing ID:		930262394			
Layer:		1			
Material: Open Hole or	· Material:	3 CONCRETE			
Depth From:					
Depth To:		35.0			
Casing Diame Casing Diame		36.0 inch			
Casing Depth		ft			
<u>Results of W</u>	ell Yield Testing				
Pump Test ID		992807985			
Pump Set At:		10.0			
Static Level: Final I evel A	fter Pumping:	10.0			
	ed Pump Depth:	33.0			
Flowing Rate					
Recommende	ed Pump Rate:	2.0			
Levels UOM:		ft			
Rate UOM: Water State A	After Test Code:	GPM			
Water State A					
Pumping Tes					
Pumping Dur	ration HR:				
Pumping Dur Flowing:		No			
Water Details	2				
Water ID:		933611657			
Layer:		1			
Kind Code:					
Kind: Water Found	Depth:	FRESH 5.0			
	Depth UOM:	ft			

Water Details

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water ID:		933611659			
Layer:		3			
Kind Code:		1			
Kind:		FRESH			
Water Found	Depth:	16.0			
Water Found	Depth UOM:	ft			
Water Details	5				
Water ID:		933611658			
Layer:		2			
Kind Code:		1			
Kind:		FRESH			
Water Found	Depth:	10.0			
	Depth UOM:	ft			
Water Details	5				
Water ID:		933611660			
Layer:		4			
Kind Code:		1			
Kind:		FRESH			
Water Found	Depth:	30.0			
	Depth UOM:	ft			

<u>25</u>	1 of 1	W/166.5	190.3 / 0.40	lot 11 con 6 ON		wwis
Well ID:		2802604		Data Entry Status:		
Constructi	on Date:			Data Src:	1	
Primary Wa	ater Use:	Livestock		Date Received:	8/16/1966	
Sec. Water	Use:	Domestic		Selected Flag:	TRUE	
Final Well	Status:	Water Supply		Abandonment Rec:		
Water Type	ə:			Contractor:	1308	
Casing Ma	terial:			Form Version:	1	
Audit No:				Owner:		
Tag:				Street Name:		
Constructi	on Method:			County:	HALTON	
Elevation (m):			Municipality:	MILTON TOWN (TRAFALGAR)	
Elevation F	Reliability:			Site Info:		
Depth to B	edrock:			Lot:	011	
Well Depth	:			Concession:	06	
Overburde	n/Bedrock:			Concession Name:	NS	
Pump Rate):			Easting NAD83:		
Static Wate	er Level:			Northing NAD83:		
Flowing (Y	/N):			Zone:		
Flow Rate:				UTM Reliability:		
Clear/Clou	dy:					
PDF URL (I	Map):	https://d2khazk8	3e83rdv.cloudfront.net	t/moe_mapping/downloads	/2Water/Wells_pdfs/280\2802604.pdf	

Additional Detail(s) (Map)

Well Completed Date: Year Completed:	1966/06/12 1966
Depth (m):	9.144
Latitude:	43.5402336071198
Longitude:	-79.8269659990413
Path:	280\2802604.pdf

Bore Hole Information

	nber of ords	Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: Remarks: Elevrc Desc: Location Source Da Improvement Locati Improvement Locati Source Revision Co Supplier Comment:	ion Source: ion Method:	6 00:00:00		Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc: Location Method:	17 594770.50 4821478.00 5 margin of error : 100 m - 300 m p5	
Overburden and Be Materials Interval	<u>drock</u>					
Formation ID: Layer: Color: General Color: Mat1: Most Common Mate Mat2: Mat2 Desc: Mat3: Mat3 Desc: Formation Top Dept Formation End Dept Formation End Dept	2 6 6 0 0 0 0 0 0 1 1 E 1 5 6 5 6 6 7 6 7 6 7 8 7 8 8 7 8 8 8 8 8 8 8 8	BROWN 55 CLAY 3 BOULDERS 0.0				
<u>Overburden and Beat Materials Interval</u>	drock					
Formation ID: Layer: Color: General Color: Mat1: Most Common Mate Mat2: Mat2 Desc: Mat3: Formation Top Dept Formation End Dept Formation End Dept	3 6 brial: C th: 6 th: 9	BROWN 15 CLAY 6.0				
<u>Overburden and Beat Materials Interval</u>	<u>drock</u>					
Formation ID: Layer: Color: General Color: Mat1: Most Common Mate Mat2: Mat2 Desc: Mat3: Mat3 Desc:	4 3 E 0					

_

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation To	op Depth:	9.0			
Formation El	nd Depth: nd Depth UOM:	21.0 ft			
Overburden Materials Inte	and Bedrock erval				
Formation ID):	931429033			
Layer: Color:		6 7			
General Colo	or:	RED			
Mat1:		17			
Most Commo Mat2:	on Material:	SHALE			
Mat2 Desc:					
Mat3:					
Mat3 Desc: Formation To	on Denth	29.0			
Formation E	nd Depth:	30.0			
Formation E	nd Depth UOM:	ft			
<u>Overburden</u> Materials Inte	and Bedrock erval				
Formation ID);	931429028			
Layer:		1			
Color: General Colo					
Mat1:	и.	02			
Most Commo	on Material:	TOPSOIL			
Mat2:					
Mat2 Desc: Mat3:					
Mat3 Desc:					
Formation To		0.0 2.0			
Formation El Formation El	nd Depth UOM:	ft			
<u>Overburden</u> Materials Inte	and Bedrock erval				
Formation ID):	931429032			
Layer:	-	5			
Color: General Colo	. <i></i>				
Mat1:	or:	09			
Most Commo	on Material:	MEDIUM SAND			
Mat2:		13 BOULDERS			
Mat2 Desc: Mat3:		BOULDERS			
Mat3 Desc:					
Formation To		21.0 29.0			
Formation El Formation El	nd Depth: nd Depth UOM:	ft			
<u>Method of Co</u> <u>Use</u>	onstruction & Well				
	, , . . -	000000004			
Method Cons Method Cons	struction ID: struction Code:	962802604 6			
Method Cons		Boring			
Other Metho	d Construction:	-			

Pipe Information

Pipe ID:	10697723
Casing No:	1
Comment:	
Alt Name:	

Construction Record - Casing

Casing ID:	930253799
Layer:	1
Material:	3
Casan Hala ar Material:	CONCRETE
<i>Open Hole or Material: Depth From: Depth To:</i>	30.0
Casing Diameter:	30.0
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

Results of Well Yield Testing

Pump Test ID:	992802604
Pump Set At: Static Level:	10.0
Final Level After Pumping:	28.0
Recommended Pump Depth:	28.0
Pumping Rate:	2.0
Flowing Rate:	
Recommended Pump Rate:	2.0
Levels UOM:	ft
Rate UOM:	GPM
Water State After Test Code:	1
Water State After Test:	CLEAR
Pumping Test Method:	1
Pumping Duration HR:	0
Pumping Duration MIN:	30
Flowing:	No

Water Details

Water ID:	933604710
Layer:	1
Kind Code:	1
Kind:	FRESH
Water Found Depth:	30.0
Water Found Depth UOM:	ft
•	

<u>26</u>	1 of 1	NE/183.9	182.8 / -7.03	lot 10 con 7 ON		wwis
Well ID:		2806291		Data Entry Status:		
Constructi	on Date:			Data Src:	1	
Primary Wa	ater Use:	Domestic		Date Received:	5/10/1985	
Sec. Water				Selected Flag:	TRUE	
Final Well	Status:	Water Supply		Abandonment Rec:		
Water Type	e:			Contractor:	4005	
Casing Ma	terial:			Form Version:	1	
Audit No:				Owner:		
Tag:				Street Name:		
Constructi	on Method:			County:	HALTON	
Elevation (m):			Municipality:	MILTON TOWN (TRAFALGAR)	

	mber of cords	Direction/ Distance (m)	Elev/Diff (m)	Site	
Elevation Reliability Depth to Bedrock: Well Depth: Overburden/Bedroo Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:				Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	010 07 NS
PDF URL (Map):		https://d2khazk8e83	rdv.cloudfront.ne	et/moe_mapping/downloads	s/2Water/Wells_pdfs/280\2806291.pdf
Additional Detail(s)	<u>(Map)</u>				
Well Completed Da Year Completed: Depth (m): Latitude: Longitude: Path:	te:	1985/04/18 1985 17.9832 43.5440057032087 -79.8138151696632 280\2806291.pdf			
Bore Hole Informat	ion				
Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: Remarks: Elevrc Desc: Location Source Da Improvement Location	ate: tion Source:	57 1985 00:00:00		Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc: Location Method:	17 595827.00 4821912.00 3 margin of error : 10 - 30 m gps
Source Revision Co Supplier Comment: Overburden and Be	omment:				
Materials Interval Formation ID: Layer: Color: General Color: Mat1: Most Common Mate Mat2: Mat2 Desc: Mat3: Mat3 Desc: Formation Top Dep Formation Ford Den	th:	931442229 2 GREY 05 CLAY 77 LOOSE 12.0			
Formation End Dep Formation End Dep <u>Overburden and Be</u> <u>Materials Interval</u>	oth UOM:	29.0 ft			
Formation ID: Layer: Color:		931442230 3 2			

DB

	umber of ecords	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
General Color:		GREY			
Mat1:		28			
Most Common M	aterial:	SAND			
Mat2: Mat2 Desc:		11 GRAVEL			
Matz Desc: Mat3:		TT GRAVEL			
Mat3: Mat3 Desc:		LOOSE			
	onthe	29.0			
Formation Top D Formation End D	eptn:	30.0			
Formation End D		ft			
<u>Overburden and</u> <u>Materials Interva</u>					
Formation ID:		931442228			
Layer: Color:		1 6			
General Color:		6 BROWN			
Mat1:		05			
Most Common M	atorial.	CLAY			
Mat2:	ateridi.	77			
Mat2 Desc:		LOOSE			
Mat2 Desc. Mat3:		LOOOL			
Mat3 Desc:					
Formation Top D	enth [.]	0.0			
Formation End D	epth:	12.0			
Formation End D		ft			
Materials Interva Formation ID: Layer: Color: General Color: Mati:	l	931442232 5 2 GREY 11			
Mat1:		11 GRAVEL			
Most Common M Mat2:	ateriai:	28			
Mat2 Desc:		SAND			
Mat2: Desc. Mat3:		77			
Mat3 Desc:		LOOSE			
Formation Top D	epth:	58.0			
Formation End D	epth:	59.0			
Formation End D	epth UOM:	ft			
<u>Overburden and</u> Materials Interva					
Formation ID:		931442231			
Layer:		4			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common M	laterial:	CLAY			
Mat2:		77			
Mat2 Desc:		LOOSE			
Mat3:					
Mat3 Desc:					
Formation Top D		30.0			
Formation End D Formation End D		58.0			
Lormotion End D	onth UOM	ft			

	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Method of Cons</u> <u>Use</u>	struction & Well				
Method Constru Method Constru		962806291 1			
Method Constru Method Constru		Cable Tool			
Other Method C					
Pipe Informatio	<u>n</u>				
Pipe ID:		10701137			
Casing No:		1			
<i>Comment: Alt Name:</i>					
Construction R	ecord - Casing				
Casing ID:		930259376			
Layer:		1 1			
Material: Open Hole or M	laterial ·	STEEL			
Depth From:	atoman	0.222			
Depth To:		59.0			
Casing Diamete Casing Diamete		6.0 inch			
Casing Depth U		ft			
Results of Well	<u>Yield Testing</u>				
Pump Test ID:		992806291			
Pump Set At:		10.0			
Static Level: Final Level Afte	r Pumpina:	16.0 30.0			
Recommended		52.0			
Pumping Rate:		8.0			
Flowing Rate:		7.0			
Recommended Levels UOM:	Pump Rate:	7.0 ft			
Rate UOM:		GPM			
Water State After		2			
Water State Afte Pumping Test N		CLOUDY 2			
Pumping Test N Pumping Durati	ion HR:	2			
Pumping Durati	ion MIN:	30			
Flowing:		No			
<u>Draw Down & R</u>	<u>ecovery</u>				
Pump Test Deta	ail ID:	934174529			
Test Type:		Recovery			
Test Duration: Test Level:		15 30.0			
Test Level UOM	1:	ft			
Draw Down & R	ecovery				
Pump Test Deta	ail ID:	934717100			
Test Type:		Recovery			

Pump Test Detail ID:	93471710
Test Type:	Recovery
Test Duration:	45
Test Level:	30.0
Test Level UOM:	ft

Map Key	Number Records		Elev/Diff (m)	Site		DB
<u>Draw Down</u>	& Recovery					
Pump Test I Test Type: Test Duratio Test Level: Test Level L	on:	934969290 Recovery 60 30.0 ft				
<u>Draw Down</u>	<u>& Recovery</u>					
Pump Test I Test Type: Test Duratio Test Level: Test Level U	on:	934449170 Recovery 30 30.0 ft				
Water Detail	ls					
Water ID: Layer: Kind Code: Kind: Water Found Water Found		933609548 1 FRESH 59.0 //: ft				
<u>27</u>	1 of 1	NNW/184.7	189.9 / 0.00	n/a Milton ON		EHS
Order No: Status: Report Type Report Date Date Receiv Previous Sit Lot/Building Additional In	: ed: te Name:	20140109063 C Standard Report 20-JAN-14 09-JAN-14 19 Acres		Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	ON .25 -79.822444 43.544749	
<u>28</u>	1 of 1	W/220.1	190.8 / 0.94	11319 Derry Road lot Milton ON	t 11 con 6	WWIS
Well ID: Constructio Primary Wat Sec. Water I Final Well S Water Type: Casing Mate Audit No: Tag: Constructio Elevation (n Elevation (n Elevation Re Depth to Be Well Depth: Overburden Pump Rate: Static Wate Flowing (Y/I) Flow Rate: Clear/Cloud	ter Use: Use: tatus: erial: n Method: n): eliability: drock: /Bedrock: /Bedrock: V):	7375667 Monitoring Observation Wells UF88ZRGP A308318		Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	12/7/2020 TRUE 7472 9 11319 Derry Road HALTON MILTON TOWN (TRAFALGAR) 011 06 NS	

Bore Hole Information

Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: Remarks: Elevrc Desc: Location Source Date: Improvement Location S	1008525893 12-Nov-2020 00:00:00	Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc: Location Method:	17 594720.00 4821500.00 UTM83 4 margin of error : 30 m - 100 m wwr
--	------------------------------------	---	--

Overburden and Bedrock

Improvement Location Method: Source Revision Comment: Supplier Comment:

Materials Interval

Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Mat2 Desc:	1008526038 1 2 GREY 05 CLAY
Mat3:	79
Mat3 Desc:	PACKED
Formation Top Depth:	0.0
Formation End Depth:	20.0
Formation End Depth UOM:	ft

Annular Space/Abandonment

Sealing Record

Plug ID:	1008526169
Layer:	1
Plug From:	0.0
Plug To:	9.0
Plug Depth UOM:	ft

Annular Space/Abandonment

Sealing Record

Plug ID:	1008526142
Layer:	1
Plug From:	
Plug To:	
Plug Depth UOM:	ft

<u>Annular Space/Abandonment</u> <u>Sealing Record</u>

Plug ID:	1008526170
Layer:	2
Plug From:	9.0
Plug To:	20.0
Plug Depth UOM:	ft

Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site		DB
onstruction & Well					
struction ID: struction Code: struction: d Construction:	1008525993 E Auger				
<u>tion</u>					
	1008525953 0				
Record - Casing					
r Material: eter: eter UOM: h UOM:	1008526092 1 5 PLASTIC 0.0 10.0 2.0 inch ft				
Record - Screen					
Depth: Depth: rial: h UOM: eter UOM:	1008526111 1 10 10.0 20.0 5 ft inch				
	Records Destruction & Well Struction ID: Struction Code: Struction: Construction: Constructi	RecordsDistance (m)onstruction & Well1008525993struction Code: struction:1008525993struction: d Construction:EAuger1008525953o1008525953o100852609215Material:1008526092tion10.0eter:2.0eter:2.0eter:2.0inchfto10085261111100.010.0eter:2.0o1008526111tinchfto10.0o10.0o10.0o10.0o10.0o10.0o10.0o10.0o10.0o10.0o10.0o10.0o10.0o10.0o10.0o10.0o5o000000000000000000000000000000000	Records Distance (m) (m) onstruction & Well	Records Distance (m) (m) onstruction & Well	Records Distance (m) (m) unstruction 8. Well.

Results of Well Yield Testing

Screen Diameter:

Hole Diameter

Hole ID:

1008526125

2.5

	Records	r of s	Direction/ Distance (m)	Elev/Diff (m)	Site		D
Diameter: Depth From: Depth To: Hole Depth UC Hole Diameter		(2 f	7.5 0.0 20.0 t nch				
<u>29</u>	1 of 1		N/221.8	181.8 / -8.06	lot 11 con 7 ON		ww
Well ID:	D (2804053			Data Entry Status:	,	
Construction l Primary Water		Domestic			Data Src: Date Received:	1 3/5/1973	
Sec. Water Us		0			Selected Flag:	TRUE	
Final Well Stat	tus:	Water Sup	ply		Abandonment Rec:		
Nater Type:					Contractor:	3637	
Casing Materia Audit No:	al:				Form Version: Owner:	1	
Tag:					Street Name:		
Construction Elevation (m):					County: Municipality:	HALTON MILTON TOWN (TRAFALGAR)	
Elevation Relia					Site Info:		
Depth to Bedro	ock:				Lot: Concession:	011 07	
Vell Depth: Dverburden/B	edrock [.]				Concession: Concession Name:	NS	
Pump Rate:					Easting NAD83:		
Static Water L					Northing NAD83:		
Flowing (Y/N):	:				Zone:		
Flow Rate: Clear/Cloudy:					UTM Reliability:		
PDF URL (Map Additional Det	-		прѕ.//одкпадкоеоз	stav.ciouaironi.ne	ermoe_mapping/downloads	/2Water/Wells_pdfs/280\2804053.pdf	
Additional Del	lani s/ liviai						
Nell Complete	.,		1972/09/18				
	ed Date:		1972/09/18 1972				
Year Complete Depth (m):	ed Date:						
Year Complete Depth (m): Latitude:	ed Date:		1972 17.0688 13.5461192678254				
Year Complete Depth (m): Latitude: Longitude:	ed Date:		1972 17.0688 13.5461192678254 79.819672189935				
Year Complete Depth (m): Latitude: Longitude: Path:	ed Date: ed:		1972 17.0688 13.5461192678254				
Year Complete Depth (m): Latitude: Longitude: Path: Bore Hole Info	ed Date: ed:	-	1972 17.0688 13.5461192678254 79.819672189935		Elevation		
Year Complete Depth (m): Latitude: Longitude: Path: Bore Hole Info Bore Hole ID:	ed Date: ed:		1972 17.0688 13.5461192678254 79.819672189935		Elevation: Elevrc:		
Year Complete Depth (m): Latitude: Longitude: Path: Bore Hole Info Bore Hole ID: DP2BR:	ed Date: ed: prmation	-	1972 17.0688 13.5461192678254 79.819672189935		Elevation: Elevrc: Zone:	17	
Year Complete Depth (m): Latitude: Longitude: Path: Path: Bore Hole Info Bore Hole ID: DP2BR: Spatial Status. Code OB:	ed Date: ed: <u>prmation</u>	-	1972 17.0688 13.5461192678254 79.819672189935		Elevrc: Zone: East83:	595350.50	
Year Complete Depth (m): Latitude: Longitude: Path: Bore Hole Info Bore Hole ID: DP2BR: Spatial Status. Code OB: Code OB Desc	ed Date: ed: <u>prmation</u>	-	1972 17.0688 13.5461192678254 79.819672189935		Elevrc: Zone: East83: North83:		
Year Complete Depth (m): .atitude: .ongitude: Path: Bore Hole Info Bore Hole ID: DP2BR: Spatial Status. Code OB: Code OB Desc Dpen Hole:	ed Date: ed: <u>prmation</u>	-	1972 17.0688 13.5461192678254 79.819672189935		Elevrc: Zone: East83: North83: Org CS:	595350.50 4822140.00	
Year Complete Depth (m): Latitude: Longitude: Path: Bore Hole Info Bore Hole ID: DP2BR: Spatial Status. Code OB: Code OB Desc Dpen Hole: Cluster Kind:	ed Date: ed: <u>prmation</u> ::	10150579	1972 17.0688 43.5461192678254 79.819672189935 280\2804053.pdf		Elevrc: Zone: East83: North83:	595350.50 4822140.00 4	
Year Complete Depth (m): Latitude: Path: Bore Hole Info Bore Hole ID: DP2BR: Spatial Status. Code OB: Code OB Desc Open Hole: Cluster Kind: Date Complete Remarks:	ed Date: ed: <u>prmation</u> ::	10150579	1972 17.0688 13.5461192678254 79.819672189935		Elevrc: Zone: East83: North83: Org CS: UTMRC:	595350.50 4822140.00	
Year Complete Depth (m): .atitude: .ongitude: Path: Bore Hole Info Bore Hole ID: DP2BR: Spatial Status. Code OB Desc Den Hole: Cluster Kind: Date Complete Remarks: Elevrc Desc:	ed Date: ed: <u>prmation</u> :: c: ed:	10150579	1972 17.0688 43.5461192678254 79.819672189935 280\2804053.pdf		Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc:	595350.50 4822140.00 4 margin of error : 30 m - 100 m	
Year Complete Depth (m): Latitude: Longitude: Path: Bore Hole Info Bore Hole ID: DP2BR: Spatial Status. Code OB Desc Open Hole: Cluster Kind: Date Complete Remarks: Elevrc Desc: Location Sour	ed Date: ed: <u>prmation</u> :: c: ed: rce Date:	10150579 18-Sep-19	1972 17.0688 43.5461192678254 79.819672189935 280\2804053.pdf		Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc:	595350.50 4822140.00 4 margin of error : 30 m - 100 m	
Year Complete Depth (m): Latitude: Longitude: Path: Bore Hole Info Bore Hole ID: DP2BR: Spatial Status. Code OB Desc Dpen Hole: Cluster Kind: Date Complete Remarks: Elevrc Desc: Location Sour mprovement	ed Date: ed: <u>prmation</u> :: c: ed: rce Date: Location S	10150579 18-Sep-19 Source:	1972 17.0688 43.5461192678254 79.819672189935 280\2804053.pdf		Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc:	595350.50 4822140.00 4 margin of error : 30 m - 100 m	
Well Complete Year Complete Depth (m): Latitude: Longitude: Path: Bore Hole Info Bore Hole Info D2BR: Spatial Status. Code OB Spatial Status. Code OB Desc Open Hole: Cluster Kind: Date Complete Remarks: Elevrc Desc: Location Sour Improvement I Source Revisio	ed Date: ed: <u>prmation</u> :: c: ed: rce Date: Location S	10150579 18-Sep-19 Source: Method:	1972 17.0688 43.5461192678254 79.819672189935 280\2804053.pdf		Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc:	595350.50 4822140.00 4 margin of error : 30 m - 100 m	
Year Complete Depth (m): Latitude: Longitude: Path: Bore Hole Info Bore Hole ID: DP2BR: Spatial Status. Code OB Desc Dpen Hole: Cluster Kind: Date Complete Remarks: Elevrc Desc: Location Sour mprovement i	ed Date: ed: ormation c: c: c: c: c: c: c: c: c: c: c: c: c:	10150579 18-Sep-19 Source: Method:	1972 17.0688 43.5461192678254 79.819672189935 280\2804053.pdf		Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc:	595350.50 4822140.00 4 margin of error : 30 m - 100 m	

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		931434283			
Layer:		8			
Color:		2			
General Color	r:	GREY			
Mat1:		05			
Most Commo	n Material:	CLAY			
Mat2:		12			
Mat2 Desc:		STONES			
Mat3:					
Mat3 Desc:					
Formation To	p Depth:	27.0			
Formation En		53.0			
Formation En	d Depth UOM:	ft			
<u>Overburden a</u> <u>Materials Inte</u>					
Formation ID:		931434278			
Layer:		3			
Color:		3			
General Color	r:	BLUE			
Mat1:		05			
Most Commo	n Material:	CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation To	p Depth:	8.0			
Formation En	d Depth:	9.0			
Formation En	d Depth UOM:	ft			
<u>Overburden a</u> <u>Materials Inte</u>					
Formation ID:	•	931434279			
Layer:		4			
Color:		2			
General Color	r:	GREY			
Mat1:		05			
Most Commo	n Material:	CLAY			
Mat2:		28			
Mat2 Desc:		SAND			
Mat3:					
Mat3 Desc:					
Formation To	p Depth:	9.0			
Formation En	d Depth:	15.0			
	d Donth LIOM.	ft			
Formation En	a Depth OOM:				
<u>Overburden a</u>	and Bedrock				
Formation En Overburden a Materials Inte Formation ID:	nd Bedrock rval	931434277			
<u>Overburden a</u> <u>Materials Inte</u> Formation ID:	nd Bedrock rval	931434277 2			
<u>Overburden a</u> <u>Materials Inte</u> Formation ID: Layer:	nd Bedrock rval	2 6			
<u>Overburden a</u> <u>Materials Inte</u> Formation ID: Layer:	nd Bedrock rval	2			
<u>Overburden a</u> <u>Materials Inte</u> Formation ID: Layer: Color:	nd Bedrock rval	2 6			
<u>Overburden a</u> <u>Materials Inte</u> Formation ID: Layer: Color: General Colol	nd Bedrock rval r:	2 6 BROWN			
Overburden a Materials Inte Formation ID: Layer: Color: General Color Mat1: Most Commo	nd Bedrock rval r:	2 6 BROWN 05			
<u>Overburden a</u> <u>Materials Inte</u> Formation ID: Layer: Color: General Color Mat1: Most Commo Mat2:	nd Bedrock rval r:	2 6 BROWN 05			
Overburden a Materials Inte Formation ID: Layer: Color: General Color Mat1: Most Commo Mat2: Mat2 Desc:	nd Bedrock rval r:	2 6 BROWN 05			
Overburden a Materials Inte Formation ID: Layer: Color: General Color Mat1: Most Commo Mat2: Mat2 Desc: Mat3:	nd Bedrock rval r:	2 6 BROWN 05			
Overburden a Materials Inte Formation ID: Layer: Color: General Color Mat1: Most Commo. Mat2: Mat2 Desc: Mat3 Desc:	n <u>d Bedrock</u> <u>rval</u> r: n Material:	2 6 BROWN 05 CLAY			
Overburden a Materials Inte Formation ID: Layer: Color: General Color Mat1: Most Commo Mat2: Mat2 Desc: Mat3:	nd Bedrock rval r: n Material: p Depth:	2 6 BROWN 05			

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation E	nd Depth UOM:	ft			
<u>Overburden</u> Materials Inte	<u>and Bedrock</u> erval				
Formation ID):	931434280			
Layer:		5			
Color:		6			
General Colo Mat1:	or:	BROWN 05			
Most Commo	on Material	CLAY			
Mat2:	in material.	0E/(I			
Mat2 Desc:					
Mat3: Mat3 Desc:					
Formation Te	on Denth	15.0			
Formation E	nd Depth:	21.0			
	nd Depth UOM:	ft			
<u>Overburden</u>	and Bedrock				
Materials Internation	<u>erval</u>				
Formation ID):	931434281			
Layer:		6			
Color: General Colo	~~	3 BLUE			
Mat1:	<i>)</i> .	05			
Most Commo	on Material:	CLAY			
Mat2:		-			
Mat2 Desc: Mat3:					
Mat3 Desc:					
Formation T	op Depth:	21.0			
Formation E		26.0			
Formation E	nd Depth UOM:	ft			
<u>Overburden</u> Materials Inte	<u>and Bedrock</u> erval				
Formation ID) <u>:</u>	931434276			
Layer:		1			
Color:		6 RROWN			
General Colo Mat1:	or:	BROWN 28			
Matt: Most Commo	on Material	SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:		0.0			
Formation T		0.0			
Formation E	nd Deptn: nd Depth UOM:	3.0 ft			
<u>Overburden</u> <u>Materials Int</u>	<u>and Bedrock</u> erval				
Formation ID) <u>:</u>	931434282			
Layer:		7			
Color:		6			
General Colo Mat1:	or:	BROWN			
Matt: Most Commo	on Material	10 COARSE SAND			
most comm	on material.				

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat2: Mat2 Desc: Mat3: Mat2 Descs					
Mat3 Desc: Formation To	op Depth:	26.0			
Formation Er		27.0			
Formation Er	nd Depth UOM:	ft			
<u>Overburden a</u> <u>Materials Inte</u>					
Formation ID	2	931434284			
Layer:		9			
Color: General Colo		3 BLUE			
Mat1:	r:	05			
Most Commo	on Material:	CLAY			
Mat2:					
Mat2 Desc:					
Mat3: Mat3 Desc:					
Formation To	on Denth:	53.0			
Formation Er	nd Depth:	55.0			
	nd Depth UOM:	ft			
<u>Overburden a</u> <u>Materials Inte</u>					
Formation ID	2	931434285			
Layer:		10			
Color: General Colo		6 BROWN			
Mat1:	r:	09			
Most Commo	on Material:	MEDIUM SAND			
Mat2:					
Mat2 Desc:					
Mat3: Mat3 Desc:					
Formation To	on Denth:	55.0			
Formation Er	nd Depth:	56.0			
	nd Depth UOM:	ft			
<u>Method of Co</u> <u>Use</u>	onstruction & Well				
Method Cons	struction ID-	962804053			
	struction Code:	902004055 6			
Method Cons Other Method	struction: d Construction:	Boring			
Pipe Informa	<u>tion</u>				
Pipe ID:		10699149			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction</u>	Record - Casing				
Casing ID:		930256044			
Layer:		1			
Material:		3			

Open Hole or Material: Depth From: Depth To: Casing Diameter: Casing Diameter UOM: Casing Depth UOM:Results of Well Yield TestingPump Test ID: Pump Set At: Static Level: Final Level After Pumping: Recommended Pump Depth: Pumping Rate: Flowing Rate: Recommended Pump Rate: Levels UOM: Rate UOM: Water State After Test Code: Water State After Test Code: Water State After Test: Pumping Duration HR: Pumping Duration HR: Pumping Duration MIN: Flowing:Draw Down & RecoveryPump Test Detail ID: Test Type: Test Level: Test Detail ID: Test Type: Test Duration: 	CONCRETE 55.0 30.0 inch ft 992804053 20.0 55.0 52.0 4.0		
Depth To: Casing Diameter: Casing Diameter UOM: Casing Depth UOM: Casing Depth UOM: Results of Well Yield Testing Pump Test ID: Pump Set At: Static Level: Final Level After Pumping: Recommended Pump Depth: Pumping Rate: Recommended Pump Rate: Levels UOM: Water State After Test Code: Water State After Test Code: Water State After Test: Pumping Duration HR: Pumping Duration HR: Pumping Duration MIN: Flowing: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration: Test Level: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Level: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration:	30.0 inch ft 992804053 20.0 55.0 52.0 4.0		
Casing Diameter: Casing Diameter UOM: Casing Depth UOM: Results of Well Yield Testing Pump Test ID: Pump Set At: Static Level: Final Level After Pumping: Recommended Pump Depth: Pumping Rate: Flowing Rate: Recommended Pump Rate: Levels UOM: Water State After Test Code: Water State After Test Code: Water State After Test: Pumping Duration HR: Pumping Duration MIN: Flowing: Draw Down & Recovery Pump Test Detail ID: Test Duration: Test Level: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration:	30.0 inch ft 992804053 20.0 55.0 52.0 4.0		
Casing Diameter UOM: Casing Depth UOM: Casing Depth UOM: Results of Well Yield Testing Pump Test ID: Pump Set At: Static Level: Final Level After Pumping: Recommended Pump Depth: Pumping Rate: Flowing Rate: Recommended Pump Rate: Levels UOM: Water State After Test Code: Water State After Test Code: Water State After Test: Pumping Duration HR: Pumping Duration HR: Pumping Duration MIN: Flowing: Draw Down & Recovery Pump Test Detail ID: Test Duration: Test Level: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Level: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration:	inch ft 992804053 20.0 55.0 52.0 4.0		
Casing Depth UOM: Results of Well Yield Testing Pump Test ID: Pump Set At: Static Level: Final Level After Pumping: Recommended Pump Depth: Pumping Rate: Flowing Rate: Recommended Pump Rate: Levels UOM: Water State After Test Code: Water State After Test Code: Water State After Test: Pumping Duration HR: Pumping Duration HR: Pumping Duration MIN: Flowing: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration: Test Level: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration: Test Level: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration:	ft 992804053 20.0 55.0 52.0 4.0		
Results of Well Yield Testing Pump Test ID: Pump Set At: Static Level: Final Level After Pumping: Recommended Pump Depth: Pumping Rate: Flowing Rate: Recommended Pump Rate: Levels UOM: Rate UOM: Water State After Test Code: Water State After Test Code: Water State After Test Code: Water State After Test: Pumping Duration HR: Pumping Duration MIN: Flowing: Draw Down & Recovery Pump Test Detail ID: Test Level: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration: Test Level: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration: Test Level: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration: Test Level: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration: Test Level: Test Level UOM:	992804053 20.0 55.0 52.0 4.0		
Pump Test ID: Pump Set At: Static Level: Final Level After Pumping: Recommended Pump Depth: Pumping Rate: Flowing Rate: Recommended Pump Rate: Levels UOM: Water State After Test Code: Water State After Test: Pumping Duration HR: Pumping Duration MIN: Flowing: Draw Down & Recovery Pump Test Detail ID: Test Duration: Test Level: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Level: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Level: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Level: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Level: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Level UOM: Pump Test Detail ID: Test Level UOM: Pump Test Detail ID: Test Level UOM: Pump Test Detail ID: Test Type: Test Duration: Pump Test Detail ID: Test Type: Test Duration: Pump Test Detail ID: Test Type: Test Duration: Test Duration: Pump Test Detail ID: Pump Test Detail ID: Test Type: Test Duration: Pump Test Detail ID: Pump Test Detail I	20.0 55.0 52.0 4.0		
Pump Set At: Static Level: Final Level After Pumping: Recommended Pump Depth: Pumping Rate: Recommended Pump Rate: Levels UOM: Rate UOM: Water State After Test Code: Water State After Test: Pumping Test Method: Pumping Duration HR: Pumping Duration MIN: Flowing: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration: Test Level: Test Level: Test Detail ID: Test Type: Test Duration: Test Level: Test Duration: Test Level: Test Duration: Test Level: Test Duration: Test Level: Test Duration: Test Level: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration: Test Level: Test Level: Test Level: Test Level: Test Level: Test Level: Test Level: Test Level: Test Level: Test Duration: Test Level: Test Level: Test Duration: Test Level: Test Level: Test Level: Test Duration: Test Level: Test Duration: Test Level: Test Duration: Test Type: Test Duration: Test Duration: Test Type: Test Duration: Test Duration: Test Duration: Test Type: Test Duration: Test Duration: Test Type: Test Duration: Test Dur	20.0 55.0 52.0 4.0		
Static Level: Final Level After Pumping: Recommended Pump Depth: Pumping Rate: Flowing Rate: Recommended Pump Rate: Levels UOM: Rate UOM: Water State After Test Code: Water State After Test Code: Water State After Test Code: Water State After Test: Pumping Duration HR: Pumping Duration HR: Pumping Duration MIN: Flowing: Draw Down & Recovery Pump Test Detail ID: Test Duration: Test Level: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration: Test Level: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Level: Test Level: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Level: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration: Test Level: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration: Test Type: Test Duration: Test Type: Test Duration:	55.0 52.0 4.0		
Final Level After Pumping: Recommended Pump Depth: Pumping Rate: Flowing Rate: Recommended Pump Rate: Levels UOM: Rate UOM: Water State After Test Code: Water State After Test Code: Water State After Test Code: Water State After Test Code: Pumping Duration HR: Pumping Duration HR: Pumping Duration HR: Pumping Duration MIN: Flowing: Draw Down & Recovery Pump Test Detail ID: Test Duration: Test Level: Test Level: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration: Test Level: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Level: Test Level: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration: Test Level: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Level: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration: Test Type: Test Duration: Test Type: Test Duration:	55.0 52.0 4.0		
Recommended Pump Depth: Pumping Rate: Flowing Rate: Recommended Pump Rate: Levels UOM: Rate UOM: Water State After Test Code: Water State After Test: Pumping Test Method: Pumping Duration HR: Pumping Duration MIN: Flowing: Draw Down & Recovery Pump Test Detail ID: Test Duration: Test Level: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration: Test Level: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Level: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Level: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration:	52.0 4.0		
Pumping Rate: Flowing Rate: Recommended Pump Rate: Levels UOM: Rate UOM: Water State After Test Code: Water State After Test: Pumping Test Method: Pumping Duration HR: Pumping Duration HR: Pumping Duration MIN: Flowing: Draw Down & Recovery Pump Test Detail ID: Test Duration: Test Level: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration: Test Level: Test Duration: Test Level: Test Duration: Test Level: Test Duration:	4.0		
Flowing Rate: Recommended Pump Rate: Levels UOM: Rate UOM: Water State After Test Code: Water State After Test Code: Pumping Test Method: Pumping Duration HR: Pumping Duration HR: Pumping Duration MIN: Flowing: Draw Down & Recovery Pump Test Detail ID: Test Level: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration: Test Level: Test Duration: Test Level: Test Duration: Test Level: Test Duration:			
Recommended Pump Rate: Levels UOM: Rate UOM: Water State After Test Code: Water State After Test: Pumping Test Method: Pumping Duration HR: Pumping Duration MIN: Flowing: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Level: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration: Test Level: Test Duration: Test Level: Test Level: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration: Test Level: Test Level: Test Level: Test Level: Test Level: Test Duration: Test Level: Test Duration: Test Type: Test Duration:			
Levels UOM: Rate UOM: Water State After Test Code: Water State After Test: Pumping Test Method: Pumping Duration HR: Pumping Duration HR: Pumping Duration MIN: Flowing: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Level: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration: Test Level: Test Duration: Test Type: Test Duration: Test Level: Test Level: Test Level: Test Level: Test Level: Test Duration: Test Level: Test Duration:			
Rate UOM: Water State After Test Code: Water State After Test: Pumping Test Method: Pumping Duration HR: Pumping Duration MIN: Flowing: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration: Test Level: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration: Test Level: Test Level: Test Duration: Test Level: Test Level: Test Level: Test Duration: Test Level: Test Duration: Test Type: Test Duration: Test Level: Test Level: Test Level: Test Duration: Test Level: Test Duration: Test Type: Test Duration: Test Type: Test Duration:	5.0		
Water State After Test Code:Water State After Test:Pumping Test Method:Pumping Duration HR:Pumping Duration MIN:Flowing:Draw Down & RecoveryPump Test Detail ID:Test Type:Test Duration:Test Level:Test Level UOM:Draw Down & RecoveryPump Test Detail ID:Test Level:Test Level UOM:Draw Down & RecoveryPump Test Detail ID:Test Type:Test Duration:Test Level UOM:Draw Down & RecoveryPump Test Detail ID:Test Level:Test Level:Test Level UOM:Draw Down & RecoveryPump Test Detail ID:Test Level:Test Level:Test Duration:Test Level:Test Level:Test Level:Test Level:Test Level:Test Level UOM:Draw Down & RecoveryPump Test Detail ID:Test Level UOM:Draw Down & RecoveryPump Test Detail ID:Test Level UOM:Draw Down & RecoveryPump Test Detail ID:Test Type:Test Type:Test Duration:Test Type:Test Duration:Test Type:Test Duration:	ft		
Water State After Test: Pumping Test Method: Pumping Duration HR: Pumping Duration MIN: Flowing: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Level: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Level: Test Duration: Test Type: Test Duration: Test Level: Test Level: Test Level: Test Duration: Test Level: Test Level: Test Level: Test Duration: Test Level: Test Level: Test Level: Test Level: Test Level: Test Duration: Test Level: Test Level: Test Level: Test Level: Test Level: Test Duration: Test Level: Test Duration: Test Type: Test Duration:	GPM		
Pumping Test Method: Pumping Duration HR: Pumping Duration MIN: Flowing: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration: Test Level: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Level: Test Level: Test Level: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration: Test Level: Test Duration: Test Level: Test Level: Test Duration: Test Level: Test Level: Test Duration: Test Level: Test Level: Test Duration: Test Level: Test Level: Test Level: Test Duration: Test Level: Test Level: Test Level: Test Level: Test Level: Test Duration: Test Level: Test Level: Test Level: Test Level: Test Duration: Test Level: Test Duration: Test Type: Test Duration:	1 CLEAR		
Pumping Duration HR: Pumping Duration MIN: Flowing: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration: Test Level: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Duration: Test Level: Test Level: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration: Test Level: Test Level: Test Level: Test Duration: Test Level: Test Level: Test Level: Test Detail ID: Test Level: Test Level: Test Duration: Test Level: Test Level: Test Level: Test Duration: Test Level: Test Level: Test Level: Test Level: Test Duration: Test Level: Test Level: Test Level: Test Duration: Test Level: Test Duration: Test Type: Test Duration:			
Pumping Duration MIN: Flowing: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration: Test Level: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration: Test Level: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration: Test Level: Test Duration:	2		
Flowing: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration: Test Level: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Duration: Test Level: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration: Test Level: Test Level: Test Level: Test Duration: Test Level: Test Duration: Test Type: Test Duration:	2 0		
Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration: Test Level: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Duration: Test Level: Test Level: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration: Test Level: Test Detail ID: Test Type: Test Duration:	No		
Pump Test Detail ID: Test Type: Test Duration: Test Level: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration: Test Level: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration: Test Level: Test Duration:	NO		
Test Type: Test Duration: Test Level: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration: Test Level: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration: Test Level: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Type: Test Duration:			
Test Type: Test Duration: Test Level: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration: Test Level: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration: Test Level: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Type: Test Duration:	934971844		
Test Duration: Test Level: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration: Test Level: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration: Test Level: Test Level: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration:	Recovery		
Test Level UOM: <u>Draw Down & Recovery</u> Pump Test Detail ID: Test Type: Test Duration: Test Level: Test Level UOM: <u>Draw Down & Recovery</u> Pump Test Detail ID: Test Type: Test Level: Test Level: Test Level UOM: <u>Draw Down & Recovery</u> <u>Pump Test Detail ID:</u> Test Type: Test Type: Test Type: Test Type: Test Type: Test Duration:	60		
Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration: Test Level: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration: Test Level: Test Level: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Type: Test Type: Test Type: Test Duration:	47.0		
Pump Test Detail ID: Test Type: Test Duration: Test Level: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration: Test Level: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Type: Test Duration:	ft		
Test Type: Test Duration: Test Level: Test Level UOM: <u>Draw Down & Recovery</u> Pump Test Detail ID: Test Type: Test Duration: Test Level: Test Level: <u>Draw Down & Recovery</u> Pump Test Detail ID: Test Type: Test Duration:			
Test Type: Test Duration: Test Level: Test Level UOM: <u>Draw Down & Recovery</u> Pump Test Detail ID: Test Type: Test Duration: Test Level: Test Level UOM: <u>Draw Down & Recovery</u> Pump Test Detail ID: Test Type: Test Duration:	934452329		
Test Duration: Test Level: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration: Test Level: Test Level UOM: Draw Down & Recovery Pump Test Detail ID: Test Type: Test Duration:	Recovery		
Test Level UOM: <u>Draw Down & Recovery</u> Pump Test Detail ID: Test Type: Test Duration: Test Level: Test Level UOM: <u>Draw Down & Recovery</u> Pump Test Detail ID: Test Type: Test Duration:	30		
<u>Draw Down & Recovery</u> Pump Test Detail ID: Test Type: Test Duration: Test Level: Test Level UOM: <u>Draw Down & Recovery</u> Pump Test Detail ID: Test Type: Test Duration:	51.0		
Pump Test Detail ID: Test Type: Test Duration: Test Level: Test Level UOM: <u>Draw Down & Recovery</u> Pump Test Detail ID: Test Type: Test Duration:	ft		
Test Type: Test Duration: Test Level: Test Level UOM: <u>Draw Down & Recovery</u> Pump Test Detail ID: Test Type: Test Duration:			
Test Type: Test Duration: Test Level: Test Level UOM: <u>Draw Down & Recovery</u> Pump Test Detail ID: Test Type: Test Duration:	934177700		
Test Duration: Test Level: Test Level UOM: <u>Draw Down & Recovery</u> Pump Test Detail ID: Test Type: Test Duration:	Recovery		
Test Level: Test Level UOM: <u>Draw Down & Recovery</u> Pump Test Detail ID: Test Type: Test Duration:	15		
<u>Draw Down & Recovery</u> Pump Test Detail ID: Test Type: Test Duration:	53.0		
Pump Test Detail ID: Test Type: Test Duration:	ft		
Test Type: Test Duration:			
Test Type: Test Duration:	934711520		
Test Duration:	Recovery		
	45		
Test Level:	49.0		
Test Level UOM:	ft		
Water Details			
Water ID:			

Мар Кеу	Number Records		Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Layer: Kind Code: Kind: Water Found I Water Found I		1:	1 1 FRESH 26.0 ft				
Nater Details							
Water ID: Layer: Kind Code: Kind: Water Found I Water Found I		1:	933606738 2 1 FRESH 55.0 ft				
<u>30</u>	1 of 1		WNW/227.3	189.9 / 0.00	11515 Derry Road We Milton ON	est	EHS
Order No: Status: Report Type: Report Date: Date Received Previous Site Lot/Building S Additional Info	d: Name: Size:	14-JAN-1 08-JAN-1	l Select Report 15	al Photos	Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	ON .25 -79.82592 43.54211	
<u>31</u>	1 of 1		WSW/241.3	190.9 / 1.00	lot 10 con 6 ON		wwis
Well ID: Construction I Primary Water Sec. Water Us Final Well Stat Water Type: Casing Materia Audit No: Tag: Construction I Elevation Relia Depth to Bedr Well Depth: Overburden/B Pump Rate: Static Water L Flowing (Y/N): Flow Rate: Clear/Cloudy:	r Use: se: itus: ial: Method: iability: rock: Bedrock: sevel: :	2802603 Domestic 0 Water Su	c		Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession: Concession: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	1 8/4/1965 TRUE 1308 1 HALTON MILTON TOWN (TRAFALGAR) 010 06 NS	
PDF URL (Map	o):		https://d2khazk8e83	3rdv.cloudfront.ne	et/moe_mapping/downloads/	2Water/Wells_pdfs/280\2802603.pdf	
Additional Det	<u>tail(s) (Map</u>	ц Ú					
Well Complete Year Complete Depth (m): Latitude: Longitude: Path:			1965/01/23 1965 8.5344 43.5353296111674 -79.8272838523601 280\2802603.pdf				

Bore Hole Information

Bore Hole ID: DP2BR:	10149152	Elevation: Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	594752.50
Code OB Desc:		North83:	4820933.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	5
Date Completed:	23-Jan-1965 00:00:00	UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:		Location Method:	p5
Elevrc Desc: Location Source Date:			

Overburden and Bedrock

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Materials Interval

Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Mat2 Desc: Mat3:	931429024 2 6 BROWN 05 CLAY 09 MEDIUM SAND
Mat3 Desc: Formation Top Depth: Formation End Depth: Formation End Depth UOM:	2.0 9.0 ft

Overburden and Bedrock

Materials Interval

Formation ID: Layer: Color:	931429026 4 7
General Color: Mat1:	RED 09
Most Common Material: Mat2:	MEDIUM SAND 05
Mat2 Desc: Mat3:	CLAY
Mat3 Desc:	
Formation Top Depth:	20.0
Formation End Depth:	27.0
Formation End Depth UOM:	ft

Overburden and Bedrock Materials Interval

Formation ID: Layer:	931429023 1
Color: General Color: Mat1:	02
Most Common Material: Mat2:	TOPSOIL

Мар Кеу	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat2 Desc: Mat3:					
Mat3 Desc:					
Formation To	op Depth:	0.0			
Formation E	nd Depth:	2.0			
Formation E	nd Depth UOM:	ft			
<u>Overburden</u> Materials Inte	and Bedrock erval				
Formation ID):	931429025			
Layer:		3			
Color:		7			
General Colo Mat1:	or:	RED 05			
Most Commo	on Material	CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation To	op Depth:	9.0			
Formation E		20.0 ft			
Formation E	nd Depth UOM:	п			
<u>Overburden</u> Materials Inte	and Bedrock erval				
Formation ID):	931429027			
Layer:		5			
Color: General Colo					
Mat1:	or:	09			
Most Commo	on Material:	MEDIUM SAND			
Mat2:	, materiali				
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation To	op Depth:	27.0			
Formation E		28.0			
Formation E	nd Depth UOM:	ft			
<u>Method of Co Use</u>	onstruction & Well				
Method Con	struction ID-	962802603			
	struction Code:	902002003 6			
Method Con		Boring			
<u>Pipe Informa</u>	tion				
Pipe ID:		10697722			
Casing No:		1			
Comment:					
Alt Name:					
<u>Constructior</u>	n Record - Casing				
Casing ID:		930253798			
Layer:		1			
Material:		3			
Open Hole o	r Material:	CONCRETE			

Мар Кеу	Numbe Record		Direction/ Distance (m)	Elev/Diff (m)	Site		DB
Depth From: Depth To: Casing Diam Casing Diam Casing Depth	eter UOM:		28.0 30.0 inch ft				
Populto of W		oting					
<u>Results of W</u>		sung					
Pump Test ID			992802603				
Pump Set At: Static Level:	ī		18.0				
Final Level A	ftor Pumpi	na:	10.0				
Recommende			26.0				
Pumping Rat		cpan.	1.0				
Flowing Rate							
Recommende		ate:	1.0				
Levels UOM:			ft				
Rate UOM:			GPM				
Water State A	After Test C	Code:	1				
Water State A			CLEAR				
Pumping Tes			1				
Pumping Du							
Pumping Du	ration MIN:		Na				
Flowing:			No				
Water Details	<u>6</u>						
Water ID:			933604709				
Layer:			1				
Kind Code:			1				
Kind:			FRESH				
Water Found	Depth:		27.0				
Water Found	Depth UO	М:	ft				
<u>32</u>	1 of 1		E/243.6	182.6 / -7.23	lot 9 con 6 ON		wwis
Well ID:		2803180)		Data Entry Status:		
Construction	Date:				Data Src:	1	
Primary Wate		Domesti	с		Date Received:	9/22/1969	
Sec. Water U	se:	0			Selected Flag:	TRUE	
Final Well Sta	atus:	Water S	upply		Abandonment Rec:		
Water Type:					Contractor:	3637	
Casing Mater	rial:				Form Version:	1	
Audit No:					Owner:		
Tag:					Street Name:	HALTON	
Construction Elevation (m)					County: Municipality:	MILTON TOWN (TRAFALGAR)	
Elevation (m)					Municipality: Site Info:	MILTON TOWN (TRAFALGAR)	
Depth to Bed					Lot:	009	
Well Depth:					Concession:	06	
Overburden/	Bedrock:				Concession Name:	NS	
Pump Rate:					Easting NAD83:		
Static Water	Level:				Northing NAD83:		
Flowing (Y/N):				Zone:		
Flow Rate:					UTM Reliability:		
Clear/Cloudy	:						

PDF URL (Map):

https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/280\2803180.pdf

Additional Detail(s) (Map)

	umber of ecords	Direction/ Distance (m)	Elev/Diff (m)	Site		D
<i>Nell Completed I Year Completed: Depth (m): .atitude: .ongitude: Path:</i>		1969/06/24 1969 14.0208 43.5391357960521 -79.8122087759873 280\2803180.pdf				
Bore Hole Inform	ation					
Bore Hole ID:	101497	22		Elevation:		
DP2BR:				Elevrc: Zone:	17	
Spatial Status: Code OB:				East83:	595964.50	
Code OB. Desc:				North83:	4821373.00	
Open Hole:				Org CS:	102 101 0100	
Cluster Kind:				UTMRC:	4	
Date Completed:	24-Jun-	1969 00:00:00		UTMRC Desc:	margin of error : 30 m - 100 m	
Remarks:				Location Method:	p4	
Elevrc Desc:						
Location Source						
Improvement Loo Improvement Loo Source Revision Supplier Comme	cation Method: Comment:					
Overburden and Materials Interval						
ormation ID:		931431015				
.ayer:		2				
Color:		6				
General Color:		BROWN				
Mat1:		05				
Most Common M	laterial:	CLAY				
Mat2:						
Mat2 Desc:						
Mat3:						
Mat3 Desc:	anth.	4.0				
Formation Top D		1.0 9.0				
Formation End D Formation End D		ft				
Overburden and Materials Interval						
Formation ID:		931431014				
ayer:		1				
Color:		6				
General Color:		BROWN				
Mat1:		02				
Most Common M	aterial:	TOPSOIL				
Mat2:						
Mat2 Desc:						
Mat3:						
Mat3 Desc: Formation Top D	enth.	0.0				
Formation End D		1.0				
Formation End D		ft				
Overburden and Materials Interval						
108 eris	sinfo.com Env	rironmental Risk Infor	mation Servic	200	Order No: 220601	0106

• •	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		931431016			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common I	Material:	CLAY			
Mat2:		12			
Mat2 Desc:		STONES			
Mat3:					
Mat3 Desc:					
Formation Top	Depth:	9.0			
Formation End		41.0			
Formation End	Depth UOM:	ft			
<u>Overburden and</u> <u>Materials Interva</u>					
Formation ID:		931431017			
Layer:		4			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common I	Material:	CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top	Depth:	41.0			
Formation End		46.0			
Formation End	Depth UOM:	ft			
<u>Method of Cons</u> <u>Use</u>	truction & Well				
Method Constru	ction ID:	962803180			
Method Constru		6			
Method Constru		Boring			
Other Method C	onstruction:				
Pipe Information	<u>n</u>				
Pipe ID:		10698292			
Casing No:		1			
Comment:					
Alt Name:					
Construction Re	ecord - Casing				
Casing ID:		930254670			
Layer:		1			
Material:		3			
Open Hole or Ma	aterial:	CONCRETE			
Depth From:					
Depth To:		46.0			
Casing Diamete		30.0			
Casing Diamete Casing Depth U	r UOM: OM:	inch ft			
Results of Well	<u>Yield Testing</u>				
	_	002802490			
Pump Test ID: Pump Set At:		992803180			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Static Level:	After Pumping:	15.0			
	led Pump Depth: te:	42.0			
Recommend Levels UOM	led Pump Rate:	1.0 ft			
Rate UOM:	ī	GPM			
Water State Water State Pumping Tes Pumping Du	st Method:				
Pumping Du					
Flowing:		No			
<u>Water Detail</u>	<u>s</u>				
Water ID:		933605515			
Layer: Kind Code:		1			
Kind:		FRESH			
Water Found	l Depth:	23.0			
Water Found	Depth UOM:	ft			
<u>Water Detail</u>	<u>s</u>				
Water ID:		933605516			
Layer:		2			
Kind Code: Kind:		1 FRESH			
Water Found	d Depth:	38.0			
	Depth UOM:	ft			
	-				

Unplottable Summary

Total: 37 Unplottable sites

DB	Company Name/Site Name	Address	City	Postal
СА	RICENBERG DEVELOPMENTS LTD.	DERRY ROAD WEST	MILTON TOWN ON	
CA	The Regional Municipality of Halton	Derry Road (Reg. Rd.7)	Milton ON	
CA	South Derry Developments Limited	Derry Road	Milton ON	
СА	Petro-Canada	Derry Road	Milton ON	
CA	The Regional Municipality of Halton	Derry Road (Regional Road No.7)	Milton ON	
ECA	Petro-Canada	Derry Road	Milton ON	L6L 6N5
ECA	The Regional Municipality of Halton	Derry Road	Milton ON	L6M 3L1
ECA	South Derry Developments Limited	Derry Road	Milton ON	M2N 5R5
EHS		Sixth Line	Milton ON	
EHS		Derry Rd	Milton ON	
FST	SHERIDAN COLLEGE HEAVY EQUIPMENT SCHOOL	SIXTH LINE MILTON L9T 2X7 ON CA	ON	
FST	SHERIDAN COLLEGE HEAVY EQUIPMENT SCHOOL	LOT 10 CON 7 MILTON L9T 2X7 ON CA	ON	
FST	SHERIDAN COLLEGE HEAVY EQUIPMENT SCHOOL	LOT 10 CON 7 MILTON L9T 2X7 ON CA	ON	
FST	SHERIDAN COLLEGE HEAVY EQUIPMENT SCHOOL	SIXTH LINE MILTON L9T 2X7 ON CA	ON	
FST	SHERIDAN COLLEGE HEAVY EQUIPMENT SCHOOL	LOT 10 CON 7 MILTON L9T 2X7 ON CA	ON	
FST	SHERIDAN COLLEGE HEAVY EQUIPMENT SCHOOL	SIXTH LINE MILTON L9T 2X7 ON CA	ON	

FSTH	SHERIDAN COLLEGE HEAVY EQUIPMENT SCHOOL	SIXTH LINE	MILTON ON	
FSTH	SHERIDAN COLLEGE HEAVY EQUIPMENT SCHOOL	LOT 10 CON 7	MILTON ON	
FSTH	SHERIDAN COLLEGE HEAVY EQUIPMENT SCHOOL	LOT 10 CON 7	MILTON ON	
FSTH	SHERIDAN COLLEGE HEAVY EQUIPMENT SCHOOL	SIXTH LINE	MILTON ON	
GEN	SHERIDAN COLLEGE HEAVY EQUIPMENT SCHOOL	R.R. #3, SIXTH LINE	MILTON ON	L9T 2X7
GEN	SHERIDAN COLLEGE	HEAVY EQUIPMENT SCHOOL R.R. #3, SIXTH LINE	MILTON ON	L9T 2X7
PRT	SHERIDAN COLLEGE HEAVY EQUIPMENT SCHOOL	LOT 10 CON 7	MILTON ON	
PRT	SHERIDAN COLLEGE HEAVY EQUIPMENT SCHOOL	SIXTH LINE	MILTON ON	
PRT	ERIC REID UNITED CO- OPERATIVES OF ONTARIO	TOWN OF HALTON HWY 7	ON	
PTTW	Trafalgar Golf and Country Club	Lot 10, Concession 6 Milton	ON	
RSC	FIFTH LINE FARMING LIMITED	0 SIXTH LINE, MILTON, ON LOP 1E0	Milton ON	
RSC SPL	FIFTH LINE FARMING LIMITED	0 SIXTH LINE, MILTON, ON L0P 1E0 6th line (between Derry Road and Steeles Avenue)	Milton ON Milton ON	
	FIFTH LINE FARMING LIMITED	6th line (between Derry Road and Steeles		
SPL		6th line (between Derry Road and Steeles Avenue)	Milton ON	
SPL SPL	WEEDMAN	6th line (between Derry Road and Steeles Avenue) 6TH LINE, .5 KM NORTH OF BRITANNIA RD.	Milton ON HALTON R.M. ON	
SPL SPL SPL	WEEDMAN	6th line (between Derry Road and Steeles Avenue) 6TH LINE, .5 KM NORTH OF BRITANNIA RD. RURAL ROAD 12, 6TH LINE	Milton ON HALTON R.M. ON MILTON TOWN ON	
SPL SPL SPL WWIS	WEEDMAN	6th line (between Derry Road and Steeles Avenue) 6TH LINE, .5 KM NORTH OF BRITANNIA RD. RURAL ROAD 12, 6TH LINE lot 9	Milton ON HALTON R.M. ON MILTON TOWN ON ON	
SPL SPL SPL WWIS WWIS	WEEDMAN	6th line (between Derry Road and Steeles Avenue) 6TH LINE, .5 KM NORTH OF BRITANNIA RD. RURAL ROAD 12, 6TH LINE lot 9 lot 10	Milton ON HALTON R.M. ON MILTON TOWN ON ON	
SPL SPL SPL WWIS WWIS	WEEDMAN	6th line (between Derry Road and Steeles Avenue) 6TH LINE, .5 KM NORTH OF BRITANNIA RD. RURAL ROAD 12, 6TH LINE lot 9 lot 10	Milton ON HALTON R.M. ON MILTON TOWN ON ON ON	
SPL SPL SPL WWIS WWIS WWIS	WEEDMAN	6th line (between Derry Road and Steeles Avenue) 6TH LINE, .5 KM NORTH OF BRITANNIA RD. RURAL ROAD 12, 6TH LINE lot 9 lot 10 lot 11	Milton ON HALTON R.M. ON MILTON TOWN ON ON ON ON	

Unplottable Report

<u>Site:</u> RICENBERG DEVELOPMENTS LTD. DERRY ROAD WEST MILTON TOWN ON

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control: 3-0450-90-90 3/21/1990 Municipal sewage Approved

<u>Site:</u> The Regional Municipality of Halton Derry Road (Reg. Rd.7) Milton ON

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control: 0568-76JPGU 2007 8/30/2007 Municipal and Private Sewage Works Approved

<u>Site:</u> South Derry Developments Limited Derry Road Milton ON

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control: 1383-6MPSQZ 2006 3/12/2006 Municipal and Private Sewage Works Approved

Database:

CA

Database:


CA

Database: CA

<u>Site:</u> Petro-Canada Derry Road Milton ON

Certificate #:

2336-78XLMD



Database: CA

Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: **Client Address: Client City:** Client Postal Code: **Project Description:** Contaminants: **Emission Control:**

2007 11/14/2007 Industrial Sewage Works Approved

The Regional Municipality of Halton Site: Derry Road (Regional Road No.7) Milton ON

Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: **Project Description:** Contaminants: Emission Control:

7954-82QP3Z 2010 2/17/2010 Municipal and Private Sewage Works Approved

Site: Petro-Canada Derry Road Milton ON L6L 6N5

2336-78XLMD

9108-7LQKQD

2008-11-27

Approved

ECA

IDS

ECA

IDS

Approval No: Approval Date: Status: Record Type: Link Source: SWP Area Name: Approval Type: Project Type: **Business Name:** Address: Full Address: Full PDF Link: PDF Site Location:

2007-11-14 Approved ECA-INDUSTRIAL SEWAGE WORKS INDUSTRIAL SEWAGE WORKS Petro-Canada Derry Road https://www.accessenvironment.ene.gov.on.ca/instruments/3326-727TFQ-14.pdf

MOE District:

Lonaitude:

Geometry X:

Geometry Y:

MOE District:

Longitude:

Geometry X:

Geometry Y:

Latitude:

City:

Latitude:

City:

Site: The Regional Municipality of Halton Derry Road Milton ON L6M 3L1

Approval No: Approval Date: Status: Record Type: Link Source: SWP Area Name: Approval Type: Project Type: **Business Name:** Address: Full Address: Full PDF Link: PDF Site Location:

114

Derry Road

ECA-Municipal Drinking Water Systems

Municipal Drinking Water Systems

The Regional Municipality of Halton



Database: **ECA**

Database: **ECA**

Order No: 22060101061

Site: South Derry Developments Limited Derry Road Milton ON M2N 5R5

1383-6MPSQZ Approval No: Approval Date: Status: Record Type: ECA IDS Link Source: SWP Area Name: Approval Type: Project Type: **Business Name:** Address: Full Address: Full PDF Link: PDF Site Location:

2006-03-12 City: Longitude: Approved Latitude: Geometry X: Geometry Y: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS MUNICIPAL AND PRIVATE SEWAGE WORKS South Derry Developments Limited Derry Road https://www.accessenvironment.ene.gov.on.ca/instruments/6854-6MMQGH-14.pdf

MOE District:

Site:

Sixth Line Milton ON

Order No: Status:	20130403002 C	Nearest Intersection: Municipality:	
Report Type:	Custom Report	Client Prov/State:	ON
Report Date:	09-APR-13	Search Radius (km):	.25
Date Received:	03-APR-13	Х:	0
Previous Site Name		Y:	0
Lot/Building Size:			
Additional Info Orde	red:		

Site:

115

Derry Rd Milton ON

20120725017 Order No: Status: С Report Type: Report Date: Date Received: Previous Site Name: Lot/Building Size: Additional Info Ordered:

Custom Report 01-AUG-12 25-JUL-12

Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .5 -79.791475 Х: Y: 1

Site: SHERIDAN COLLEGE HEAVY EQUIPMENT SCHOOL SIXTH LINE MILTON L9T 2X7 ON CA ON

Instance No: 10848725 Manufacturer: Serial No: Status: Cont Name: Ulc Standard: Instance Type: FS Liquid Fuel Tank Quantity: Unit of Measure: Item: Item Description: FS Liquid Fuel Tank Fuel Type: Gasoline Single Wall UST Fuel Type2: NULL Tank Type: 10/10/1990 NULL Install Date: Fuel Type3: Install Year: 1990 Piping Steel: Years in Service: Piping Galvanized: Model: NULL Tanks Single Wall St: Description: Piping Underground: 10000 No Underground: Capacity: Tank Material: Steel Panam Related: Impressed Current Panam Venue: **Corrosion Protect: Overfill Protect:** FS Liquid Fuel Tank Facility Type: Parent Facility Type: Fuels Safety Private Fuel Outlet - Self Serve

Order No: 22060101061

Database:

Database:

EHS

Database: **FST**

EHS

Database: **ECA**

Liquid Fuel Tank Details

Overfill Protection: Owner Account Name: Item:

SHERIDAN COLLEGE HEAVY EQUIPMENT SCHOOL FS LIQUID FUEL TANK

Site: SHERIDAN COLLEGE HEAVY EQUIPMENT SCHOOL LOT 10 CON 7 MILTON L9T 2X7 ON CA ON

Instance No: Status: Cont Name:	1084951	12	Se	anufacturer: erial No: lc Standard:	
Instance Type:	FS Liqui	id Fuel Tank	Qi	uantity:	
Item:			Ur	nit of Measure:	
Item Description:	FS Liqui	id Fuel Tank	Fu	uel Type:	Diesel
Tank Type:	Single V	Vall UST	Fu	uel Type2:	NULL
Install Date:	1/9/1991	1	Fu	uel Type3:	NULL
Install Year:	1990		Pi	iping Steel:	
Years in Service:			Pi	iping Galvanized:	
Model:	NULL		Ta	anks Single Wall St:	
Description:			Pi	iping Underground:	
Capacity:	22700		No	o Underground:	
Tank Material:	Steel		Pá	anam Related:	
Corrosion Protect:	Impress	ed Current	Pá	anam Venue:	
Overfill Protect:					
Facility Type:		FS Liquid Fuel Tank			
Parent Facility Type:		Fuels Safety Private Fuel Out	let - Self Serv	ve	
Facility Location:					
Device Installed Location	on:	LOT 10 CON 7 MILTON L9T	2X7 ON CA		

Liquid Fuel Tank Details

Overfill Protection:	
Owner Account Name: Item:	SHERIDAN COLLEGE HEAVY EQUIPMENT SCHOOL FS LIQUID FUEL TANK

Site: SHERIDAN COLLEGE HEAVY EQUIPMENT SCHOOL LOT 10 CON 7 MILTON L9T 2X7 ON CA ON

Instance No: Status: Cont Name:	10849479	Manufacturer: Serial No: Ulc Standard:	
Instance Type:	FS Liquid Fuel Tank	Quantity: Unit of Measure:	
Item: Item Description:	FS Liquid Fuel Tank	Fuel Type:	Gasoline
Tank Type:	Single Wall UST	Fuel Type2:	NULL
Install Date:	1/9/1991	Fuel Type3:	NULL
Install Year:	1990	Piping Steel:	
Years in Service:		Piping Galvanized:	
Model:	NULL	Tanks Single Wall St:	
Description:		Piping Underground:	
Capacity:	10000	No Underground:	
Tank Material:	Steel	Panam Related:	
Corrosion Protect:	Impressed Current	Panam Venue:	
Overfill Protect:			
Facility Type:	FS Liquid Fuel Tank		
Parent Facility Type: Facility Location:	Fuels Safety Private F	uel Outlet - Self Serve	
Device Installed Location	DIA: LOT 10 CON 7 MILTO	N L9T 2X7 ON CA	

Liquid Fuel Tank Details

Database:

Database: **FST**

FST

SHERIDAN COLLEGE HEAVY EQUIPMENT SCHOOL Site: SIXTH LINE MILTON L9T 2X7 ON CA ON

Instance No: Status: Cont Name:	10848743	<i>Manufacturer: Serial No: Ulc Standard:</i>	
Instance Type: Item:	FS Liquid Fuel Tank	Quantity: Unit of Measure:	
Item Description:	FS Liquid Fuel Tank	Fuel Type:	Gasoline
Tank Type:	Single Wall UST	Fuel Type2:	NULL
Install Date:	10/10/1990	Fuel Type3:	NULL
Install Year:	1990	Piping Steel:	
Years in Service:		Piping Galvanized:	
Model:	NULL	Tanks Single Wall St:	
Description:		Piping Underground:	
Capacity:	10000	No Underground:	
Tank Material:	Steel	Panam Related:	
Corrosion Protect:	Impressed Current	Panam Venue:	
Overfill Protect:			
Facility Type:	FS Liquid Fuel Tank		
Parent Facility Type: Facility Location:	Fuels Safety Private Fue	el Outlet - Self Serve	
Device Installed Location	on: SIXTH LINE MILTON L9	T 2X7 ON CA	

Liquid Fuel Tank Details

Overfill Protection:	
Owner Account Name:	SHERIDAN COLLEGE HEAVY EQUIPMENT SCHOOL
Item:	FS LIQUID FUEL TANK

SHERIDAN COLLEGE HEAVY EQUIPMENT SCHOOL Site: LOT 10 CON 7 MILTON L9T 2X7 ON CA ON

Instance No: Status:	10849497	Manufacturer: Serial No:	
Cont Name: Instance Type:	FS Liquid Fuel Tank	Ulc Standard: Quantity: Unit of Measure:	
ltem: Item Description: Tank Type:	FS Liquid Fuel Tank Single Wall UST	Fuel Type: Fuel Type2:	Gasoline NULL
Install Date: Install Year:	1/9/1991 1990	Fuel Type3: Piping Steel:	NULL
Years in Service: Model:	NULL	Piping Galvanized: Tanks Single Wall St:	
Description: Capacity:	10000	Piping Underground: No Underground:	
Tank Material: Corrosion Protect:	Steel Impressed Current	Panam Related: Panam Venue:	
Overfill Protect: Facility Type:	FS Liquid Fuel Tank		
Parent Facility Type: Facility Location:	Fuels Safety Private Fuel (Outlet - Self Serve	
Device Installed Location	on: LOT 10 CON 7 MILTON L	9T 2X7 ON CA	
Liquid Fuel Tank Detail	ls		
Overfill Protection: Owner Account Name: Item:	SHERIDAN COLLEGE HE FS LIQUID FUEL TANK	EAVY EQUIPMENT SCHOOL	

SHERIDAN COLLEGE HEAVY EQUIPMENT SCHOOL Site:



Database: **FST**

SIXTH LINE MILTON L9T 2X7 ON CA ON

Instance No:	108487	59		Manufacturer:	
Status:				Serial No:	
Cont Name:				Ulc Standard:	
Instance Type:	FS Liqu	id Fuel Tank		Quantity:	
Item:				Unit of Measure:	
Item Description:	FS Liqu	id Fuel Tank		Fuel Type:	Diesel
Tank Type:	Single V	Vall UST		Fuel Type2:	NULL
Install Date:	10/10/19	990		Fuel Type3:	NULL
Install Year:	1990			Piping Steel:	
Years in Service:				Piping Galvanized:	
Model:	NULL			Tanks Single Wall St:	
Description:				Piping Underground:	
Capacity:	22700			No Underground:	
Tank Material:	Steel			Panam Related:	
Corrosion Protect:	Impress	ed Current		Panam Venue:	
Overfill Protect:					
Facility Type:		FS Liquid Fuel	Tank		
Parent Facility Type:		Fuels Safety Pr	rivate Fuel Outlet - Self	Serve	
Facility Location:					
Device Installed Locat	ion:	SIXTH LINE MI	ILTON L9T 2X7 ON CA		
Liquid Eucl Topk Date	10				

Liquid Fuel Tank Details

Overfill Protection: Owner Account Name: Item:

SHERIDAN COLLEGE HEAVY EQUIPMENT SCHOOL FS LIQUID FUEL TANK

<u>Site:</u> SHERIDAN COLLEGE HEAVY EQUIPMENT SCHOOL SIXTH LINE MILTON ON

License Issue Date:
Tank Status:
Tank Status As Of:
Operation Type:
Facility Type:

<u>--Details--</u> Status: Year of Installation: Corrosion Protection: Capacity: Tank Fuel Type:

Status: Year of Installation: Corrosion Protection: Capacity: Tank Fuel Type:

Year of Installation: Corrosion Protection:

Tank Fuel Type:

Status:

Capacity:

Active 1990

10/22/1990 Licensed August 2007 Private Fuel Outlet

10000 Liquid Fuel Single Wall UST - Gasoline

Gasoline Station - Self Serve

Active 1990

10000

Liquid Fuel Single Wall UST - Gasoline

Active 1990 22700

Liquid Fuel Single Wall UST - Diesel

<u>Site:</u> SHERIDAN COLLEGE HEAVY EQUIPMENT SCHOOL LOT 10 CON 7 MILTON ON

License Issue Date: Tank Status: Tank Status As Of: Operation Type: Facility Type: 1/11/1991 Licensed August 2007 Private Fuel Outlet Gasoline Station - Self Serve Database: FSTH

Database: FSTH

<u>Details</u> Status: Year of Installation: Corrosion Protection:	Active 1990
Capacity:	22700
Tank Fuel Type:	Liquid Fuel Single Wall UST - Diesel
Status: Year of Installation: Corrosion Protection:	Active 1990
Capacity:	10000
Tank Fuel Type:	Liquid Fuel Single Wall UST - Gasoline
Status: Year of Installation: Corrosion Protection:	Active 1990
Capacity:	10000
Tank Fuel Type:	Liquid Fuel Single Wall UST - Gasoline

<u>Site:</u> SHERIDAN COLLEGE HEAVY EQUIPMENT SCHOOL LOT 10 CON 7 MILTON ON

License Issue Date: Tank Status: Tank Status As Of: Operation Type: Facility Type: 1/11/1991 Licensed December 2008 Private Fuel Outlet Gasoline Station - Self Serve

Details	
Status:	Active
Year of Installation:	1990
Corrosion Protection:	
Capacity:	10000
Tank Fuel Type:	Liquid Fuel Single Wall UST - Gasoline
Status:	Active
Year of Installation:	1990
Corrosion Protection:	
Capacity:	10000

1990

Tank Fuel Type: Status: Year of Installation: Corrosion Protection: Capacity:

Tank Fuel Type:

1990 10000 Liquid Fuel Single Wall UST - Gasoline Active

22700 Liquid Fuel Single Wall UST - Diesel

<u>Site:</u> SHERIDAN COLLEGE HEAVY EQUIPMENT SCHOOL SIXTH LINE MILTON ON

License Issue Date: Tank Status: Tank Status As Of: Operation Type: Facility Type: 10/22/1990 Licensed December 2008 Private Fuel Outlet Gasoline Station - Self Serve

 --Details-

 Status:
 Active

 Year of Installation:
 1990

 Corrosion Protection:
 Installation:

 Capacity:
 10000

 Tank Fuel Type:
 Liquid Fuel Single Wall UST - Gasoline

Database: FSTH

Database: FSTH Status: Year of Installation: Corrosion Protection: Capacity: Tank Fuel Type:

1990 10000 Liquid Fuel Single Wall UST - Gasoline

Status: Year of Installation: Corrosion Protection: Capacity: Tank Fuel Type: Active 1990 22700 Liquid Fuel Single Wall UST - Diesel

<u>Site:</u> SHERIDAN COLLEGE HEAVY EQUIPMENT SCHOOL R.R. #3, SIXTH LINE MILTON ON L9T 2X7

Generator No: SIC Code: SIC Description: Approval Years: PO Box No: Country: ON0158301 8521 POST-SEC. NON-UNIV. 92,93,94,95,96,97

Active

Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:

<u>Detail(s)</u>

Waste Class:	213
Waste Class Desc:	PETROLEUM DISTILLATES
Waste Class:	252
Waste Class Desc:	WASTE OILS & LUBRICANTS

<u>Site:</u> SHERIDAN COLLEGE HEAVY EQUIPMENT SCHOOL R.R. #3, SIXTH LINE MILTON ON L9T 2X7

Generator No:	ON0158301	Status:
SIC Code:	8521	Co Admin:
SIC Description: Approval Years: PO Box No: Country:	POST-SEC. NON-UNIV. 98,99,00,01	Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:

Detail(s)

Waste Class:	213
Waste Class Desc:	PETROLEUM DISTILLATES
Waste Class:	252
Waste Class Desc:	WASTE OILS & LUBRICANTS

<u>Site:</u> SHERIDAN COLLEGE HEAVY EQUIPMENT SCHOOL LOT 10 CON 7 MILTON ON

Location ID:	8845
Туре:	private
Expiry Date:	
Capacity (L):	42700.00
Licence #:	0001000973

<u>Site:</u> SHERIDAN COLLEGE HEAVY EQUIPMENT SCHOOL SIXTH LINE MILTON ON

8811

private

Location ID: Type: Database: GEN



Database: PRT

Database: PRT

<u>Site:</u> ERIC REID UNITED CO-OPERATIVES OF ONTARIO TOWN OF HALTON HWY 7 ON

Location ID:	17826
Туре:	retail
Expiry Date:	1990-05-31
Capacity (L):	0
Licence #:	0000015300

<u>Site:</u> Trafalgar Golf and Country Club Lot 10, Concession 6 Milton ON

EBR Registry No: Ministry Ref No: Notice Type: Notice Stage:	IA05E1912 6251-5ZUHLJ Instrument\sDecision	Decision Posted: Exception Posted: Section: Act 1:
Notice Date:	February\s17,\s2006	Act 2:
Proposal Date:	December\s12,\s2005	Site Location Map:
Year:	2005	
Instrument Type:	(OWRA\ss.\s34)\s-\sPermit\sto\sTake\sWater	
Off Instrument Name: Posted By:		
Company Name: Site Address:	Trafalgar\sGolf\sand\sCountry\sClub	
Comment Period: Uncation Other: Proponent Name: Comment Period: URL:	P.O.\sBox\s56,\sMilton\sOntar	io,\sL9T\s2Y3

Site Location Details:

Lot 10, Concession 6 Milton

<u>Site:</u> FIFTH LINE FARMING LIMITED 0 SIXTH LINE, MILTON, ON L0P 1E0 Milton ON

RSC ID: RA No: RSC Type: Curr Property Use: Ministry District: Filing Date: Date Ack: Date Returned: Restoration Type: Soil Type: Criteria: CPU Issued Sect 1686: Asmt Roll No:	223333 Phase 1 and 2 RSC Agricultural/Other Halton-Peel District Office 2017/05/31 24090090054100000	Cert Date: Cert Prop Use No: Intended Prop Use: Qual Person Name: Stratified (Y/N): Audit (Y/N): Entire Leg Prop. (Y/N): Accuracy Estimate: Telephone: Fax: Email:	Residential FRANCESCO GAGLIARDI
Prop ID No (PIN):	24937-0053 (LT)		
Property Municipal Addr Mailing Address: Latitude & Latitude: UTM Coordinates: Consultant: Legal Desc: Measurement Method:	ress: 0 SIXTH LINE, MILTON, ON LOP 1E0		

Database:

PRT

Database: PTTW

Database: RSC Applicable Standards: RSC PDF:

Document(s) Detail

Document Heading: Document Name: Document Type: Document Link:	Supporting Documents Survey.pdf A Current plan of Survey https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action? attachmentId=79590&fileName=Survey.pdf
Document Heading: Document Name: Document Type: Document Link:	Supporting Documents LawyerLetter.pdf Lawyer's letter consisting of a legal description of the property https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action? attachmentId=79584&fileName=LawyerLetter.pdf
Document Heading: Document Name: Document Type: Document Link:	Supporting Documents DeedTransfer.pdf Copy of any deed(s), transfer(s) or other document(s) https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action? attachmentId=79580&fileName=DeedTransfer.pdf
Document Heading: Document Name: Document Type: Document Link:	Supporting Documents Ken6thAPECTable.pdf Area(s) of Potential Environmental Concern https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action? attachmentId=79588&fileName=Ken6thAPECTable.pdf
Document Heading: Document Name: Document Type: Document Link:	Supporting Documents Ken6thCPTable.pdf Table of Current and Past Property Use https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action? attachmentId=79586&fileName=Ken6thCPTable.pdf
Document Heading: Document Name: Document Type: Document Link:	Supporting Documents Ken6thCSM.pdf Phase 2 Conceptual Site Model https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action? attachmentId=79585&fileName=Ken6thCSM.pdf
Document Heading: Document Name: Document Type: Document Link:	Supporting Documents Ken6CertofStatus.pdf Certificate of Status https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action? attachmentId=79582&fileName=Ken6CertofStatus.pdf

 $\label{eq:https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action? attachmentId=79589&fileName=BROWNFIELDS-E.pdf$

Site:

6th line (between Derry Road and Steeles Avenue) Milton ON

Ref No: Site No:	4065-7M9L8F	Discharger Report: Material Group:		
Incident Dt:		Health/Env Conseq:		
Year:		Client Type:		
Incident Cause:	Pipe Or Hose Leak	Sector Type:		
Incident Event:		Agency Involved:		
Contaminant Code:	15	Nearest Watercourse:		
Contaminant Name:	HYDRAULIC OIL	Site Address:		
Contaminant Limit 1:		Site District Office:	Halton-Peel	
Contam Limit Freq 1:		Site Postal Code:		
Contaminant UN No 1:		Site Region:		
Environment Impact:	Possible	Site Municipality:	Milton	
Nature of Impact:	Soil Contamination	Site Lot:		
Receiving Medium:		Site Conc:		
Receiving Env:		Northing:		
MOE Response:		Easting:		
Dt MOE Arvl on Scn:		Site Geo Ref Accu:		

Database: SPL 12/12/2008

Spill

08 Site Map Datum: SAC Action Class: Land Spills Source Type: 6th line (between Derry Road and Steeles Avenue) along the Hydro One Power Corridor<UNOFFICIAL>

MOE Reported Dt: Dt Document Closed: Incident Reason: Site Name: Site County/District: Site Geo Ref Meth: Incident Summary: Contaminant Qty:

Black & MacDonald: 4L hydraulic oil to grnd. clng. 4 L

<u>Site:</u> WEEDMAN 6TH LINE, .5 KM NORTH OF BRITANNIA RD. HALTON R.M. ON

Ref No: Site No: Incident Dt: Year:	7438 8/2/1988	Discharger Report: Material Group: Health/Env Conseq: Client Type:	
Incident Cause: Incident Event: Contaminant Code: Contaminant Name: Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1:	TRUCK/TRAILER OVERTURN	Sector Type: Agency Involved: Nearest Watercourse: Site Address: Site District Office: Site Postal Code:	
Environment Impact: Nature of Impact:	NOT ANTICIPATED	Site Region: Site Municipality: Site Lot:	14000
Receiving Medium: Receiving Env: MOE Response: Dt MOE Arvl on Scn:	LAND	Site Conc: Northing: Easting: Site Geo Ref Accu:	
MOE Reported Dt: Dt Document Closed:	8/2/1988	Site Map Datum: SAC Action Class:	
Incident Reason: Site Name: Site County/District: Site Geo Ref Meth:			
Incident Summary: Contaminant Qty:	WEEDMAN-500 L DURSBAN IN-SE	CTICIDE (3%) TO DITCH	

<u>Site:</u> UNKNOWN RURAL ROAD 12, 6TH LINE MILTON TOWN ON

Ref No:	59326	Discharger Report:	
Site No:		Material Group:	
Incident Dt:	11/1/1991	Health/Env Conseg:	
Year:		Client Type:	
Incident Cause:	OTHER CONTAINER LEAK	Sector Type:	
Incident Event:		Agency Involved:	
Contaminant Code:		Nearest Watercourse:	
Contaminant Name:		Site Address:	
Contaminant Limit 1:		Site District Office:	
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	
Environment Impact:	NOT ANTICIPATED	Site Municipality:	14402
Nature of Impact:	Soil contamination	Site Lot:	
Receiving Medium:	LAND	Site Conc:	
Receiving Env:		Northing:	
MOE Response:		Easting:	HALTON REGIONAL RESPONSE TEAM
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	
MOE Reported Dt:	11/1/1991	Site Map Datum:	
Dt Document Closed:		SAC Action Class:	
Incident Reason:	UNKNOWN	Source Type:	
Site Name:			
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	GRAPE JUICE EXTRACT SPIL	L TO ROAD & DITCH.	
Contaminant Qty:			

Database: SPL

Database: SPL

Site: lot 9 ON

2808975

Domestic

195969

Water Supply

Well ID: **Construction Date:** Primary Water Use: Sec. Water Use: Final Well Status: Water Type: Casing Material: Audit No: Tag: **Construction Method:** Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:

Data Entry Status: Data Src: 1 4/1/1999 Date Received: TRUE Selected Flag: Abandonment Rec: Contractor: 3406 Form Version: 1 Owner: Street Name: County: HALTON Municipality: Site Info: Lot: 009 Concession: Concession Name: CON Easting NAD83: Northing NAD83: Zone:

UTM Reliability:

MILTON TOWN (NASSAGAWEYA)

Bore Hole Information

Bore Hole ID: DP2BR:	10155232	Elevation: Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	
Code OB Desc:		North83:	
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	19-Aug-1998 00:00:00	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	na
Elevrc Desc:			

Overburden and Bedrock Materials Interval

Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Mat2 Desc: Mat2	931453736 1 7 RED 05 CLAY 28 SAND
<i>Mat3: Mat3 Desc: Formation Top Depth: Formation End Depth: Formation End Depth UOM:</i>	0.0 47.0 ft

Overburden and Bedrock Materials Interval

931453737 Formation ID: Layer: 2

Database: **WWIS**

Color: General Color: Mat1: Most Common Material: Mat2: Mat2 Desc: Mat3: Mat3 Desc: Formation Top Depth: Formation End Depth: Formation End Depth UOM:	2 GREY 05 CLAY 12 STONES 47.0 50.0 ft
Overburden and Bedrock Materials Interval	
Formation ID: Layer: Color:	931453738 3
General Color: Mat1: Most Common Material: Mat2: Mat2 Desc:	15 LIMESTONE
Mail Desc. Mat3: Mat3 Desc: Formation Top Depth: Formation End Depth: Formation End Depth UOM:	50.0 145.0 ft
<u>Annular Space/Abandonment</u> <u>Sealing Record</u>	
Plug ID: Layer: Plug From: Plug To: Plug Depth UOM:	933140383 1 0.0 50.0 ft
Method of Construction & Well Use	
Method Construction ID: Method Construction Code: Method Construction: Other Method Construction:	962808975 2 Rotary (Convent.)
Pipe Information	
Pipe ID: Casing No: Comment: Alt Name:	10703802 1
Construction Record - Casing	
Casing ID: Layer: Material: Open Hole or Material: Depth From: Depth To:	930264160 1 1 STEEL 50.0
Casing Diameter: Casing Diameter UOM: Casing Depth UOM:	6.0 inch ft

Construction Record - Casing

Casing ID:	930264161
Layer:	2
Material:	4
Open Hole or Material:	OPEN HOLE
Depth From:	
Depth To:	144.0
Casing Diameter:	6.0
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

Results of Well Yield Testing

Pump Test ID:	992808975
Pump Set At:	
Static Level:	44.0
Final Level After Pumping:	53.0
Recommended Pump Depth:	20.0
Pumping Rate:	3.0
Flowing Rate:	
Recommended Pump Rate:	3.0
Levels UOM:	ft
Rate UOM:	GPM
Water State After Test Code:	1
Water State After Test:	CLEAR
Pumping Test Method:	1
Pumping Duration HR:	1
Pumping Duration MIN:	
Flowing:	No

Draw Down & Recovery

Pump Test Detail ID:	934977488
Test Type:	Draw Down
Test Duration:	60
Test Level:	53.0
Test Level UOM:	ft

Water Details

Water ID:	933613046
Layer:	3
Kind Code:	5
Kind:	Not stated
Water Found Depth:	135.0
Water Found Depth UOM:	ft

Water Details

Water ID:	933613044
Layer:	1
Kind Code:	5
Kind:	Not stated
Water Found Depth:	55.0
Water Found Depth UOM:	ft

Water Details

Water ID:	933613045
Layer:	2
Kind Code:	5
Kind:	Not stated
Water Found Depth:	82.0

ft

Site: Int 10 ON

Database: WWIS

lot 10 ON			VV VVI.
Well ID:	2808959	Data Entry Status:	
Construction Date:		Data Src:	1
Primary Water Use:	Domestic	Date Received:	4/1/1999
Sec. Water Use:		Selected Flag:	TRUE
Final Well Status:	Water Supply	Abandonment Rec:	
Water Type:		Contractor:	3406
Casing Material:		Form Version:	1
Audit No:	195950	Owner:	
Tag:		Street Name:	
Construction Method:		County:	HALTON
Elevation (m):		Municipality:	MILTON TOWN (NASSAGAWEYA)
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	010
Well Depth:		Concession:	
Overburden/Bedrock:		Concession Name:	CON
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID: DP2BR:	10155216	Elevation: Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	
Code OB Desc:		North83:	
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	30-Aug-1998 00:00:00	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	na
Elevrc Desc: Location Source Date:			

Overburden and Bedrock Materials Interval

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Mat2 Desc:	931453672 1 7 RED 05 CLAY
<i>Mat3: Mat3 Desc: Formation Top Depth: Formation End Depth: Formation End Depth UOM:</i>	0.0 23.0 ft

Overburden and Bedrock Materials Interval

931453675 Formation ID: Layer: 4

Color: General Color: Mat1: Most Common Material: Mat2: Mat2 Desc: Mat3: Mat3 Desc:	2 GREY 05 CLAY
Formation Top Depth: Formation End Depth: Formation End Depth UOM:	43.0 54.0 ft
<u>Overburden and Bedrock</u> <u>Materials Interval</u>	
Formation ID: Layer: Color:	931453676 5
General Color: Mat1: Most Common Material: Mat2: Mat2 Desc: Mat3:	15 LIMESTONE
<i>Mat3 Desc: Formation Top Depth: Formation End Depth: Formation End Depth UOM:</i>	54.0 55.0 ft
<u>Overburden and Bedrock</u> <u>Materials Interval</u>	
Formation ID: Layer: Color:	931453678 7
General Color: Mat1: Most Common Material: Mat2: Mat2 Desc: Mat3:	15 LIMESTONE
<i>Mat3 Desc: Formation Top Depth: Formation End Depth: Formation End Depth UOM:</i>	61.0 124.0 ft
Overburden and Bedrock Materials Interval	
Formation ID: Layer:	931453673 2
Color: General Color: Mat1: Most Common Material: Mat2: Mat2 Desc: Mat3:	2 GREY 05 CLAY 11 GRAVEL 74
Mat3 Desc: Formation Top Depth: Formation End Depth: Formation End Depth UOM:	LAYERED 23.0 42.0 ft

Overburden and Bedrock Materials Interval

Formation ID:	931453674
Layer:	3
Color:	
General Color:	
Mat1:	15
Most Common Material:	LIMESTONE
Mat2:	
Mat2 Desc:	
Mat3:	
Mat3 Desc:	
Formation Top Depth:	42.0
Formation End Depth:	43.0
Formation End Depth UOM:	ft

<u>Overburden and Bedrock</u> <u>Materials Interval</u>

Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Mat2 Desc: Mat3: Mat3 Desc:	931453677 6 2 GREY 05 CLAY
Formation Top Depth:	55.0
Formation End Depth:	61.0
Formation End Depth UOM:	ft

Annular Space/Abandonment Sealing Record

Plug ID:	933140367
Layer:	1
Plug From:	0.0
Plug To:	62.0
Plug Depth UOM:	ft
Plug From: Plug To:	62.0

Method of Construction & Well Use

Method Construction ID:	962808959
Method Construction Code:	2
Method Construction:	Rotary (Convent.)
Other Method Construction:	

Pipe Information

Pipe ID:	10703786
Casing No:	1
Comment:	
Alt Name:	

Construction Record - Casing

Casing ID:	930264128
Layer:	1
Material:	1
Open Hole or Material:	STEEL
Depth From:	
Depth To:	62.0
Casing Diameter:	6.0

Casing Diameter UOM:	inch
Casing Depth UOM:	ft

Construction Record - Casing

Casing ID: Layer: Material:	930264129 2 4
<i>Open Hole or Material: Depth From:</i>	OPEN HOLE
Depth To: Casing Diameter:	124.0 6.0
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

Results of Well Yield Testing

Pump Test ID:	992808959
Pump Set At: Static Level:	14.0
Final Level After Pumping:	15.0
Recommended Pump Depth:	52.0
Pumping Rate:	6.0
Flowing Rate:	
Recommended Pump Rate:	6.0
Levels UOM:	ft
Rate UOM:	GPM
Water State After Test Code:	1
Water State After Test:	CLEAR
Pumping Test Method:	1
Pumping Duration HR:	1
Pumping Duration MIN:	0
Flowing:	No

Draw Down & Recovery

Pump Test Detail ID:	934977472
Test Type:	Draw Down
Test Duration:	60
Test Level:	15.0
Test Level UOM:	ft

Water Details

Water ID:	933613002
Layer:	1
Kind Code:	5
Kind:	Not stated
Water Found Depth:	120.0
Water Found Depth UOM:	ft

Site:

<u>Site:</u> lot 9 ON			Database: WWIS
Well ID:	2808956	Data Entry Status:	
Construction Date:		Data Src:	1
Primary Water Use:	Domestic	Date Received:	4/1/1999
Sec. Water Use:		Selected Flag:	TRUE
Final Well Status:	Water Supply	Abandonment Rec:	
Water Type:		Contractor:	3406
Casing Material:		Form Version:	1
Audit No:	195961	Owner:	
Tag:		Street Name:	
Construction Method:		County:	HALTON
Elevation (m):		Municipality:	MILTON TOWN (NASSAGAWEYA)

Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:

Bore Hole Information

Bore Hole ID: 10155213 DP2BR: Spatial Status: Code OB: Code OB Desc: **Open Hole:** Cluster Kind: Date Completed: 22-Sep-1998 00:00:00 Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock Materials Interval

Formation ID:	931453665
Layer:	2
Color:	2
General Color:	GREY
Mat1:	15
Most Common Material:	LIMESTONE
Mat2:	71
Mat2 Desc:	FRACTURED
Mat3:	
Mat3 Desc:	
Formation Top Depth:	38.0
Formation End Depth:	41.0
Formation End Depth UOM:	ft

Overburden and Bedrock Materials Interval

Formation ID:	931453664
Layer:	1
Color:	7
General Color:	RED
Mat1:	05
Most Common Material:	CLAY
Mat2:	28
Mat2 Desc:	SAND
Mat2 Desc. Mat3: Mat3 Desc: Formation Top Depth: Formation End Depth: Formation End Depth UOM:	0.0 38.0 ft

Overburden and Bedrock Materials Interval

131

Site Info: Lot: Concession: Concession Name: CON Easting NAD83: Northing NAD83: Zone: UTM Reliability:

Elevation: Elevrc: Zone: 17 East83: North83: Org CS: UTMRC: 9 UTMRC Desc: unknown UTM Location Method: na

Formation ID:	931453666
Layer:	3
Color:	
General Color:	
Mat1:	15
Most Common Material:	LIMESTONE
Mat2:	
Mat2 Desc:	
Mat3:	
Mat3 Desc:	
Formation Top Depth:	41.0
Formation End Depth:	126.0
Formation End Depth UOM:	ft
Annular Space/Abandonment	
<u>Sealing Record</u>	
Blue ID.	933140364
Plug ID: Layer:	933140304 1
Plug From:	0.0
Plug To:	42.0
Plug Depth UOM:	ft
· ····g - · · · · · · · ·	
Method of Construction & Well	
<u>Use</u>	
Method Construction ID:	962808956
Method Construction Code:	2
Method Construction:	Rotary (Convent.)
Other Method Construction:	
Pipe Information	
Pipe ID:	10703783
Casing No:	1
Comment:	
Alt Name:	
Construction Record - Casing	
	020264122
Casing ID:	930264122
Casing ID: Layer:	1
Casing ID: Layer: Material:	1 1
Casing ID: Layer: Material: Open Hole or Material:	1
Casing ID: Layer: Material: Open Hole or Material: Depth From:	1 1 STEEL
Casing ID: Layer: Material: Open Hole or Material: Depth From: Depth To:	1 1 STEEL 42.0
Casing ID: Layer: Material: Open Hole or Material: Depth From: Depth To: Casing Diameter:	1 1 STEEL 42.0 6.0
Casing ID: Layer: Material: Open Hole or Material: Depth From: Depth To: Casing Diameter: Casing Diameter UOM:	1 1 STEEL 42.0
Casing ID: Layer: Material: Open Hole or Material: Depth From: Depth To: Casing Diameter:	1 1 STEEL 42.0 6.0 inch
Casing ID: Layer: Material: Open Hole or Material: Depth From: Depth To: Casing Diameter: Casing Diameter UOM: Casing Depth UOM:	1 1 STEEL 42.0 6.0 inch
Casing ID: Layer: Material: Open Hole or Material: Depth From: Depth To: Casing Diameter: Casing Diameter UOM:	1 1 STEEL 42.0 6.0 inch
Casing ID: Layer: Material: Open Hole or Material: Depth From: Depth To: Casing Diameter: Casing Diameter UOM: Casing Depth UOM: Construction Record - Casing Casing ID:	1 1 STEEL 42.0 6.0 inch ft 930264123
Casing ID: Layer: Material: Open Hole or Material: Depth From: Depth To: Casing Diameter: Casing Diameter UOM: Casing Depth UOM: <u>Construction Record - Casing</u> Casing ID: Layer:	1 1 STEEL 42.0 6.0 inch ft 930264123 2
Casing ID: Layer: Material: Open Hole or Material: Depth From: Depth To: Casing Diameter: Casing Diameter UOM: Casing Depth UOM: <u>Construction Record - Casing</u> Casing ID: Layer: Material:	1 1 STEEL 42.0 6.0 inch ft 930264123 2 4
Casing ID: Layer: Material: Open Hole or Material: Depth From: Depth To: Casing Diameter: Casing Diameter UOM: Casing Depth UOM: <u>Construction Record - Casing</u> Casing ID: Layer:	1 1 STEEL 42.0 6.0 inch ft 930264123 2

Depth From:	
Depth To:	126.0
Casing Diameter:	6.0
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

Results of Well Yield Testing

Pump Test ID:	992808956
Pump Set At: Static Level:	9.0
Final Level After Pumping:	9.0
Recommended Pump Depth:	11.0
Pumping Rate:	5.0
Flowing Rate:	
Recommended Pump Rate:	5.0
Levels UOM:	ft
Rate UOM:	GPM
Water State After Test Code:	1
Water State After Test:	CLEAR
Pumping Test Method:	1
Pumping Duration HR:	1
Pumping Duration MIN:	0
Flowing:	No

Draw Down & Recovery

Pump Test Detail ID:	934977469
Test Type:	Draw Down
Test Duration:	60
Test Level:	9.0
Test Level UOM:	ft

Water Details

Water ID:	933612997
Layer:	2
Kind Code:	5
Kind:	Not stated
Water Found Depth:	122.0
Water Found Depth UOM:	ft

Water Details

Water ID:	933612996
Layer:	1
Kind Code:	5
Kind:	Not stated
Water Found Depth:	93.0
Water Found Depth UOM:	ft

Site:

lot 11 ON

Well ID: Construction Date: Primary Water Use: Sec. Water Use: Final Well Status: Water Type: Casing Material: Audit No: Tag: Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: . Well Depth: . Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:

Domestic Water Supply

2808961

195948

Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone:

UTM Reliability:

Data Entry Status:

Date Received:

Selected Flag:

Data Src:

MILTON TOWN (NASSAGAWEYA)

CON

HALTON

1 4/1/1999

TRUE

3406

1

011

133

Database: **WWIS**

Bore Hole Information

Bore Hole ID: DP2BR:	10155218	
Spatial Status:		
Code OB:		
Code OB Desc:		
Open Hole:		
Cluster Kind:		
Date Completed:	29-Aug-1998 00:00:00	
Remarks:		
Elevrc Desc:		
Location Source Date:		
Improvement Location Source:		
Improvement Location Method:		
Source Revision Comm	ent:	

Elevation: Elevrc: Zone: East83: North83:	17
Org CS: UTMRC: UTMRC Desc: Location Method:	9 unknown UTM na

Overburden and Bedrock Materials Interval

Supplier Comment:

Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Mat2 Desc: Mat3:	931453684 3 8 BLACK 26 ROCK 85 SOFT
<i>Mat3 Desc: Formation Top Depth: Formation End Depth: Formation End Depth UOM:</i>	38.0 40.0 ft

Overburden and Bedrock Materials Interval

Formation ID: Layer: Color:	931453685 4
General Color:	45
Mat1: Most Common Material:	15 LIMESTONE
Mat2: Mat2 Desc:	
Mat3: Mat3 Desc:	
Formation Top Depth:	40.0
Formation End Depth: Formation End Depth UOM:	98.0 ft

Overburden and Bedrock Materials Interval

Formation ID:	931453682
Layer:	1
Color:	7
General Color:	RED
Mat1:	05
Most Common Material:	CLAY
Mat2:	
Mat2 Desc:	
Mat3:	

Mat3 Desc:	
Formation Top Depth:	0.0
Formation End Depth:	11.0
Formation End Depth UOM:	ft

Overburden and Bedrock Materials Interval

Formation ID:	931453683 2
Layer: Color: General Color:	2 GREY
Mat1: Most Common Material:	05 CLAY
Mat2: Mat2 Desc:	11 GRAVEI
Mat2 Desc. Mat3: Mat3 Desc:	GRAVEL
Formation Top Depth:	11.0 38.0
Formation End Depth: Formation End Depth UOM:	38.0 ft

<u>Annular Space/Abandonment</u> <u>Sealing Record</u>

Plug ID: Laver:	933140369 1
Plug From:	0.0
Plug To:	40.0
Plug Depth UOM:	ft

Method of Construction & Well Use

Method Construction ID:	962808961
Method Construction Code:	2
Method Construction:	Rotary (Convent.)
Other Method Construction:	,

Pipe Information

Pipe ID:	10703788
Casing No:	1
Comment:	
Alt Name:	

Construction Record - Casing

Casing ID: Layer: Material:	930264133 2 4
Open Hole or Material: Depth From:	OPEN HOLE
Depth To:	98.0
Casing Diameter:	6.0
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

Construction Record - Casing

Casing ID:	930264132
Layer:	1
Material:	1
Open Hole or Material:	STEEL

Depth From:	
Depth To:	40.0
Casing Diameter:	6.0
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

Results of Well Yield Testing

Pump Test ID:	992808961
Pump Set At:	
Static Level:	11.0
Final Level After Pumping:	12.0
Recommended Pump Depth:	43.0
Pumping Rate:	5.0
Flowing Rate:	
Recommended Pump Rate:	5.0
Levels UOM:	ft
Rate UOM:	GPM
Water State After Test Code:	1
Water State After Test:	CLEAR
Pumping Test Method:	1
Pumping Duration HR:	1
Pumping Duration MIN:	
Flowing:	No

Draw Down & Recovery

Pump Test Detail ID:	934977474
Test Type:	Draw Down
Test Duration:	60
Test Level:	12.0
Test Level UOM:	ft

Water Details

Water ID:	933613007
Layer:	3
Kind Code:	5
Kind:	Not stated
Water Found Depth:	94.0
Water Found Depth UOM:	ft

Water Details

Water ID:	933613006
Layer:	2
Kind Code:	5
Kind:	Not stated
Water Found Depth:	84.0
Water Found Depth UOM:	ft

Water Details

Water ID:	933613005
Layer:	1
Kind Code:	5
Kind:	Not stated
Water Found Depth:	76.0
Water Found Depth UOM:	ft

<u>Site:</u>

con 7 ON

Well ID:

2809710

erisinfo.com | Environmental Risk Information Services

Data Entry Status:

Database: WWIS Construction Date: Primary Water Use: Sec. Water Use: Final Well Status: Water Type: Casing Material: Audit No: Tag: Construction Method: Elevation (m): **Elevation Reliability:** Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:

Bore Hole Information

Bore Hole ID: 10538801 DP2BR: Spatial Status: Code OB: Code OB Desc: **Open Hole: Cluster Kind:** Date Completed: 20-Feb-2003 00:00:00 Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

<u>Overburden and Bedrock</u> <u>Materials Interval</u>

Formation ID:	932909882
Layer:	2
Color:	7
General Color:	RED
Mat1:	05
Most Common Material:	CLAY
Mat2:	12
Mat2 Desc:	STONES
Mat3:	73
Mat3 Desc:	HARD
Formation Top Depth:	41.0
Formation End Depth:	45.0
Formation End Depth UOM:	ft

Overburden and Bedrock Materials Interval

Formation ID:	932909883
Layer:	3
Color:	7
General Color:	RED
Mat1:	17
Most Common Material:	SHALE
Mat2:	15
Mat2 Desc:	LIMESTONE

207098

Domestic

Water Supply

Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:

Data Src:

Date Received:

Selected Flag:

1 3/17/2003 TRUE

4868 1

07

NS

HALTON MILTON TOWN (TRAFALGAR)

Elevation:Elevrc:Zone:17East83:North83:Org CS:UTMRC:9UTMRC Desc:unknown UTMLocation Method:na

Mat3:	73
Mat3 Desc:	HARD
Formation Top Depth:	45.0
Formation End Depth:	138.0
Formation End Depth UOM:	ft

Overburden and Bedrock Materials Interval

Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Mat2 Desc:	932909881 1 6 BROWN 05 CLAY 12 STONES
Mat3: Mat3 Desc: Formation Top Depth:	0.0
Formation Fop Depth: Formation End Depth: Formation End Depth UOM:	41.0 ft

Annular Space/Abandonment Sealing Record

Plug ID:	933237204
Layer:	1
Plug From:	0.0
Plug To:	52.0
Plug Depth UOM:	ft

Method of Construction & Well Use

Method Construction ID:	962809710
Method Construction Code:	1
Method Construction: Other Method Construction:	Cable Tool

Pipe Information

Pipe ID:	11087371
Casing No:	1
Comment:	
Alt Name:	

Construction Record - Casing

Casing ID: Layer: Material:	930265084 1 1
Open Hole or Material: Depth From:	STEEL
Depth To:	52.0
Casing Diameter: Casing Diameter UOM:	8.0 inch
Casing Depth UOM:	ft

Construction Record - Casing

930265085
2
4

Open Hole or Material:	OPEN HOLE
Depth From:	
Depth To:	138.0
Casing Diameter:	8.0
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

Results of Well Yield Testing

Pump Test ID:	992809710
Pump Set At:	10.0
Static Level:	48.0
Final Level After Pumping:	75.0
Recommended Pump Depth:	120.0
Pumping Rate:	5.0
Flowing Rate:	
Recommended Pump Rate:	4.0
Levels UOM:	ft
Rate UOM:	GPM
Water State After Test Code:	1
Water State After Test:	CLEAR
Pumping Test Method:	2
Pumping Duration HR:	1
Pumping Duration MIN:	0
Flowing:	No

Draw Down & Recovery

Pump Test Detail ID:	934978554
Test Type:	Draw Down
Test Duration:	60
Test Level:	48.0
Test Level UOM:	ft

Water Details

Water ID:	934032504
Layer:	1
Kind Code:	1
Kind:	FRESH
Water Found Depth:	68.0
Water Found Depth UOM:	ft

Water Details

Water ID:	934032506
Layer:	3
Kind Code:	1
Kind:	FRESH
Water Found Depth:	135.0
Water Found Depth UOM:	ft

Water Details

Water ID:	934032505
Layer:	2
Kind Code:	1
Kind:	FRESH
Water Found Depth:	110.0
Water Found Depth UOM:	ft

Site:

con 6 ON



Well ID: Construction Date: Primary Water Use: Sec. Water Use: Final Well Status: Water Type: Casing Material: Audit No: Tag: **Construction Method:** Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:

2802050

Domestic

Water Supply

0

Bore Hole Information

10148604 Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc: **Open Hole:** Cluster Kind: Date Completed: 15-Jun-1946 00:00:00 Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock Materials Interval

Formation ID:	931427458
Layer:	2
Color:	
General Color:	
Mat1:	15
Most Common Material:	LIMESTONE
Mat2:	
Mat2 Desc:	
Mat3:	
Mat3 Desc:	
Formation Top Depth:	10.0
Formation End Depth:	56.0
Formation End Depth UOM:	ft
•	

Overburden and Bedrock Materials Interval

Formation ID:	931427457
Layer:	1
Color:	
General Color:	
Mat1:	11
Most Common Material:	GRAVEL
Mat2:	12

Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:

1 8/15/1946 TRUE

4838

1

HALTON MILTON TOWN (NASSAGAWEYA)

06 CON

Elevation:Elevrc:Zone:17East83:North83:Org CS:UTMRC:9UTMRC Desc:unknown UTMLocation Method:na

<i>Mat2 Desc: Mat3: Mat3 Desc: Formation Top Depth: Formation End Depth: Formation End Depth UOM:</i>	STONES 05 CLAY 0.0 10.0 ft
Method of Construction & Well Use	
Method Construction ID: Method Construction Code: Method Construction: Other Method Construction:	962802050 1 Cable Tool
Pipe Information	
Pipe ID: Casing No: Comment: Alt Name:	10697174 1
Construction Record - Casing	

Casing ID:	930252868
Layer:	1
Material:	1
Open Hole or Material:	STEEL
Depth From:	
Depth To:	12.0
Casing Diameter:	5.0
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

Construction Record - Casing

Casing ID:	930252869
Layer:	2
Material:	4
Open Hole or Material:	OPEN HOLE
Depth From: Depth To: Casing Diameter: Casing Diameter UOM: Casing Depth UOM:	56.0 5.0 inch ft

Results of Well Yield Testing

Pump Test ID:	992802050
Pump Set At: Static Level:	12.0
Final Level After Pumping: Recommended Pump Depth:	
Pumping Rate: Flowing Rate:	10.0
Recommended Pump Rate: Levels UOM:	ft
Rate UOM:	GPM
Water State After Test Code: Water State After Test:	1 CLEAR
Pumping Test Method: Pumping Duration HR:	1
Pumping Duration MIN: Flowing:	No

Water Details

Water ID:	933604067
Layer:	1
Kind Code:	1
Kind:	FRESH
Water Found Depth:	56.0
Water Found Depth UOM:	ft

Site:

lot 9 ON

Database: WWIS

lot 9 ON			WWIS
Well ID: Construction Date: Primary Water Use: Sec. Water Use: Final Well Status: Water Type: Casing Material: Audit No: Tag: Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:	2808978 Domestic Water Supply 195951	Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	1 4/1/1999 TRUE 3406 1 HALTON MILTON TOWN (NASSAGAWEYA) 009 CON
Bore Hole Information			
Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: Remarks: Elevrc Desc: Location Source Date: Improvement Location Source Revision Comm Source Revision Comm	Method:	Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc: Location Method:	17 9 unknown UTM na
<u>Overburden and Bedroc</u> <u>Materials Interval</u>	<u>:k</u>		
Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Mat2 Desc: Mat3 Mat3 Desc: Formation Top Depth: Formation End Depth:	931453749 4 05 CLAY 122.0 123.0		

Formation End Depth UOM:	ft
<u>Overburden and Bedrock</u> <u>Materials Interval</u>	
Formation ID: Layer: Color:	931453748 3
General Color:	
Mat1: Most Common Material:	15 LIMESTONE
Mat2: Mat2 Desc: Mat3:	
Mat3 Desc:	
Formation Top Depth:	65.0
Formation End Depth: Formation End Depth UOM:	122.0 ft
Overburden and Bedrock Materials Interval	
Formation ID:	931453747
Layer: Color:	2 2
General Color:	GREY
Mat1: Mast Common Material	05
Most Common Material: Mat2:	CLAY 11
Mat2 Desc:	GRAVEL
Mat3:	
Mat3 Desc: Formation Top Depth:	18.0
Formation End Depth:	65.0
Formation End Depth UOM:	ft
<u>Overburden and Bedrock</u> <u>Materials Interval</u>	
Formation ID:	931453746
Layer:	1
Color: General Color:	6 BROWN
Mat1:	05
Most Common Material:	CLAY
Mat2: Mat2 Desc:	28 SAND
Mat3:	
Mat3 Desc:	0.0
Formation Top Depth: Formation End Depth:	0.0 18.0
Formation End Depth UOM:	ft
<u>Overburden and Bedrock</u> <u>Materials Interval</u>	
Formation ID:	931453750
Layer:	5
Color: General Color:	
Mat1:	15
macr.	
Most Common Material:	LIMESTONE

Mat3 Desc: Formation Top Depth:	123.0
Formation Top Depth: Formation End Depth:	125.0
Formation End Depth.	ft
Annular Space/Abandonment Sealing Record	
Plug ID:	933140386
Layer:	1
Plug From:	0.0
Plug To:	
Plug Depth UOM:	ft
Method of Construction & Well	
<u>Use</u>	
Method Construction ID:	962808978
Method Construction Code:	1
Method Construction:	Cable Tool
Other Method Construction:	
Pipe Information	
Pipe ID:	10703805
Casing No:	1
Comment: Alt Name:	
All Name.	
Construction Record - Casing	
Casing ID:	930264167
Layer:	2
Material:	4
Open Hole or Material:	OPEN HOLE
Depth From:	105.0
Depth To:	125.0
Casing Diameter: Casing Diameter UOM:	6.0 inch
Casing Diameter UOM: Casing Depth UOM:	ft
Construction Bosond Cosing	

Construction Record - Casing

Casing ID: Layer: Material:	930264166 1 1
Open Hole or Material: Depth From:	STEEL
Depth To:	67.0
Casing Diameter:	6.0
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

Results of Well Yield Testing

Pump Test ID:	992808978
Pump Set At:	
Static Level:	14.0
Final Level After Pumping:	14.0
Recommended Pump Depth:	14.0
Pumping Rate:	6.0
Flowing Rate:	
Recommended Pump Rate:	6.0
Levels UOM:	ft

Rate UOM:	GPM
Water State After Test Code:	1
Water State After Test:	CLEAR
Pumping Test Method:	1
Pumping Duration HR:	1
Pumping Duration MIN:	0
Flowing:	No

Draw Down & Recovery

Pump Test Detail ID:	934977491
Test Type:	
Test Duration:	60
Test Level:	14.0
Test Level UOM:	ft

Water Details

Water ID:	933613051
Layer:	1
Kind Code:	5
Kind:	Not stated
Water Found Depth:	77.0
Water Found Depth UOM:	ft

Water Details

Water ID:	933613052
Layer:	2
Kind Code:	5
Kind:	Not stated
Water Found Depth:	122.0
Water Found Depth UOM:	ft

erisinfo.com | Environmental Risk Information Services

Appendix: Database Descriptions

Environmental Risk Information Services (ERIS) can search the following databases. The extent of historical information varies with each database and current information is determined by what is publicly available to ERIS at the time of update. Note: Databases denoted with "*" indicates that the database will no longer be updated. See the individual database description for more information.

Abandoned Aggregate Inventory:

city/town location. The database provides information regarding the location, type, size, land use, status and general comments.* Government Publication Date: Sept 2002*

Aggregate Inventory: The Ontario Ministry of Natural Resources maintains a database of all active pits and quarries. The database provides information regarding the

registered owner/operator, location name, operation type, approval type, and maximum annual tonnage. Government Publication Date: Up to Nov 2021

Abandoned Mine Information System:

The Abandoned Mines Information System contains data on known abandoned and inactive mines located on both Crown and privately held lands. The information was provided by the Ministry of Northern Development and Mines (MNDM), with the following disclaimer: "the database provided has been compiled from various sources, and the Ministry of Northern Development and Mines makes no representation and takes no responsibility that such information is accurate, current or complete". Reported information includes official mine name, status, background information, mine start/end date, primary commodity, mine features, hazards and remediation.

Government Publication Date: 1800-Mar 2022

Anderson's Waste Disposal Sites:

The information provided in this database was collected by examining various historical documents which aimed to characterize the likely position of former waste disposal sites from 1860 to present. The research initiative behind the creation of this database was to identify those sites that are missing from the Ontario MOE Waste Disposal Site Inventory, as well as to provide revisions and corrections to the positions and descriptions of sites currently listed in the MOE inventory. In addition to historic waste disposal facilities, the database also identifies certain auto wreckers and scrap yards that have been extrapolated from documentary sources. Please note that the data is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1860s-Present

Aboveground Storage Tanks:

Historical listing of aboveground storage tanks made available by the Department of Natural Resources and Forestry. Includes tanks used to hold water or petroleum. This dataset has been retired as of September 25, 2014 and will no longer be updated. Government Publication Date: May 31, 2014

Automobile Wrecking & Supplies:

This database provides an inventory of known locations that are involved in the scrap metal, automobile wrecking/recycling, and automobile parts & supplies industry. Information is provided on the company name, location and business type. Government Publication Date: 1999-Sep 30, 2021

Borehole: BORE A borehole is the generalized term for any narrow shaft drilled in the ground, either vertically or horizontally. The information here includes geotechnical investigations or environmental site assessments, mineral exploration, or as a pilot hole for installing piers or underground utilities. Information is from many sources such as the Ministry of Transportation (MTO) boreholes from engineering reports and projects from the 1950 to 1990's in Southern Ontario. Boreholes from the Ontario Geological Survey (OGS) including The Urban Geology Analysis Information System (UGAIS) and the York Peel Durham Toronto (YPDT) database of the Conservation Authority Moraine Coalition. This database will include fields such as location, stratigraphy, depth, elevation, year drilled, etc. For all water well data or oil and gas well data for Ontario please refer to WWIS and OOGW. Government Publication Date: 1875-Jul 2018

The MAAP Program maintains a database of abandoned pits and quarries. Please note that the database is only referenced by lot and concession and

Provincial

Provincial

AAGR

AGR

AMIS

ANDR

AST

AUWR

Provincial

Private

Provincial

Private

Provincial

Certificates of Approval:

Dry Cleaning Facilities:

Commercial Fuel Oil Tanks:

Locations of commercial underground fuel oil tanks. This is not a comprehensive or complete inventory of commercial fuel tanks in the province; this listing is a copy of records of registered commercial underground fuel oil tanks obtained under Access to Public Information. Note that the following types of tanks do not require registration: waste oil tanks in apartments, office buildings, residences, etc.; aboveground gas or diesel tanks. Records are not verified for accuracy or completeness. Government Publication Date: Feb 28, 2022

Chemical Manufacturers and Distributors:

Compressed Natural Gas Stations:

Compliance and Convictions:

Certificates of Property Use:

147

Government Publication Date: 1985-Oct 30, 2011*

Government Publication Date: Jan 2004-Dec 2019

Please refer to those individual databases for any information after Oct.31, 2011.

tetrachloroethylene to the environment from dry cleaning facilities.

distribute chemicals. The production of these chemical substances may involve one or more chemical reactions and/or chemical separation processes (i.e. fractionation, solvent extraction, crystallization, etc.). Government Publication Date: 1999-Jan 31, 2020

This database includes information from both a one time study conducted in 1992 and private source and is a listing of facilities that manufacture or

Chemical Register:

Government Publication Date: 1999-Sep 30, 2021

Canada has a network of public access compressed natural gas (CNG) refuelling stations. These stations dispense natural gas in compressed form at 3,000 pounds per square inch (psi), the pressure which is allowed within the current Canadian codes and standards. The majority of natural gas refuelling is located at existing retail gasoline that have a separate refuelling island for natural gas. This list of stations is made available by the Canadian Natural Gas Vehicle Alliance. Government Publication Date: Dec 2012 - Apr 2022

Inventory of Coal Gasification Plants and Coal Tar Sites: This inventory includes both the "Inventory of Coal Gasification Plant Waste Sites in Ontario-April 1987" and the Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario-November 1988) collected by the MOE. It identifies industrial sites that produced and continue to produce or use coal tar and other related tars. Detailed information is available and includes: facility type, size, land use, information on adjoining properties, soil condition, site operators/occupants, site description, potential environmental impacts and historic maps available. This was a one-time inventory.* Government Publication Date: Apr 1987 and Nov 1988*

This database summarizes the fines and convictions handed down by the Ontario courts beginning in 1989. Companies and individuals named here have been found guilty of environmental offenses in Ontario courts of law. Government Publication Date: 1989-Mar 2022

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all CPU's on the registry such as (EPA s. 168.6) -Certificate of Property Use.

Government Publication Date: 1994 - May 31, 2022

Renewable Energy Approvals. The MOE in Ontario states that any facility that releases emissions to the atmosphere, discharges contaminants to ground or surface water, provides potable water supplies, or stores, transports or disposes of waste, must have a Certificate of Approval before it can operate lawfully. Fields include approval number, business name, address, approval date, approval type and status. This database will no longer be updated, as CofA's have been replaced by either Environmental Activity and Sector Registry (EASR) or Environmental Compliance Approval (ECA).

Tetrachloroethylene (Use in Dry Cleaning and Reporting Requirements) Regulations (SOR/2003-79) are intended to reduce releases of

Provincial

Federal

Private

Private

List of dry cleaning facilities made available by Environment and Climate Change Canada. Environment and Climate Change Canada's

Provincial

CHEM

CHM

CNG

Private

Provincial

COAL

Provincial

Provincial



CA

CDRY

CFOT

This database includes a listing of locations of facilities within the Province or Territory that either manufacture and/or distributes chemicals.

CPU

CONV

Drill Hole Database: The Ontario Drill Hole Database contains information on more than 113,000 percussion, overburden, sonic and diamond drill holes from assessment

Delisted Fuel Tanks:

Environmental Registry:

Government Publication Date: 1886 - Sep 2020

Environmental Activity and Sector Registry:

company map; or from submitted a "Report of Work".

regulatory agency under Access to Public Information. Government Publication Date: Feb 28, 2022

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. The EASR allows businesses to register certain activities with the ministry, rather than apply for an approval. The registry is available for common systems and processes, to which preset rules of operation can be applied. The EASR is currently available for: heating systems, standby power systems and automotive refinishing. Businesses whose activities aren't subject to the EASR may apply for an ECA (Environmental Compliance Approval), Please see our ECA database. Government Publication Date: Oct 2011- Apr 30, 2022

files on record with the department of Mines and Minerals. Please note that limited data is available for southern Ontario, as it was the last area to be completed. The database was created when surveys submitted to the Ministry were converted in the Assessment File Research Image Database (AFRI) project. However, the degree of accuracy (coordinates) as to the exact location of drill holes is dependent upon the source document submitted to the MNDM. Levels of accuracy used to locate holes are: centering on the mining claim; a sketch of the mining claim; a 1:50,000 map; a detailed

List of fuel storage tank sites that were once found in - and have since been removed from - the list of fuel storage tanks made available by the

The Environmental Registry lists proposals, decisions and exceptions regarding policies, Acts, instruments, or regulations that could significantly affect the environment. Through the Registry, thirteen provincial ministries notify the public of upcoming proposals and invite their comments. For example, if a local business is requesting a permit, license, or certificate of approval to release substances into the air or water; these are notified on the registry. Data includes: Approval for discharge into the natural environment other than water (i.e. Air) - EPA s. 9, Approval for sewage works - OWRA s. 53(1), and EPA s. 27 - Approval for a waste disposal site. For information regarding Permit to Take Water (PTTW), Certificate of Property Use (CPU) and (ORD) Orders please refer to those individual databases.

Government Publication Date: 1994 - May 31, 2022

Environmental Compliance Approval:

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. In the past, a business had to apply for multiple approvals (known as certificates of approval) for individual processes and pieces of equipment. Today, a business either registers itself, or applies for a single approval, depending on the types of activities it conducts. Businesses whose activities aren't subject to the EASR may apply for an ECA. A single ECA addresses all of a business's emissions, discharges and wastes. Separate approvals for air, noise and waste are no longer required. This database will also include Renewable Energy Approvals. For certificates of approval prior to Nov 1st, 2011, please refer to the CA database. For all Waste Disposal Sites please refer to the WDS database.

Government Publication Date: Oct 2011- Apr 30, 2022

Environmental Effects Monitoring:

ERIS Historical Searches:

148

fisheries resources. Since 1992, pulp and paper mills have been required to conduct EEM studies under the Pulp and Paper Effluent Regulations. This database provides information on the mill name, geographical location and sub-lethal toxicity data. Government Publication Date: 1992-2007*

ERIS has compiled a database of all environmental risk reports completed since March 1999. Available fields for this database include: site location, date of report, type of report, and search radius. As per all other databases, the ERIS database can be referenced on both the map and "Statistical Profile" page.

Government Publication Date: 1999-Mar 31, 2022

Environmental Issues Inventory System:

The Environmental Issues Inventory System was developed through the implementation of the Environmental Issues and Remediation Plan. This plan was established to determine the location and severity of contaminated sites on inhabited First Nation reserves, and where necessary, to remediate those that posed a risk to health and safety; and to prevent future environmental problems. The EIIS provides information on the reserve under investigation, inventory number, name of site, environmental issue, site action (Remediation, Site Assessment), and date investigation completed. Government Publication Date: 1992-2001*

Provincial

Provincial

DTNK

EASR

FBR

FCA

EEM

EHS

FIIS

DRI

Provincial

Provincial

Provincial

Federal The Environmental Effects Monitoring program assesses the effects of effluent from industrial or other sources on fish, fish habitat and human usage of

Private

Federal

Emergency Management Historical Event:

List of locations of historical occurrences of emergency events, including those assigned to the Ministry of Natural Resources by Order-In-Council (OIC) under the Emergency Management and Civil Protection Act, as well as events where MNR provided requested emergency response assistance. Many of these events will have involved community evacuations, significant structural loss, and/or involvement of MNR emergency response staff. These events fall into one of ten (10) type categories: Dam Failure; Drought / Low Water; Erosion; Flood; Forest Fire; Soil and Bedrock Instability; Petroleum Resource Center Event, EMO Requested Assistance, Continuity of Operations Event, Other Requested Assistance. EMHE record details are reproduced by ERIS under License with the Ontario Ministry of Natural Resources © Queen's Printer for Ontario, 2017.

This database contains data from Ontario's annual environmental penalty report published by the Ministry of the Environment and Climate Change.

Government Publication Date: Dec 31, 2016

Environmental Penalty Annual Report:

List of Expired Fuels Safety Facilities:

These reports provide information on environmental penalties for land or water violations issued to companies in one of the nine industrial sectors covered by the Municipal Industrial Strategy for Abatement (MISA) regulations. Government Publication Date: Jan 1, 2011 - Dec 31, 2021

List of facilities and tanks for which there was once a fuel registration. This is not a comprehensive or complete inventory of expired tanks/tank facilities in the province; this listing is a copy of previously registered tanks and facilities obtained under Access to Public Information. Includes private fuel outlets, bulk plants, fuel oil tanks, gasoline stations, marinas, propane filling stations, liquid fuel tanks, piping systems, etc; includes tanks which have been removed from the ground.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2022

Contaminated Sites on Federal Land:

Federal Convictions:

Environment Canada maintains a database referred to as the "Environmental Registry" that details prosecutions under the Canadian Environmental Protection Act (CEPA) and the Fisheries Act (FA). Information is provided on the company name, location, charge date, offence and penalty. Government Publication Date: 1988-Jun 2007*

The Federal Contaminated Sites Inventory includes information on known federal contaminated sites under the custodianship of departments, agencies and consolidated Crown corporations as well as those that are being or have been investigated to determine whether they have contamination arising from past use that could pose a risk to human health or the environment. The inventory also includes non-federal contaminated sites for which the Government of Canada has accepted some or all financial responsibility. It does not include sites where contamination has been caused by, and which are under the control of, enterprise Crown corporations, private individuals, firms or other levels of government. Includes fire training sites and sites at which Per- and Polyfluoroalkyl Substances (PFAS) are a concern.

Government Publication Date: Jun 2000-Apr 2022

Fisheries & Oceans Fuel Tanks:

Fisheries & Oceans Canada maintains an inventory of aboveground & underground fuel storage tanks located on Fisheries & Oceans property or controlled by DFO. Our inventory provides information on the site name, location, tank owner, tank operator, facility type, storage tank location, tank contents & capacity, and date of tank installation. Government Publication Date: 1964-Sep 2019

Federal Identification Registry for Storage Tank Systems (FIRSTS):

A list of federally regulated Storage tanks from the Federal Identification Registry for Storage Tank Systems (FIRSTS). FIRSTS is Environment and Climate Change Canada's database of storage tank systems subject to the Storage Tank for Petroleum Products and Allied Petroleum Products Regulations. The main objective of the Regulations is to prevent soil and groundwater contamination from storage tank systems located on federal and aboriginal lands. Storage tank systems that do not have a valid identification number displayed in a readily visible location on or near the storage tank system may be refused product delivery.

Government Publication Date: May 31, 2018

Fuel Storage Tank:

149

List of registered private and retail fuel storage tanks. This is not a comprehensive or complete inventory of private and retail fuel storage tanks in the province; this listing is a copy of registered private and retail fuel storage tanks, obtained under Access to Public Information. Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2022

EPAR

EXP

FCON

FCS

FMHF

Provincial

Provincial

Provincial

Federal

Federal

Federal

Federal

Provincial

FST

FRST

FOFT

Order No: 22060101061

Fuel Storage Tank - Historic:

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks. Public records of private fuel storage tanks are only available since the registration became effective in September 1989. This information is now collected by the Technical Standards and Safety Authority.

Government Publication Date: Pre-Jan 2010*

Ontario Regulation 347 Waste Generators Summary:

Regulation 347 of the Ontario EPA defines a waste generation site as any site, equipment and/or operation involved in the production, collection, handling and/or storage of regulated wastes. A generator of regulated waste is required to register the waste generation site and each waste produced, collected, handled, or stored at the site. This database contains the registration number, company name and address of registered generators including the types of hazardous wastes generated. It includes data on waste generating facilities such as: drycleaners, waste treatment and disposal facilities, machine shops, electric power distribution etc. This information is a summary of all years from 1986 including the most currently available data. Some records may contain, within the company name, the phrase "See & Use..." followed by a series of letters and numbers. This occurs when one company is amalgamated with or taken over by another registered company. The number listed as "See & Use", refers to the new ownership and the other identification number refers to the original ownership. This phrase serves as a link between the 2 companies until operations have been fully transferred.

Government Publication Date: 1986-Feb 28, 2022

Government Publication Date: 2013-Dec 2019

Greenhouse Gas Emissions from Large Facilities:

TSSA Historic Incidents:

dioxide equivalents (kt CO2 eq).

List of historic incidences of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen recorded by the TSSA in their previous incident tracking system. The TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, the TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of historical fuel spills and leaks in the province. This listing is a copy of the data captured at one moment in time and is hence limited by the record date provided here. Government Publication Date: 2006-June 2009*

List of greenhouse gas emissions from large facilities made available by Environment Canada. Greenhouse gas emissions in kilotonnes of carbon

Indian & Northern Affairs Fuel Tanks: The Department of Indian & Northern Affairs Canada (INAC) maintains an inventory of aboveground & underground fuel storage tanks located on both federal and crown land. Our inventory provides information on the reserve name, location, facility type, site/facility name, tank type, material & ID number, tank contents & capacity, and date of tank installation.

Government Publication Date: 1950-Aug 2003*

Fuel Oil Spills and Leaks:

Listing of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen reported to the Spills Action Centre (SAC). This is not a comprehensive or complete inventory of fuel-related leaks, spills, and incidents in the province; this listing in a copy of incidents reported to the SAC, obtained under Access to Public Information. Includes incidents from fuel-related hazards such as spills, fires, and explosions. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2022

Landfill Inventory Management Ontario:

The Landfill Inventory Management Ontario (LIMO) database is updated every year, as the Ministry of the Environment, Conservation and Parks compiles new and updated information. Includes small and large landfills currently operating as well as those which are closed and historic. Operators of larger landfills provide landfill information for the previous operating year to the ministry for LIMO including: estimated amount of total waste received, landfill capacity, estimated total remaining landfill capacity, fill rates, engineering designs, reporting and monitoring details, size of location, service area, approved waste types, leachate of site treatment, contaminant attenuation zone and more. The small landfills include information such as site owner, site location and certificate of approval # and status.

Government Publication Date: Mar 21, 2022

Canadian Mine Locations:

150

MINE This information is collected from the Canadian & American Mines Handbook. The Mines database is a national database that provides over 290 listings on mines (listed as public companies) dealing primarily with precious metals and hard rocks. Listed are mines that are currently in operation, closed, suspended, or are still being developed (advanced projects). Their locations are provided as geographic coordinates (x, y and/or longitude, latitude). As of 2002, data pertaining to Canadian smelters and refineries has been appended to this database. Government Publication Date: 1998-2009*

Provincial

Federal

Federal

Provincial

Provincial

Private



Provincial

GEN

FSTH

GHG

HINC

IAFT

INC

LIMO

Mineral Occurrences:

In the early 70's, the Ministry of Northern Development and Mines created an inventory of approximately 19,000 mineral occurrences in Ontario, in regard to metallic and industrial minerals, as well as some information on building stones and aggregate deposits. Please note that the "Horizontal Positional Accuracy" is approximately +/- 200 m. Many reference elements for each record were derived from field sketches using pace or chain/tape measurements against claim posts or topographic features in the area. The primary limiting factor for the level of positional accuracy is the scale of the source material. The testing of horizontal accuracy of the source materials was accomplished by comparing the plan metric (X and Y) coordinates of that point with the coordinates of the same point as defined from a source of higher accuracy.

Government Publication Date: 1846-Feb 2022

National Analysis of Trends in Emergencies System (NATES):

significant spill incidents. The data was to be used to assist in directing the work of the emergencies program. NATES ran from 1974 to 1994. Extensive information is available within this database including company names, place where the spill occurred, date of spill, cause, reason and source of spill, damage incurred, and amount, concentration, and volume of materials released. Government Publication Date: 1974-1994*

Non-Compliance Reports: NCPL The Ministry of the Environment provides information about non-compliant discharges of contaminants to air and water that exceed legal allowable limits, from regulated industrial and municipal facilities. A reported non-compliance failure may be in regard to a Control Order, Certificate of Approval, Sectoral Regulation or specific regulation/act.

Government Publication Date: Dec 31, 2020

National Defense & Canadian Forces Fuel Tanks:

DND lands. Our inventory provides information on the base name, location, tank type & capacity, tank contents, tank class, date of tank installation, date tank last used, and status of tank as of May 2001. This database will no longer be updated due to the new National Security protocols which have prohibited any release of this database. Government Publication Date: Up to May 2001*

The Department of National Defense and the Canadian Forces maintains an inventory of all aboveground & underground fuel storage tanks located on

National Defense & Canadian Forces Spills:

under the "Transportation of Dangerous Goods Act - 1992". Our inventory provides information on the facility name, location, spill ID #, spill date, type of spill, as well as the quantity of substance spilled & recovered. Government Publication Date: Mar 1999-Apr 2018

The Department of National Defence and the Canadian Forces maintains an inventory of waste disposal sites located on DND lands. Where available, our inventory provides information on the base name, location, type of waste received, area of site, depth of site, year site opened/closed and status.

jurisdiction, does not include incident data related to pipelines under provincial or territorial jurisdiction.

Government Publication Date: 2001-Apr 2007*

National Energy Board Pipeline Incidents:

Government Publication Date: 2008-Jun 30, 2021

National Defence & Canadian Forces Waste Disposal Sites:

National Energy Board Wells:

151

The NEBW database contains information on onshore & offshore oil and gas wells that are outside provincial jurisdiction(s) and are thereby regulated by the National Energy Board. Data is provided regarding the operator, well name, well ID No./UWI, status, classification, well depth, spud and release date.

Locations of pipeline incidents from 2008 to present, made available by the Canada Energy Regulator (CER) - previously the National Energy Board (NEB). Includes incidents reported under the Onshore Pipeline Regulations and the Processing Plant Regulations related to pipelines under federal

Government Publication Date: 1920-Feb 2003*

Provincial

NATE

MNR

Federal In 1974 Environment Canada established the National Analysis of Trends in Emergencies System (NATES) database, for the voluntary reporting of

Provincial

Federal

Federal

Federal

NDFT

The Department of National Defense and the Canadian Forces maintains an inventory of spills to land and water. All spill sites have been classified

NDSP

NDWD

NFBI

Federal

Federal

NEBP

PCFT

National Environmental Emergencies System (NEES):

In 2000, the Emergencies program implemented NEES, a reporting system for spills of hazardous substances. For the most part, this system only captured data from the Atlantic Provinces, some from Quebec and Ontario and a portion from British Columbia. Data for Alberta, Saskatchewan, Manitoba and the Territories was not captured. However, NEES is also a repository for previous Environment Canada spill datasets. NEES is composed of the historic datasets ' or Trends ' which dates from approximately 1974 to present. NEES Trends is a compilation of historic databases, which were merged and includes data from NATES (National Analysis of Trends in Emergencies System), ARTS (Atlantic Regional Trends System), and NEES. In 2001, the Emergencies Program determined that variations in reporting regimes and requirements between federal and provincial agencies made national spill reporting and trend analysis difficult to achieve. As a consequence, the department has focused efforts on capturing data on spills of substances which fall under its legislative authority only (CEPA and FA). As such, the NEES database will be decommissioned in December 2004.

Government Publication Date: 1974-2003*

National PCB Inventory:

Environment Canada's National PCB inventory includes information on in-use PCB containing equipment in Canada including federal, provincial and private facilities. Federal out-of-service PCB containing equipment and PCB waste owned by the federal government or by federally regulated industries such as airlines, railway companies, broadcasting companies, telephone and telecommunications companies, pipeline companies, etc. are also listed. Although it is not Environment Canada's mandate to collect data on non-federal PCB waste, the National PCB inventory includes some information on provincial and private PCB waste and storage sites. Some addresses provided may be Head Office addresses and are not necessarily the location of where the waste is being used or stored.

Government Publication Date: 1988-2008*

National Pollutant Release Inventory:

Environment Canada has defined the National Pollutant Release Inventory ("NPRI") as a federal government initiative designed to collect comprehensive national data regarding releases to air, water, or land, and waste transfers for recycling for more than 300 listed substances. Government Publication Date: 1993-May 2017

The Nickle's Energy Group (publisher of the Daily Oil Bulletin) collects information on drilling activity including operator and well statistics. The well information database includes name, location, class, status and depth. The main Nickle's database is updated on a daily basis, however, this database is updated on a monthly basis. More information is available at www.nickles.com.

drilled in Ontario. The OGSR Library has over 20,000+ wells in their database. Information available for all wells in the ERIS database include well owner/operator, location, permit issue date, and well cap date, license No., status, depth and the primary target (rock unit) of the well being drilled. All

Government Publication Date: 1988-May 31, 2022

Ontario Oil and Gas Wells:

Oil and Gas Wells:

geology/stratigraphy table information, plus all water table information is also provide for each well record. Government Publication Date: 1800-Jan 2021

Inventory of PCB Storage Sites: OPCB The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of PCB storage sites within the province. Ontario Regulation 11/82 (Waste Management - PCB) and Regulation 347 (Generator Waste Management) under the Ontario EPA requires the registration of inactive PCB storage equipment and/or disposal sites of PCB waste with the Ontario Ministry of Environment. This database contains information on: 1) waste quantities; 2) major and minor sites storing liquid or solid waste; and 3) a waste storage inventory.

Government Publication Date: 1987-Oct 2004; 2012-Dec 2013

Orders: ORD This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all Orders on the registry such as (EPA s. 17) - Order for remedial work, (EPA s. 18) - Order for preventative measures, (EPA s. 43) - Order for removal of waste and restoration of site, (EPA s. 44) - Order for conformity with Act for waste disposal sites, (EPA s. 136) - Order for performance of environmental measures. Government Publication Date: 1994 - May 31, 2022

Canadian Pulp and Paper: PAP This information is part of the Pulp and Paper Canada Directory. The Directory provides a comprehensive listing of the locations of pulp and paper mills and the products that they produce.

Government Publication Date: 1999, 2002, 2004, 2005, 2009-2014

Parks Canada Fuel Storage Tanks:

152

Canadian Heritage maintains an inventory of known fuel storage tanks operated by Parks Canada, in both National Parks and at National Historic Sites. The database details information on site name, location, tank install/removal date, capacity, fuel type, facility type, tank design and owner/operator. Government Publication Date: 1920-Jan 2005

NPRI

NPCB

OGWF

Provincial

Provincial

Private

NFFS

Federal

Private

Provincial

Federal

Federal

OOGW In 1998, the MNR handed over to the Ontario Oil, Gas and Salt Resources Corporation, the responsibility of maintaining a database of oil and gas wells

Federal

The Ontario Ministry of the Environment and Climate Change maintains a database of licensed operators and vendors of registered pesticides.

Government Publication Date: Oct 2011- Apr 30, 2022

Pipeline Incidents:

Permit to Take Water:

List of pipeline incidents (strikes, leaks, spills). This is not a comprehensive or complete inventory of pipeline incidents in the province; this listing in an historical copy of records previously obtained under Access to Public Information. Records are not verified for accuracy or completeness. Government Publication Date: Feb 28, 2021

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks and licensed retail fuel outlets. This database includes an inventory of locations that have gasoline, oil, waste oil, natural gas and/or propane storage tanks on their property. The MCCR no longer collects this information. This information is now collected by the Technical Standards and Safety Authority (TSSA).

Government Publication Date: 1989-1996*

Private and Retail Fuel Storage Tanks:

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all PTTW's on the registry such as OWRA s. 34 - Permit to take water. Government Publication Date: 1994 - May 31, 2022

Ontario Regulation 347 Waste Receivers Summary: REC Part V of the Ontario Environmental Protection Act ("EPA") regulates the disposal of regulated waste through an operating waste management system or a waste disposal site operated or used pursuant to the terms and conditions of a Certificate of Approval or a Provisional Certificate of Approval. Regulation 347 of the Ontario EPA defines a waste receiving site as any site or facility to which waste is transferred by a waste carrier. A receiver of regulated waste is required to register the waste receiving facility. This database represents registered receivers of regulated wastes, identified by registration number, company name and address, and includes receivers of waste such as: landfills, incinerators, transfer stations, PCB storage sites, sludge farms and water pollution control plants. This information is a summary of all years from 1986 including the most currently available data. Government Publication Date: 1986-1990, 1992-2019

The Record of Site Condition (RSC) is part of the Ministry of the Environment's Brownfields Environmental Site Registry. Protection from environmental cleanup orders for property owners is contingent upon documentation known as a record of site condition (RSC) being filed in the Environmental Site Registry. In order to file an RSC, the property must have been properly assessed and shown to meet the soil, sediment and groundwater standards appropriate for the use (such as residential) proposed to take place on the property. The Record of Site Condition Regulation (O. Reg. 153/04) details requirements related to site assessment and clean up.

RSCs filed after July 1, 2011 will also be included as part of the new (O.Reg. 511/09).

Government Publication Date: 1997-Sept 2001, Oct 2004-May 2022

Retail Fuel Storage Tanks:

Scott's Manufacturing Directory:

Ontario Spills:

153

Record of Site Condition:

or propane storage tanks. Government Publication Date: 1999-Sep 30, 2021

Scott's Directories is a data bank containing information on over 200,000 manufacturers across Canada. Even though Scott's listings are voluntary, it is the most comprehensive database of Canadian manufacturers available. Information concerning a company's address, plant size, and main products are included in this database.

Government Publication Date: 1992-Mar 2011*

List of spills and incidents made available the Ministry of the Environment, Conservation and Parks. This database identifies information such as location (approximate), type and quantity of contaminant, date of spill, environmental impact, cause, nature of impact, etc. Information from 1988-2002 was part of the ORIS (Occurrence Reporting Information System). The SAC (Spills Action Centre) handles all spills reported in Ontario. Regulations for spills in Ontario are part of the MOE's Environmental Protection Act, Part X. The Ministry of the Environment, Conservation and Parks cites the coronavirus pandemic as an explanation for delays in releasing data pursuant to requests.

Government Publication Date: 1988-Sep 2020; Dec 2020-Mar 2021

PES

PINC

PRT

PTTW

RSC

RST

SCT

SPL

Provincial

Provincial

Private This database includes an inventory of retail fuel outlet locations (including marinas) that have on their property gasoline, oil, waste oil, natural gas and /

Private

Provincial

Provincial

Provincial

Provincial

Provincial

Order No: 22060101061

Water Well Information System:

Government Publication Date: Up to Oct 1990*

still be found in this database.

This database describes locations and characteristics of water wells found within Ontario in accordance with Regulation 903. It includes such information as coordinates, construction date, well depth, primary and secondary use, pump rate, static water level, well status, etc. Also included are detailed stratigraphy information, approximate depth to bedrock and the approximate depth to the water table. Government Publication Date: Sep 30, 2021

site/CA number, waste type, site status and site classification. For each "closed" site as of October 31st 1990, information is provided on site location,

ERIS's Private Source Database section, by the CA number.

Government Publication Date: Oct 2011- Apr 30, 2022 Provincial Waste Disposal Sites - MOE 1991 Historical Approval Inventory: **WDSH** In June 1991, the Ontario Ministry of Environment, Waste Management Branch, published the "June 1991 Waste Disposal Site Inventory", of all known active and closed waste disposal sites as of October 30st, 1990. For each "active" site as of October 31st 1990, information is provided on site location,

Provincial WDS

Waste Disposal Sites - MOE CA Inventory: The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of known open (active or inactive) and closed disposal sites in

from this code requirement. Records are not verified for accuracy or completeness. Government Publication Date: Feb 28, 2022

province; this listing is a copy of tank abandonment variance records previously obtained under Access to Public Information. In Ontario, registered

Listing of variances granted for storage tank abandonment. This is not a comprehensive or complete inventory of tank abandonment variances in the underground storage tanks must be removed within two years of disuse; if removal of a tank is not feasible, an application may be sought for a variance

the Province of Ontario. Active sites maintain a Certificate of Approval, are approved to receive and are receiving waste. Inactive sites maintain

Certificate(s) of Approval but are not receiving waste. Closed sites are not receiving waste. The data contained within this database was compiled from

the MOE's Certificate of Approval database. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number. All new Environmental Compliance Approvals handed out after Oct 31, 2011 for Waste Disposal Sites will

Ontario Ministry of Environment maintained a database of all direct dischargers of toxic pollutants within nine sectors including: Electric Power Generation; Mining; Petroleum Refining; Organic Chemicals; Inorganic Chemicals; Pulp & Paper; Metal Casting; Iron & Steel; and Quarries. All sampling information is now collected and stored within the Sample Result Data Store (SRDS).

Government Publication Date: 1990-Dec 31, 2020

for research purposes only.

Government Publication Date: 1915-1953*

Government Publication Date: 1970 - Dec 2020

Variances for Abandonment of Underground Storage Tanks:

Private Anderson's Storage Tanks: TANK The information provided in this database was collected by examining various historical documents, which identified the location of former storage tanks, containing substances such as fuel, water, gas, oil, and other various types of miscellaneous products. Information is available in regard to business operating at tank site, tank location, permit year, permit & installation type, no. of tanks installed & configuration and tank capacity. Data contained

within this database pertains only to the city of Toronto and is not warranted to be complete, exhaustive or authoritative. The information was collected

Transport Canada Fuel Storage Tanks: Federal TCFT List of fuel storage tanks currently or previously owned or operated by Transport Canada. This inventory also includes tanks on The Pickering Lands, which refers to 7,530 hectares (18,600 acres) of land in Pickering, Markham, and Uxbridge owned by the Government of Canada since 1972; properties on this land has been leased by the government since 1975, and falls under the Site Management Policy of Transport Canada, but is administered by Public Works and Government Services Canada. This inventory provides information on the site name, location, tank age, capacity and fuel type.

Wastewater Discharger Registration Database: Information under this heading is combination of the following 2 programs. The Municipal/Industrial Strategy for Abatement (MISA) division of the

Provincial

SRDS

VAR

Provincial

Provincial

site/CA number, closure date and site classification. Locations of these sites may be cross-referenced to the Anderson database described under

WWIS

Definitions

Database Descriptions: This section provides a detailed explanation for each database including: source, information available, time coverage, and acronyms used. They are listed in alphabetic order.

Detail Report: This is the section of the report which provides the most detail for each individual record. Records are summarized by location, starting with the project property followed by records in closest proximity.

Distance: The distance value is the distance between plotted points, not necessarily the distance between the sites' boundaries. All values are an approximation.

Direction: The direction value is the compass direction of the site in respect to the project property and/or center point of the report.

Elevation: The elevation value is taken from the location at which the records for the site address have been plotted. All values are an approximation. Source: Google Elevation API.

Executive Summary: This portion of the report is divided into 3 sections:

'Report Summary'- Displays a chart indicating how many records fall on the project property and, within the report search radii.

'Site Report Summary'-Project Property'- This section lists all the records which fall on the project property. For more details, see the 'Detail Report' section.

'Site Report Summary-Surrounding Properties'- This section summarizes all records on adjacent properties, listing them in order of proximity from the project property. For more details, see the 'Detail Report' section.

<u>Map Key:</u> The map key number is assigned according to closest proximity from the project property. Map Key numbers always start at #1. The project property will always have a map key of '1' if records are available. If there is a number in brackets beside the main number, this will indicate the number of records on that specific property. If there is no number in brackets, there is only one record for that property.

The symbol and colour used indicates 'elevation': the red inverted triangle will dictate 'ERIS Sites with Lower Elevation', the yellow triangle will dictate 'ERIS Sites with Higher Elevation' and the orange square will dictate 'ERIS Sites with Same Elevation.'

<u>Unplottables:</u> These are records that could not be mapped due to various reasons, including limited geographic information. These records may or may not be in your study area, and are included as reference.

APPENDIX D: *Regulatory Requests*

Ministry of the Environment, Conservation and Parks

Access and Privacy Office

12th Floor 40 St. Clair Avenue West Toronto ON M4V 1M2 Tel: (416) 314-4075 Ministère de l'Environnement, de la Protection de la nature et des Parcs

Bureau de l'accès à l'information et de la protection de la vie privée



12^e étage 40, avenue St. Clair ouest Toronto ON M4V 1M2 Tél. : (416) 314-4075

July 4, 2022

Kyle Howard EnVision Consulting Ltd 6415 Northwest Drive Mississauga, Ontario L4V 1X1 khoward@envisionconsultants.ca

Dear Kyle Howard:

RE: MECP FOI A-2022-05150 / Your Reference 22-0209 – Acknowledgement Letter

The Ministry is in receipt of your request made pursuant to the Freedom of Information and Protection of Privacy Act and has received your payment in the amount of \$5.00 (non-refundable application fee).

The search will be conducted on the following: 6728 Sixth Line, Milton. If there is any discrepancy, please contact us immediately.

Please note the file number that has been assigned to your request. This number should be referred to in all future communications with our office.

Also, the Ministry's Freedom of Information and Protection of Privacy Office (MECP Access and Privacy Office) is currently providing requesters with decisions/records via email. This allows requesters to obtain decisions containing records in a more timely and efficient way.

You may expect a reply or additional communication as your request is processed. For your information, the Ministry charges for search and preparation time.

Due to the COVID-19 outbreak, requesters may experience some delays with FOI requests at this time.

If you have any questions, please contact Nasreen Salar at or nasreen.salar@ontario.ca.

Yours truly, MECP Access and Privacy Office



PERMIT TO TAKE WATER Surface Water NUMBER 0447-CCSMDG

Pursuant to Section 34.1 of the <u>Ontario Water Resources Act</u>, R.S.O. 1990 this Permit To Take Water is hereby issued to:

GolfNorth Management Corp. 6728 Sixth Line Milton, Ontario, L9T 2X7 Canada

For the water Sixteen Mile Creek *taking from:*

Located at: 6728 Sixth Line Milton, Regional Municipality of Halton

For the purposes of this Permit, and the terms and conditions specified below, the following definitions apply:

DEFINITIONS

- (a) "Director" means any person appointed in writing as a Director pursuant to section 5 of the OWRA for the purposes of section 34.1, OWRA.
- (b) "Provincial Officer" means any person designated in writing by the Minister as a Provincial Officer pursuant to section 5 of the OWRA.
- (c) "Ministry" means Ontario Ministry of the Environment, Conservation and Parks.
- (d) "District Office" means the Halton-Peel District Office.
- (e) "Permit" means this Permit to Take Water No. 0447-CCSMDG including its Schedules, if any, issued in accordance with Section 34.1 of the OWRA.
- (f) "Permit Holder" means GolfNorth Management Corp..
- (g) "OWRA" means the Ontario Water Resources Act, R.S.O. 1990, c. O. 40, as amended.

You are hereby notified that this Permit is issued subject to the terms and conditions outlined below:

TERMS AND CONDITIONS

1. Compliance with Permit

- 1.1 Except where modified by this Permit, the water taking shall be in accordance with the application for this Permit To Take Water, dated November 5, 2021 and signed by Doug Breen, and all Schedules included in this Permit.
- 1.2 The Permit Holder shall ensure that any person authorized by the Permit Holder to take water under this Permit is provided with a copy of this Permit and shall take all reasonable measures to ensure that any such person complies with the conditions of this Permit.
- 1.3 Any person authorized by the Permit Holder to take water under this Permit shall comply with the conditions of this Permit.
- 1.4 This Permit is not transferable to another person.
- 1.5 This Permit provides the Permit Holder with permission to take water in accordance with the conditions of this Permit, up to the date of the expiry of this Permit. This Permit does not constitute a legal right, vested or otherwise, to a water allocation, and the issuance of this Permit does not guarantee that, upon its expiry, it will be renewed.
- 1.6 The Permit Holder shall keep this Permit available at all times at or near the site of the taking, and shall produce this Permit immediately for inspection by a Provincial Officer upon his or her request.
- 1.7 The Permit Holder shall report any changes of address to the Director within thirty days of any such change. The Permit Holder shall report any change of ownership of the property for which this Permit is issued within thirty days of any such change. A change in ownership in the property shall cause this Permit to be cancelled.

2. General Conditions and Interpretation

2.1 Inspections

The Permit Holder must forthwith, upon presentation of credentials, permit a Provincial Officer to carry out any and all inspections authorized by the OWRA, the *Environmental Protection Act*, R.S.O. 1990, the *Pesticides Act*, R.S.O. 1990, or the *Safe Drinking Water Act*, S. O. 2002.

2.2 Other Approvals

The issuance of, and compliance with this Permit, does not:

(a) relieve the Permit Holder or any other person from any obligation to comply with any other applicable legal requirements, including the provisions of the *Ontario Water Resources Act*, and

the Environmental Protection Act, and any regulations made thereunder; or

(b) limit in any way any authority of the Ministry, a Director, or a Provincial Officer, including the authority to require certain steps be taken or to require the Permit Holder to furnish any further information related to this Permit.

2.3 Information

The receipt of any information by the Ministry, the failure of the Ministry to take any action or require any person to take any action in relation to the information, or the failure of a Provincial Officer to prosecute any person in relation to the information, shall not be construed as:

(a) an approval, waiver or justification by the Ministry of any act or omission of any person that contravenes this Permit or other legal requirement; or

(b) acceptance by the Ministry of the information's completeness or accuracy.

2.4 Rights of Action

The issuance of, and compliance with this Permit shall not be construed as precluding or limiting any legal claims or rights of action that any person, including the Crown in right of Ontario or any agency thereof, has or may have against the Permit Holder, its officers, employees, agents, and contractors.

2.5 Severability

The requirements of this Permit are severable. If any requirements of this Permit, or the application of any requirements of this Permit to any circumstance, is held invalid or unenforceable, the application of such requirements to other circumstances and the remainder of this Permit shall not be affected thereby.

2.6 Conflicts

Where there is a conflict between a provision of any submitted document referred to in this Permit, including its Schedules, and the conditions of this Permit, the conditions in this Permit shall take precedence.

3. Water Takings Authorized by This Permit

3.1 Expiry

This Permit expires on **April 30, 2025**. No water shall be taken under authority of this Permit after the expiry date.

3.2 Amounts of Taking Permitted

The Permit Holder shall only take water from the source, during the periods and at the rates and amounts of taking specified in Table A. Water takings are authorized only for the purposes specified in Table A.

<u>Table A</u>

	Source Name / Description:	Source: Type:	Taking Specific Purpose:	Taking Major Category:	Max. Taken per Minute (litres):	Max. Num. of Hrs Taken per Day:	Max. Taken per Day (litres):	Max. Num. of Days Taken per Year:	Zone/ Easting/ Northing:
1	1 Sixteen Mile Creek	Stream	Golf Course Irrigation	Commercial	1,136	24	1,635,840	275	17 595450 4821800
						Total Taking:	1,635,840		

- Note: Water is pumped from Sixteen Mile Creek (Source 1 in Table A) into the Irrigation Pond for irrigation purpose. The Irrigation Pond is also connected to another reservoir for water storage.
- 3.3 Notwithstanding Table A, the Permit Holder shall ensure that no water taking from Sixteen Mile Creek occur when the instantaneous flow in Sixteen Mile Creek (Source 1 in Table A) drops below 410 litres per second.

4. Monitoring

- 4.1 Under section 9 of O. Reg. 387/04, and as authorized by subsection 34(6) of the Ontario Water Resources Act, the Permit Holder shall, on each day water is taken under the authorization of this Permit, record the date, the volume of water taken on that date and the rate at which it was taken. The total daily water taken from all sources shall be measured by a flow meter. A separate record shall be maintained for each source. The record of daily total volume shall be maintained. The Permit Holder shall keep all records required by this condition current and available at or near the site of the taking and shall produce the records immediately for inspection by a Provincial Officer upon his or her request. The Permit Holder, unless otherwise required by the Director, shall submit, on or before March 31st in every year, the records required by this condition to the Ministry's Water Taking Reporting System.
- 4.2 During the first year of water taking, the permit holder shall review the pump settings and conduct multiple pumping-rate measurements to ensure that the pumping rate is within the limits defined in Table A of the Permit.
- 4.3 The Permit Holder shall maintain an installed staff gauge and develop a stage-discharge rating curve/table at a location close to the water taking at Sixteen Mile Creek. The staff gauge shall be equipped with a datalogger to record the water level on an hourly basis. The staff gauge and the rating curve shall be used to determine a flow depth that corresponds to the above flow threshold. The rating curve shall be re-calibrated or examined with measured flow data at least once a year.
- 4.4 The Permit Holder shall maintain the existing float-based water level sensor equipped with an alarm system at the location near the staff gauge in order to control the water pumping at Sixteen Mile Creek within the above restrictions as defined in Condition 3.3. In addition, prior to taking water under this permit each year, the Permit Holder shall readjust the float water level in accordance with the updated rating curve developed in Condition 4.3.
- 4.5 Any application submitted to the Ministry for renewal or amendment of this Permit shall be accompanied by all records/data and assessments required by the conditions of this Permit.

The required records/data should include but not be limited to the flow measurements, pump rate verifications, water level and float setting records, as well as stage-discharge rating curve recalibrations. The application shall also include a report prepared by a qualified person which will interpret the data and provide in detail how the conditions of this Permit have been satisfied. The report shall also include any recommendations on how to improve the pump control system in the future.

5. Impacts of the Water Taking

5.1 Notification

The Permit Holder shall immediately notify the local District Office of any complaint arising from the taking of water authorized under this Permit and shall report any action which has been taken or is proposed with regard to such complaint. The Permit Holder shall immediately notify the local District Office if the taking of water is observed to have any significant impact on the surrounding waters. After hours, calls shall be directed to the Ministry's Spills Action Centre at 1-800-268-6060.

5.2 For Surface-Water Takings

The taking of water (including the taking of water into storage and the subsequent or simultaneous withdrawal from storage) shall be carried out in such a manner that streamflow is not stopped and is not reduced to a rate that will cause interference with downstream uses of water or with the natural functions of the stream.

6. Director May Amend Permit

The Director may amend this Permit by letter requiring the Permit Holder to suspend or reduce the taking to an amount or threshold specified by the Director in the letter. The suspension or reduction in taking shall be effective immediately and may be revoked at any time upon notification by the Director. This condition does not affect your right to appeal the suspension or reduction in taking to the Ontario Land Tribunal under the *Ontario Water Resources Act*, Section 100 (4).

The reasons for the imposition of these terms and conditions are as follows:

- 1. Condition 1 is included to ensure that the conditions in this Permit are complied with and can be enforced.
- 2. Condition 2 is included to clarify the legal interpretation of aspects of this Permit.
- 3. Conditions 3 through 6 are included to protect the quality of the natural environment so as to safeguard the ecosystem and human health and foster efficient use and conservation of waters. These conditions allow for the beneficial use of waters while ensuring the fair sharing, conservation and sustainable use of the waters of Ontario. The conditions also specify the water

takings that are authorized by this Permit and the scope of this Permit.

Page 6 - NUMBER 0447-CCSMDG

In accordance with Section 100 of the Ontario Water Resources Act, you may by written notice served upon me, the Ontario Land Tribunal within 15 days after receipt of this notice, require a hearing by the Tribunal. You must also provide notice to, the Minister of the Environment, Conservation and Parks in accordance with section 47 of the Environmental Bill of Rights, 1993 who will place notice of your appeal on the Environmental Registry. Section 101 of the Ontario Water Resources Act provides that the notice requiring the hearing ("the Notice") shall state:

- 1. The portions of the Permit or each term or condition in the Permit in respect of which the hearing is required, and;
- 2. The grounds on which you intend to rely at the hearing in relation to each portion appealed.

In addition to these legal requirements, the Notice should also include:

- a. The name of the appellant;
- b. The address of the appellant;
- c. The Permit to Take Water number;
- d. The date of the Permit to Take Water;
- e. The name of the Director;
- f. The municipality within which the works are located;

This notice must be served upon:

* Further information on the Ontario Land Tribunal's requirements for an appeal can be obtained directly from the Tribunal at: (416) 212-6349 or 1 (866) 448-2248, or www.olt.gov.on.ca.

Dated at Toronto this 25th day of March, 2022.

Gregory Meek Director, Section 34.1 Ontario Water Resources Act, R.S.O. 1990

Page 7 - NUMBER 0447-CCSMDG

Schedule A

This Schedule "A" forms part of Permit To Take Water 0447-CCSMDG, dated March 25, 2022.

- 1) Permit to Take Water application dated November 5, 2021, and signed by Doug Breen.
- C. F. Crozier & Associates Inc., Report, "Re; Category 3 Renewal of PTTW No.: 1237-A3PJ3W Trafalgar Golf and Country Club Ltd., Town of Milton, Halton Region", dated November 8, 2021, and signed by Amanda Pinto and Jurgen Koehler of C. F. Crozier Associates Inc.

NOVEMBER 8, 2021

PROJECT NO: 120-2653

SENT VIA: EMAIL

Ministry of the Environment, Conservation, and Parks Environmental Approvals Access and Service Integration Branch 135 St. Clair Avenue West, 1st Floor Toronto, ON M4V 1P5

Attention: Director, Permit to Take Water

RE: CATEGORY 3 RENEWAL OF PTTW NO.: 1237-A3PJ3W TRAFALGAR GOLF AND COUNTRY CLUB LTD. TOWN OF MILTON, HALTON REGION

Please find enclosed a completed Category 3 Permit to Take Water (PTTW) renewal application package and payment for Trafalgar Golf and Country Club located at 6728 Sixth Line in Milton, Ontario. The existing permit (No. 1237-A3PJ3W) was issued on November 17, 2015 and expired on December 31, 2020. We have enclosed a copy of the existing permit for reference.

1.0 Water Taking Details

Under the current PTTW, Trafalgar Golf and Country Club (herein know as 'the Club') draws water from Sixteen Mile Creek during periods of elevated flow to recharge their 16 million gallon reservoir which stores water for irrigation purposes between the months of May and October. Water is pumped out of the creek at a maximum rate of 1,136 L/min for a period of 24 hours at a maximum of 275 days per year. A map of the existing water taking location, source name and other relevant features is enclosed with this renewal application package.

PTTW No. 1237-A3PJ3W allows the Club to take water from Sixteen Mile Creek for irrigation purposes based on the rates and amounts listed in Table 1 below and Table A of the enclosed PTTW application.

No.	Source Name	Source / Type	Max. Taken Per Minute L/min (lgpm)	Max. Volume Per Day L/day (Igpd)	Typ. Volume Per Day L/day (Igpd)	Max. Days Per Year Days
1	Sixteen Mile Creek	Stream	1,136 (250)	1,635,840 (359,835)	1,635,840 (359,835)	275

Table 1: Schedule of Water Taking Under PTTW No. 1237-A3PJ3W

Note: Water taking is permitted 24 hours per day.



2.0 Current Permit Conditions

PTTW No. 1237-A3PJ3W is subject to a number of special conditions. A brief description of each condition and how the condition has been addressed over the duration of this provided below:

Special Condition 3.3: Pumping water from Sixteen Mile Creek is to stop once the instantaneous flow in the Creek drops down to a flow threshold of 410 L/s.

The Club ensured that water taking operations were paused if the Creek flow dropped down to or below the low flow threshold of 410 L/s. The corresponding threshold depth for a flow of 410 L/s was established using a composite rating curve from historically collected streamflow data.

Special Condition 4.1: Water taking from Sixteen Mile Creek should be recorded on a daily basis and measured via a flow meter. Water taking records should be up to date and available for Ministry inspection upon request.

Water taking records from Sixteen Mile Creek are recorded daily by Club Staff. These records include the total measured amounts of water pumped per day. The water taking records for 2015-2020 have been summarized and interpreted in this renewal package. These records were also submitted to the Ministry of Environment Water Taking Reporting System (WTRS) prior to March 31 for each year of the permit.

Special Condition 4.2: Pump settings need to be verified in the first year of water taking. Multiple pumping-rate measurements are to be taken to ensure that the pumping rate does not exceed the maximum of 1,136 L/min.

Based on confirmation from the Club, the pump that takes water from Sixteen Mile Creek is at a fixed pumping rate and does not exceed the maximum allowable rate.

Special Condition 4.3: A staff gauge shall be installed in Sixteen Mile Creek to develop a stage-discharge rating curve at the location of the water taking. The staff gauge shall be equipped with a datalogger to record the water level on an hourly basis. The staff gauge and rating curve shall be used to determine the flow depth that corresponds to the flow threshold. The rating curve shall be re-calibrated or examined with measured flow data once a year.

A staff gauge and an automatic water level datalogger and corresponding barometric logger was installed prior to the 2008 golf season and has been re-installed every season that Crozier was retained to conduct creek flow monitoring. The data loggers were programmed to record water levels on an hourly basis. The intent of collecting continuous water level data was to develop a seasonal streamflow hydrograph by utilizing the historic hydraulic rating curve to demonstrate that the water taking operations at Trafalgar Golf & Country Club continues to respect the low flow threshold. We recommend updating the historic rating curve starting the 2022 Spring season.

Special Condition 4.4: Float-based water level sensor with an alarm system is to be maintained to notify staff once the level in the Creek drops to the low flow threshold of 410 L/s.

Based on confirmation from the Club, the float alarm has been and continues to be installed each season and is currently in the Creek is in working order.

Special Condition 4.5: Renewal of this Permit shall be accompanied by all records and assessments required by the conditions of this Permit.

All documents and water taking records related to the renewal of this Permit have been enclosed with this renewal package.

3.0 Water Taking Records

Water taking data from the creek was collected by the Club using a flow meter as required by Special Condition 4.1, this data is summarized and enclosed.

Upon inspection of the monitoring data, it was noted that there were no apparent exceedances in the rate and volume of water taken from either source. This demonstrates the ability of the Club to undertake a comprehensive monitoring program and respect the conditions imposed on the PTTW for this and future permits.

4.0 Water Conservation Measures

Historical water taking operations included "on-demand" withdrawal of water from Sixteen Mile Creek. Over the past few years, the Club has invested a considerable amount of time and financial resources into improving the efficiency of their water taking operations to protect local water resources and ensure the long-term success of the golf course.

This includes the construction of a 16-million-gallon irrigation storage reservoir (completed in 2005), ongoing water-use audits and calibration as well as the seasonal operation of a computerized irrigation distribution system which optimizes the irrigation rates across the golf holes. The irrigation reservoir was constructed to reduce the demand on Sixteen Mile Creek for irrigation water during the summer periods of low stream flows while allowing the Club to meet its peak daily irrigation demands. The water-use audits combined with the computerized distribution system ensure the Club operates the irrigation system at the maximum probable efficiency.

5.0 Permit Category and Fee

The enclosed application is for a Category 3 Renewal of PTTW No. 1237-A3PJ3W as the rates and amounts requested are consistent with the current PTTW.

Accordingly, the application processing fee payment of \$3000 is enclosed. It is also requested that a renewal length of 5 years is granted for the Club.

6.0 Conclusions

We trust that the Ministry will consider the above-noted recommendations and issue a Category 3 Renewal of PTTW No. 1237-A3PJ3W. Should you have any questions or require any further information, please call.

Sincerely,

C.F. CROZIER & ASSOCIATES INC.

Amanda Pinto, E.I.T. Land Development

AP/cj

Enclosures:

- 1. Existing PTTW No. 1237-A3PJ3W
- 2. Articles of Incorporation
- 3. PTTW Renewal Application
- 4. 2015-2020 Water Taking Records
- 5. Historic Rating Curve

C.F. CROZIER & ASSOCIATES INC.

N

Jurgen Koehler, P.Eng. Associate

I:\100\120 - Trafalgar GCC new\2653 - PTTW & Secondary Plan\Permits\2021 PTTW & Application\Reports and Figures\2021.11.08_(0120-2653)_PTTW Renewal Letter.docx

Existing PTTW No. 1237-A3PJ3W



Ministry of the Environment and Climate Change Ministère de l'Environnement et de l'Action en matière de changement climatique

> PERMIT TO TAKE WATER Surface Water NUMBER 1237-A3PJ3W

Pursuant to Section 34.1 of the <u>Ontario Water Resources Act</u>, R.S.O. 1990 this Permit To Take Water is hereby issued to:

Trafalgar Golf & Country Club Limited Post Office Box 56 Milton, Ontario, L9T 2Y3 Canada

For the water taking from: Sixteen Mile Creek

Located at: 6728 Sixth Line Milton, Regional Municipality of Halton

For the purposes of this Permit, and the terms and conditions specified below, the following definitions apply:

DEFINITIONS

- (a) "Director" means any person appointed in writing as a Director pursuant to section 5 of the OWRA for the purposes of section 34.1, OWRA.
- (b) "Provincial Officer" means any person designated in writing by the Minister as a Provincial Officer pursuant to section 5 of the OWRA.
- (c) "Ministry" means Ontario Ministry of the Environment and Climate Change.
- (d) "District Office" means the Halton-Peel District Office.
- (e) "Permit" means this Permit to Take Water No. 1237-A3PJ3W including its Schedules, if any, issued in accordance with Section 34.1 of the OWRA.
- (f) "Permit Holder" means Trafalgar Golf & Country Club Limited.
- (g) "OWRA" means the Ontario Water Resources Act, R.S.O. 1990, c. O. 40, as amended.

You are hereby notified that this Permit is issued subject to the terms and conditions outlined below:

TERMS AND CONDITIONS

1. Compliance with Permit

- 1.1 Except where modified by this Permit, the water taking shall be in accordance with the application for this Permit To Take Water, dated July 21, 2015 and signed by Martha Watson, and all Schedules included in this Permit.
- 1.2 The Permit Holder shall ensure that any person authorized by the Permit Holder to take water under this Permit is provided with a copy of this Permit and shall take all reasonable measures to ensure that any such person complies with the conditions of this Permit.
- 1.3 Any person authorized by the Permit Holder to take water under this Permit shall comply with the conditions of this Permit.
- 1.4 This Permit is not transferable to another person.
- 1.5 This Permit provides the Permit Holder with permission to take water in accordance with the conditions of this Permit, up to the date of the expiry of this Permit. This Permit does not constitute a legal right, vested or otherwise, to a water allocation, and the issuance of this Permit does not guarantee that, upon its expiry, it will be renewed.
- 1.6 The Permit Holder shall keep this Permit available at all times at or near the site of the taking, and shall produce this Permit immediately for inspection by a Provincial Officer upon his or her request.
- 1.7 The Permit Holder shall report any changes of address to the Director within thirty days of any such change. The Permit Holder shall report any change of ownership of the property for which this Permit is issued within thirty days of any such change. A change in ownership in the property shall cause this Permit to be cancelled.

2. General Conditions and Interpretation

2.1 Inspections

The Permit Holder must forthwith, upon presentation of credentials, permit a Provincial Officer to carry out any and all inspections authorized by the OWRA, the *Environmental Protection Act*, R.S.O. 1990, the *Pesticides Act*, R.S.O. 1990, or the *Safe Drinking Water Act*, S. O. 2002.

2.2 Other Approvals

The issuance of, and compliance with this Permit, does not:

(a) relieve the Permit Holder or any other person from any obligation to comply with any other applicable legal requirements, including the provisions of the *Ontario Water Resources Act*, and the *Environmental Protection Act*, and any regulations made thereunder; or

(b) limit in any way any authority of the Ministry, a Director, or a Provincial Officer, including the authority to require certain steps be taken or to require the Permit Holder to furnish any further information related to this Permit.

2.3 Information

The receipt of any information by the Ministry, the failure of the Ministry to take any action or require any person to take any action in relation to the information, or the failure of a Provincial Officer to prosecute any person in relation to the information, shall not be construed as:

(a) an approval, waiver or justification by the Ministry of any act or omission of any person that contravenes this Permit or other legal requirement; or

(b) acceptance by the Ministry of the information's completeness or accuracy.

2.4 Rights of Action

The issuance of, and compliance with this Permit shall not be construed as precluding or limiting any legal claims or rights of action that any person, including the Crown in right of Ontario or any agency thereof, has or may have against the Permit Holder, its officers, employees, agents, and contractors.

2.5 Severability

The requirements of this Permit are severable. If any requirements of this Permit, or the application of any requirements of this Permit to any circumstance, is held invalid or unenforceable, the application of such requirements to other circumstances and the remainder of this Permit shall not be affected thereby.

2.6 Conflicts

Where there is a conflict between a provision of any submitted document referred to in this Permit, including its Schedules, and the conditions of this Permit, the conditions in this Permit shall take precedence.

3. Water Takings Authorized by This Permit

3.1 Expiry

This Permit expires on **December 31, 2020**. No water shall be taken under authority of this Permit after the expiry date.

3.2 Amounts of Taking Permitted

The Permit Holder shall only take water from the source, during the periods and at the rates and amounts of taking specified in Table A. Water takings are authorized only for the purposes specified in Table A.

<u>Table A</u>

	Source Name / Description:	Source: Type:	Taking Specific Purpose:	Taking Major Category:	Max. Taken per Minute (litres):	Max. Num. of Hrs Taken per Day:	Max. Taken per Day (litres):	Max. Num. of Days Taken per Year:	Zone/ Easting/ Northing:
1	Sixteen Mile Creek	Stream	Golf Course Irrigation	Commercial	1,136	24	1,635,840	275	17 595400 4821800
						Total Taking:	1,635,840		

Note: Water is pumped from Sixteen Mile Creek (Source 1) into the Irrigation Pond for irrigation purpose. The Irrigation Pond is also connected to another reservoir for water storage.

3.3 Notwithstanding Table A, a flow threshold of 410 litres per second is applied for the water taking at Sixteen Mile Creek (Source 1). The Permit Holder shall ensure that pumping water from Sixteen Mile Creek be stopped whenever the instantaneous flow in Sixteen Mile Creek drops down to this threshold.

4. Monitoring

- 4.1 The Permit Holder shall, on each day water is taken under the authorization of this Permit, record the date, the volume of water taken on that date and the rate at which it was taken. The daily volume of water taken shall be measured by a flow meter. The Permit Holder shall keep all records required by this condition current and available at or near the site of the taking and shall produce the records immediately for inspection by a Provincial Officer upon his or her request. The Permit Holder, unless otherwise required by the Director, shall submit, on or before March 31st in every year, the daily water taking data collected and recorded for the previous year to the ministry's Water Taking Reporting System.
- 4.2 During the first year of water taking, the permit holder shall review and verify the pump settings, and conduct multiple pumping-rate measurements to ensure that the pumping rate is within the limit defined in Table A of the Permit all the time.
- 4.3 The Permit Holder shall maintain an installed staff gauge and develop a stage-discharge rating curve/table at a location close to the water taking at Sixteen Mile Creek. The staff gauge shall be equipped with a datalogger to record the water level on an hourly basis. The staff gauge and the rating curve shall be used to determine a flow depth that corresponds to the above flow threshold. The rating curve shall be re-calibrated or examined with measured flow data at least once a year.
- 4.4 The Permit Holder shall maintain the existing float-based water level sensor equipped

with an alarm system at the location near the staff gauge in order to control the water pumping at Sixteen Mile Creek within the above restrictions as defined in Condition 3.3. The float shall be installed to a level which corresponds to the flow threshold of 410 L/s. The float level shall be readjusted/reviewed annually in accordance with the stage-discharge rating curve/table developed in Condition 4.3.

4.5 Any application submitted to the Ministry for renewal or amendment of this Permit shall be accompanied by all records and assessments required by the conditions of this Permit. The application shall also include a report prepared by a qualified person which will interpret the data and provide in detail how the conditions of this Permit have been satisfied. The report shall also include any recommendations on how to improve the pump control system in the future.

5. Impacts of the Water Taking

5.1 Notification

The Permit Holder shall immediately notify the local District Office of any complaint arising from the taking of water authorized under this Permit and shall report any action which has been taken or is proposed with regard to such complaint. The Permit Holder shall immediately notify the local District Office if the taking of water is observed to have any significant impact on the surrounding waters. After hours, calls shall be directed to the Ministry's Spills Action Centre at 1-800-268-6060.

5.2 For Surface-Water Takings

The taking of water (including the taking of water into storage and the subsequent or simultaneous withdrawal from storage) shall be carried out in such a manner that streamflow is not stopped and is not reduced to a rate that will cause interference with downstream uses of water or with the natural functions of the stream.

6. Director May Amend Permit

The Director may amend this Permit by letter requiring the Permit Holder to suspend or reduce the taking to an amount or threshold specified by the Director in the letter. The suspension or reduction in taking shall be effective immediately and may be revoked at any time upon notification by the Director. This condition does not affect your right to appeal the suspension or reduction in taking to the Environmental Review Tribunal under the *Ontario Water Resources Act*, Section 100 (4).

The reasons for the imposition of these terms and conditions are as follows:

- 1. Condition 1 is included to ensure that the conditions in this Permit are complied with and can be enforced.
- 2. Condition 2 is included to clarify the legal interpretation of aspects of this Permit.
- 3. Conditions 3 through 6 are included to protect the quality of the natural environment so as to safeguard the ecosystem and human health and foster efficient use and conservation of waters. These conditions allow for the beneficial use of waters while ensuring the fair sharing, conservation and sustainable use of the waters of Ontario. The conditions also specify the water takings that are authorized by this Permit and the scope of this Permit.

In accordance with Section 100 of the <u>Ontario Water Resources Act</u>, R.S.O. 1990, you may by written notice served upon me, the Environmental Review Tribunal and the Environmental Commissioner, **Environmental Bill of Rights**, R.S.O. 1993, Chapter 28, within 15 days after receipt of this Notice, require a hearing by the Tribunal. The Environmental Commissioner will place notice of your appeal on the Environmental Registry. Section 101 of the <u>Ontario Water Resources Act</u>, as amended provides that the Notice requiring a hearing shall state:

- 1. The portions of the Permit or each term or condition in the Permit in respect of which the hearing is required, and;
- 2. The grounds on which you intend to rely at the hearing in relation to each portion appealed.

In addition to these legal requirements, the Notice should also include:

- 3. The name of the appellant;
- 4. The address of the appellant;
- 5. The Permit to Take Water number;
- 6. The date of the Permit to Take Water;
- 7. The name of the Director;
- 8. The municipality within which the works are located;

This notice must be served upon:

The Secretary Environmental Review Tribunal 655 Bay Street, 15th Floor Toronto ON M5G 1E5 Fax: (416) 314-4506 Email: EPTTribungloopstam@ontario.co	<u>AND</u>	The Environmental Commissioner 1075 Bay Street 6th Floor, Suite 605 Toronto, Ontario M5S 2W5	<u>AND</u>	The Director, Section 34.1, Ministry of the Environment and Climate Change 8th Floor 5775 Yonge St Toronto ON M2M 4J1 Fax: (416) 325-6347
Email: ERTTribunalsecretary@ontario.ca				Fax: (416) 325-6347

Further information on the Environmental Review Tribunal's requirements for an appeal can be obtained directly from the Tribunal:

by telephone at (416) 314-4600

by fax at (416) 314-4506

by e-mail at www.ert.gov.on.ca

This instrument is subject to Section 38 of the **Environmental Bill of Rights** that allows residents of Ontario to seek leave to appeal the decision on this instrument. Residents of Ontario may seek to appeal for 15 days from the date this decision is placed on the Environmental Registry. By accessing the Environmental Registry, you can determine when the leave to appeal period ends.

This Permit cancels and replaces Permit Number 3837-87CR6Z, issued on 2010/07/21.

Dated at Toronto this 17th day of November, 2015.

Hizens

Helen Zhang, P.Eng. Director, Section 34.1 Ontario Water Resources Act, R.S.O. 1990

Schedule A

This Schedule "A" forms part of Permit To Take Water 1237-A3PJ3W, dated November 17, 2015.

- 1. Application for Permit to Take Water signed by Martha Watson and dated July 21, 2015.
- 2. C.F. Crozier & Associates Inc., report "Permit to Take Water Renewal Application and Monitoring Report, Trafalgar Golf & Country Club, Town of Milton", July 2015, signed by Nick Mocan of C.F. Crozier & Associates Inc.

Articles of Incorporation

C.F. Crozier & Associates Inc. Project No. 120-2653 Pages 23 to / à 33 are withheld pursuant to section sont retenues en vertu de l'article

22

of the Freedom of Information and Protection of Privacy Act de la Freedom of Information and Protection of Privacy Act

Ontario

Master Business Licence

Date Issued: (yyyy-mm-dd)	2019-02-26		Business Number	
TRAFALGA 400 GOLF	me and Mailing Address: AR GOLF & COUNTRY CLUE COURSE ROAD 9GO, ONTARIO CANADA N			
Business Address:	SAME AS ABOVE			
Telephone:		Ext:	Fax:	
Email:				
Legal Name(s):	GOLFNORTH MANAGEM	ENT CORP.		
Type of Legal Entity:	CORPORATION			
Business Activity:	GOLF COURSE			
Business	Information	Number	Effective Date (yyyy-mm-dd)	Expiry Date (yyyy-mm-dd)
BUSINESS	NAME REGISTRATION	290216100	2019-02-26	2024-02-25
INCORPO	RATED (ONTARIO)	002156281	2007-12-05	
				Page 1 of 1

To the Client: When the Master Business Licence is presented to any Ontario business program, you are not required to repeat information contained on this licence. Each Ontario business program is required to accept this licence when presented as part of its registration process. If you have any questions about this Master Business Licence call the ServiceOntario Contact Centre at 1-800-565-1921 or 1-416-314-9151 or TTY 1-416-326-8566. For more information, or to access other business-related services, call the Business Info Line, a collaboration between ServiceOntario and Industry Canada, at

1-888-745-8888 or 1-416-212-8888 or TTY 800-268-7095.

A business name registration is effective for 5 years from the date that it is accepted for registration. It is the registrant's responsibility to renew the business name prior to the expiry date and to pay the required fee.

To the Ontario business program: A client is not required to repeat any information contained in this licence in any other form used in your registration process.

2019-02-26

PTTW Renewal Application



General Information and Instructions

General:

Information requested in this form is collected under the authority of the *Ontario Water Resources Act*, R.S.O. 1990 (OWRA) and the *Environmental Bill of Rights*, C. 28, Statutes of Ontario, 1993, (EBR) and will be used to evaluate applications for a Permit to Take Water as required by Section 34 (OWRA).

Instructions:

- Applicants are responsible for ensuring that they complete the most recent application form. When completing this
 form, please refer to the "Guide to Permit to Take Water Application Form" (referred to as the Guide). Application
 forms and supporting documentation are available from your local Regional or District Office of the Ministry of the
 Environment and Climate Change, and on the Permit to Take Water program page at
 https://www.ontario.ca/page/permits-take-water.
- Questions regarding completion and submission of this application should be directed to local Regional Office of the Ministry of the Environment and Climate Change. Contact information for these offices is available in the Guide or on the Ministry of the Environment and Climate Change website at http://www.infogo.gov.on.ca/infogo/#orgProfile/-181/en.
- 3. This form must be completed with respect to all the requirements of the Guide for it to be considered an application for approval. **Incomplete applications will be returned to the applicant.**
- 4. A complete application consists of:
 - (1) a completed, signed application form
 - (2) all required supporting information identified in this form and the Guide, and
 - (3) a certified cheque or money order, in Canadian funds, made payable to the **Ontario Minister of Finance** for the application fee when required. Payment may also be made by Visa or MasterCard.

The Ministry may require additional information during the technical review of any application initially accepted as complete.

5. The original application, along with supporting information and the application fee should be sent to:

Ministry of the Environment and Climate Change, Attention: Permit to Take Water Director Director, Environmental Approvals Access and Service Integration Branch, 135 St. Clair Avenue West 1st Floor Toronto, Ontario M4V 1P5

6. Information contained in this application form is not considered confidential and will be made available to the public upon request. Information submitted as supporting information may be claimed as confidential but will be subject to the *Freedom of Information and Protection of Privacy Act* (FOIPPA) and the EBR. If you do not claim confidentiality at the time of submitting the information, the Ministry of the Environment and Climate Change may make the information available to the public without further notice to you. If you are identifying confidential material, please indicate why you believe the information is confidential.

Fields marked with an asterisk	(*)) are mandatory.
--------------------------------	-----	------------------

Sole Proprietor Federal Government Municipal Government Provincial Government Other (describe):	
Amendment to Permit (attach a photocopy of permit) ✓ Renewal of Permit (attach a photocopy of permit) 2. Classification Classification Fee Required Vater Taking Source(s) Category 1 \$750 Reason ✓ Category 2 \$750 Reason ✓ Category 3 ✓ \$3,000 Reason ✓ Category 4 Subiness Licence of Master Business Licence) Trafalgar Golf & Country Club Business Name (the name under which the entity is operating or trading if different from the Applicant Name - also referred to as trade name Applicant Type ✓ Corporation □ Individual ○ Proprietor ○ Federal Government ○	
Renewal of Permit (attach a photocopy of permit) 2. Classification Classification Fee Required No Fee Required Water Taking Source(s) Category 1 \$750 Reason Category 2 \$750 Reason Category 3 \$\$3,000 Reason Category 3 \$\$3,000 Reason Category 3 \$\$3,000 Reason Combined (surface and gi 3. Applicant Information Applicant Name (legal name of individual or organization as evidenced by legal documents such as a copy of Driver's Licence or Master Business Licence) Trafalgar Golf & Country Club Business Name (the name under which the entity is operating or trading if different from the Applicant Name - also referred to as trade name Applicant Type Corporation Corporation Individual Provincial Government Other (describe): North American Industry Classification System (NAICS) Code 713910	
2. Classification Fee Required Water Taking Source(s) Classification Fee Required Water Taking Source(s) Category 1 \$750 Reason Øutrace Water Category 2 \$750 Reason Groundwater Category 3 \$3,000 Reason Combined (surface and gutant a	
Classification Fee Required No Fee Required Water Taking Source(s) Classification \$750 Reason Surface Water Category 1 \$750 Reason Groundwater Category 2 \$750 Reason Groundwater Category 3 \$3,000 Reason Combined (surface and groundwater) 3. Applicant Information Combined (surface and groundwater) Surface Vater Applicant Name (legal name of individual or organization as evidenced by legal documents such as a copy of Driver's Licence or Master Business Licence) Business Identification N Trafalgar Golf & Country Club 86154-4591 86154-4591 Business Name (the name under which the entity is operating or trading if different from the Applicant Name - also referred to as trade name Applicant Type	
Category 1 \$750 Reason ✓ Surface Water Category 2 \$750 Reason Groundwater ✓ Category 3 \$3,000 Reason Combined (surface and gr 3. Applicant Information Combined individual or organization as evidenced by legal documents such as a copy of Driver's Licence or Master Business Licence) Business Identification N Trafalgar Golf & Country Club 86154-4591 86154-4591 Business Name (the name under which the entity is operating or trading if different from the Applicant Name - also referred to as trade name Applicant Type ✓ Corporation Individual Partnership Sole Proprietor Federal Government Municipal Government Provincial Government Other (describe): North American Industry Classification System (NAICS) Code 713910 4. Applicant Physical Address Address	
Category 2 \$750 Reason Groundwater Category 3 \$3,000 Reason Combined (surface and gr 3. Applicant Information Combined individual or organization as evidenced by legal documents such as a copy of Driver's Licence or Master Business Licence) Business latentification N Trafalgar Golf & Country Club 86154-4591 Business Name (the name under which the entity is operating or trading if different from the Applicant Name - also referred to as trade name Applicant Type Portororation Corporation Individual Provincial Government Other (describe): North American Industry Classification System (NAICS) Code 713910	
Category 3 \$3,000 Reason Combined (surface and gr 3. Applicant Information Applicant Name (legal name of individual or organization as evidenced by legal documents such as a copy of Driver's Licence or Master Business Licence) Trafalgar Golf & Country Club Business Name (the name under which the entity is operating or trading if different from the Applicant Name - also referred to as trade name Applicant Type © Corporation Individual Provincial Government Other (describe): North American Industry Classification System (NAICS) Code 713910	
3. Applicant Information Applicant Name (legal name of individual or organization as evidenced by legal documents such as a copy of Driver's Licence or Master Business Licence) Trafalgar Golf & Country Club Business Identification N 86154-4591 Business Name (the name under which the entity is operating or trading if different from the Applicant Name - also referred to as trade name Applicant Type Individual Corporation Individual Sole Proprietor Federal Government Provincial Government Other (describe): North American Industry Classification System (NAICS) Code 713910	
Applicant Name Business Identification N (legal name of individual or organization as evidenced by legal documents such as a copy of Driver's Business Identification N Sole Proprietor Individual Provincial Government Other (describe): North American Industry Classification System (NAICS) Code 713910	ound)
(legal name of individual or organization as evidenced by legal documents such as a copy of Driver's 86154-4591 Licence or Master Business Licence) 86154-4591 Trafalgar Golf & Country Club 86154-4591 Business Name (the name under which the entity is operating or trading if different from the Applicant Name - also referred to as trade name Applicant Type ✓ ✓ Corporation Individual Sole Proprietor Federal Government Municipal Government Provincial Government Other (describe):	
Corporation Individual Partnership Sole Proprietor Federal Government Municipal Government Provincial Government Other (describe):	
Corporation Individual Partnership Sole Proprietor Federal Government Municipal Government Provincial Government Other (describe):	
Sole Proprietor Federal Government Municipal Government Provincial Government Other (describe): North American Industry Classification System (NAICS) Code 713910 4. Applicant Physical Address	
Provincial Government Other (describe): Other (describe): North American Industry Classification System (NAICS) Code 713910 4. Applicant Physical Address	
North American Industry Classification System (NAICS) Code 713910 4. Applicant Physical Address	
	<u> </u>
Unit Number Street Number Street Name City/Town 6728 Sixth Line Milton	'
County/District Province/State Country Postal Code/Zip	Code
Halton Ontario Canada L9T 2X7	
Telephone Number (including area code)Fax Number (including area code)905-693-0437905-636-7817	
Email Address dbreen@golfnorth.ca	
5. Applicant Mailing Address	
Same as Applicant Physical Address ? 🔽 Yes 🗌 No (If no, complete below)	
Civic Address - Street information (street number/name/type/direction/unit/suite/emergency 911 location number and street P.O.Box/Rural Route Number)	1
Unit Number Street Number Street Name PO Box Rural Ro	ute
City/Town County/District	
Province/State Country Postal Code/Zip	Code

6. Project Technical Information Contact									
Same as Applicant ?									
Name Jurgen Koehler, P.Eng.			Company C.F. Crozier & Associates Inc.						
Address Information									
Same as Applicant Mailing Address ? 🗌 Yes 🔽 No (If no, please provide technical information contact mailing address below)									
Civic Address - Street information (street number/name/type/direction/unit/suite/emergency 911 location number and street/ P.O.Box/Rural Route Number)									
Unit Number Street Number Street Name 100 2800 High Point Drive					(Rural Route			
City/Town Milton			County/ Halton						
Province/State Ontario				Country Canada			Code/Zip Code 24		
Telephone Number (including a 905-875-0026	area code)	ext.	Fax Number (including area code) 905-875-4915						
Email Address jkoehler@cfcrozier.ca									

7. Source Inform	ation										
Note: Source Inform Source Inform		•	led separately for ea application includes			•	e and sub	mit multip	le cop	ies of	this
Number of Water 1	aking So	ources Incl	uded in this Applic	catio	n (do not incl	ude dome	stic uses t	hat do no	t requi	re a pe	rmit)
Total Number of We 0	Tot 0	al Number of	Total Number of Watercourse Intakes				Intakes				
Watercourse 1											
Watercourse Name Sixteen Mile Cree	k				Tributary to Lake Ontar	io					
Does flow in the wa	tercourse	stop at any	r time during the yea	ar?	Yes	🖌 No					
Do you move/reloca	ate the wa	ater intake (pump)?		Yes	🖌 No					
Source Location Ir	nformatio	on									
Civic Address - Stre	et inform	ation (stree	t number/name/type	/dire	ction/unit/sui	te/emerge	ncy 911 lo	ocation nu	ımber	and st	reet)
Unit Number	Street N	umber	Street Name Same as Applicar	nt Ac	ddress			F	PO Bo	x	
Lot		Conces	sion		Part			Reference	ce Plar	n	
City/Town			County/District				Original G	eographi	c Towi	nship	
Province	Province Postal Code										
Geographic (GPS)	Coordin	ates (to be	provided in Datum	ו NA	D83)			I			
Method of Collection Google	n				Accuracy Es 1 - 10 metr						
UTM Zone 17					Easting 595450			Northing 482180			
Is the Applicant the	owner of	the site wh	ere water taking will	occi	ur?		🖌 Yes		No		
Is the site where wa Planning & Develop	-		located in an area o	f dev	elopment cor	ntrol as de	fined by t	he <i>Niagar</i>	a Esca	arpme	nt
Yes 🖌 No)										
Is the site where wa Moraine Conservati									by the	Oak F	≀idges
Yes Vo)										
Are you aware of ar	ny compla	aints or impa	acts resulting from w	vater	takings at th	e site?		Yes	•	✓ No	
Will water from the	site be pa	ickaged in a	a container (bottled v	wate	r, tanks)?		Yes	~	No		
Are wells located wi	thin 500	m of the site	e where water taking	g will	occur?		Yes	v	No		
If no, what is the dis Unknown	tance to	nearest wel	1?								
Is municipal water a	vailable t	o all dwellir	ngs within 500m of th	ne si	te where wate	er taking v	vill occur?				
Yes No		Unknowr	١								
Estimated start date 2021/05/01	e of water	taking (yyy	y/mm/dd)								
Water taking to exte	end for a	period of: 5	5 🔄 🗌 day	s	weeks	m	onths	🖌 year	S	in in in i	definite
Is activity subject to	the <i>Envi</i>	ronmental A	ssessment Act?			_ Y€	es 🖌	' No			
2167E (2017/05)										Pi	age 4 of 10

List any public consultation/notification that has occurred related to the proposed water taking (i.e., public hearings, notification of First Nations, etc.) N/A

8. Public Consultation / Environmental Bill of Rights (EBR) Requirements								
Is this application for water taking to extend for a period of less than o	ne year?	Yes	V No					
 If no, this application may be subject to posting and/or public cons Rights. For more information, please refer to the Guide. 	ultation requiremen	ts under t	he Environmental Bill of					
Is this application for agricultural use or aquaculture?		Yes	V No					
 If no, this application may be subject to posting and/or public consultation requirements under the Environmental Bill of Rights. For more information, please refer to the Guide. 								

9. Water Taking Volumes	sa								
Purpose options for Water Taking	er Taking								
Purpose Category		S.	Specific Purpose	ose					
Agriculture	irrigation of (in tobacco, other	irrigation of (includes frost protection): field and pasture crops; fruit orchard; market garden/flowers; nursery; sod farm; tender fruits; tobacco, other (must specify)	s; fruit orcha	rd; market g	Jarden/flowe	ers; nurse	ry; sod farr	n; tender f	uits;
Commercial	aquaculture, b	aquaculture, bottled water, golf course irrigation, mall/business; snowmaking, other (must specify)	ss; snowma	king, other (must specif	()			
Construction	Dredging, roac	Dredging, road building, other (must specify)							
Dewatering	pits and quarri	pits and quarries; construction; other (must specify)							
Industrial	aggregate was specify)	aggregate washing, brewing/soft drinks, cooling water, food processing, manufacturing; pipeline testing; power generation; other (must specify)	processing, I	manufacturi	ng; pipeline	testing; p	ower gene	ration; oth	er (must
Institutional	school, hospite	school, hospital, other (must specify)							
Recreation	aesthetic, fish	aesthetic, fish pond, other (must specify)							
Remediation	groundwater; c	groundwater; other (must specify)							
Water Supply	campground, c	campground, communal, municipal, other (must specify)							
Miscellaneous	dam/reservoir,	dam/reservoir, heat pump, pumping test, other (must specify)	(
Water Source Information – Table A (Units in Litres)	ı – Table A (Units i	n Litres)							
Source Name	Purpose Category (select from "purpose category" column in table above)	Specific Purpose (select from "specific purpose" column in table above)	Maximum rate per minute	Maximum number of hours of taking a day	Maximum volume per day	Typical volume per day	Maximum number of days of taking in a year	Earliest calendar date of taking (mm/dd)	Latest calendar date of taking (mm/dd)
Sixteen Mile Creek	Commercial	golf course irrigation	1136	24	1,635,84 1,635,8 0.00 40.00	1,635,8 40.00	275	03/01	11/30

000041

10. Attachments

The following must be attached for all applications (Category 1, 2 and 3) to be complete:

Map Requirements

On a 1:10 000 OBM (Ontario Base Map) (1:50 000 only acceptable in locations where 1:10 000 is not obtainable), mark and label:

- All existing and proposed water taking locations with sources corresponding with source name (refer to page 6 of the current application form).
- All of the following features within 500m of each source: existing wells (indicate use of existing well, springs, watercourses, wetlands, water bodies, property lines, locations and name of property owners, nearest road intersections, dwellings.

Browse	Remove
Describe in detail how, where and when all water is obtained, stored, transferred, used and returned to the envir	onment (if
applicable). Details must include the source of all water takings (and corresponding source name if applicable), p	ourpose of
the water taking, period of water taking, and maximum quantity requested (see Guide for further instruction).	

Note: If your application is subject to posting on the Environmental Bill of Rights (EBR) Registry, this description will be used to create the Proposal Notice. The ministry may change the wording as required, to meet the EBR posting requirements.

Browse	Remove

Date (yyyy/mm/dd) 2021/11/05

NOU 5

Remove

21

Browse...

Describe how water taking needs (rates, amounts and time periods) were determined. Provide all relevant information and calculations to demonstrate the water takings requested are warranted.

11. Statement/Signature of Applicant

I, the undersigned, hereby declare that to the best of my knowledge:

- The information contained herein and the information submitted in support of this application is complete and accurate in every way and I am aware of the penalties against providing false information.
- The Project Technical Information Contact identified in Section 6 if this form is authorized to act on my behalf for the purpose of obtaining this approval.

Print Name

Doug Breen

gnature

Schedule for Water Conservation Measures

Schedule 1 – Implementation of Water Conservation in accordance with Best Management Practices and Standards for the Relevant Sector

Section 1: General Information

Information on this Schedule is collected under the authority of the *Ontario Water Resources Act*, R.S.O. 1990 (OWRA), and the new *Environmental Bill of Rights*, C. 28. Statutes of Ontario, 1993, and will be used to evaluate applications for a Permit to Take Water as required by Section 34 (OWRA).

Instructions:

- 1. This Schedule forms part of the Permit to Take Water application form and is subject to all provisions and instructions where applicable.
- 2. All questions of Section 2 of this Schedule must be answered for this Schedule to be considered complete.

Purpose:

The purpose of this Schedule is to allow persons applying for a permit required by the Ministry to document in the application all water conservation measures and practices that are currently being undertaken or that is anticipated to be undertaken for the duration of the permit.

Persons applying for a permit are encouraged to take all reasonable and practical measures to conserve water and to be up to date with sector-specific best management practices and standards for water conservation (i.e. whether you are currently implementing or anticipate implementing water conservation best water management standards and practices relevant to your sector).

Various sector associations publish information on best practices that may be useful in determining practices and standards for water conservation. Examples of these sector-specifc assocations include the following:

- Municipal Sector Ontario Water Works Association
- Agricultural Sector Ontario Ministry of Agriculture (Fact Sheets and Guides on Best Management Practices containing information on efficient irrigation systems, staggering irrigation schedules and preparing Environmental Farm Plans)
- Other Sectors For information on up-to-date best management practices and measures for water conservation, contact your relevant sector association.

Please note that this schedule may not be directly applicable to certain takings, such as pumping tests, instream uses, site dewatering and certain industrial processes. In these cases, consideration must be given to the fate of the water or system design requirements.

Section 2: Water Conservation Best Management Practices and Standards

Use this section of the Schedule to indicate what conservation measures and practices you are currently implementing or anticipate implementing. Where relevant, additional information can be attached as an appendix to this Schedule.

State your goals for reducing the use, loss or waste of water or for increasing the efficiency of water use (e.g., litres per day per unit of production or litres per day per capita for the residential sector).

Check off which of the following water conservation best management measures and practices that you have implemented or will implement for the duration of the permit:

Implemented	To be Implemented
\checkmark	

Other (please specify) ►


Of the measures and practices checked off above, provide specific details of the best management practices applied or to be applied including equipment (e.g. pump specification), processes, such as water used for industrial production and/or irrigation system(s), current and proposed technology, approach, processes and procedures:

Refer to Permit to Take Water Application Report, dated November 2021, prepared by C.F. Crozier & Associates Inc.

For the above measures and practices, list information relevant for your sector and/or other sources of information used in determining water conservation and efficiency management practices and measures: Refer to Permit to Take Water Application Report, dated November 2021, prepared by C.F. Crozier & Associates Inc.

List dates of when the best management measures and practices were or will be applied for the duration of the permit: Water conservation measures will be applied throughout the duration of the permit.

Identify any approval or certification that you have received for implementing water conservation and efficiency best management practices, e.g. Environmental Farm Plan, Audubon Cooperative Sanctuary Program for Golf Courses: N/A





2800 High Point Drive, Suite 100, Milton, ON L9T 6P4

Date	Pi	oject No: 120	-2653	Prepared By: N.	MOCAN	Reviewed By:
	TRAFALGAR GO	olf ? ca	DUNTILY	CLUB		
Project:			.10			
Subleat	WATER TAKING	s routi	NG PLA	N - PTTI	N	
Subject:						
						ſ
				~~~		N
			<u>k</u> ,	y		
			7 - 50-10-1	- 75 mm CR	LEEK	
	6	*A LINE	V/	INTAKE	(SOURCE #1)	
		No.	Nº.			
			OK.		)	SIXTEEN MILE
	CREEK PUMPH			$\sim$		CREEK.
	(125 0				$\sim$	
	Υ.	· /	mp A		and a second	
		FORCE		111	*	
		10,000	.,,,,,,,,			
		18	TH HOLE			OFD FAMEL AND
						STREAM FLOW MONITO RING
						LOCATION
			RRIGATION			
			POND (SOU	rce *2)		
				POND PUMPHOUSE	$\mathbf{X}$	
		VALVE -	-	(900 USgpm)	° O A	PROPERTY
		in \$	•			OMMO DND INTAKE LIMITS
	FORC	CEHAIN			Y Y	IND INTAKE
		1	1 J		TO IR	RIGATION NETWORK
				$\gamma $		TIPLE LINES ( SIZES)
				/	- 150 mm \$ 1	
			1	150 mm 0-	DIRECTION PIPE	n transfer
		- 1/	Í.	GRAVITY PIPE		
				· -		
	6	LIG MIG	STORACE	RESERVOIR		
		e nge bed	na e de ense de Colora			

Page _____ of _____

## Water Taking Records 2015 - 2020



#### TRAFALGAR GOLF & COUNTRY CLUB 2015 - 2020 WATER TAKING RECORDS

PROJECT: PROJECT No: NAME: DATE:

Trafalgar GCC 120-2653 BP August 27, 2021

#### Permit No. 1237-A3PJ3W

#### Monitoring Data:

		Six	teen Mile Cr	reek		
Source	2015	2016*	2017*	2018*	2019*	2020*
Maximum			•	5,840	1	
Permitted						
		1	<u>L/</u>	day		
1-May						
2-May						
3-May						
4-May 5-May						
6-May						-
7-May						
8-May						
9-May						-
10-May						
11-May						
12-May						1
13-May						
14-May						
15-May						
16-May						
17-May						
18-May						
19-May						
20-May						
21-May						
22-May						
23-May						
24-May						
25-May						
26-May						
27-May						
28-May						
29-May 30-May						
31-May						
1-Jun						
2-Jun						
3-Jun						
4-Jun						
5-Jun						
6-Jun						1
7-Jun						1
8-Jun						
9-Jun						
10-Jun						
11-Jun						
12-Jun						
13-Jun						
14-Jun						
15-Jun						
16-Jun						
17-Jun						
18-Jun						ļ
19-Jun						

· · ·			een Mile Cr		1	
Source	2015	2016*	2017*	2018*	2019*	2020*
Maximum			1,63	5,840		
Permitted				day		
20-Jun			2/0			
21-Jun						
22-Jun						
23-Jun						
24-Jun						
25-Jun						
26-Jun						
27-Jun						
28-Jun						
29-Jun						
30-Jun						
IUL-1						
2-Jul						
Jul-6						
4-Jul						
Jul						
6-Jul						
7-Jul						
10L-8						
9-Jul						
luL-01 luL-11						
10-JUI						
10L-21						
10-JUI						
15-Jul						
10-JU						
17-Jul						
10L-81						
19-Jul						
20-Jul						
21-Jul						
22-Jul						
23-Jul						
24-Jul						
25-Jul						
26-Jul						
27-Jul						
28-Jul				ļ		
29-Jul						
30-Jul						
31-Jul						
1-Aug						
2-Aug				<u> </u>		
3-Aug						
4-Aug 5-Aug					+	
5-AUg 6-Aug						
7-Aug			1		1	
8-Aug					1	
9-Aug						
10-Aug						
11-Aug						
12-Aug					1	
13-Aug						
14-Aug						
15-Aug						
16-Aug						


Trafalgar Golf Country Club

•	0015		teen Mile Cr		0010*	00000
Source	2015	2016*	2017*	2018*	2019*	2020*
Maximum			1,63	5,840		
Permitted			110	day		
17-Aug						
18-Aug						
19-Aug						
20-Aug						
21-Aug						
22-Aug						
23-Aug						
24-Aug						
25-Aug						
26-Aug						
27-Aug						
28-Aug						
29-Aug						
30-Aug						
31-Aug						
1-Sep						
2-Sep						
3-Sep						
4-Sep						
5-Sep						
6-Sep			888,480			
7-Sep		000 400	,			
8-Sep		888,480 888,480	888,480 888,480			
9-Sep 10-Sep		888,480	888,480			
10-Sep		888,480	888,480			
12-Sep		000,400	888,480			
13-Sep			888,480			888,480
14-Sep			888,480			888,480
15-Sep			888,480			888,480
16-Sep			888,480			888,480
17-Sep		888,480	888,480	888,480		888,480
18-Sep		888,480	888,480	888,480		888,480
19-Sep		888,480	888,480	888,480		888,480
20-Sep		888,480	888,480	888,480		888,480
21-Sep	134,062		888,480	888,480		888,480
22-Sep	202,947		888,480	888,480		888,480
23-Sep	202,275		888,480	888,480		888,480
24-Sep	201,400		888,480	888,480		888,480
25-Sep	200,478		888,480	888,480		888,480
<u>26-Sep</u>	188,387		888,480	888,480		888,480
27-Sep	01.007	888,480	888,480	888,480		888,480
28-Sep	91,927	888,480		888,480		888,480
29-Sep	199,080	888,480		888,480		888,480
<u>30-Sep</u>	198,445	888,480		888,480	000 400	888,480
1-Oct	197,248	888,480		888,480 888,480	888,480 888,480	888,480
<u>2-Oct</u>	<u>195,392</u> 193,692	888,480 888,480		888,480	888,480	888,480 888,480
<u>3-Oct</u> 4-Oct	193,692	888,480		888,480	888,480	888,480
4-0c1 5-0ct	87,260	888,480		888,480	888,480	888,480
6-Oct	23	888,480		888,480	888,480	888,480
7-Oct	20	888,480		888,480	888,480	888,480
8-Oct		888,480		888,480	888,480	888,480
9-Oct	93,832	888,480		888,480	888,480	888,480
10-Oct	172,933	888,480		888,480	888,480	888,480
11-Oct	181,412	888,480			888,480	888,480
12-Oct	61,058	888,480			888,480	888,480
13-Oct	114,009	888,480			888,480	888,480

		Sixt	een Mile Cr	eek		
Source	2015	2016*	2017*	2018*	2019*	2020*
Maximum			1,63	5,840		
Permitted			L/c	lay		
14-Oct	178,965			•	888,480	888,480
15-Oct	176,921				888,480	888,480
16-Oct	173,299				888,480	888,480
17-Oct	178,686				888,480	888,480
18-Oct	64,954				888,480	888,480
19-Oct					888,480	888,480
20-Oct					888,480	888,480
21-Oct	105,495	888,480			888,480	888,480
22-Oct	201,602	888,480			888,480	888,480
23-Oct	201,231	888,480			888,480	888,480
24-Oct	200,509	888,480			888,480	888,480
25-Oct	200,201				888,480	888,480
26-Oct	199,778				888,480	888,480
27-Oct	198,561	888,480			888,480	
28-Oct	195,448				888,480	
29-Oct	187,416					
30-Oct	187,869					
31-Oct	81,563					

Note: * Data gaps and corrupt monitoring files on Flow Mate PLC. Water takings estimated based on written Club records of number of water taking days. Assumed pump operated for 24 hrs per day at maximum pumping rate (617 L/min) for days of taking.

# Historic Rating Curve



Ministère de l'Environnement, de la Protection de la nature et des Parcs





TOWN OF MILTON - STRUCTURE NO. 21 (6TH LINE) 4342 QUEEN ST, SUITE 300, NIAGARA FALLS, ON, L2E 7J7 **INSPECTION REPORT** 

Entity: HATCH LTD./HATCH LTÉE Inspection Start Date: March 15, 2023 Inspection End Date: March 27, 2023 Inspected By: Frank Wang Badge #: 1472

Frank was

(signature)



## **NON-COMPLIANCE**

This should not be construed as a confirmation of full compliance with all potential applicable legal requirements. These inspection findings are limited to the components and/or activities that were assessed, and the legislative framework(s) that were applied. It remains the responsibility of the owner to ensure compliance with all applicable legislative and regulatory requirements.

If you have any questions related to this inspection, please contact the signed Provincial Officer.



## **RECOMMENDATIONS**

This should not be construed as a confirmation of full conformance with all potential applicable BMPs. These inspection findings are limited to the components and/or activities that were assessed, and the legislative framework(s) that were applied. It remains the responsibility of the owner to ensure compliance with all applicable legislative and regulatory requirements.

If you have any questions related to this inspection, please contact the signed Provincial Officer.



## **INSPECTION DETAILS**

This section includes all questions that were assessed during the inspection.

## Ministry Program: SPECIES AT RISK | Regulated Activity: Species at Risk

Question ID HSNO-001	Question Type Information
Legislative Requirement(s):	
Not Applicable Question:	
Does the activity qualify under the conditional exer imminent?	mption Threats to health and safety, not
Compliance Response(s)/Corrective Action(s)/	Observation(s):
Yes – eligible for registration	

Question ID HSNO-002	Question Type	Information
Legislative Requirement(s): Not Applicable		
Question: Is the activity the decommissioning of a mine?		
Compliance Response(s)/Corrective Action(s)/O	bservation(s):	
No – not decommissioning mine		

Question ID HSNO-003	Question Type Information
Legislative Requirement(s):	
Not Applicable	
Question:	
Is the activity to maintain, repair, remove	or replace an existing structure or infrastructure?
Compliance Response(s)/Corrective A	ction(s)/Observation(s):
Yes -structure/infrastructure	

Question ID HSNO-005	Question Type Information
Legislative Requirement(s):	
Not Applicable	
Question:	
Does the activity apply to infrastructure that is part of or related to a communications system?	
Compliance Response(s)/Corrective Action(s)/Observation(s):	

Ministère de l'Environnement, de la Protection de la nature et des Parcs



No – not this activity type

Question ID HSNO-006	Question Type Information
Legislative Requirement(s):	
Not Applicable	
Question:	
Does the activity apply to infrastructure th or gas pipeline, alternative energy system	at is part of or related to an electric power system, oil or renewable energy system?
Compliance Response(s)/Corrective A	ction(s)/Observation(s):
No – not this activity type	

Question ID HSNO-007	Question Type	Information
Legislative Requirement(s):	- ·	
Not Applicable		
Question:		
Does the activity apply to infrastructure that is par	t of or related to a roa	ad or railway system?
Compliance Response(s)/Corrective Action(s)/	Observation(s):	
Yes – road or railway system		
Structure #: 21 on a road system of 6th Line.		

Question ID HSNO-008	Question Type Information
Legislative Requirement(s): Not Applicable	
Question: Does the activity apply to infrastructure the works, stormwater works and associated t	at is part of or related to a water works, wastewater facilities?
<b>Compliance Response(s)/Corrective A</b> No – not this activity type	ction(s)/Observation(s):

Question ID HSNO-009	Question Type Information
Legislative Requirement(s):	
Not Applicable	
Question:	
Does the activity apply to infrastructure that is part control surface water runoff?	of or related to a drainage works designed to



## **Compliance Response(s)/Corrective Action(s)/Observation(s):**

No - not this activity type

Question ID HSNO-010	Question Type Legislative
Legislative Requirement(s): ESA   O. Reg 242/08   23.18   (5)2i;	
<b>Question:</b> Did the submitted notice of activity form inclu	ude the proposed start and end dates?
Compliance Response(s)/Corrective Action Yes - Form complete.	on(s)/Observation(s):
According to the information collected during completed between July 01, 2019 and Septe	g this desktop audit, Structure Work #21 was ember 14, 2019.

Question ID HSNO-011	Question Type	Legislative
Legislative Requirement(s):		
ESA   O. Reg 242/08   23.18   (5)2ii;		
Question: Did the submitted notice of activity form inclu which it will be carried out	ude a description of the act	ivity and of the area in
Compliance Response(s)/Corrective Action Yes - Form complete.	on(s)/Observation(s):	
Submission #: 1000032826 and Confirmatio	n #: M-102-4290430293, c	ompleted On January 29,

2019

Question ID HSNO-012	Question Type Legislative
Legislative Requirement(s):	
ESA   O. Reg 242/08   23.18   (5)2iii;	
Question:	
	clude the name of species listed on the Species at atened species that will likely be affected by the
Compliance Response/s)/Corrective Ac	tion(s)/Obsonvation(s):

Compliance Response(s)/Corrective Action(s)/Observation(s):

Yes - Form complete.

Species included: 1) American Eel; and 2) Silver Shiner.

Question ID HSNO-013	Question Type Legislative
Legislative Requirement(s):	



## ESA | O. Reg 242/08 | 23.18 | (5)3;

## Question:

Did the person follow the requirements with keeping of records relating to the notice of activity form and updating of the information on the Registry?

## **Compliance Response(s)/Corrective Action(s)/Observation(s):**

Yes – records kept and updated

Question ID	HSNO-014	Question Type	Information
Legislative Req	uirement(s):	•••••••••••••••••••••••••••••••••••••••	4
Not Applicable			
Question:			
Is a mitigation pla	an required to be prepa	red?	
Compliance Res	sponse(s)/Corrective	Action(s)/Observation(s):	
Yes – mitigation	plan required		

Question ID HSNO-015	Question Type Legislative
Legislative Requirement(s): ESA   O. Reg 242/08   23.18   (5)1ii;	•
Question: Was a mitigation plan prepared?	
<b>Compliance Response(s)/Corrective Ac</b> Yes – mitigation plan prepared	tion(s)/Observation(s):

Question ID HSNO-016	Question Type Legislative
Legislative Requirement(s):	
ESA   O. Reg 242/08   23.18   (6);	

#### **Question:**

Was a mitigation plan prepared and updated by one or more persons with expertise in relation to every species that is the subject of the plan?

#### Compliance Response(s)/Corrective Action(s)/Observation(s):

Yes - plan prepared as required

Mitigation Plan was prepared by Mr. Caleb Coughlin, Project Manager and Senior Biologist of Environmental Services at Hatch Ltd.

|--|



## Legislative Requirement(s):

ESA | O. Reg 242/08 | 23.18 | (7);

## Question:

Did the mitigation plan include the required information?

## Compliance Response(s)/Corrective Action(s)/Observation(s):

Yes – plan complete

Question ID         HSNO-018         Question Type         Legislative
------------------------------------------------------------------------

## Legislative Requirement(s):

ESA | O. Reg 242/08 | 23.18 | (7)1;

## **Question:**

Did the mitigation plan include a description of the activity, an explanation of the threat to human health or safety, consequences that would result in short or long term, if the activity was not carried out?

#### Compliance Response(s)/Corrective Action(s)/Observation(s):

Yes – plan complete

The activities included: 1) Cleaning and maintenance of bridge or other structures; 2) Vegetation removal; 3) Water extraction; and 4) Placement of material or structures in water.

Question ID HSNO-019	Question Type Legislative
Legislative Requirement(s): ESA   O. Reg 242/08   23.18   (7)2;	
Question:	
	ed start and completion dates of the activity?
Compliance Response(s)/Corrective A	ction(s)/Observation(s):
Yes – plan complete	

Question ID HSNO-020	Question Type Legislative
Legislative Requirement(s): ESA   O. Reg 242/08   23.18   (7)3;	
<b>Question:</b> Did the mitigation plan include a description stages?	n of the stages of the activity and a timeline for the
<b>Compliance Response(s)/Corrective Act</b> Yes –plan complete	ion(s)/Observation(s):



Question ID	HSNO-021	Question Type	Legislative

## Legislative Requirement(s):

ESA | O. Reg 242/08 | 23.18 | (7)4;

## Question:

Did the mitigation plan include a list of the species that are listed on the Species at Risk in Ontario List as endangered or threatened species and that are likely to be affected by the activity?

### Compliance Response(s)/Corrective Action(s)/Observation(s):

Yes - plan complete

Question ID HSNO-022	Question Type Legislative
Legislative Requirement(s):	
ESA   O. Reg 242/08   23.18   (7)5;	
Question:	
Did the mitigation plan include an assessment of species identified?	the activity's likely effects on members of each
Compliance Response(s)/Corrective Action(s)	/Observation(s):
Yes – plan complete	

Question ID	HSNO-023	Question Type	Legislative
Legislative Requ ESA   O. Reg 242	<b>iirement(s):</b> 2/08   23.18   (7)6;		
<b>Question:</b> Did the mitigation property where it	• •	idicating the geographic locatior	n of the activity on the
<b>Compliance Res</b> Yes – plan compl	• • • •	Action(s)/Observation(s):	
A map indicating "Mitigation Plan".	the geographic locatic	on of the activities was provided	via email along the
			Γ

Question ID	HSNO-024	Question Type	Legislative
Legislative Requ	irement(s):		
ESA   O. Reg 242	2/08   23.18   (7)7i;		
Question:			
		how the person will carry out th	
		effects of the activity on a specie	
identified including	g the dates on which, a	and locations at which, each ste	p will be



#### carried out?

## Compliance Response(s)/Corrective Action(s)/Observation(s):

Yes – plan complete

Question ID HSNO-025	Question Type Legislative
Legislative Requirement(s): ESA   O. Reg 242/08   23.18   (7)7ii;	
Question: Did the mitigation plan include details of h steps required to minimize the adverse ef identified including, the times during the y carrying out a life process?	fects of the activity on a species
<b>Compliance Response(s)/Corrective A</b> Yes – plan complete	ction(s)/Observation(s):

Question ID HSNO-026	Question Type	Legislative
Legislative Requirement(s): ESA   O. Reg 242/08   23.18   (5)4i;		
<b>Question:</b> Was the activity carried out in accordance w	vith the mitigation plan?	
<b>Compliance Response(s)/Corrective Acti</b> Yes – plan complied with	ion(s)/Observation(s):	

Question ID	HSNO-027	Question Type	Legislative
Legislative Req ESA   O. Reg 24	<b>uirement(s):</b> 2/08   23.18   (5)4i;		
<b>Question:</b> Did the person in described in the		the activity in accordance with	the timelines as
<b>Compliance Res</b> Yes – plan comp		Action(s)/Observation(s):	

Question ID HSNO-028	Question Type Legislative
Legislative Requirement(s):	
ESA   O. Reg 242/08   23.18   (5)4i;	



## Question:

Did the person implement steps to minimize adverse effects of the activity on a species identified in accordance with the dates, locations, time of year as described in the mitigation plan?

#### Compliance Response(s)/Corrective Action(s)/Observation(s):

Yes – plan complied with

Question ID HSNO-029	Question Type	Information
Legislative Requirement(s):		
Not Applicable		
Question:		
Did the Ministry request for a copy of the mi	itigation plan?	
Compliance Response(s)/Corrective Act	ion(s)/Observation(s):	
Yes – requested copy of plan		

Question ID HSNO-030	Question Type Legislative
Legislative Requirement(s):	
ESA   O. Reg 242/08   23.18   (5)4iii;	
Question:	
Was a copy of the mitigation plan provide	ed to the Ministry within 14 days of receiving a request
for it?	

## **Compliance Response(s)/Corrective Action(s)/Observation(s):**

Yes - copy of plan provided

During this desktop audit, a copy of "Mitigation Plan" was provided in compliance with Section 23.18(5)4.iii of O. Reg. 242/08.

Question ID	HSNO-031	Question Type Legislative
Legislative Req	uirement(s): 2/08   23.18   (5)5;	
Question:	2.00   20.10   (0)0,	
While carrying o	ut the activity, were the	required steps taken to minimize the adverse effects?
Compliance Re	sponse(s)/Corrective	Action(s)/Observation(s):
Yes – steps to rr	ninimize effects	

Question ID HSNO-032	Question Type Legislative
Legislative Requirement(s):	



## ESA | O. Reg 242/08 | 23.18 | (5)5i;

#### Question:

Were steps taken to minimize or avoid killing, harming or harassing a member of the species and to avoid damaging or destroying its habitat?

## **Compliance Response(s)/Corrective Action(s)/Observation(s):**

Yes - steps to minimize effects

Question ID HSNO-039	Question Type Legislative
Legislative Requirement(s):	
ESA   O. Reg 242/08   23.18   (5)5viii;	
Question:	
Were steps taken to exclude members of carried out or is likely to be carried out?	f the species from the area in which the activity is being
•	

Cofferdams were used as needed to exclude all fish. Scaffolding used where applicable.

Question ID HSNO-041	Question Type Legislative
Legislative Requirement(s):	
ESA   O. Reg 242/08   23.18   (5)5x;	
	lacement or upgrade of infrastructure, was a er's report outlining the work that must occur kept?
Compliance Response(s)/Corrective Acti Yes – work schedule/report kept	ion(s)/Observation(s):

Question ID HSNO-042	Question Type Information
Legislative Requirement(s): Not Applicable	,
Question:	
Did the Ministry request a copy of the wor work?	k schedule or copy of an engineer's report outlining the
Compliance Response(s)/Corrective A	ction(s)/Observation(s):
Yes – requested copy of report	



INTERATION INCOMENT LICENTY 1112	Outpolies Trans I Logiclotive
Question ID HSNO-043	Question Type Legislative

## Legislative Requirement(s):

ESA | O. Reg 242/08 | 23.18 | (5)5x;

#### **Question:**

Was a copy of the work schedule or copy of an engineer's report outlining the work provided to the Ministry within 14 days of receiving a request for it?

#### **Compliance Response(s)/Corrective Action(s)/Observation(s):**

Yes - schedule/report provided

During this desktop audit, it was observed that a copy of "Engineer's Report Outlining the Work" was retained, and provided in compliance with Section 23.18(5)5.x of O. Reg. 242/08.

111- 77-conterry

# **Ontario**

Ministry of the Environment Central Region Toronto District Office

Ministère de l'Environnement Région du Centre Bureau de district de Toronto 5775 Yonge St. 8th Floor Toronte: Ontarie M2M 4J1

Te (416) 326 6700 Fax (416) 325 6346 5775 rue Yonge Beletage Toronto (Ontario) M2M 4J1

December, 6 2002

Mr. John Parker Trafalgar Golf and Country Club Box 56, Milton, Ontario L9T 2Y3

THE CONCEPTION TO COPY OF THE I OCUMENT. 4 1925 R. <u>1. Mar</u> David

Dear Mr. Parker:

#### RE: Permit to Take Water for Trafalgar Golf Course (PTTW No. 00-P-3052) Parts Lot 9 and 10, Concession 6 Town of Milton, Region of Halton

You submitted an application for a long term Permit To Take Water (PTTW) for Trafalgar Golf Course (signed on May 19th 2000), together with a supporting report prepared by Burnside Golf Services. This application was assigned the above PTTW number (00-P-3052). After reviewing the submission, MOE requested for additional information and a work plan that outlines proposed upgrading works. A letter containing the work plan was submitted on your behalf by Burnside Golf Services (dated October 9, 2002), in which you also requested for a temporary Permit To Take Water.

The work plan outlined in the October 9[°] letter indicates that the proposed works to upgrade the water taking facilities at the site would begin in October, 2002 and that the new water taking system will be commissioned in the Spring of 2003. It is our understanding that water taking for the next irrigation season will not start before spring 2003, by which time the new system should be ready and operational. Therefore, we have determined that a temporary Permit is not needed, as no takings will occur before the spring of 2003.

In addition, given the major changes you are making to your water taking system, and the changes in details regarding the proposed water taking, we are closing your previous application (PTTW No. 00-P-3052). Please submit a new application for the new system together with all of the additional information you have assembled as soon as possible so that a long term PTTW can be issued in time for the 2003 irrigation season.

To assist you complete the report that you will submit in support of the new application, we**000067** included our review notes on the previous application.

If you have any questions, please feel free to call Ted Belayneh at (416) 326-3472.

Prolinte Postar-

Robert P. Ryan Director, Section 34 Ontario Water Resources Act

THE IS CERTIFIED TO ANS ALL Male

c: Corey Harris (Conservation Halton)
 John Budz (Halton Peel District Manager)
 Ted Belayneh (MOE, Central Region)
 Harry Niemi Jeremy Blair (R.J.Burnside & Associates Limited)



Ministry of the Environment

Central Region

Section

**Technical Support** 

Ministère de l'Environnement

Région du Centre Section d'appui technique 5775 Yonge Street 8th Floor North York: Ontaric M2M 431

Tel. (416) 326-6700 Fax (416) 325-6347 5775 rue Yonge Biemeletage North York (Ontario, M2M 4J1

December 6, 2002

MOE Task No. 5.025.941

#### **TO:** Trafalgar Golf Course File

FROM: Ted Belayneh, Hydrologist

#### RE: Permit to Take Water Application for Trafalgar Golf Course (PTTW No. 00-P-3052) Parts Lot 9 and 10, Concession 6, Town of Milton, Region of Halton

MEMORANDUM

#### 1. <u>REFERENCES</u>

i) a signed application for a PTTW, together with a supporting report by Burnside (March 2000);

#### 2. <u>BACKGROUND</u>

The Trafalgar golf course is an existing golf course that has been in existence since 1958. The 63 ha property consists of an 18 hole golf course located within the Sixteen Mile Creek watershed (Lot 9, 10, Concession 6, Town of Milton).

Review of the file started in March 2001, and a site visit was carried out on March 20°. Additional information was requested at that time to complete the review.

#### Follow Up Notes

#### 1. March 20, 2001

A site visit was carried out on this date. Present were: Glenn Switzer (Burnside), John Parker (Trafalgar GC), corey Harris (HRCA) and myself. Salient points are:

- Trafalgar currently takes from the Middle Branch a short distance downstream of Derry Road. At the current location of intake, the stream is on the east side of 6th Line Road. There was some discussion whether the golf course property extends beyond 6th Line or not - and if not, if they Trafalgar has secured an agreement with the owner to withdraw water off-site. Applicant stated that the location is within Trafalgar's property limit. Will provide us with a letter stating this fact (*provided in October 2002*).

- As stated in the attached report with the application for the PTTW, there IS a dam located downstream of Trafalgar's current point of taking, owned by others. This dam backs up the flow and Trafalgar takes from the pond

000069

created by the dam. Trafalgar uses a 6 inch pipe as the intake connected to a 300 US gallon transfer pump.

- Trafalgar plans to move the intake point to a location closer to their storage pond. The proposed new location is downstream of the above mentioned dam. A new reservoir is also planned.

- I have asked the applicant to submit a detailed work plan regarding the proposed modifications (what works are going to be undertaken, how and when) and we may issue a PTTW valid for this irrigation season only for the existing system. We will review the work plan when submitted. My recommendation is to issue a one year permit for now and allow the applicants to undertake the proposed modification as per the work plan that will be submitted. I have indicated to the applicant that although I support the proposal from the technical stand point, the final decision to issue the one year permit will be the Section 34 Director's. HRCA also supports the proposal (moving the intake location, new off-line reservoir).

- there are no on-line ponds on the property. Water supply for the club house is from groundwater. This will be incorporated into the PTTW.

We will discuss with HRCA staff to explore the possibility of removing the on-line dam.

#### 2. August 20, 2001

The applicant has not yet submitted an application for a short term PTTW. The additional data have not been provided yet. Task will be reactivated when new submission is made. The EBR posting will remain active.

#### 3. September 20, 2002

Because the EBR posting has been open for a long time and since the applicant failed to provide the additional material requested during our field visit, a letter has been sent (signed by Rob) asking applicant to furnish the info by October 18, 2002).

#### 4. October 17, 2002

A letter was received by Burnside (dated October 9, 2002), outlining their work plan and requesting for a temp PTTW to allow the golf course to operate until the work plan is implemented.

#### 5. Dec 6, 2002

- We decided not to issue a Temporary PTTW now as the work plan indicates that the new system will be ready for next spring. I have also talked to Harry Niemi of Burnside today. We agreed that a temp PTTW is not needed now, but his concern was that the work may not be entirely completed by next spring and we may not process the new application in time for the 2003 irrigation season. My advise was that if certain components of the upgrade work/ approval could not be completed in time, we may consider issuing a temp PTTW then. My recommendation is we wait until the new submission is made and if we cannot complete our review in time, we may issue a temp PTTW for the 2003 season. Issuing a temp PTTW should depend on how much of the upgrading work has been completed.

A letter will be sent to applicant advising that a new PTTW application be submitted with a report that contains all of the additional information needed to approve the full long term PTTW - i.e. details on the upgrading work done (pond construction, approval from conservation Halton, the intake design, threshold flow determination, establishing the levels corresponding to the threshold etc.).

- • The previous application and EBR posting will be closed now. The new application (when submitted) will be posted on EBR again.

- We will keep the previous report by Burnside (March 2000) which contains information on: background, ecology, stream flow analysis and water demand analysis. We advise the applicant/ consultant to confirm if these still apply.

We will also advise the applicant/ consultant that the new report to be submitted should contain the following (by copy of this memo containing my review notes):

- UTM co-ordinates of the new location of water taking;
- source of water for the club house (well No, and UTMs) as this taking will also be incorporated into the PTTW. Report should also detail the rates and amounts of groundwater taking for potable uses;
- the in-stream flow threshold applicable for the site. The 60% duration flow will be used as the threshold value for the site. The report should detail how this value was determined for the site, the monitoring done:
- details on the construction of the intake, HRCA's approval, how does the applicant ensure that taking will
  not occur when stream flow is below the threshold;
- an update of the withdrawal schedules (Table 4 and Table 6 in the previous report). ;
- details on the off-line storage.

Communicate these notes to the applicant's consultant.

Oct-10-02 10:24am From-RJ Burnside & Asso	Ç
-------------------------------------------	---

OCT 10 2002 10:29AM



ł

Received Fax

## R. J. Burnside & Associates Limited



ENGINEERS- HYDROGEOLOGISTS + ENVIRONMENTAL CONSULTANTS

## FACSIMILE TRANSMISSION

Fax Station : HALTON PEEL MOE

COM	PANY	ATTENTION	FAX NO.
MOE		Robert Ryan	416-325-6347
Conservation Halton		Corey Harris	1-905-336-7014
Halton Peel District Ma	anager	John Budz	1-905-319-9902
MOE, Central Region		Ted Belayneh	416-325-6347
Trafalgar Golf & Coun	try Club	John Parker	1-905-878-1699
NO. PAGES: 5	REF. NAME: Trafalg	ar Golf & Country Club	REF. NO.: PB99102
DATE: October 10, 2	2002	FROM: Harry Niemi	
message is not the recipient, or the distribution or copying of this com	employee or agent responsible for d	elivering the message to the intended recipient, you have received this communication in error	privileged and confidential. If the reader of this you are hereby notified that any dissemination, , please notify us immediately by telephone and
Additional Comments:			
Please see attached.			
If you do not receive the corr	ect number of pages or if you ca	counter other transmission difficulties, pl (905) 793-9239.	ease contactat
Original To Follow: By Mail 🗆		By Courier 🗆	Fax Only 🗖

170 Steelwell Road, Suite 200, Brampton, Ontario, Canada L6T 5T3 Tel: 905-793-9239 Fax: 905-793-5018 Email: bds@rjbumside.com Web: www.rjbumside.com



Oct-10-02 IO:24am From-RJ B

From-RJ Burnside & Assoc

+9057935018



eived Fa

R. J. Burnside & Associates Limited

ENGINEERS HYDROGEOLOGISTS - ENVIRONMENTAL CONSULTANTS

October 9, 2002

278 hure

Ministry of the Environment Central Region Technical Support Section 5575 Yonge Street, 8th Floor North York ON M2M 4J1

Attention: Mr. Robert P. Ryan, Director, Section 34

RE: Trafalgar Golf & Country Club Permit To Take Water Application (PTTW No. 00-P-3052) Parts Lot 9 and 10, Concession 6, Town of Milton, Region of Halton RJB File: PB99102

Dear Mr. Ryan,

We have reviewed your letter dated September 20, 2002 addressed to Mr. John Parker of Trafalgar Golf & Country Club relating to the above noted application. Further to the action items identified in your letter we offer the following information.

Attached is copy of a letter originally faxed to Ted Belayneh in 2001 stating that the Trafalgar Golf & Country Club (TGCC) property does infact extend beyond  $6^{th}$  Line where the current water taking pumphouse is located.

In terms of revisions to the water taking approach, TGCC does intend to re-locate the intake point downstream of the existing dam. The proposed location is on the west side of  $6^{th}$  Line near the maintenance facility and existing irrigation pond. The proposed location is illustrated on the attached figure. The new proposal consists of the new intake structure complete with variable pumping capacity, a new feeder pipe from the intake with valved connections to both the existing irrigation pond and the proposed irrigation storage pond and a gravity feeder main from the proposed storage pond to the existing irrigation pond. The new concept is illustrated on the attached figure.

Variable pumping capacity in the intake is proposed in keeping with the pumping rates presented on the March 2000, Trafalgar Golf & Country Club, Sixteen Mile Creek Water Taking Strategy Report prepared by Burnside Golf Services. The proposed storage pond will be sized as per the recommendations of the noted report. The gravity feeder pipe will allow transfer from storage to the existing irrigation pond as required during dry periods when water taking from Sixteen Mile Creek is restricted.

In keeping with your letter, the workplan for the proposed modifications described above is as follows.

Oct-10-02 10:24am From-RJ Burnside & Assoc +8057835018 T-258 P 003/005 F-38 Mr. Robert P. Ryan October 4, 2002	Keterved ra <u>k</u> ;		HACTON PEEL HOC		
Mr. Robert P. Ryan October 4, 2002	0c t-10-02	10:24am From-RJ Burnside & Assoc	+0057035018	T-258 P 003/005	F-383
Page 2 of 2		Mr. Robert P. Ryan			

Starting October 2002, required survey work will be completed. The detailed design of the irrigation storage pond, intake structure, pump and all associated piping will follow. Once intake design is compete, make application for Alteration to waterways permit to Halton Region Conservation (HRC). Begin construction of storage pond once design complete and contractor selected (late October, early November). Construct intake once approval from HRC is received. Commission new system in spring of 2003.

We trust the material provided at this time is sufficient to maintain an open application file. In the mean time, prior to the commissioning of the new intake system and storage pond in 2003, we respectfully request that a short term PTTW be issued to allow the golf course to operate while the workplan is implemented.

Design information relating to the control of water taking within threshold limits will be forwarded to the Ministry as required and as they are completed. A copy of the HRC permit will also be forwarded to the Ministry.

Should you have any questions, please do not hesitate to call.

Yours truly,

#### R. J. Burnside & Associates Limited

Harry Niemi, P.Eng

HN: Clr 1: WOBNO 9999102/2002 Vetters 11009ryan, who

cc: Corey Harris (Conservation Halton) John Budz (Halton Peel District Manager) Ted Belayneh (MOE, Central Region) John Parker (trafalgar Golf & Country Club)

eived Fax :		OCT 10 2002 10:29AM	Fax Station :	HALTON PEEL MOE	p. 4		
Oct-10-02	10:24am	From-RJ Burnside & A	SEOC	+0057035018	T+258	P 004/005	F-383



## Trafalgar GOLF & COUNTRY CLUB LTD.

April 30th, 2001

Ministry of Environment


To whom it may concern:

Trafalgar Golf & Country Club Limited owns the south east corner of Derry Road and Sixth Line where our pump house is situated. If you have any further questions or concerns, please do not hesitate to contact me. Thank you in advance for your assistance.

Sincerely,

Marshallan

Martha Watson General Manager





Ministry of the Environment

Ministère de l'Environnement

Central Region Technical Support Section l'Environnement Région du Centre

Section d'appui technique 5775 Yonge Street 8th Floor North York, Ontario M2M 4J1

Tel. (416) 326-6700 Fax (416) 325-6347 5775, rue Yonge 8ième étage North York (Ontario) M2M 4J1

September 20, 2002

Mr. John Parker Trafalgar Golf and Country Club Box 56, Milton, Ontario L9T 2Y3

Dear Sir/ Madame:

RE: Permit to Take Water Application for Trafalgar Golf Course (PTTW No. 00-P-3052) Parts Lot 9 and 10, Concession 6, Town of Milton, Region of Halton

1.6.

We have completed a review of the above-noted application, signed on May 19th 2000, and determined that insufficient information has been submitted to support the requested water taking. Therefore, we will not be issuing a Permit to Take Water at this time.

You may recall that we carried out a site visit of the golf course's water taking facilities on March 20, 2001. Present were: you, your consultant (Mr. Glen Switzer from Burnside Golf Services), Mr. Corey Harris (Halton Region Conservation) and Mr. Ted Belayneh from our office. You may also recall that the following items were discussed at the site and action items identified:

- Trafalgar currently takes from the Middle Branch of the Sixteen Mile Creek, a short distance downstream of Derry Road. There was some discussion whether the golf course property extends beyond 6th Line or not - and if not, whether Trafalgar has secured an agreement with the owner to withdraw water from off-site. You indicated that the location is within Trafalgar's property limit and agreed to provide the MOE with a letter stating this fact;

- As stated in the attached report with the application for the PTTW, there is a dam located downstream of Trafalgar's current point of water taking, owned by others. This dam backs up the flow and Trafalgar takes from the pond created by the dam. Trafalgar uses a 6 inch pipe as the intake connected to a 300 US gpm transfer pump. Trafalgar plans to move the intake point to a location closer to the golf course's storage pond. The proposed new location is downstream of the above mentioned dam. A new off-stream reservoir was also planned. The MOE (Ted Belayneh) requested that a detailed work plan regarding the proposed modifications (what works are going to be undertaken, how and when) be submitted. He also indicated that the MOE may be willing to issue a short term PTTW to aloooo77 golf course to operate while the work plan/ application is being reviewed and implemented.

However, we have not yet received the requested additional information. Therefore, if we have not received a clear indication of how you intend to proceed with your application and the noted information requirements by October 18, 2002, your file will be closed and you will need to submit a new application in the future. Please note that the taking of water in excess of 50,000 liters per day without a valid PTTW is a contravention of the OWRA.

If you have any questions, please feel free to call Ted Belayneh at (416) 326-3472.

Kol

Robert P. Ryan Director, Section 34 Ontario Water Resources Act

c: Corey Harris (Conservation Halton) John Budz (Halton Peel District Manager) Ted Belayneh (MOE, Central Region) Burnside Golf Services

PRE ST





omen 2006/02/07

PERMIT TO TAKE WATER Surface Water NUMBER 1558-6LDNSV

Pursuant to Section 34 of the <u>Ontario Water Resources Act</u>, R.S.O. 1990 this Permit To Take Water is hereby issued to:

6278 Sixtuliar, Nulton	Trafalgar Golf and Country Club Ltd. P.O. Box 56 Milton, Ontario, L9T 2Y3 Canada	
For the water taking from:	Sixteen Mile Creek and Irrigation Pond	
Located at:	Lot 10, Concession 6 Milton, Regional Municipality of Halton	

For the purposes of this Permit, and the terms and conditions specified below, the following definitions apply:

# **DEFINITIONS**

- (a) "Director" means any person appointed in writing as a Director pursuant to section 5 of the OWRA for the purposes of section 34, OWRA.
- (b) "Provincial Officer" means any person designated in writing by the Minister as a Provincial Officer pursuant to section 5 of the OWRA.
- (c) "Ministry" means Ontario Ministry of the Environment.
- (d) "District Office" means the Halton-Peel District Office.
- (e) "Permit" means this Permit to Take Water No. 1558-6LDNSV including its Schedules, if any, issued in accordance with Section 34 of the OWRA.
- (f) "Permit Holder" means Trafalgar Golf and Country Club Ltd..
- (g) "OWRA" means the Ontario Water Resources Act, R.S.O. 1990, c. O. 40, as amended.

You are hereby notified that this Permit is issued subject to the terms and conditions outlined below:

### TERMS AND CONDITIONS

1. Compliance with Permit

Amson 2006/02/07

- 1.1 Except where modified by this Permit, the water taking shall be in accordance with the application for this Permit To Take Water, dated January 29, 2003 and signed by John Parker, and all Schedules included in this Permit.
- 1.2 The Permit Holder shall ensure that any person authorized by the Permit Holder to take water under this Permit is provided with a copy of this Permit and shall take all reasonable measures to ensure that any such person complies with the conditions of this Permit.
- 1.3 Any person authorized by the Permit Holder to take water under this Permit shall comply with the conditions of this Permit.
- 1.4 This Permit is not transferable to another person.
- 1.5 This Permit provides the Permit Holder with permission to take water in accordance with the conditions of this Permit, up to the date of the expiry of this Permit. This Permit does not constitute a legal right, vested or otherwise, to a water allocation, and the issuance of this Permit does not guarantee that, upon its expiry, it will be renewed.
- 1.6 The Permit Holder shall keep this Permit available at all times at or near the site of the taking, and shall produce this Permit immediately for inspection by a Provincial Officer upon his or her request.
- 1.7 The Permit Holder shall report any changes of address to the Director within thirty days of any such change. The Permit Holder shall report any change of ownership of the property for which this Permit is issued within thirty days of any such change. A change in ownership in the property shall cause this Permit to be cancelled.

# 2. General Conditions and Interpretation

# 2.1 Inspections

The Permit Holder must forthwith, upon presentation of credentials, permit a Provincial Officer to carry out any and all inspections authorized by the OWRA, the *Environmental Protection Act*, R.S.O. 1990, the *Pesticides Act*, R.S.O. 1990, or the *Safe Drinking Water Act*, S. O. 2002.

# 2.2 Other Approvals

The issuance of, and compliance with this Permit, does not:

(a) relieve the Permit Holder or any other person from any obligation to comply with any other

applicable legal requirements, including the provisions of the Ontario Water Resources Act, and the Environmental Protection Act, and any regulations made thereunder; or

(b) limit in any way the authority of the Director or a Provincial Officer to require certain steps be

taken or to require the Permit Holder to furnish any further information related to this Permit.

#### 2.3 Information

The receipt of any information by the Ministry, the failure of the Ministry to take any action or require any person to take any action in relation to the information, or the failure of a Provincial Officer to prosecute any person in relation to the information, shall not be construed as:

(a) an approval, waiver or justification by the Ministry of any act or omission of any person that contravenes this Permit or other legal requirement; or

(b) acceptance by the Ministry of the information's completeness or accuracy.

### 2.4 Rights of Action

The issuance of, and compliance with this Permit shall not be construed as precluding or limiting any legal claims or rights of action that any person, including the Crown in right of Ontario or any agency thereof, has or may have against the Permit Holder, its officers, employees, agents, and contractors.

#### 2.5 Severability

The requirements of this Permit are severable. If any requirements of this Permit, or the application of any requirements of this Permit to any circumstance, is held invalid or unenforceable, the application of such requirements to other circumstances and the remainder of this Permit shall not be affected thereby.

#### 2.6 Conflicts

Where there is a conflict between a provision of any submitted document referred to in this Permit, including its Schedules, and the conditions of this Permit, the conditions in this Permit shall take precedence.

#### 3. Water Takings Authorized by This Permit

#### 3.1 Expiry

This Permit expires on March 31, 2008. No water shall be taken under authority of this Permit after the expiry date.

#### 3.2 Amounts of Taking Permitted

The Permit Holder shall only take water from the source, during the periods and at the rates and amounts of taking specified in Table A. Water takings are authorized only for the purposes specified in Table A.

Alter Love 102/07

Page 3 - NUMBER 1558-6LE000081

	Source Name / Description:	Source: Type:	Taking Specific Purpose:	Taking Major Category:	Max. Taken per Minute (litres):	Max. Num. of Hrs Taken per Day:	per Day (litres):	Max. Num. of Days Taken per Year:	Zone/ Easting/ Northing:
1.	Sixteen Mile Creek	Stream	Golf Course Irrigation	Commercial	1136.50	24.00	1636560.00	275.00	17 595450 4821800
2.	Irrigation Pond	Pond Dugout	Golf Course Irrigation	Commercial	3483.00	12.00	1636560.00	275.00	17 595750 4821400
			· · · · ·			Total Taking:	3273120.00		

### 4. Monitoring

Affinison 2006/02/07

- 4.1 The Permit Holder shall maintain a record of all water takings. This record shall include the dates and times of water takings, and the total measured amounts of water pumped per day for each day that water is taken under the authorization of this Permit. A separate record shall be maintained for each source. The Permit Holder shall keep all required records up to date and available at or near the site of the taking and shall produce the records immediately for inspection by a Provincial Officer upon his or her request. The total amounts of water pumped shall be measured using a flow meter/water meter.
- 4.2 The Permit Holder shall install and maintain a staff gauge on the creek with a stage-discharge rating curve developed at the location close to the water taking. The staff gauge and rating curve shall be use to verify the design of the new water intake structure recommended in the report "Stream Flow Monitoring and Intake Structure Design Report—Trafalgar Golf and Country Club" by R. J. Burnside and Associates Limited and further updated in the documents listed in the Schedule A of this permit. The stage-discharge rating curve shall be calibrated at least on an annual basis.
- 4.3 The Permit Holder shall implement the upgrades to the existing water taking system such that the threshold flow limits and corresponding water taking rates, as described in the above mentioned report are satisfied. The progress of the upgrades shall follow the updated work plan prepared by R. J. Burnside & Associates Limited in February 2006 on behalf of Trafalgar Golf Course. The Permit Holder shall notify the Director of any significant changes to the work plan and provided details of such changes to the Director for review.
- 4.4 Prior to March 31, 2008, the Permit Holder shall submit to the Director a project implementation report. The report shall contain an outline of the work completed to date, any monitoring and calibration results, a review of the project progress in accordance

with Condition 4.3 above, as well as any conclusions and recommendations.

4.5 Any application submitted to the Ministry for renewal or amendment of this Permit shall be accompanied by all records required by the conditions of this Permit.

# 5. Impacts of the Water Taking

5.1 Notification

The Permit Holder shall immediately notify the local District Office of any complaint arising from the taking of water authorized under this Permit and shall report any action which has been taken or is proposed with regard to such complaint. The Permit Holder shall immediately notify the local District Office if the taking of water is observed to have any significant impact on the surrounding waters. After hours, calls shall be directed to the Ministry's Spills Action Centre at 1-800-268-6060.

# 5.2 For Surface-Water Takings

The taking of water (including the taking of water into storage and the subsequent or simultaneous withdrawal from storage) shall be carried out in such a manner that streamflow is not stopped and is not reduced to a rate that will cause interference with downstream uses of water or with the natural functions of the stream.

# 6. Director May Amend Permit

The Director may amend this Permit by letter requiring the Permit Holder to suspend or reduce the taking to an amount or threshold specified by the Director in the letter. The suspension or reduction in taking shall be effective immediately and may be revoked at any time upon notification by the Director. This condition does not affect your right to appeal the suspension or reduction in taking to the Environmental Review Tribunal under the *Ontario Water Resources Act*, Section 100 (3).

The reasons for the imposition of these terms and conditions are as follows:

- 1. Condition 1 is included to ensure that the conditions in this Permit are complied with and can be enforced.
- 2. Condition 2 is included to clarify the legal interpretation of aspects of this Permit.
- 3. Conditions 3 through 6 are included to protect the quality of the natural environment so as to safeguard the ecosystem and human health and foster efficient use and conservation of waters. These conditions allow for the beneficial use of waters while ensuring the fair sharing, conservation and sustainable use of the waters of Ontario. The conditions also specify the water takings that are authorized by this Permit and the scope of this Permit.

Admoon 2004/02/07

Page 5 - NUMBER 1558-6LD⁰⁰⁰⁰⁸³

In accordance with Section 100 of the <u>Ontario Water Resources Act</u>, R.S.O. 1990, you may by written notice served upon me, the Environmental Review Tribunal and the Environmental Commissioner, **Environmental Bill of Rights**, R.S.O. 1993, Chapter 28, within 15 days after receipt of this Notice, require a hearing by the Tribunal. The Environmental Commissioner will place notice of your appeal on the Environmental Registry. Section 101 of the <u>Ontario Water Resources Act</u>, as amended provides that the Notice requiring a hearing shall state:

- 1. The portions of the Permit or each term or condition in the Permit in respect of which the hearing is required, and;
- 2. The grounds on which you intend to rely at the hearing in relation to each portion appealed.

In addition to these legal requirements, the Notice should also include:

- 3. The name of the appellant;
- 4. The address of the appellant;
- 5. The Permit to Take Water number;
- 6. The date of the Permit to Take Water;
- 7. The name of the Director;
- 8. The municipality within which the works are located;

And the Notice should be signed and dated by the appellant.

AND

This notice must be served upon:

The Secretary Environmental Review Tribunal 2300 Yonge Street, 12th Floor Toronto, Ontario M4P 1E4 The Environmental Commissioner 1075 Bay Street 6th Floor, Suite 605 Toronto, Ontario M5S 2W5 The Director, Section 34 Ontario Water Resources Act,

(10/mson2006/02/07

Ministry of Environment 8th Floor 5775 Yonge St Toronto ON M2M 4J1 Fax: (416)325-6347

RSO 1990.

AND

Further information on the Environmental Review Tribunal's requirements for an appeal can be obtained directly from the Tribunal:

by telephone at (416) 314-4600

by fax at (416) 314-4506

by e-mail at www.ert.gov.on.ca

This instrument is subject to Section 38 of the Environmental Bill of Rights that allows residents of Ontario to seek leave to appeal the decision on this instrument. Residents of Ontario may seek to appeal for 15 days from the date this decision is placed on the Environmental Registry. By accessing the Environmental Registry, you can determine when the leave to appeal period ends.

Dated at Toronto this 6th day of Feburary, 2006.

Ellen Schmarfe

Director, Section 34 Ontario Water Resources Act, R.S.O. 1990

### Schedule A

This Schedule "A" forms part of Permit To Take Water 1558-6LDNSV, dated February 6, 2006.

1) PTTW Application signed by John Parker, dated January 29, 2003.

2) Stream Flow Monitoring and Intake Structure Design Report--Trafalgar Golf and Country Club, prepared by R.J. Burnside & Associates Limited, July 2004.

3) Re: Stream Flow Monitoring and Intake Structure Design Report Trafalgar Golf and Country Club, Burnside File No. PB99102, a letter sent by R. J. Burnside & Associates Limited, September 28, 2004.

4) Re: Trafalgar Golf and Country Club, File No. PB99102.410, a document submitted by R. J. Burnside & Associates Limited, January 23, 2006.

5) Re: Requested Addition to Updated Work Plan Trafalgar Golf and Country Club, Burnside File No. PB99102, MOE File Reference No. 00-P-3052, February 2, 2006.

Almon 2006/02/07

Ministry of the Environment

Central Region Technical Support Section Water Resources 733 Exeter Rd London ON_N6E 1L3 Fax: (519)873-5020 Telephone: Ministère de l'Environnement Direction régionale du Centre Section du Soutien Technique Ressource en eau 733 Exeter Rd London ON N6E 1L3 Télécopieur: (519)873-5020 Téléphone : 🕅 Ontario

13

February 6, 2006

Trafalgar Golf and Country Club Ltd. P.O. Box 56 Milton, Ontario, L9T 2Y3 Canada

**RE:** Permit to Take Water No. 1558-6LDNSV Lot: 10, Concession: 6 Milton, Regional Municipality of Halton

Reference Number 6251-5ZUHLJ

Dear Mr. Mark Prieur,

Please find attached Permit No. **1558-6LDNSV** issued to **Trafalgar Golf and Country Club Ltd.** which authorizes the withdrawal of water in accordance with the application for this Permit to Take Water, and Schedule "A" which is attached to and forms part of this Permit.

This is a short-term Permit that gives **Trafalgar Golf and Country Club Ltd.** an opportunity to implement the proposed upgrades of the existing water taking system. The Permit expires on **March 31, 2008**. The Permit must be kept available for inspection by Ontario Ministry of the Environment staff.

Take notice that in issuing this Permit to Take Water, terms and conditions pertaining to the taking of water and to the results of the taking have been imposed on **Trafalgar Golf and Country Club Ltd.** The terms and conditions have been designed to allow for the development of water resources for beneficial purposes, while providing reasonable protection to existing water uses and users. Condition 4.1 of this Permit requires **Trafalgar Golf and Country Club Ltd.** to maintain the pump records, measure the amounts of water pumped using a flow meter/water meter and record the volumes of water taken on a daily basis. Condition 4.2 of this Permit requires **Trafalgar Golf and Country Club Ltd.** to install and maintain a staff gauge at the Creek with a stage-discharge rating curve developed to verify the design of the new water intake structure. As a short-term permit, Condition 4.4 of this Permit requires **Trafalgar Golf and Country Club Ltd.** to submit to the Director a project implementation report for review before the expiry date of this Permit. The contents**000086** of the report should cover all the information as described in Condition 4.4. Please be advised that in addition to the report, all the data and records required under this permit shall be submitted to the Director if a permit renewal or amendment is requested.

One of the purposes of the issuance of a Permit is to ensure that the permitted taking(s) will not cause negative impacts to the environment or other water supplies which were in use prior to the date of this Permit. If the taking of water should result in any negative impacts, the Permit Holder will be required to restore the water supplies of those affected in a manner acceptable to the Ontario Ministry of the Environment or to reduce the rate and amount of taking until any negative impacts are eliminated.

Any change of address or ownership of the property for which this Permit is issued must be reported immediately to the Director.

The issuance of this Permit to Take Water does not relieve you from compliance with the legislative requirements of this or any other agencies. You must ensure that all legislated requirements relating to any use that may be made of this water have been met. In this regard, I recommend that you contact this Ministry's Environmental Assessment and Approvals Branch for advice and information.

It is the responsibility of **Trafalgar Golf and Country Club Ltd.** to ensure that any person taking water under the authority of this Permit is familiar with and complies with the terms and conditions.

Yours truly, Ellen Schmarie

Director, Section 34, OWRA Central Region

File Storage Number: SI-HP-MI-C6-220 zy

6 min 2006/02/07

cc. Jeff Boyd, R. J. Burnside & Associates Limited. John Budz, District Manager, MOE Halton-Peel Office.



# PERMIT TO TAKE WATER Surface Water NUMBER 3837-87CR6Z

Pursuant to Section 34 of the <u>Ontario Water Resources Act</u>, R.S.O. 1990 this Permit To Take Water is hereby issued to:

Trafalgar Golf & Country Club Ltd. 6728 6th Line Milton, Ontario, L9T 2X7 Canada

For the waterSixteen Mile Creektaking from:Located at:Located at:Lot 10, Concession 6Milton, Regional Municipality of Halton

For the purposes of this Permit, and the terms and conditions specified below, the following definitions apply:

#### **DEFINITIONS**

- (a) "Director" means any person appointed in writing as a Director pursuant to section 5 of the OWRA for the purposes of section 34, OWRA.
- (b) "Provincial Officer" means any person designated in writing by the Minister as a Provincial Officer pursuant to section 5 of the OWRA.
- (c) "Ministry" means Ontario Ministry of the Environment.
- (d) "District Office" means the Halton-Peel District Office.
- (e) "Permit" means this Permit to Take Water No. 3837-87CR6Z including its Schedules, if any, issued in accordance with Section 34 of the OWRA.
- (f) "Permit Holder" means Trafalgar Golf & Country Club Ltd..

(g) "OWRA" means the Ontario Water Resources Act, R.S.O. 1990, c. O. 40, as amende

*You are hereby notified that this Permit is issued subject to the terms and conditions outlined below:* 

# TERMS AND CONDITIONS

# 1. Compliance with Permit

- 1.1 Except where modified by this Permit, the water taking shall be in accordance with the application for this Permit To Take Water, dated March 8, 2010 and signed by R.Robinson, and all Schedules included in this Permit.
- 1.2 The Permit Holder shall ensure that any person authorized by the Permit Holder to take water under this Permit is provided with a copy of this Permit and shall take all reasonable measures to ensure that any such person complies with the conditions of this Permit.
- 1.3 Any person authorized by the Permit Holder to take water under this Permit shall comply with the conditions of this Permit.
- 1.4 This Permit is not transferable to another person.
- 1.5 This Permit provides the Permit Holder with permission to take water in accordance with the conditions of this Permit, up to the date of the expiry of this Permit. This Permit does not constitute a legal right, vested or otherwise, to a water allocation, and the issuance of this Permit does not guarantee that, upon its expiry, it will be renewed.
- 1.6 The Permit Holder shall keep this Permit available at all times at or near the site of the taking, and shall produce this Permit immediately for inspection by a Provincial Officer upon his or her request.
- 1.7 The Permit Holder shall report any changes of address to the Director within thirty days of any such change. The Permit Holder shall report any change of ownership of the property for which this Permit is issued within thirty days of any such change. A change in ownership in the property shall cause this Permit to be cancelled.

# 2. General Conditions and Interpretation

## 2.1 Inspections

The Permit Holder must forthwith, upon presentation of credentials, permit a Provincial Officer to carry out any and all inspections authorized by the OWRA, the *Environmental Protection* Act., R.S.O. 1990, the *Pesticides Act.*, R.S.O. 1990, or the *Safe Drinking Water Act.*, S.O. 2002.

## 2.2 Other Approvals

The issuance of, and compliance with this Permit, does not:

(a) relieve the Permit Holder or any other person from any obligation to comply with any other applicable legal requirements, including the provisions of the *Ontario Water Resources Act*, and the *Environmental Protection Act*, and any regulations made thereunder; or

(b) limit in any way any authority of the Ministry, a Director, or a Provincial Officer, including the authority to require certain steps be taken or to require the Permit Holder to furnish any

further information related to this Permit.

2.3 Information

The receipt of any information by the Ministry, the failure of the Ministry to take any action or require any person to take any action in relation to the information, or the failure of a Provincial Officer to prosecute any person in relation to the information, shall not be construed as:

(a) an approval, waiver or justification by the Ministry of any act or omission of any person that contravenes this Permit or other legal requirement: or

(b) acceptance by the Ministry of the information's completeness or accuracy.

#### 2.4 Rights of Action

The issuance of, and compliance with this Permit shall not be construed as precluding or limiting any legal claims or rights of action that any person, including the Crown in right of Ontario or any agency thereof, has or may have against the Permit Holder, its officers, employees, agents, and contractors.

### 2.5 Severability

The requirements of this Permit are severable. If any requirements of this Permit, or the application of any requirements of this Permit to any circumstance, is held invalid or unenforceable, the application of such requirements to other circumstances and the remainder of this Permit shall not be affected thereby.

#### 2.6 Conflicts

Where there is a conflict between a provision of any submitted document referred to in this Permit, including its Schedules, and the conditions of this Permit, the conditions in this Permit shall take precedence.

# 3. Water Takings Authorized by This Permit

#### 3.1 Expiry

This Permit expires on **November 30, 2015**. No water shall be taken under authority of this Permit after the expiry date.

3.2 Amounts of Taking Permitted

The Permit Holder shall only take water from the source, during the periods and at the rates and amounts of taking specified in Table A. Water takings are authorized only for the puloooogo specified in Table A.

	Source Name / Description:	Source: Type:	Taking Specific Purpose:	Taking Major Category:	Max. Taken per Minut <del>e</del> (litres):	Max. Num. of Hrs Taken per Day:	Max. Taken per Day (litres):	Max. Num. of Days Taken per Year:	Zone/ Easting/ Northing:
1	Sixteen Mile Creek	Lake	Golf Course Irrigation	Commercial	1,136	24	1,635,840	275	17 595450 4821800
						Total Taking:	1.635.840		

**Note:** Water is pumped from Sixteen Mile Creek (Source 1) into the Irrigation Pond for irrigation purpose. The Irrigation Pond is also connected to another reservoir for water storage.

3.3 Notwithstanding Table A, a flow threshold of 410 litres per second is applied for the water taking at Sixteen Mile Creek (Source 1). The Permit Holder shall ensure that pumping from the Sixteen Mile Creek must be stopped whenever the instantaneous flow in Sixteen Mile Creek drops down to this threshold. In addition, the depth of flow (water depth) may be increased to 30cm, as recommended in the report prepared by C.F. Crozier & Associates Inc, and listed as "Item 2" Schedule A of this Permit.

# 4. Monitoring

- 4.1 The Permit Holder shall maintain a record the water taking from Sixteen Mile Creek (Source 1). This record shall include the dates and times of water takings, and the total measured amounts of water pumped per day for each day that water is taken under the authorization of this Permit. The Permit Holder shall keep all required records up to date and available at or near the site of the taking and shall produce the records immediately for inspection by a Provincial Officer upon his or her request. The total amounts of water pumped from Sixteen Mile Creek (Source 1) shall be measured using a flow meter.
- 4.2 The Permit Holder shall maintain an installed staff gauge and develop a stage-discharge rating curve/table at a location close to the water taking at the Creek. The staff gauge shall be equipped with a datalogger to record the water level on an hourly basis. The staff gauge and the rating curve shall be used to determine a flow depth that corresponds to the above flow threshold in order to limit the water taken from Sixteen Mile Creek. The rating curve shall be re-calibrated or examined with measured flow data at least once a year.
- 4.3 The Permit Holder shall develop and maintain a means, such as the installation of a water level sensor equipped with an alarm system at the location near the staff gauge, to control the pump operation so that the taking of water from Sixteen Mile Creek shall be controlled within the above restrictions as defined in Condition 3.3.
- 4.4 Any application submitted to the Ministry for renewal or amendment of this Permit shall be accompanied by all records required by the conditions of this Permit.

#### <u>Table A</u>

#### 000091 Page 4 - NUMBER 3837-87CR6

### 5. Impacts of the Water Taking

### 5.1 Notification

The Permit Holder shall immediately notify the local District Office of any complaint arising from the taking of water authorized under this Permit and shall report any action which has been taken or is proposed with regard to such complaint. The Permit Holder shall immediately notify the local District Office if the taking of water is observed to have any significant impact on the surrounding waters. After hours, calls shall be directed to the Ministry's Spills Action Centre at 1-800-268-6060.

# 5.2 For Surface-Water Takings

The taking of water (including the taking of water into storage and the subsequent or simultaneous withdrawal from storage) shall be carried out in such a manner that streamflow is not stopped and is not reduced to a rate that will cause interference with downstream uses of water or with the natural functions of the stream.

### 6. Director May Amend Permit

The Director may amend this Permit by letter requiring the Permit Holder to suspend or reduce the taking to an amount or threshold specified by the Director in the letter. The suspension or reduction in taking shall be effective immediately and may be revoked at any time upon notification by the Director. This condition does not affect your right to appeal the suspension or reduction in taking to the Environmental Review Tribunal under the *Ontario Water Resources Act*, Section 100 (4).

The reasons for the imposition of these terms and conditions are as follows:

- 1. Condition 1 is included to ensure that the conditions in this Permit are complied with and can be enforced.
- 2. Condition 2 is included to clarify the legal interpretation of aspects of this Permit.
- 3. Conditions 3 through 6 are included to protect the quality of the natural environment so as to safeguard the ecosystem and human health and foster efficient use and conservation of waters. These conditions allow for the beneficial use of waters while ensuring the fair sharing, conservation and sustainable use of the waters of Ontario. The conditions also speci:000092 r takings that are authorized by this Permit and the scope of this Permit.

In accordance with Section 100 of the <u>Ontario Water Resources Act.</u> R.S.O. 1990, you may by written notice served upon me, the Environmental Review Tribunal and the Environmental Commissioner. **Environmental Bill of Rights**. R.S.O. 1993. Chapter 28, within 15 days after receipt of this Notice, require a hearing by the Tribunal. The Environmental Commissioner will place notice of your appeal on the Environmental Registry. Section 101 of the <u>Ontario Water Resources Act</u>, as amended provides that the Notice requiring a hearing shall state:

- 1. The portions of the Permit or each term or condition in the Permit in respect of which the hearing is required, and:
- 2. The grounds on which you intend to rely at the hearing in relation to each portion appealed.

In addition to these legal requirements, the Notice should also include:

- 3. The name of the appellant:
- 4. The address of the appellant:
- 5. The Permit to Take Water number;
- 6. The date of the Permit to Take Water;
- 7. The name of the Director:
- 8. The municipality within which the works are located;

This notice must be served upon:

Fie Newetary Environmental Review Tribunal 655 Bay Street, 15th Floor Foronto OX M5G 1E5	AND	The Environmental Commissioner 1075 Bay Street 6th Floor, Suite 605 Toronto, Ontario M58 2W5	.4 <u>ND</u>	The Director, Section 3+ Ministry of the Environment 8th Floor 5775 Yonge St Toronto ON M2M 4J1
				Fax: (416)325-6347

Further information on the Environmental Review Tribunal's requirements for an appeal can be obtained directly from the Tribunal:

by telephone at (416) 314-4600

by fax at (416) 314-4506

by e-mail at www.ert.gov.on.ca

This instrument is subject to Section 38 of the **Environmental Bill of Rights** that allows residents of Ontario to seek leave to appeal the decision on this instrument. Residents of Ontario may seek to appeal for 15 days from the date this decision is placed on the Environmental Registry. By accessing the Environmental Registry, you can determine when the leave to appeal period ends.

This Permit cancels and replaces Permit Number 5246-795SR7, issued on 2007/11/29.

Dated at Toronto this 21st day of July, 2010.

KAL-L.L

Kathryn Baker Director, Section 34 *Ontario Water Resources Act.*, R.S.O. 1990

#### Schedule A

This Schedule "A" forms part of Permit To Take Water 3837-87CR6Z, dated July 21, 2010.

- 1. Application for Permit to Take Water signed by R. Robinson and dated March 8, 2010.
- 2. Technical Report titled "Permit to Take Water Renewal Application and Monitoring Report" prepared by C.F. Crozier & Associates Inc., signed by Nick Mocan, P.Eng., and dated May 2010.

#### Ministry of the Environment

Central Region Technical Support Section Water Resources 8th Heor 5775 Yonge St Terento ON: M2M 4J1 Eav. (416)325:6547 Telephone: (416)326-3630 Ministère de l'Environnement

Direction regionale du Centre Section da Soutien Technique Ressource en eau 8e etage 5775 nic Yonge Toronto ON M2M 4J1 Telecopieur (416)325-6347 Telephene (416)326-5630



March 18, 2008

Attention: Martha Watson

Trafalgar Golf & Country Club Ltd. 6728 6th Line Milton, Ontario, L9T 2X7 Canada



#### RE:

Permit To Take Water for Golf Course Irrigation Permit No. 5246-795SR7 Trafalgar Golf & Country Club Ltd Town of Milton

Dear Martha Watson,

Further to your consultant's letter sent by Nick Mocan via an E-mail dated March 10. 2008 requesting permission to postpone the submission of an implementation report to the end of April, we have no objections to this request subject to the condition that the required work listed under Conditions 4.2 and 4.3 of the above-noted permit is completed prior to the water taking this year.

Should you have any questions about this letter, please feel free to contact Zhiping Yang at 416-326-3997.

Yours truly.

____

Ellen Schmarje Director, Section 34, OWRA Central Region

ΖY

ce. Nick Mocan, CF Crozier & Associates Inc. Fax No. (705)-446-3520 Vincent Sferrazza, District Manager, MOE Halton-Peel Office.

You are hereby notified that this Permit is issued subject to the terms THIS98 CERTIFIED TO BE A TRUE COPY OF THE ORIGINAL DOCUMENT

### TERMS AND CONDITIONS

#### 1. Compliance with Permit

- 1.1 Except where modified by this Permit, the water taking shall be in accordance with the application for this Permit To Take Water, dated August 11, 2007 and signed by Martha Watson, and all Schedules included in this Permit.
- 1.2 The Permit Holder shall ensure that any person authorized by the Permit Holder to take water under this Permit is provided with a copy of this Permit and shall take all reasonable measures to ensure that any such person complies with the conditions of this Permit.
- 1.3 Any person authorized by the Permit Holder to take water under this Permit shall comply with the conditions of this Permit.
- 1.4 This Permit is not transferable to another person.
- 1.5 This Permit provides the Permit Holder with permission to take water in accordance with the conditions of this Permit, up to the date of the expiry of this Permit. This Permit does not constitute a legal right, vested or otherwise, to a water allocation, and the issuance of this Permit does not guarantee that, upon its expiry, it will be renewed.
- 1.6 The Permit Holder shall keep this Permit available at all times at or near the site of the taking, and shall produce this Permit immediately for inspection by a Provincial Officer upon his or her request.
- 1.7 The Permit Holder shall report any changes of address to the Director within thirty days of any such change. The Permit Holder shall report any change of ownership of the property for which this Permit is issued within thirty days of any such change. A change in ownership in the property shall cause this Permit to be cancelled.

# 2. General Conditions and Interpretation

2.1 Inspections

The Permit Holder must forthwith, upon presentation of credentials, permit a Provincial Officer to carry out any and all inspections authorized by the OWRA, the *Environmental Protection Act*, R.S.O. 1990, the *Pesticides Act*, R.S.O. 1990, or the *Safe Drinking Water Act*, S. O. 2002.

#### 2.2 Other Approvals

The issuance of, and compliance with this Permit, does not:

(a) relieve the Permit Holder or any other person from any obligation to comply with any other applicable legal requirements, including the provisions of the *Ontario Water Resources Act*, and the *Environmental Protection Act*, and any regulations made thereunder; or

(b) limit in any way any authority of the Ministry, a Director, or a Provincial Officer, including 000096

COPY OF THE ORIGINAL DOCUMENT.	
Signature: Cintra Date: ) 9/11/1	2

the authority to require certain steps be taken or to require the Permit Holder to furnish any fariller information related to this Permit.

#### Internation

The receipt of any information by the Ministry, the failure of the Ministry to take any action or require any person to take any action in relation to the information, or the failure of a Provincial Officer to prosecute any person in relation to the information, shall not be construed as:

(a) an approval, waiver or justification by the Ministry of any act or omission of any person that contravenes this Permit or other legal requirement, or

(b) acceptance by the Ministry of the information's completeness or accuracy.

### **Rights of Action**

The issuance of, and compliance with this Permit shall not be construed as precluding or limiting any legal claims or rights of action that any person, including the Crown in right of Ontario or any agency thereof, has or may have against the Permit Holder, its officers, employees, agents, and contractors

### Severability

The requirements of this Permit are severable. If any requirements of this Permit, or the application of any requirements of this Permit to any circumstance, is held invalid or unenforceable, the application of such requirements to other circumstances and the remainder of this Permit shall not be affected thereby.

### Conflicts

Where there is a conflict between a provision of any submitted document referred to in this Permit, including its Schedules, and the conditions of this Permit, the conditions in this Permit shall take precedence.

### Water Takings Authorized by This Permit

### Expiry

This Permit expires on **November 30, 2010**. No water shall be taken under authority of this Permit after the expiry date.

### Amounts of Taking Permitted

The Permit Holder shall only take water from the source, during the periods and at the rates and amounts of taking specified in Table A. Water takings are authorized only for the purposes specified in Table A.

THIS IS CERTIFIED TO BE A TRUE COPY OF THE OPICIMAL COOLIMENT
Signature: (J.c. 1) Dele 37/11/201



Pursuant to Section 34 of the <u>Ontario</u> Water Resources Act. R.S.O. 1990 this Permit To Take Water is hereby issued to

> Trafalgar Golf & Country Club Ltd. 6728 6th Line Milton, Ontario, L9T 2X7 Canada

THIS IS CERTIFIED TO BE A TRUE COPY OF THE ORIGINAL DOCUMENT Signature: Gena and the state of the state

For the water	Sixteen Mile Creek, Irrigation Pond
taking from:	
Located at:	Lot 10. Concession 6
	Milton, Regional Municipality of Halton

For the purposes of this Permit, and the terms and conditions specified below, the following definitions apply.

#### **DEFINITIONS**

- (a) "Director" means any person appointed in writing as a Director pursuant to section 5 of the OWRA for the purposes of section 34, OWRA.
- (b) "Provincial Officer" means any person designated in writing by the Minister as a Provincial Officer pursuant to section 5 of the OWRA.
- (c) "Ministry" means Ontario Ministry of the Environment.
- (d) "District Office" means the Halton-Peel District Office.
- (e) "Permit" means this Permit to Take Water No. 5246-795SR7 including its Schedules. if any, issued in accordance with Section 34 of the OWRA.
- (f) Permit Holder" means Trafalgar Golf & Country Club Ltd.
- (g) "OWRA" means the Ontario Water Resources Act. R.S.O. 1990, c. O. 40, as amended.

THIS IS CERTIFIED TO BE A TRUE COPY OF THE ORIGINAL DOCUMENT	: [: :
Signature: 21 cm Date 74/1/107	

#### <u>Table A</u>

	Source Name / Description:	Source: Type:	Taking Specific Purpose:	Taking Major • Category:	Max. Taken per Minute (litres):	Max, Num. of Hrs Taken per Day:	Max. Taken per Day (litres):	Max, Num, of Days Taken per Year:	Zone/ Easting/ Northing:
1	Sixteen Mile Creek	River	Golf Course Trigation	Commercial	1,136	24	1,635.840	275	17 595450 4821800
2	Imgation Pond	Pond Dugovi	Golf Course Irrigation	Commercial	3,483	24	5.015.520	275	17 595450 4821800
	an maran sala da kata sa	~			***	Total Taking:			C. C

Note: Water is pumped from the Creek (Source 1) into the Irrigation Pond (Source 2) for irrigation purpose. The Irrigation Pond is also connected to another big pond/storage reservoir for water storage.

3.3 Notwithstanding Table A, a flow threshold of 410 litres per second is applied for the water taking at the Creek (Source 1). The Permit Holder shall ensure that pumping from the Creek must be stopped whenever the instantaneous flow in the Creek drops down to this threshold.

### 4. Monitoring

- 4.1 The Permit Holder shall maintain a record of all water takings. This record shall include the dates and times of water takings, and the total measured amounts of water pumped per day for each day that water is taken under the authorization of this Permit. A separate record shall be maintained for each source. The Permit Holder shall keep all required records up to date and available at or near the site of the taking and shall produce the records immediately for inspection by a Provincial Officer upon his or her request. The total amounts of water pumped from the Creek (Source 1) shall be measured using a flow meter.
- 4.2 Prior to the water taking, the Permit Holder shall install and maintain a staff gauge and develop a stage-discharge rating curve/table at a location close to the water taking at the Creek. The staff gauge shall be equipped with a datalogger to record the water level on an hourly basis. The staff gauge and the rating curve shall be used to determine a flow depth that corresponds to the above flow threshold in order to limit the water taken from the Creek. The rating curve shall be re-calibrated or examined with measured flow data at least once a year.
- 4.3 Prior to the water taking, the Permit Holder shall develop and maintain a means, such as the installation of a water level sensor equipped with an alarm system at the location near the staff gauge, to control the pump operation so that the taking of water from the Creek shall be controlled within the above restrictions as defined in Condition 3.3.
- 4.4 Prior to March 31, 2008, the Permit Holder shall submit to the Director an

implementation report, notifying the Ministry that work has been completed satisfactory to the requirements described in Conditions 4.2 to 4.3 above.

4.5 Any application submitted to the Ministry for renewal or amendment of this Permit shall be accompanied by all records required by the conditions of this Permit.

# 5. Impacts of the Water Taking

5.1 Notification

The Permit Holder shall immediately notify the local District Office of any complaint ansing from the taking of water authorized under this Permit and shall report any action which has been taken or is proposed with regard to such complaint. The Permit Holder shall immediately notify the local District Office if the taking of water is observed to have any significant impact on the surrounding waters. After hours, calls shall be directed to the Ministry's Spills Action Centre at 1-800-268-6060.

## 5.2 For Surface-Water Takings

The taking of water (including the taking of water into storage and the subsequent or simultaneous withdrawal from storage) shall be carried out in such a manner that streamflow is not stopped and is not reduced to a rate that will cause interference with downstream uses of water or with the natural functions of the stream.

### 5. Director May Amend Permit

The Director may amend this Permit by letter requiring the Permit Holder to suspend or reduce the taking to an amount or threshold specified by the Director in the letter. The suspension or reduction in taking shall be effective immediately and may be revoked at any time upon notification by the Director. This condition does not affect your right to appeal the suspension or reduction in taking to the Environmental Review Tribunal under the *Ontario Water Resources Act*, Section 100 (4)

# The reasons for the imposition of these terms and conditions are as follows

- E Condition 1 is included to ensure that the conditions in this Permit are complied with and can be enforced.
- 2 Condition 2 is included to clarify the legal interpretation of aspects of this Permit.
- 3 Conditions 3 through 6 are included to protect the quality of the natural environment so as to safeguard the ecosystem and human health and foster efficient use and conservation of waters. These conditions allow for the beneficial use of waters while ensuring the fair sharing, conservation and sustainable use of the waters of Ontario. The conditions also specify the water takings that are authorized by this Permit and the scope of this Permit.

THIS IS CERTIFIED TO BE A TRUE COPY OF THE ORIGINAL DOCUMENT	
Signature: C	$\frac{1}{\gamma}$

In accordance with Section 100 of the <u>Ontario Water Resources</u> Act, R.S.O. 1990, vou may by written notice served upon me, the Environmental Review Tribunal and the Environmental Commissioner. **Environmental Bill of Rights**, R.S.O. 1993, Chapter 28, within 15 days after receipt of this Notice, require a hearing by the Tribunal. The Environmental Commissioner will place notice of your appeal on the Environmental Registry. Section 101 of the Ontario <u>Water Resources Act</u>, as amended provides that the Notice requiring a hearing shall state:

- 1. The portions of the Permit or each term or condition in the Permit in respect of which the hearing is required, and:
- 2. The grounds on which you intend to rely at the hearing in relation to each portion appealed.

In addition to these legal requirements, the Notice should also include:

- 3. The name of the appellant:
- 4. The address of the appellant:
- 5. The Permit to Take Water number;
- 6. The date of the Permit to Take Water:
- 7. The name of the Director:
- 8 The municipality within which the works are located:

THIS IS CERTIFIED TO BE A TRUE COPY OF THE OBIGINAL DOCUMENT	
Signatura: General Dale 24/11/2007	

This notice must be served upon:

The Secretary Environmental Review Tribunal <u>AND</u> 2366 Yonge Street State 1760 Foronta Ontario M4P 1154	The Fineironmental Commissioner 1075 Bay Street — AN 6th Floor, Suite 605 Toronto, Ontario M5S 2W5	The Director Section 34 D Ministry of the Environment Sile Floor 5375 Yonge St Toronto ON M2M 4J1
-----------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------

Further information on the Environmental Review Tribunal's requirements for an appeal can be obtained directly from the Tribunal:

by telephone at (416) 314-4600

by fax at (416) 314-4506

by e-mail at www.ert.gov.on.ca

Fax. (416)325-6347

This instrument is subject to Section 38 of the Environmental Bill of Rights that allows residents of Ontario to seek leave to appeal the decision on this instrument. Residents of Ontario may seek to appeal for 15 days from the date this decision is placed on the Environmental Registry. By accessing the Environmental Registry, you can determine when the leave to appeal period ends.

This Permit cancels and replaces Permit Number 1558-6LDNSV, issued on 2006/02/06.

Dated at Toronto this 29th day of November, 2007.

#### Schedule A

Tius Schedule "A" forms part of Permit To Take Water 5246-795SR7, dated November 29, 2007

4) Permit to Take Water Application signed by Martha Watson, dated August 1, 2007.

2) Permit to Take Water Application, Trafalgar Golf & Country Club, Town of Milton, prepared by C1. Crozier & Associates Inc. August, 2007.

3) Email: PTTW Application for Trafalgar Golf - Crozier Info (CFCA File 120-2653), prepared by C F. Crozier & Associates Inc. November 6, 2007.

CPY OF THE ORIGINAL DOCUMENT.	
Signature: c comp Date: 27/11/200	·



# **INCIDENT REPORT**

Reference Number:	2731-99NQ2F	File Storage Number:	SI-HP-ML-6TH-220			
Module: Incident Reporting		Module Type:	Pollution Incident Report (PIR)			
Cross Reference:	(doc link)	Task Link:	3456-99NQ5G 🗋			
Originating Document:		Created by:	Anna Salemi			
Incident Report Reference	ce Number:	2731-99NQ2F 🗋				
Date Created:	2013/07/16	Date Completed:				
Bring Forward Date:		Bring Forward Reason:				
Status:	Recommended					
Program	Water - Ground & Surface	Activity:	Approvals - PTTW - Surface			

Is this an **air emission** (measured or modelled) or **wastewater** (sewage) **discharge exceedance** that will become part of the Environmental Compliance Report?

(legislation, certificate of approval, order, or guideline)

⊖ Yes	🔶 No	$\bigcirc$ To be determined	Click here for Guidance
***		······································	

First Name Anna	Last Name Salemi			
Contact Mailing Address Municipality: Burlington				
Reported By:				
IOE Information				
Date & Time Reported to MOE:	2013/07/04 14:46			
Office Receiving Incident	2013/07/04_14:46 Halton-Peel District Office			
Office Receiving Incident Report:				
Date & Time Reported to MOE: Office Receiving Incident Report: Incident Info Received By: MOE Response:	Halton-Peel District Office	Site Region:	Central	
Office Receiving Incident Report: Incident Info Received By: MOE Response: Date & Time of MOE Arrival	Halton-Peel District Office Anna Salemi	Site Region:	Central	
Office Receiving Incident Report: Incident Info Received By:	Halton-Peel District Office Anna Salemi	Site Region:	Central	
Office Receiving Incident Report: Incident Info Received By: MOE Response: Date & Time of MOE Arrival at Scene: Master Incident Report	Halton-Peel District Office Anna Salemi	Site Region:	Central	

Client(s)

Trafalgar Golf & Country Club Ltd. Mailing Address: 6728 6th Line, Milton, Ontario, Canada, L9T 2X7 Physical Address: Lot: 10, Concession: 6, Milton, Town, Regional Municipality of Halton, Ontario, Canada, L9T 2X7 Telephone: (905)878-2303, Extension: 9058781699 Client #: 6511-5ZUHG2, Client Type: Corporation

#### Site(s)

#### Information Show Map

Trafalgar Golf & Country Club Ltd. Address: 6728 6th Line, Milton, Town, Regional Municipality of Halton, L9T 2X7 District Office: Halton-Peel GeoReference: Zone: 17, Method: GPS, UTM Easting: 595450, UTM Northing: 4821800, UTM Location Description: Water Taking from point at Sixteen Mile Creek, LIO GeoReference: Zone: 17, UTM Easting: 595985.4, UTM Northing: 4821530.5, Latitude: 43.540554, Longitude: -79.81192.

#### Incident Information

Incident Summary:	Trafalgar: PTTW Inspection cannot be longer than 60 characters
Incident Description:	July 4, 2013 conducted a Permit To Take Water inspection at the above noted facility. The following deficiencies were noted:
	Trafalgar Golf and Country Club will maintain a log of dates and times that water is taken from Sixteen Mile Creek as specified in Condition 4.1 of Permit to Take Water # 3837-87CR6Z. Company shall confirm this action has been implemented in writing to the undersigned no later than September 30, 2013.
	Response: This letter confirms that company will maintain a log of dates and times. The manual log has been implemented and is being maintained.
	<ol> <li>By September 30, 2013, Trafalgar Golf and Country Club will implement a procedure that will ensure that the staff gauge with datalogger will record water level on a hourly basis. As specified in Condition 4.2 of Permit To Take Water # 3837-87CR6Z.</li> </ol>
	Response: Water level will continue to be recorded on an hourly basis by staff gauge with datalogger.
	3. Trafalgar Golf and Country Club will implement a procedure that will ensure that records are available should there be technical issues with the datalogger on recording amount of water taken. This action shall be confirmed in writing to the undersigned no later than September 30, 2013.
	Response: Manual records of water taking will be maintained in case of corruption or problems with pump system.
	September 3, 2013 letter received from Crozier & Associates in regards to the above noted deficiencies. No further action at this time.

Links & Comments:

Attachments Names:

Date & Time of Incident

Incident Date Confirmation? Actual 2013/07/04

Source Type:

Nearest Watercourse:

Sector Type:

Watershed Category Code:

Environmental Imag						
Environmental Impa	ICT:					
Nature of Impact:						
Incident Event:			Incider	nt Reason:		
Damaged Party:	No					
		Contaminants Ta	able			
Conta	uminant Name	Code U	N#	Limit Quant	ity [unit	s) [freq
		·				
			•			· ·
		i				
						A
Controller of Materia	al:		Owner	of Material:		
Estimated Clean Up	Cost:		Who Cl	eaned Up:		
% Clean Up:	%		MOE/O involve	ther Agencies d:		
	······································					
Voluntary / Manda	tory Abatement					
Is there Voluntary	Abatement Activity?	Yes	0	No	$\bigcirc$ To b	e determined
	ory Compliance Items Work Summary (may be trun	cated) Da	te	AttainList		
VAI 5412-993KKT VAI 5412-993KKT	Trafalgar Golf and Cour By September 30, 2013,	ntry Club 201 Trafalga 201		2013/08/29 2013/08/29		

#### Offence(s)

Suspected Violation(s)/Offence(s): Act - Regulation - Section, Description {General Offence}

Signature:

Provincial Officer: Name: Badge No:	Anna Salemi 441
Work Unit:	
District/Area Office:	Halton-Peel District Office
Date:	2013/09/04
Signature:	
District/Area Supervisor:	
Name:	
Work Unit:	
District/Area Office:	
Date:	

AUGUST 29, 2013

REFER TO CFCA FILE: 120-2653 (PTTW)

SENT BY: E-MAIL: ANNA.SALEMI@ONTARIO.CA ORIGINAL SENT BY MAIL

Ministry of the Environment Halton-Peel District Office 300-4145 North Service Rd Burlington, ON L7L 6A3

Halton Peel District Office

Attention: Anna Salemi, Senior Environmental Officer

RE: RESPONSE TO FINAL PERMIT TO TAKE WATER INSPECTION REPORT FOR TRAFALGAR GOLF AND COUNTRY CLUB LTD. PTTW NO. 3837-87CR6Z REFERENCE NO. 3011-993JHL FILE STORAGE NO. SI-HP-ML-SI-220

Dear Anna,

This letter has been prepared on behalf of Trafalgar Golf and Country Club in response to the Final Permit To Take Water Inspection Report dated July 22, 2013 as sent to Martha Watson. Specifically, this letter outlines our response to the action items outlined in Section 5.0 of the Inspection Report, which are included in our response below.

1 Trafalgar Golf and Country Club will maintain a log of dates and times that water is taken from Sixteen Mile Creek as specified in Condition 4.1 of Permit to Take Water # 3837-87CR6Z. Company shall confirm this action has been implemented in writing to the undersigned no later than September 30, 2013.

**Comment:** This letter confirms that a manual log of the dates and times that water is taken has been implemented and is being maintained.

 By September 30, 2013, Trafalgar Golf and Country Club will implement a procedure that will ensure that the staff gauge with datalogger will record water level on an hourly basis. As specified in Condition 4.2 of Permit To Take Water # 3837-87CR6Z

**Comment:** This letter confirms that the water level will continue to be recorded on an hourly basis by the staff gauge with datalogger. Please be advised that the staff gauge has been installed and recording the water level in its present location for several years, preceding the current permit.



 Trafalgar Golf and Country Club will implement a procedure that will ensure that records are available should there be technical issues with the datalogger on recording the amount of water taken. This action shall be confirmed in writing to the undersigned no later than September 30, 2013.

**Comment:** This letter confirms that manual records of the amount of water are being taken should there be technical issues with the datalogger.

We trust that this letter is adequate confirmation of the required action items being addressed. Should you have any questions, please call.

Yours truly,

C.F. CROZIER & ASSOCIATES INC.

Associate

cc Martha Watson

Trafalgar Golf & Country Club (via fax: 905-878-1699)

1/100/120 Trafalgar GCC new/2653 - PTW & Secondary Plan/Letters/08292013 Response to MOE Inspection doc

Ministry of the Environment Central Region Halton-Peel District Office 300-4145 North Service Rd Burlington ON L7L 6A3 Fax: (905)319-9902 Tel: (905) 319-2605

Ministère de l'Environnement

Direction régionale du Centre Bureau du district de Halton-Peel 300-4145 North Service Rd Burlington ON L7L 6A3 Télécopieur: (905)319-9902 Tél:(905) 319-2605



July 22, 2013

Trafalgar Golf & Country Club Ltd. 6728 6th Line Milton, Ontario, L9T 2X7

Dear Ms Martha Watson

RE: Permit To Take Water Inspection Permit Report for Trafalgar Golf and Country Club Ltd., at 6728 6th Line, Milton, Ontario Reference Number 3011-993JHL

Please find attached for your review, a copy of the Ministry of the Environment (MOE) Final Permit To Take Water Inspection Report for your facility conducted on July 4, 2013 at 6728 6th Line, Milton, Ontario.

Please review the report at your convenience and refer to section 5.0 of the report which outlines actions items that must be addressed by the dates provided.

Should you have any questions or concerns regarding the attached report, please do not hesitate to contact me at (905) 319-2605.

Yours truly,

Anna Salemi Senior Environmental Officer Halton-Peel District Office

File Storage Number: SI-HP-ML-SI-220



# Permit To Take Water Inspection Report

Client:	Trafalgar Golf & Country Club Ltd. Mailing Address: 6728 6th Line, Milton, Ontario, Canada, L9T 2X7 Physical Address: Lot: 10, Concession: 6, Milton, Town, Regional Municipality of Halton, Ontario, Canada, L9T 2X7 Telephone: (905)878-2303, Extension: 9058781699 Client #: 6511-5ZUHG2, Client Type: Corporation						
Inspection Site Address:							
Contact Name:	Martha Watson	Title:	General Manager				
Contact Telephone:	905-878-2303 ext	Contact Fax:	905-878-1699				
Last Inspection Date:			· · · · · · · · · · · · · · · · · · ·				
Inspection Start Date:	2013/07/04	Inspection Finish Date:	2013/07/04				
Region:	Central						

#### 1.0 INTRODUCTION

Trafalgar Golf & Country Club Ltd., is a private 18 hole golf course that has been in operation for over 50 years. It is located at 6728 6th Line in Milton, Ontario. The purpose of the inspection is to ensure that conditions of Permit To Take Water (PTTW) 3837-87CR6Z have been complied with. The current PTTW 3837-87CR6Z was issued July 21, 2010. The current permit allows water to be taken from Sixteen Mile Creek for golf course irrigation. The current permit expires on **November 30, 2015**.

Water is extracted from Sixteen Mile Creek (source 1) for golf course irrigation purposes. The maximum taking from Sixteen Mile Creek are maximum litres taken per minute is 1,136, maximum number of hours taken per day is 24, maximum litres taken per day 1,635,840, maximum number of days taken per year 275.

Permit To Take Water 3837-87CR6Z rescinds and replaces Permit No. 5246-795SR7 issued November 29, 2007 and expired November 30, 2010. The changes in the current permit are the removal of the Irrigation Pond (source 2) from Table A, as per the request to eliminate the need to monitor water taking from this source. Condition 3.3 has also been corrected to reflect the recommended threshold flow depth from 20cm to 30cm.

On July 4, 2013, Environmental Officers Anna Salemi and Leah Noordhof met with Martha Watson and Mark Prieur representatives of Trafatgar Golf and Country Club Ltd., to conduct an inspection. The inspection consisted of a file review of files at the Halton-Peel District and a tour of the facility.

#### 2.0 INSPECTION OBSERVATIONS

Permit Number: 3837-87CR6Z Expires November 30, 2015 Water is taken for golf course irrigation purposes.

#### 2.2 SYSTEM DESCRIPTION

Surface water source: Yes

Ground water source: N.A.

Water is taken from Sixteen Mile Creek and monitored by Conditions set out in Permit To Take Water 3837-87CR6Z issued July 21, 2010.

#### 2.3 QUANTITY ASSESSMENT

Permitted rates and volumes as approved are:

Source of Water - Watercourse, Sixteen Mile Creek, 6728 Sixth Line, Milton, Lot 10, Concession 6 Purpose of Taking: commercial Maximum rate per minute (Litres): 1136 Maximum number of hours of taking per day: 24 Maximum volume per day (Litres): 1635840 Maximum number of days of taking per year: 275 Earliest calendar date of taking (mm/dd): March 1 Latest calendar date of taking (mm/dd): November 30

#### 2.4 ASSESSMENT OF OTHER PERMIT CONDITIONS

#### 2. General Conditions and Interpretation

2.1 Inspections

The Permit Holder must forthwith, upon presentation of credentials, permit a Provincial Officer to carry out any and all inspections authorized by the OWRA, the *Environmental Protection Act*, R.S.O. 1990, the *Pesticides Act*, R.S.O. 1990, or the *Safe Drinking Water Act*, S. O. 2002.

#### Comment: Company is aware of requirement.

#### 2.2 Other Approvals

The issuance of, and compliance with this Permit, does not:

(a) relieve the Permit Holder or any other person from any obligation to comply with any other applicable legal requirements, including the provisions of the *Ontario Water Resources Act*, and the *Environmental Protection Act*, and any regulations made thereunder; or

(b) limit in any way any authority of the Ministry, a Director, or a Provincial Officer, including the authority to require certain steps be taken or to require the Permit Holder to furnish any further information related to this Permit.

#### Comment: Company is aware of requirement.

2.3 Information

The receipt of any information by the Ministry, the failure of the Ministry to take any action or require any person to take any action in relation to the information, or the failure of a Provincial Officer to prosecute any person in relation to the information, shall not be construed as:

(a) an approval, waiver or justification by the Ministry of any act or omission of any person that contravenes this Permit or other legal requirement; or

(b) acceptance by the Ministry of the information's completeness or accuracy.

#### Comment: Company is aware of the requirement.

2.4 Rights of Action

The issuance of, and compliance with this Permit shall not be construed as precluding or limiting any legal claims or rights of action that any person, including the Crown in right of Ontario or any agency thereof, has or may have against the Permit Holder, its officers, employees, agents, and contractors.

2.5 Severability

The requirements of this Permit are severable. If any requirements of this Permit, or the application of any requirements of this Permit to any circumstance, is held invalid or unenforceable, the application of such requirements to other circumstances and the remainder of this Permit shall not be affected thereby.

2.6 Conflicts

Where there is a conflict between a provision of any submitted document referred to in this Permit, including its Schedules, and the conditions of this Permit, the conditions in this Permit shall take precedence.

#### 3. Water Takings Authorized by This Permit

#### 3.1 Expiry

3.2 Amounts of Taking Permitted The Permit Holder shall only take water from the source, during the periods and at the rates and amounts of taking specified in Table A. Water takings are authorized only for the purposes specified in Table A.

#### Table A

	Source Name / Description:	Source: Type:	Taking Specific Purpose:	Taking Major Category:	Max. Taken per Minute (litres):	Max. Num. of Hrs Taken per Day:		Max. Num. of Days Taken per Year:	Zone/ Easting/ Northing:
1	Sixteen Mile Creek	Lake	Golf Course Irrigation	Commercial	1,136	24	1,635,840	275	17 595450 4821800
				i		Total Taking:	1,635,840		

**Note:** Water is pumped from Sixteen Mile Creek (Source 1) into the Irrigation Pond for irrigation purpose. The Irrigation Pond is also connected to another reservoir for water storage.

3.3 Notwithstanding Table A, a flow threshold of 410 litres per second is applied for the water taking at Sixteen Mile Creek (Source 1).

The Permit Holder shall ensure that pumping from the Sixteen Mile Creek must be stopped whenever the instantaneous flow in

Sixteen Mile Creek drops down to this threshold. In addition, the depth of flow (water depth) may be increased to 30cm, as

recommended in the report prepared by C.F. Crozier & Associates Inc, and listed as "Item 2" Schedule A of this Permit.

Comment: As perviously stated the changes in the current permit are the removal of the Irrigation Pond (source 2) from

Table A, as per the request to eliminate the need to monitor water taking from this source.
 Condition 3.3 has also been

corrected to reflect the recommended threshold flow depth from 20cm to 30cm. Depth of flow is monitored with a

pressure sensor and is alarmed.

- 4. Monitoring
- 4.1 The Permit Holder shall maintain a record the water taking from Sixteen Mile Creek (Source 1). This record shall include the dates and times of water takings, and the total measured amounts of water humped per day for

the dates and times of water takings, and the total measured amounts of water pumped per day for each day that water is

taken under the authorization of this Permit. The Permit Holder shall keep all required records up to date and available at

or near the site of the taking and shall produce the records immediately for inspection by a Provincial Officer upon his or

her request. The total amounts of water pumped from Sixteen Mile Creek (Source 1) shall be measured using a flow meter.

were available for total pumping volumes per day only. Also, Pumping volumes for 2012 have been approximated for 2012 water taking due to data corrupt/missing within the pump sensor. Pumping volumes have been estimated based on known days of taking and average taking rates. Records available for 2011 year, were also for total volumes pumped and have been inputted into the Ministry's electronic Water Taking Reporting System (WTRS) for both 2011 and 2012 years. There were no manual records available as specified in Condition 4.1.

4.2 The Permit Holder shall maintain an installed staff gauge and develop a stage-discharge rating curve/table at a location close to the water taking at the Creek. The staff gauge shall be equipped with a datalogger to record the water level on an hourly basis. The staff gauge and the rating curve shall be used to determine a flow depth that corresponds to the above flow threshold in order to limit the water taken from Sixteen Mile Creek. The rating curve shall be re-calibrated or examined with measured flow data at least once a year.

Comment: Water level is not recorded on a hourly basis as per above noted condition. The curve is re-calibrated by consultant on a annual basis as per above condition.

4.3 The Permit Holder shall develop and maintain a means, such as the installation of a water level sensor equipped with an alarm system at the location near the staff gauge, to control the pump operation so that the taking of water from Sixteen Mile Creek shall be controlled within the above restrictions as defined in Condition 3.3.

# Comment: There is an alarm float system in the creek and alarm is located at the maintenance area of the facility.

4.4 Any application submitted to the Ministry for renewal or amendment of this Permit shall be accompanied by all records required by the conditions of this Permit.

Comment:

#### 5. Impacts of the Water Taking

5.1 Notification

The Permit Holder shall immediately notify the local District Office of any complaint arising from the taking of water authorized under this Permit and shall report any action which has been taken or is proposed with regard to such complaint. The Permit Holder shall immediately notify the local District Office if the taking of water is observed to have any significant impact on the surrounding waters. After hours, calls shall be directed to the Ministry's Spills Action Centre at 1-800-268-6060.

#### Comment: Company is aware of requirement.

5.2 For Surface-Water Takings

The taking of water (including the taking of water into storage and the subsequent or simultaneous withdrawal from storage) shall be carried out in such a manner that streamflow is not stopped and is not reduced to a rate that will cause interference with downstream uses of water or with the natural functions of the stream.

#### Comment: Company is aware of requirement.

#### 6. Director May Amend Permit

The Director may amend this Permit by letter requiring the Permit Holder to suspend or reduce the taking to an amount or threshold specified by the Director in the letter. The suspension or reduction in taking shall be effective immediately and may be revoked at any time upon notification by the Director. This condition does not affect your right to appeal the suspension or reduction in taking to the Environmental Review Tribunal under the *Ontario Water Resources Act*, Section 100 (4).

Comment: Company is aware of this requirement.

#### 2.5 ASSESSMENT OF REGULATION 387/04

Ontario Regulation 387/04 "Water Taking" requires all water takers to report daily taking amounts to the Water Taking Reporting System (WTRS) electronic database. Daily water taking must be reported on a calendar year basis. Company has reported water taking on the electronic system since the issuance of this permit. Company has encountered problems for 2012 data due corrupt/missing data files. Speaking with consultant Nick Mocan of C. F. Crozier & Associates Inc., on July 12, 2013 manufacturer of equipment has now recovered the data for 2012.

#### 3.0 REVIEW OF PREVIOUS NON-COMPLIANCE ISSUES

There are no previous non-compliance issues.

#### 4.0 SUMMARY OF INSPECTION FINDINGS (HEALTH/ENVIRONMENTAL IMPACT)

Was there any indication of a known or anticipated human health impact during the inspection and/or review of relevant material, related to this Ministry's mandate ? No

Specifics:

Was there any indication of a known or anticipated environmental impact during the inspection and/or review of relevant material ?

Specifics:

Was there any indication of a known or suspected violation of a legal requirement during the inspection and/or review of relevant material which could cause a human health impact or environmental impairment ? No

Specifics:

Was there any indication of a potential for environmental impairment during the inspection and/or the review of relevant material ? No

Specifics:

Was there any indication of minor administrative non-compliance? Yes

Specifics:

Company has lost data for water taking for 2012 due to corrupt/missing files. Water taking was approximated for dates water was taken.

Trafalgar Golf and Country Club has not maintained and times of water taking as specified in Condition 4.1 of Permit to Take Water 3837-87CR6Z.

Also, Condition 4.2 states that staff gauge shall be equipped with a datalogger to record the water level on a hourly basis. Company has no such records on hand. Company has not yet taken any water for this year.

- 1. Trafalgar Golf and Country Club will maintain a log of dates and times that water is taken from Sixteen Mile Creek as specified in Condition 4.1 of Permit to Take Water # 3837-87CR6Z. Company shall confirm this action has been implemented in writing to the undersigned no later than September 30, 2013.
- 2. By September 30, 2013, Trafalgar Golf and Country Club will implement a procedure that will ensure that the staff gauge with datalogger will record water level on a hourly basis. As specified in Condition 4.2 of Permit To Take Water # 3837-87CR6Z.
- 3. Trafalgar Golf and Country Club will implement a procedure that will ensure that records are available should there be technical issues with the datalogger on recording amount of water taken. This action shall be confirmed in writing to the undersigned no later than September 30, 2013.

#### 6.0 OTHER INSPECTION FINDINGS

Company has approximated amount of water taken for the 2012 water taking season due to corrupt/missing files within the pump sensor. Speaking to consultant Nick Mocan of Crozier & Associates on July 12, 2013 informed me that data has been retrieved by the manufacturer.

#### 7.0 INCIDENT REPORT

Applicable 2731-99NQ2F

#### 8.0 ATTACHMENTS

PREPARED BY:
Environmental Officer:
Name:
District Office:
Date:
Signature

Anna Salemi Halton-Peel District Office 2013/07/17

Halton-Peel District Office

REVIEWED BY: District Supervisor: Name: District Office: Date:

Signature:

File Storage Number:

SI-HP-ML-SI-220

Ken Simmons

2013/07/18

Note:

"This inspection report does not in any way suggest that there is or has been compliance with applicable legislation and regulations as they may apply to this facility. It is, and remains, the responsibility of the owner and/or the operating authority to ensure compliance with all applicable legislative and regulatory requirements"



CARRIAGE SQUARE T.905-875-0026 15 MARTIN STREET F.905-875-4915 MILTON, ON cfcrozier.ca

# FAX TRANSMISSION

Torben Ruddock, P.Eng.

date Re	March 29, 2013 PTTW No. 3837- 87CR6Z (Trafalgar Golf 2012 Water Taking Data Submission	FILE NO. & Country Club	120-2653 >}	
TO COMPANY	Water Taking Reporting System Ministry of the Environment	FAX NO.	416-235-6549	<u> </u>

NO. OF PAGES (INCLUDING COVER)

Record Pages 4-6.

FAX CC'S

FROM

## COMMENTS

Please find attached the 2012 water taking records for Trafalgar Golf and Country Club in compliance with PTTW No. 3837- 87CR6Z. Due to corrupt/missing data files within the pump sensor PLC, pumping volumes have been approximated based on known days of taking and average taking rates. 2012 records will be updated if it is possible to retrieve data from PLC using more sophisticated troubleshooting methods. We are confident that the estimated values reported herein are representative of actual water takings.

Should you have any questions regarding the attached information, please do not hesitate to contact our office.

Sincerely,

## C.F. CROZIER & ASSOCIATES INC.

F\100\120 - Trafalgar GCC new\2653 - PTTW & Secondary Plan\Faxes\2013-03.29 PTTW 2012 Submission.doc



(a),ation: WTRS / SEARCH WT DATA / Search By Permit Holder
 View - Permit # 3837-87CR6Z - Sixteen Mile Creek

2011

1.635.840

17/595450/4821800

2.5 N 48 .....

Source Information

Source / Type: Lake/ Taking specific purpose: Golf Course Irrigation Taking major category: Commercial

Reporting year: 2011

Jan Feb Mar Apr May 🙀 Jul Aug Sept Oct Nov Dec

#### Volume:

#### Method of Determination:

Max. taken per day (litres):

Zone / Easting / Northing:

Max, num, of days taken per year:

Date	,	Date	2	Date	3	Date	
1	117,309 Litres: 444,014.5650	2	230,772 Litres: 873,472.0200	З	230,395 Litres: 872,045.0750	4	220,887 Litres: 836,057.2950
5	198,970 Litres: 753,101.4500	6	176,976 Litres: 669,854.1600	7	168,843 Litres: 639,070.7550	8	109,244 Litres: 413,488.5400
9	230,764 Litres: 873,441.7400	10	229,618 Litres: 869,104.1300	11	228,600 Litres: 865,251.0000	12	227,050 Litres: 859,384.2500
13	224,953 Litres: 851,447.1050	14	223,029 Litres: 844,164.7650	15	222,134 Litres: 840,777.1900	16	221,288 Litres: 837,575.0800
17	218,400 Litres: 826,644.0000	18	216,071 Litres: 817,828.7350	19	214,434 Litres: 811,632.6900	20	212,818 Litres: 805,516.1300
21	305,211 Litres. 1.155,223.6350	22	208,262 Litres: 788,271.6700	23	205,778 Litres: 778,869.7300	24	204,720 Litres: 774,865.2000
25	203,322 £itres: 769,573.7700	26	202,447 Litres: 766,261.8950	27	202,241 Litres: 765,482.1850	28	200,858 Litres: 760,247,5300
29	201,308 Litres: 761,950.7800	30	200,678 Litres: 759,566.2300				

ANNA SALEMI | 2013/07/03 version: v4.1.0.7 Last modified: 2012/11/16

÷

This site maintained by Ontario the Government of Ontario

© 2013<u>Geographic Pro</u>**000116** 

WTRS SERVED



Location: WTRS / SEARCH WT DATA / Search By Permit Holder View - Permit # 3837-87CR62 - Sixteen Mile Creek

#### Source Information

Source / Type:Lake/Max. taken per day (litres):1,635,840Taking specific purpose:Golf Course IrrigationMax. num. of days taken per year:Taking major category:CommercialZone / Easting / Northing:17/595450/4821800

Reporting year: 2011

Jan Feb Mar Apr May Jun 🗿 Aug Sept Oct Nov Dec

Volume: Cations (US)

Method of Determination: Metered

Date	•	Date		Date	e	Date	
1	199,882 Litres: 756,553.3700	2	199,345 Litres: 754,520.8250	3	199,320 Litres: 754,426.2000	4	199,261 Litres: 754,202.8850
5	199,403 Litres: 754,740.3550	6	199,240 Litres: 754,123.4000	7	200,007 Litres: 757,026.4950	8	200,068 Litres: 757,257.3800
9	196,483 Litres: 743,688.1550	10	191,556 Litres: 725,039.4600	11	192,230 Litres: 727,590.5500	• 12	191,630 Litres: 725,319.5500
13	195,391 Litres: 739,554.9350	14	195,402 Litres: 739,596.5700	15	195,456 Litres: 739,800.9600	16	195,953 Litres: 741,682.1050
17	196,410 Litres: 743,411.8500	18	196,496 Litres: 743,737.3600	19	196,852 Litres: 745,084.8200	20	196,873 Litres: 745,164.3050
21	197,016 Litres: 745,70 <b>5</b> .5600	22	197,706 Litres: 748,317.2100	23	198,040 Litres: 749,581,4000	24	198,337 Litres: 750,705.5450
25	199,275 Litres: 754,255.8750	26	199,831 Litres: 756,360.3350	27	200,218 Litres: 757,825.1300	28	200,377 Litres: 758,426.9450
29	200,825 Litres: 760,122.6250	30	200,972 Litres: 760,679.0200	31	201,152 Litres: 761,360.3200	·	

ANNA SALEMI | 2013/07/03 version: v4.1.0.7 Last modified: 2012/11/16

This site maintained by Ontario the Government of Ontario

!



turation: WTRS / SEARCH WT DATA / Search By Permit Holder View - Permit # 3837-87CR6Z - Sixteen Mile Creek

#### Source Information

Source / Type:	Lake/	Max. taken per day (litres):	1,635,840
Taking specific purpose	: Golf Course Imigation	Max, num, of days taken per year:	
Taking major category:	Commercial	Zone / Easting / Northing:	17/595450/4821800

Reporting year: 2011

Jan Feb Mar Apr May Jun Jul Ref Sept Oct Nov Dec

Volume: Costenee test

Method of Determination: Method

Date	Date	Date	Date
1 201,147	2 201,053	3 201,172	4 201,282
Litres:	Litres:	Litres:	Litres.
761,341.3950	760,985.6050	761,436.0200	761,852.3700
5 201,476	6 201,743	7 201,883	8 201,582
Litres:	Litres:	Lltres:	Litres:
762,586.6600	763,597.2550	764,127.1550	762,987.8700
9 201,398	10 201,241	11 201,174	12 200,926
Litres:	Litres:	Litres:	Litres:
762,291,4300	761,697.1850	761,443.5900	760,504.9100
13 199,672	14 182,741	15 77,784	16 1
Litres:	Litres:	Litres:	Litres:
755,758.5200	691,674.6850	294,412.4400	3.7850
17	18 98,351	19 198,675	20 199,683
	Litres:	Litres:	Litres:
	372,258.5350	751,984.8750	755,800,1550
21 199,644	22 199,093	23 198,756	24 198,986
Litres:	Litres.	Litres:	Litres:
755,652.5400	753,567.0050	752,291.4600	753,162.0100
25 199,714	26 39,140	27 88	28 1
Litres:	Litres:	Litres:	Litres:
<b>755,917.4900</b>	148,144.9000	333.0800	3.7850
29	30	31	

ANNA SALEMI (2013/07/03 version: v4.1 0 7 Last modified: 2012/11/16



WTRS-SE-010





Location: WTRS / SEARCH WT DATA / Search By Permit Holder View - Permit # 3837-87CR6Z - Sixteen Mile Creek

#### Source Information

Source / Type: Lake/ Taking specific purpose: Golf Course Irrigation Taking major category: Commercial

Max. taken per day (litres): Max. num. of days taken per year: Zone / Easting / Northing:

2012 .

1.635.840

17/595450/4821800

Reporting year: 2012

Jan	Feb	Mar	pr	May	յսո	Jul	Aug	Sept	Oct	Nov	Dec
							• •••••				

	Volume: 1 tre		Meth	od of Dete		1 -	
Date	2	Date	2	Date		Date	2
1	681,120	2	681,120	3	681,120	4	681,120
5	681,120	6	681,120	· 7	681,120	8	681,120
9	681,120	10	681,120	11	681,120	12	681,120
13	681,120	14	681,120	15	681,120	16	681,120
17	681,120	18	681,120	:19	681,120	20	681,120
21	681,120	22	681,120	23	681,120	24	681,120
25	681,120	26	681,120	. 27	681,120	28	681,120
29	681,120	30	681,120				
	1 5 9 13 17 21 25	Date1681,1205681,1209681,12013681,12017681,12021681,12025681,120	Date     Date       1     681,120     2       5     681,120     6       9     681,120     10       13     681,120     14       17     681,120     18       21     681,120     22       25     681,120     26	Date         Date           1         681,120         2         681,120           5         681,120         6         681,120           9         681,120         10         681,120           13         681,120         14         681,120           17         681,120         18         681,120           21         681,120         22         681,120           25         681,120         26         681,120	Date         Date         Date           1         681,120         2         681,120         3           5         681,120         6         681,120         7           9         681,120         10         681,120         11           13         681,120         14         681,120         15           17         681,120         18         681,120         19           21         681,120         22         681,120         23           25         681,120         26         681,120         27           29         681,120         30         681,120         14	Date         Date         Date           1         681,120         2         681,120         3         681,120           5         681,120         6         681,120         7         681,120           9         681,120         10         681,120         11         681,120           13         681,120         14         681,120         15         681,120           17         681,120         18         681,120         19         681,120           21         681,120         22         681,120         23         681,120           25         681,120         26         681,120         27         681,120           29         681,120         30         681,120         14         561,120	DateDateDateDateDate1 $681,120$ 2 $681,120$ 3 $681,120$ 45 $681,120$ 6 $681,120$ 7 $681,120$ 89 $681,120$ 10 $681,120$ 11 $681,120$ 1213 $681,120$ 14 $681,120$ 15 $681,120$ 1617 $681,120$ 18 $681,120$ 19 $681,120$ 2021 $681,120$ 22 $681,120$ 23 $681,120$ 2425 $681,120$ 26 $681,120$ 27 $681,120$ 2829 $681,120$ 30 $681,120$ 11 $681,120$ 11

ANNA SALEMI | 2013/07/03

version: v4.1.0.7 Last modified: 2012/11/16



test data esterna te (c.s.). Itest wan internation (c.s.). . (his wan te the termination (c.s.). © 2013Queen's Printer for Optimio , WTRS

Page 1 of 1

WIRS-SE 010




tocation: WTRS / SEARCH WT DATA / Search By Permit Holder View - Permit # 3837-87CR6Z - Sixteen Mile Creek

**Source Information** 

Source / Type:	Lake/	Max. taken per day (litres):	1,635,840
Taking specific purpose:	Golf Course Irrigation	Max. num. of days taken per year:	
Taking major category:	Commercial	Zone / Easting / Northing:	17/595450/4821800

Reporting year: 2012



Volume: 1000

Method of Determination: Calculated ---

Date		Date		Date		Date	
1	681,120	2	681,120	3	681,120	· 4	681,120
5	681,120	6	681,120	7	. 681,120	8	681,120
9	681,120	10	681,120	11	681,120	12	681,120
13	681,120	14	681,120	'15	681,120	16	681,120
17		18		19		20	
21		22		23		24	•
25		26		27		28	
29		30		31			

ANNA SALEMI | 2013/07/03 version: v4.1.0.7 Last modified: 2012/11/16

© 2013Queen's Printer for Ontario

Contario This site maintained by Ontario the Government of Ontario

000120



Forsition: WTRS / SEARCH WT DATA / Search By Permit Holder View - Permit # 3837-87CR6Z - Sixteen Mile Creek

#### Source Information

Source / Type:	Lake/	Max. taken per day (litres):	1,635,840
Taking specific purpose:	Golf Course Irrigation	Max. num. of days taken per year:	
Taking major category:	Commercial	Zone / Easting / Northing:	17/595450/4821800

Reporting year: 2012

Jan Feb Mar Apr May Jun Jul Mr Sept Oct Nov Dec

Volume: 100%

Method of Determination: Calculated

Date	Date	Date	Date
1	2	3	4
5	б	7	8
9	10	11	12
13	14 681,120	15 681,120	16 681,120
17 681,120	18 681,120	19 681,120	20 681,120
21 681,120	22 681,120	23 681,120	24 681,120
25 681,120	26 681,120	27 681,120	28 681,120
29 681,120	30 681,120	31 681,120	

ANNA SALEMI | 2013/07/03 version: v4.1.0.7 Last modified: 2012/11/16

(c) 2013<u>Queens knii teentii</u> eestaalii ji

This site maintained by Ontario the Government of Ontario



PROJECT:	Trafalgor GCC PTTW
PROJECT No.:	120-2653
NAME	L Ruddock
FILE	Trafalgar Water Records
DATE:	3/30/2012

## Permit No. 3837- 87CR6Z Specifications:

#### **Monitoring Data:**

uning Data:	SIXTEEN MILE	1
	CREEK	
Source	2010	-2011
Maximum	2010	
Permitted	432,000	
Pernineu	U.S. Gallons/day	
Dete	0.5. Galions/auy	
Date		
1-Apr 2-Apr		
j		
3-Apr		
4-Apr		
5-Apr 6-Apr		
7-Apr		
8-Apr		
9-Apr		
10-Apr		
10-Apr		
12-Apr		
12-Apr 13-Apr		
10 Apr		
15-Apr		
16-Apr		
17-Apr		
18-Apr		
19-Apr		
20-Apr	<b></b>	
21-Apr		
22-Apr		
23-Apr		
24-Apr		
25-Apr		
26-Apr		
27-Apr		
28-Apr		
29-Apr		
30-Apr		
1-May		
2-May		
3-May		
4-May		
5-May		
6-May		
7-May		

	SIXTEEN MILE
	CREEK
Source	2010
Maximum	
Permitted	432,000
	U.S. Gallons/day
Date	
8-May	
9-May	
10-May	
11-May	
12-May	
13-May	
14-May	
15-May	
16-May	
17-May	
18-May	
19-May	
20-May	
21-May	
22-Moy	_
23-May	
24-May	
25-May	
26-May	
27-May	
28-May	
29-May	
30-May	
31-May	
I-Jun	117,309
2-Jun	230,772
3-Jun	230,395
4-Jun	220,887
5 Jun	198,970
6-Jun	176,976
7-Jun.	168,843
8-Jun	109,244
9-Jun	230,764
10-Jun	229,618
11-Jun	228,600
12-Jun	227,050
13-Jun	224,953
14-Jun	223,029
15-Jun	222,134
16-Jun	221,288
17-Jun	218,400
	216,071
19-Jun	214,434
20-Jun	212,818

	SIXTEEN MILE
	CREEK
Source	2010
Maximum	
Permitted	432,000
	U.S. Gallons/day
Date	<u></u>
21-Jun	305,211
22-Jun	208,262
23-Jun	205,778
24-Jun	204,720
25-Jun	203,322
26-Jun	202,447
27-Jun	202,241
28-Jun	200,858
29-Jun	201,308
30-Jun	200,678
1-Jul	199,882
2-Jul	199,345
3.Jul	199,320
4-Jul	199,261
	199,403
	199,240
7-Jul	200,007
lut-8	200,068
9-Jul	196,483
10-Jul	191,556
n-Jul	192,230
12-Jul	191,630
13-Jul	195,391
14-Jul	195,402
15-Jul	195,456
16-Jul	195,953
17-Jul	196,410
18-Jul	196,496
19-Jul	
20-Jul	196,873
21-Jul	197,016
22-Jul	197,706
23-Jul	198,040
24 Jul	198,337
25-Jul	199,275
26-Jul	199,831
27-Jul	200,218
28-Jul	200,377
29-Jul	200,825
30-Jul	200,972
31-Jul	201,152
	201,147
2-Aug	201,053
3-Aug	201,172

	SIXTEEN MILE
	CREEK
Source	2010
Maximum	
Permitted	432,000
	US Gallons/day
Date	
4 Aug	201,282
5-Aug	201,476
6-Aug	201,743
7 Aug	201,883
8-Aug	201,582
9-Aug:	201,398
10-Aug	201,241
ll-Aug	201,174
12-Aug	200,926
13 Aug	199,672
14-Aug	182,741
15-Aug	77,784
16-Aug	1
17-Aug	0
18-Aug	98,351
19-Aug	198,675
20-Aug	199,683
21-Aug	199,644
22-Aug	199,093 198,756
23-Aug 24-Aug	198,986
24-Aug 25-Aug	199,714
25-Aug	39,140
27-Aug	88
27 Aug 28-Aug	1
29-Aug	0
30 Aug	0
31-Aug	0
1-Sep	
2-Sep	
3 Sep	· · ·
4 Sep	
5-Sep	
6-Sep	
7-Sep	
8 Sep	
9-Sep	
10-Sep	
11-Sep	
12 Sep	
13 Sep	
14-Sep	
15-Sep	
I6-Sep	



		EARCH WT D mit# : 3837	ATA / Search - <b>87CR6Z</b>	By Permit Ho	lder			.v (1):	5 51 90
View the	e water takir	ng data for ea	ich of the source	e(s) in the repo	rting year.				
Permi	t Infoma	tion:							
Issue D	ate:	2010/	07/21		Expiry Da	ate:	2015/11/30		
Permi Name:			ON: TRAFAL		& COUNT Address:		T <b>D.</b> 8 6th Line		
City: Postal c		Milton L9T 2X7			Province: Country:		'ARIO IADA		
Select :	eporting yea	ar:				2012	2	· · · ·	i 
	Source Name	Source / Type	Taking Specific Purpose	Zone / Eas Northing	ting /	Date Last Saved	2011 (Liters) Water Taken	Water Take	
<u>View</u> Data	Sixteen Mile Creek	Lake/	Golf Course Irrigation	17/595450/	4821800	2013/04/11	63,575,861.505		
						Total	63,575,861.505	43,591,680	
								A SALEMI   2013 version: v t modified: 201	/4.1.0.7
¥> ∕*>Ont			aintained hent of On:	•			© 2013 <u>Que</u>	<u>con's Printer for</u>	<u>Ontario</u>

#### Ministry of the Environment

Central Region Technical Support Section Water Resources 8th Floor 5775 Yonge St Toronto ON M2M 4J1 Fax: (416)325-6347 Tel: (416)326-6700

#### Ministère de l'Environnement

Direction régionale du Centre Section du Soutien Technique Ressource en eau 8e étage 5775 rue Yonge Toronto ON M2M 4J1 Télécopieur: (416)325-6347 Tél:(416)326-6700



July 21, 2010

Trafalgar Golf & Country Club Ltd. 6728 6th Line Milton, Ontario, L9T 2X7 Canada

Attention: R. Robinson

## **RE:** PERMIT TO TAKE WATER: Golf Course Irrigation Trafalgar Golf & Country Club from Sixteen Mile Creek Lot: 10, Concession: 6 Milton, Regional Municipality of Halton

Reference Number 1163-85EP76

Please find attached a **Permit to Take Water No. 3837-87CR6Z** issued to **Trafalgar Golf & Country Club Ltd.** which authorizes the withdrawal of water in accordance with the application for this Permit to Take Water, dated March 8, 2010 and signed by R. Robinson. This Permit rescinds and replaces Permit No. 5246-795SR7 issued November 29, 2007 to Trafalgar Golf & Country Club Ltd.

Please note the removal of the Irrigation Pond (source 2) from Table A, as per the request to eliminate the need to monitor water taking from this source. Condition 3.3 has also been corrected to reflect the recommended threshold flow depth change from 20cm to 30cm. Additionally, conditions 4.4, 4.2, 4.3 and 4.5 have been reinstated in this Permit to continue the monitoring of Sixteen Mile Creek as per the monitoring requirements of Permit No. 5246-795SR7.

This Permit is valid until **November 30, 2015** and shall be kept available on site for inspection by Ontario Ministry of the Environment staff.

Please note, Ontario Regulation 387/04 "Water Taking" requires all water takers to report daily water taking amounts to the Water Taking Reporting System (WTRS) electronic database: <u>http://www.enc.gov.on.ca/envision/water/pttw.htm</u>. Daily water taking must be reported on a calendar year basis. If no water is taken, then a "no taking" report must be entered. Please consult the Regulation and Section 4 of this Permit for monitoring requirements.

416-235-6322 (toll free: 1-877-344-2011) or by email, WTRSHelpdesk@ontario.ca. It is preferred that you submit your data directly and electronically to the WTRS. Where this is impracticable, please use the Water Taking Submission Form (included as Appendix C of the *Technical Bulletin: Permit To Take Water (PTTW) - Monitoring and Reporting of Water Takings*), which can be downloaded from the above web site, and fax your completed forms to 416-235-6549 or mail them to: Water User Reporting Section, 125 Resources Rd. Toronto. ON M9P 3V6.

Take notice that in issuing this Permit to Take Water, terms and conditions pertaining to the taking of water and to the results of the taking have been imposed. The terms and conditions have been designed to allow for the development of water resources, while providing reasonable protection to existing water uses and users.

One of the purposes of the issuance of a Permit is to ensure that the permitted taking(s) will not cause negative impacts to the environment or other water supplies which were in use prior to the date of this Permit. If the taking of water should result in any negative impacts, the Permit Holder **Trafalgar Golf & Country Club Ltd.** will be required to restore the water supplies of those affected in a manner acceptable to the Ontario Ministry of the Environment or to reduce the rate and amount of taking until any negative impacts are eliminated.

Any change of address or ownership of the property for which this Permit is issued must be reported immediately to the Director. The issuance of this Permit to Take Water does not relieve you from compliance with the legislative requirements of this Ministry or any other agencies.

It is the responsibility of **Trafalgar Golf & Country Club Ltd.** to ensure that any person taking water under the authority of this Permit is familiar with and complies with the terms and conditions.

Yours truly.

KALL !!

Kathryn Baker Director, Section 34, OWRA Central Region

File Storage Number: SI-HP-ML-C6-220 RT



.....

# PERMIT TO TAKE WATER

#### Reference No: 1163-85EP76 Site Region: Central

Reference Number: Module:	1163-85EP76 Permit To Take Water With Fees	File Storage Number: Module Type:	SI-HP-ML-C6-220 Surface Water
Cross Reference:	(doc link)	Task Link:	4243-85TMNZ 🗋
Originating Document:		Created by:	Yuliya Brodskaya
Date Created:	2010/05/13	Date Completed:	2010/07.21
Bring Forward Date:		Bring Forward Reason:	
Status:	Issued		
Program	Water - Ground & Surface	Activity:	Approvals - PTTW - Surface

#### Client(s)

#### Information Show Map

Trafalgar Golf & Country Club Ltd. Mailing Address: 6728 6th Line, Milton, Ontario, Canada, L9T 2X7 Physical Address: Lot: 10, Concession: 6, Milton, Town, Regional Municipality of Halton, Ontario, Canada, L9T 2X7 Telephone: (905)878-2303, Extension: 9058781699 Client #: 6511-5ZUHG2, Client Type: Corporation

#### Site(s)

#### Information Show Map

6728 6th Line Address: Lot: 10, Concession: 6, Milton, Town, Regional Municipality of Halton District Office. Halton-Peel GeoReference: Zone: 17, UTM Easting: 595450, UTM Northing: 4821800, UTM Location Description: Sixteen Mile Creek LIO GeoReference. Zone: , UTM Easting: , UTM Northing: , Latitude: , Longitude:

#### **Application Related Documents / Information**

Preceding Permits				1
Permit No: 5246-795SR7	Signed Date: 2007/11/29	Expiry Date: 2010/11/30	Link: []	
Application Information				an a
Application Type: Renewal		Date Application Received: 20	10/05/12	
Date Application Signed:	2010/03/08	Application Signed By:	R.Robinson	
Additional Information Attached to the Application:				000400
Issued Permit No:	Issued Permit Signed Date:	Issued Permit Expiry Date:	Link:	000129
3837-87CR6Z	2010/07/21	2015/11/30	Ľ	

## Project Technical Contact Information

Contact Name:	Nick Mocan			
Contact Company Name	CF Crozier & Associates	à		
Address:	15 Martin Street			
Unit ID:	Surte 202			
Delivery Designator:	Rural Route	Suburban Service	Mobile Route	General Delivery
Delivery Identifier:				
Municipality:	Milton	Pr	ovince / State:	Ontario
Postal Code:	L9T 2R1	Co	ountry:	Canada
Phone Number:	(905)875-0026	E	tension:	
Fax Number:	(905)875-4915	Eł	Aail Address:	

•

ĸ

## **Project Information**

Project Name:	Renewal of PTTW #5246-795SR7 for	Trafalaar Golf & Country Club			
Description of Proposed Work		or Trafalgar Golf & Country Club to take water with no technical			
· ·	changes to the permitted rates and volumes as previously approved as follows.				
	Source of Water - Watercourse, Sixte Purpose of Taking: commercial Period of Water Taking: 10 Years Maximum number of hours of taking p Maximum number of hours of taking p Maximum number of days of taking p Earliest calendar date of taking (mm/d Latest calendar date of taking (mm/d Source of Water - Pond, 6728 Sixth L Purpose of Taking: commercial Period of Water Taking: 10 Years Maximum number of hours of taking p Maximum number of hours of taking p Maximum number of days of taking p Earliest calendar date of taking p Maximum number of days of taking p Earliest calendar date of taking (mm/d	an Mile Creek, 6728 Sixth Line, Milton, Lot 10, Co 36 ber day 24 35840 er year 275 dd) 03/01 b): 11/31 line, Milton, Lot 10, Concession 6 33 ber day: 24 15520 er year: 275 dd): 03/01	ncession 6		
	Latest calendar date of taking (mm/do	•			
Is Fee Required ?	Yes     No				
Classification:	Category 1 < Click here to Add/M	Category 1 < Click here to Add/Modify			
Fee Required:	S750 00 < Click here to show Fin	ancial Summary			
Missing Info Checklist:	no missing information (complete app				
GeoReference Map Datum:	GeoReferencing Method:	GeoReference Accuracy Estimate:			
NAD83	Мар	10 -100 metres eg. Topographic Map			
Construction Date:		Installation Date:			
Project Start Date:		Project End Date:			
WTRS Reporting Phase:	2				
Estimated start of taking:	2010/03/01	Period of Water Taking: 10 years			
Is Proposal a Section 5.5 use, a	is defined in Regulation?	No			
a) is water taking located in a s	ummer low flow high use watershed?	No			
b) Is water taking located in a summer low flow medium use watershed?		Yes			
c) is it located in an annual ave	rage high use watershed?	Νο			
d) is it located in an annual ave	rage medium use watershed?	Νο			
Bulk Extraction:	No	Location of Water Bottling Plant:			
Seasonal Water Taking:	Yes		000420		
Seasonal Water Taking Duration:	March to November each year for 10	years	000130		

Site Region:	Central	IDS Cross Reference:
ls this Proposal in Oak Ridges Moraine:	No	ls this Proposal in Niagara _{No} Escarpment Development Area:
ls municipality and conservation authority notice required?	Yes	

#### **Classification Change History**

	<b>v</b> ,			
Date	Person	Classification	Classification	Reason
		Changed From	Changed To	

## <u>Table A</u>

## Source Information and Water Taking Amount Applied For

	Source Name / Description:	Source:	Taking Specific	Taking Major	Max. Taken per	Max. Num. of Hrs Taken	Max. Taken per Day	Max. Num. of Days	Zone/ Easting/
		Type:	Purpose:	Category:	Minute (litres):	per Day:	(litres):	Taken per Year:	Northing:
1.	Sixteen Mile Creek	Lake	Golf Course Irrigation	Commercial	1136.00	24.00	1635840.00	275.00	17 595450 4821800
2.	Irrigation Pond	Pond Dugout	Golf Course Irrigation	Commercial	3483.00	24.00	5015520.00	275.00	17 595450 4821800
-						Total Taking:	6651360.00	· · · · · · · · · · · · · · · · · · ·	τη ψημα το ματαφίαι «Πολημηγιας τους ματαγίας τους

## Source Information and Water Taking Amount Approved

	Source Name / Desc.	Source: Type:	Taking Specific Purpose:	Taking Major Category:	Max. Taken per Minute (litres):	Max. Num. of Hrs Taken per Day:	Max. Taken per Day (litres):	Max. Num, of Days Taken per Year:	Zone/ Eastinç Northin
1.	Sixteen Mile Creek	Lake	Golf Course Irrigation	Commercial	1136.00	24.00	1635840.00	275.00	17 595450 4821800

2.

Total Taking: 1635840.00

## EBR Requirements

Is this a proposal for a Prescribed Instrument under EBR?	lf "Yes", is it excepted from public participation?	
Yes	No	

na ina papakana na ang ang kong

2010/07/21 11:04 AM	Kathryn Baker	File closed		
Date / Time:	Person:	Details:		:
	Cl	ock History		
Current Stage:	REGION			i
Total Turnaround Time:	70 0	Clock Status:	Off	
EAAB Turnaround Time:	10	Region Turnaround Time:	69 0	
Date Signed:	2010/07/21	Total Stop Time:	00	
Date Sent to Region:	2010/05/13	Total Region Stop Time:	00	
Appl Receive Date:	2010/05/12	Total EAAB Stop Time:	0 0	•



#### Ministry of the Environment.

Central Region
Cohardal Support Section
Water Resonances
Mit Poor
\$775 Youge St
Toronto ON (M2M 411)
Lax: (446)325 6333
Telephone (416) 326 (3091)

November 29, 2007

Trafalgar Golf & Country Club I (d 6728-6th I inc Milton, Ontario, I 91-2X7 Canada

	THIS IS CERTIFIED TO BE A TRUE COPY OF THE ORIGINAL DOCUMENT.
L	Signature: C. A. M. Date

RE: Permit to Take Water for: Golf Course Irrigation Tot. 10, Concession: 6 7 Milton, Regional Municipality of Halton

Reference Number 0587-76CQCE

Dear Martha Watson.

Please find attached Permit No. **5246-795SR7** issued to **Trafalgar Golf & Country Club Ltd.** which authorizes the withdrawal of water for irrigation in accordance with the application for this Permit to Take Water, and Schedule "A" which is attached to and forms part of this Permit.

Ministere de l'Environnement

Direction represente du Centre

Section du Soutien Technique

Ressource en car-

8775 and Yonge

Terontic ON: M2M 411

Telecopicur (4164325-6347

Telephone (416) 376 3997

Хо старт

This Permit expires on **November 30, 2010**. The Permit must be kept available for inspection by Ontario Ministry of the Environment staff.

Lake notice that in issuing this Permit to Take Water, terms and conditions pertaining to the taking of water and to the results of the taking have been imposed on **Trafalgar Golf & Country Club Ltd.** The terms and conditions have been designed to allow for the development of water resources for beneficial purposes, while providing reasonable protection to existing water uses and users. Conditions 3.3 specifies a flow threshold of 410 I is for the water taking at the Creek. Please be advised that no water taking is allowed from the Creek when the streamflow drops down to this threshold. Conditions 4.1 of this Permit requires **Trafalgar Golf & Country Club Ltd.** to maintain the pump records, measure the amounts of water pumped using a flow meter/water meter and record the volumes of water taking of water under this permit complete prior to the water taking, to ensure that the taking of water under this permit complete prior to the water taking. Please note that an implementation report shall be provided to the Ministry when this required work is completed.

One of the purposes of the issuance of a Permit is to ensure that the permitted taking(s) will **000133** not cause negative impacts to the environment or other water supplies which were in use

prior to the date of this Permit. If the taking of water should result in any negative impacts, the Permit Holder will be required to restore the water supplies of those affected in a manner acceptable to the Ontario Ministry of the Environment or to reduce the rate and amount of taking until any negative impacts are eliminated.

Any change of address or ownership of the property for which this Permit is issued must be reported immediately to the Director.

The issuance of this Permit To Take Water does not relieve you from compliance with the legislative requirements of this or any other agencies. You must ensure that all legislated requirements relating to any use that may be made of this water have been met. In this regard, I recommend that you contact this Ministry's Environmental Assessment and Approvals Branch for advice and information.

It is the responsibility of **Trafalgar Golf & Country Club Ltd.** to ensure that any persontaking water under the authority of this Permit is familiar with and complies with the terms and conditions.

Yours truly,

<u>_____</u>

Ellen Schmarje Director, Section 34, OWRA Central Region

THIS IS CERTIFIED TO	D BE A TRUE
COPY OF THE ORIGIN	IAL DOCUMENT
Signature: ( ) (1) 4 2	Date: 29/11/2.

File Storage Number: SI-HP-ML-C6-220

ec. Vincent Sferrazza, District Manager, MOF Halton-Peel Office. Nick Mocan, Cl. Crozier & Associates Inc.

HD- B MK- LIDC7-Ministry ofOCCURRENCE REPORTEntered: 99/09/14 14:10Environment==========Batch : 99/09/14and EnergyPAGE: 1Abstracts[00] Diaries[00] ORIS No. | I.E.B. No. 9930002928 | Received By BRIAN BOUDREAU Occurrence Type: OTHER Subtype: PROACTVE/OBSRVD Work Plan | Date | Time [WS] | Occurrence: 99/09/14 | 10:00 Reported by (Name/Organization) | Report to MOE: 99/09/14 | 10:00 BRIAN BOUDREAU MOE at Scene: 99/09/14 | 10:00 HALTON-PEEL DISTRICT OFFICE |-----Telephone No. Alternate No. 905-637-4154 X 800-335-5906 X Assigned To: BRIAN BOUDREAU |-----Address: 1182 NORTH SHORE BOULEVARD EAST ERP Contacted: BURLINGTON, ONTARIO Callout: [] NSP: [] Postal Code: L7R 3Z9 | ERP Name: Location of Occurrence: Source: BURLINGTON CITY TRAFALGAR GOLF & COUNTRY CLUB LOT 10 CON 7 DERRY ROAD , MILTON Sector: [OT] Source: [OT] SIC: [ ] CENTRAL HALTON-PEEL UTM : Reg.[3] Dist.[HP] Municipality[14101] N: [4805000] E: [ 593000] Zone: [17] -----Syn:PERMIT TO TAKE WATER EXPIRED AND WAS NOT RENEWED Brief Summary: PTTW INSPECTION PROGRAM FOUND THAT GOLF COURSE HAS BEEN OPERATING WATER TAKING WITOUT A VALID PERMIT. SEE INSPECTION REPORT IN DISTRICT. APPLCAITION PACKAGE LEFT WITH COMPANY TO MAKE APPLICATION FOR PTTW. If there are related reports, record initial/master ORIS No. here>> _____ Follow-up Action: [X] Abatement [N] IEB [ ] Other_____ | BF Date: ENSURE APPLICATION SUBMITTED FOR PTTW File Closed: | Complainant Contact Date | Suspected [√] Abatement [] IEB [] OTHER | Code [ | ] ] |[23]Violation ____ Report Prepared by: Date | IEB Investigator IEB BF Date BRIAN BOUDREAU 99/09/14 | Approving Officer Date | Reviewing Officer ROBERT ADOOCK 99/09/14 | Date Specify number(s) for routing original 🔀 [ ] [ ] [ ] Continued [ ] Yes Specify number(s) for copy distribution [ ] [ ] [ ] [ ] [ ] 1. Investigator/E.O. 2. D.O./File 3. SAC (all spills) 4. Reg.Dir./____Mgr. 5. IEB Reg.Spv 6. IEB H.O./file 7. Other _____ 000135

220

SAC Action Class: 1:[ ] 2:[ ]



## Ministry of the Environment and Climate Change Ministère de l'Environnement et de l'Action en matière de changement climatique

# **INCIDENT REPORT**

Reference Number:	7108-ATXRCJ	Module Type:	Spill
Status:	Closed	File Storage Number:	SI HP ML SI 100
Program:	Waste - Hazardous & Liquid	Activity:	Spills
	industrial		

## Caller or PO Reporting/Receiving Information

First Name:	Last Name:
Kyla	Karoon
Name of Company:	

MAILING ADDRESS					
Civic Address:		Unit Identifier:			
Delivery Designator:		Delivery Identifier:			
Municipality/ Unorganized Twp:	County/District:	Province/State:	Postal Code:		
		Ontario			
Postal Station:		Country:	Canada		
Telephone Number:	Extension:	Other Number:	Email Address:		
905-473-6883		Fax			
Date Reported to MOE:	2017/12/11	Time Reported to MOE:	14:54		
Date of Incident:	2017/12/07	Time of Incident:	14:00		
Incident Date Confirmation:	Actual				

## Client(s)

Client Details

Danosh Construction Inc.

Mailing Address: 19386 McCowan Rd, East Gwillimbury, Ontario, Canada, L0G 1M0

Physical Address: 19386 McCowan Rd, East Gwillimbury, Town, Regional Municipality of York, Ontario, Canada, L0G 1M0

## Site(s)

Site Details Trafalgar Golf & Country Club Address: 6728 Sixth Line, Milton, Town, Regional Municipality of Halton, L9T 2X7 District Office: Halton-Peel GeoReference: Map Datum: NAD83, Zone: 17, Accuracy Estimate: 10 -100 metres eg. Topographic Map, Method: Map, UTM Easting: 595450, UTM Northing: 4821800, UTM Location Description: Intake from Sixteen Mile Creek, LIO GeoReference: Zone: 17, UTM Easting: 595991.74, UTM Northing: 4821503.6, Latitude: 43.540308, Longitude: -79.81184 Site #: 2957-5ZUHKW

## Incident Summary:

Trafalgar Golf & Country: AST leak, vol unknown

#### Initial Incident Description (as reported):

Created: Brenda Capicciotti (Spills Action Centre) - 2017/12/11 02:54:24 PM

Danosh Construction, Kyla Karoon (905-473-6883) to SAC(bc) reports they were on site at Trafalgar Golf & Country Club on Thursday December 7 and removed an above ground tank and it looks like there was a previous leak from the tank. Kyla stated there was a fire at site back in August, this spill could have occurred anytime.

There is no volume to report, it is hard to tell. There was a club house that burnt down and there is debris everywhere. Danosh noticed the spill into the dirt ground. There are no waterbodies nearby.

It doesn't appear anything went offsite.

Danosh Construction also suspects there is an underground storage tank as well on site.

Danosh was only contracted to remove the tank , they have tried to contact the Golf Club to inform them of the spill but have not received an answer.

Trafalgar Golf Club (905-878-2303) the receptionist didn't know anything about it and she advised the supervisor was away.

***SWPIA RESULTS Significant Groundwater Recharge Area:Yes ; score is 2

copy sent to TSSA FSB

SAC Action Class:	TSSA - Fuel Safety Branch - Hydrocarbon Fuel Release/Spill
Non-Standard Procedure:	No

# Incident Description:

Last update: Tamara Posadowski (Halton-Peel District Office) - 2018/01/12 01:59 PM

No off-site impacts reported. TSSA jurisdiction. No further action recommended at this time.

Incident Description Continuation:	
Brenda Capicciotti (Spills Action Centre) - 2017/12/11 created; 2017/12/11 last update :	
Latitude:43.540172 Longitude:-79.811375 UTM Zone:17 Easting:596030.20 Northing:4821489.04	
Upper Tier Municipality: REGIONAL MUNICIPALITY OF HALTON	
Lower/Single Tier Municipality: TOWN OF MILTON	
Township Concession and Lot: TRAFALGAR , null	
Assessment Parcel Address: N/A	
Assessment Roll #: N/A	
Source Protection Area.Halton Region Wellhead Protection Area:No ; score is	
Wellhead Protection Area E (GUDI):No ; score is	
Intake Protection Zone:No ; score is	
Issue Contributing Area:No ; Contaminant:	
Significant Groundwater Recharge Area:Yes ; score is 2	
Highly Vulnerable Aquifer:No ; score is	
Event Based Area: No for type:	
Wellhead Protection Area Q1: No ; Stress:	
Wellhead Protection Area Q2: No ; Stress:	
Intake Protection Zone Q1: No ; Stress:	

Incident Update:

Was there an MOE field response?	No
Were there samples collected / analyzed at any time?	No
Known or Suspected Health / Environmental Consequence	e at the Time of Incident
Health / Environmental Consequence:	2 - Minor Environment

Has a Water Body been impacted?	No
Receiving Environment:	Land, Source Water Zone
Incident Event:	Leak/Break
Incident Reason:	Unknown / N/A
Source Type:	Tank - Above Ground
Sector Type:	Miscellaneous Communal
MOE/Other Agencies Involved:	Provincial Agency - Technical Standards & Safety Authority
Was there a discharge / emission / spill of a co	ntaminant to the environment?
Yes	

## **Contaminants Table**

Contaminant Name	Description Co	ode UN#	Limit Quantity	[units] [freq]	
FURNACE OIL		13 1202	0	other - see incident description	

## **Environmental Compliance Reporting (ECR)**

Is this an air emission (measu	or modelled) or wastewater (sewage) discharge exceedance that will bec	ome part
of the Environmental Complian		
(legislation, certificate of appr	al, order, or guideline)	
No		

## Voluntary / Mandatory Abatement

Was there Non-Co	mpliance/Non-Conformance Identifie	1?	⊖ Yes ● No	
Voluntary / Mandat	ory Compliance Items			

## Waste / EGR Information

Waste / EGR Information entries:

Document Related Information	

Cross Reference:	(doc link)	Task Link:	7441-ATXRF9 🖺
Originating Document:		Created by:	Brenda Capicciotti
Date Created:	2017/12/11	Date Completed:	2018/08/15
Office Receiving Incident Report:	Spills Action Centre	Incident Info Received By:	Brenda Capicciotti
Bring Forward Date:		Bring Forward Reason:	

# Signatures

Provincial Officer:

Name:	Tamara Posadowski
Badge No:	1861
Work Unit:	Abatement
District/Area Office:	Hamilton District Office
Date:	2018/01/12
Signature:	1_p_h.

## Senior Environmental Officer:

Name:	Leah Noordhof
Work Unit:	
District/Area Office:	Halton-Peel District Office
Date:	2018/08/15
<b>_</b> , <i>i</i>	
Signature:	North Math
	4. Janary).

## Zhou, Alex (MECP)

From:Noordhof, Leah (MECP)Sent:December 23, 2021 9:06 AMTo:Macki, Monika (MECP)Subject:RE: Permit To Take Water renewal GolfNorth Management

Hello Monika - the district does not have any concerns with this renewal.

Happy Holidays to you! Leah

## Leah Noordhof

Senior Environmental Officer Halton-Peel District Office Ministry of the Environment, Conservation and Parks phone: 905-220-2025 fax: 905-319-9902

As per the <u>accessible customer service policy</u>, please contact me if you wish to provide feedback, require accommodations, communication supports or an alternate format. We want to hear from you. How was my service? You can provide feedback at 1-888-745-8888 or ontario.ca/inspectionfeedback.

From: Hannington, Neil (MECP) <Neil.Hannington@ontario.ca>
Sent: December-21-21 4:20 PM
To: Macki, Monika (MECP) <Monika.MacKi@ontario.ca>
Cc: Noordhof, Leah (MECP) <Leah.Noordhof@ontario.ca>
Subject: RE: Permit To Take Water renewal GolfNorth Management

Thanks Monika.

Leah will contact you with any comments or concerns.

Cheers,

Neil Tel: (905) 630-9375 Email: <u>Neil Hannington@Ontario.ca</u>

From: Macki, Monika (MECP) <<u>Monika.MacKi@ontario.ca</u>> Sent: December 21, 2021 4:01 PM To: Hannington, Neil (MECP) <<u>Neil.Hannington@ontario.ca</u>> Subject: Permit To Take Water renewal GolfNorth Management Hi Neil,

I have a Category 3 Renewal for GolfNorth Management Corp. They want a renewal for 5 years.

IDS Reference Number: 4181-C8U48H

Previous PTTW Number: 1237-A3PJ3W


PTTW Type: Golf course irrigation

Site Address: 6728 Sixth Line, Milton, Town, Regional Municipality of Halton,

I have checked IDS/WTRS under their old permit, and I have found no compliance issues in recent years.

Please forward to the designated EO of the area. If they have any concerns regarding this renewal, have them contact me.

To reach the PTTW service standard, if the EO can get back to me before **January 11**, **2022** it would be greatly appreciated. If I receive no email back by this date, I will assume there are no comments.



Map Center, 43:543031

## <u>Table A</u>

## Source Information and Water Taking Amount Applied For

	Source Name / Descriptio n:	Source: Type:	Taking Specific Purpose:	Taking Major Category:	Max. Taken per Minute (litres):	Max. Num. of Hrs Taken per Day:	Max. Taken per Day (litres):	Max. Num. of Days Taken per	Zone/ Easting/ Northing
- 3	Sixteen Mile Creek	Stream	Golf Course Irrigation	Commercial	Į	24.00	1635840.00	Year:	17 595450 4821800
					1	Total Taking:	1635840.00		

Thank you,

# Monika Macki

Environmental Scientist Environmental Assessment and Permissions Division Ministry of the Environment, Conservation and Parks 135 St Clair Ave W | Toronto, ON M4V 1P5 | monika.macki@ontario.ca





14th Floor, Centre Tower 3300 Bloor Street West Toronto, Ontario Canada M8X 2X4 Tel.: 416.734.3300 Fax: 416.231.1626 Toll Free: 1.877.682.8772

www.tssa.org

Tel: (416) 734-3586 Fax: (416) 734-3568

2 March 2015 File No: FS 48607

Lena Zdanowski GOLDER ASSOCIATES LTD 100 Scotia Court WHITBY ON L1N 8Y8

Dear Madam:

## RE: 6728 Sixth Line, Milton, Ontario – Your Project No: 12-1185-0092 (6150)

This is with reference to your request and fee of 50.00 + HST, for information on the above location.

Enclosed are computerised screen prints showing an active self-serve private fuel outlet along with equipment details showing aboveground fuel storage tank details. Copies of the inspection reports are also enclosed.

The *Technical Standards and Safety Act* and associated regulations do not require the registration of private fuel outlets. Nor does it require that any documentation on these facilities be submitted to, or reviewed or approved by TSSA. As a result TSSA has limited information on these facilities. TSSA cautions that any information provided may be inaccurate, incomplete or out of date.

After a search of our files, TSSA has no record of any further outstanding instructions, incident reports, fuel oil spills, or contamination records respecting the above-mentioned property.

This is all the information the Fuels Safety Division has at this time regarding the above address.

It should be noted that the Fuels Safety Division did not register private fuel underground/aboveground storage tanks prior to January of 1990 or furnace oil tanks prior to May 1, 2002. Also note that the Fuels Safety Division does not register waste oil tanks in apartments, office buildings, residences etc. or ABOVEGROUND gas or diesel tanks.

TSSA does not make any representations or warranties with respect to the accuracy or completeness of any records released by TSSA, and the user assumes all risk in using or relying on released records.



14th Floor, Centre Tower 3300 Bloor Street West Toronto, Ontario Canada M8X 2X4 Tel.: 416.734.3300 Fax: 416.231.1626 Toll Free: 1.877.682.8772

www.tssa.org

Yours truly,

Sarah Quibell Public Information Agent

		avigator 🕒 Favorites	Home Profile Sign Out Help
Item Instances			· · · · · · · · · · · · · · · · · · ·
<b>General</b> Additional Attributes Assets Party Relationships	Quick Find Item Instance	Go	Advanced Search Logged In As SQUIBELL
Owner Parties Accounts Contacts	Item Instance: 9445961 Item: FS PRIVA Item Description: Fueis Saf	ATE FUEL OUTLET - SEL fety Private Fuel Outlet -	F SERVE Self Serve
Summary Pricing Counters Contracts	General Attributes Organization Name ⁻ Last Version Label :		nstance Name on Label Date 22-APR-1991 0:00
Notes Transactions Service Requests Repair Orders	Revision System		Version Label
History Operating Units Configuration	Item Instance Type Operational Status Status		Accounting Customer Product Classification Customer Product Lot Number : not lot-controlled Condition
	Quantity Start Date Shipped On Date	1 22-APR-1991	UOM Each Start Time 0:00 Ipped On Time End Time
	End Date Return By Date Actual Return Date * Indicates required field.		leturn By Time al Return Time
	Time format is HH24:MM Note: You do not have permission to make upda	tes in this page. I Creation Completed	
	Owner	-	
	Party Type	Party	
	Party Name:	TRAFALGAR GOLF	Party Number: 381439
	Account Number:	178007	Account Name TRAFALGAR GOLF CLUB
	Current Location	a a r sé allos	548 ·
	* Туре	Party Site 🔻 Go	
	Party Name	TRAFALGAR GOLF	Party Number Go
	*Line 1	Go	Site Number Go
	Address	s 6728 SIXTH LA MILTON, L9T 2X7, CA	
	Installed A Installed Date Time format is HH24:MM	e 22-APR-1991	Installed Time 0:00
	Тур	Change in installed date does not	change contract date.
	Orde Sales Order Numbe		Sales Order Date

Sales Order Line Purchase Order Number Item Fiags	Agreement Name			
¢	BOM Enabled	_		
	IB Trackable	Inventory T	rackable	
	Sellable	Shippable		
Item Views	☐ Merchant	Customer		
Descriptive Flexfields	af an yanyan ahkan kan a an an an ann ann a a a an anna 1937. W	N	- A 4	
Context Value	FS Facility	0		
	Select Context Value and click 'Go' to show re	levant fields.		
Facility Type 2			8	
Facility Type 3			Q.,	
Total Capacity - Liquid Fuel Tanks (L)	3560			
Total Capacity - Propane Tank s (USWG)				
* Previous Facility Type			Q	
Previous Instance Number	[		0	

Item Instances Home Profile Sign Out Help

Copyright 2006, Oracle Corporation. All rights reserved.

Installed	d Base	unaitan Ho	ome Logout Preferences I	Help Diagnostics
		ivontes no	Alle Logour i leiciences i	Telp Diagnostics
Item Instance Count				
Item Instances   Sys Item Instance: Item Instan		Search >		
View : Item Instance : 11				
Item FS L	IQUID FUEL TANK	System		
	-		FALGAR GOLF CLUB LTD	
Item Description FS L		Account Number 178	007	Instance Details Transaction
General Location				History
General Location		guildion counters		Item Instance
External Reference	e	New Version Label		History Operating Units
	n TSSA Item Master	Last Version Label	1	Contracts
Revisio	n	Creation Date	19-Jul-2000 20:15:15	Orders Service
Instance Nam	e	Status	Active	Requests
Quantit	y <b>1</b>	Install Date	11-Jul-2001 00:00:00	Orders and
UOI	^M Each	Expiration Date		<u>Directives</u> View
Item Instance Typ		Shipped On Date		Relationship
Item Conditio		Return By Date		Graphically
	n Customer Product	Actual Return Date		OMS Orders
Operational Status Cod	le <b>Not Used</b>			
Hide Instance Flex Fiel Fuel Type1	ds Gasoline Gasoline	Show Additional Att	ributes	
Fuel Type2 Fuel Type3 Capacity (L) Tank Material	2200			
	Double Wall Horizontal AST Double Wall Horizontal AST			
FS Corrosion Protection	Painted Painted			
Overfill Protection Type Installation Year ULC Standard Manufacturer	1997			

#### Return to Instance Search

Model Serial Number Description

Item Instance Counters Mass Update Home Logout Preferences Help Diagnostics About this Page Privacy Statement Copyright (c) 2006, Oracle. All rights reserved.

Installed Base Item Instance Counters Mass Update Item Instances   Systems   Transactions Item Instance: Item Instances > View : Item Instance : 11639887	Favorites	Home Logout Preference	es Help Diagnostics
Item FS LIQUID FUEL TANK	System		
Item Description FS Liquid Fuel Tank		FALGAR GOLF CLUB LTD	Instance Details
General Location Associations ConfigExternal Reference OrganizationOrganizationRevision Instance NameQuantityQuantityUOMItem Instance Type Item ConditionAccounting ClassificationCustomer Product Not Used	New Version Label Last Version Label Creation Date Status Install Date Expiration Date Shipped On Date Return By Date	Notes	Transaction History Item Instance History Operating Units Contracts Orders Service Requests Orders and Directives View Relationship Graphically OMS Orders
Hide Instance Flex FieldsFuel Type1DieselDieselDieselFuel Type3DieselFuel Type31360Capacity (L)1360Tank MaterialSteelTank TypeDouble WaliHorizontal ASTDouble WaliPaintedPaintedOverfill Protection Type1997ULC StandardManufacturerModelSerial NumberDescriptionValue (Laboration	Show Additional Att	<u>ributes</u>	

Return to Instance Search

 Item Instance Counters Mass Update Home Logout Preferences Help Diagnostics

 About this Page
 Privacy Statement

🦨 Perform	Periodic In:	spection (	FS) for Job	009445966-0	03 (E	033762)					
Description:	E033762 Pri	vate Fuel C	)u 26							Assignments	
Status: Complete by DANEKD Assigned To: Debbie Danek Dutcome: Inspection Complete		I I I	Schedule     scheduled Start     mmm dd, yyyy       Scheduled Complete:     mmm dd, yyyy       Actual Start     Jun 29, 2001 00:00       Actual Complete:     Jun 29, 2001 00:00		. 93999 2001 00:00	<u>Reports</u>					
Details Inspection Re Date of Insp Re-Inspection Orders issue Have you en Inspection Di	section: n Date: ed To: ntered your	E033762 S/29/2001 mmm cid, y time and	yyyy saved your	report 7: (	Yes	LA CARACT	To insert inspectio "Comment insert the Risk Fa	general co n report, o nts" Tab an commen	omments on th click on the nd Right Click	reate Def	
Address	spiay	5120 543		4, UN, UM, L91	201		Tank V ' Serial Numbe	/ehicle I-Unit '			

( TSSA ) Stan	nical lards and y Authority		Ra	Inspector's Report/ Rapport de l'inspecteur(trice) Part A/Partie A Inergy Act and/or Gasoline Handling Act				
TTY AUTHO	)élivré en vertu de Loi s	issued ur les hydrocarbured	under Ontario's Ene a ou de la Loi sur la l	rov Act and/or Gasol	Ine Handling Act	E- 03.	3/62	
Location-Inspected / Li					m du/de la propriéta	aire		
Address / Adresse	lgar Go	f(our	se	Same, Address / Adresse				
6723.	SixthL	ne		•		-		
City/town / Ville	o Onto	MO		City/town / Ville				
Postal Code / Code po	stal C	Tel. No. /	№ də tél. <-2328	Postal Code / Code	e postal	Te	el. No. / Nº de tél.	
Operator's Name / Nor	n de la personne respo	nsable		Fuel Supplier / Fou	irnisseur de combus	tible Ci	ty / Ville	
John	Parker			TI	01.	1		
Licence No / Nº de per		<u> </u>		Johns	on Retri	Dleum		
Contractor / Entrepren	eur			Registration # / Nº	d'inscription			
			POF DENS/ DENS. DE POP.	FUEL/COMBUSTIBLE		REASON/RAISON	TRIGGER/ MOTIVÉ PAR :	
ACTION / MESURES PRISES	ACTALOI GHQ	REG/RÈGLEMENT		BILLABLE/ A FACTORER		BILL Y/N FACTURER O/N		
DAMAGE /DOMMAGES	OCC RATE/ GRAV. DE L'ACC	CAUSE/CAUSE	CON FACT/ FACT. CONTR.	OCC DATE/ DATE DE L'ACC.	OCC TIME/ HEURE DE L'ACC.	MANDATED Y/N MANDAT ON		
FIELD 1/DOMAINE 1		CONSULT Y/N CONSULT. O/N	SITE REM Y/N REMÉDIER O/N				COMPLETED? Y/N TERMINÉE? O/N	
Comments/Commental	ires		d	d. D	daran	tack de	<b>~</b>	
Inaple	tion or	ance w	the cur	Jent 60	no line t	tanks In tand I ino	Act	
a d	applate	nn		7		J		
und a	- and a second	BY CA. 1	······································	5				
Equipment/Applia	nce/Component /	Matérlel/Apparei	l/Composant		lance/Compone		pareil/Composan	
Type/Type	Tank	Code/Code	ne '	Type/Type Description/Descri	Tank	Code/Code	1	
Description/Description	in ible mal				Double	ewall_		
Manufacturer/Fabrica	nţ	<u> </u>		Manufacturer/Fabr	icant STAND	ARDS&SAFEDI		
Model/Modèle	· · · · · · · · · · · · · · · · · · ·	No/ Nº de serie		Model/Modèle	12	Bill Tomporter	& C	
Material/Matériel	BI	497740	<u>,                                    </u>	Material/Matériel		10 2nn1	<u>新し</u>	
	Stel			Corrosion Protection/Protection/Defactor is reprosion				
Corrosion Protection/ Fuel Input Rating/Dél	Protection contre la cor Parait		1 2001	Fuel Input Rating/Débit de combos SE VICES DIVISION				
			$\sim$	Capacity/Capacité				
Capacity/Capacitě	2200 L	· / / / / / / / / / / / / / / / / / / /		Installation Date/E	1360			
Manufacture Date/Date	1991				Date de fabrication			
	1997	Manifold Pressure/		Supply Pressure/	199-,	Manifold Pres	sure/ j	
Pression d'alimentati		Pression d'admission	n r's Name/Nom de l'ir	Pression d'alimen	Badge No / N°	Pression d'ad		
Client's Signature/Sign	ature du client/de la clie	nie Inspecto	AAAA	(H	Date of Inspection	on/	VIA MAN DIJ	
	· · ·		Head Off					

 $\lambda_{\rm R}$ 

Head Office

Technical Inspector's Instructions/Orders	Report No.
Standards and Safety Authority Part B	E-033762
00123687	Date: 2001 0629
Issued under Ontario's Energy Act and Gasoline Handling Act	Y         M         D
Location Address (No RR'S) 6728 SIXTHLINE MUC	ton Ont
Issued To Trafalgar Golf (Jurse, John	Parker-operator
Mailing Address	
Gapoline Handing =	egulation/ Dat/93
Licence # Expiry Registration # Expiry J Certificate	# I Expiry

Order #     Section     You are hereby instructed to correct the following intraction(e)     Compliance Date       I     G(G)     All Above ground finel storage tanks July 3/0;       I     Image: All Above ground finel storage tanks July 3/0;       I     Image: All Above ground finel storage tanks July 3/0;       Image: All Above ground finel storage tanks July 3/0;       Image: All Above ground finel storage tanks shall       Image: All Above ground finel storage tank       Image: All Above ground finel storage tank <th>- The Step</th> <th>1 3</th> <th>the second teacher the following intraction(c)</th> <th>Compliance Date</th>	- The Step	1 3	the second teacher the following intraction(c)	Compliance Date
Received By: (print) Received	Order #	Section	You are nereby instructed to corract the following minaction(s)	
Received By: (print) Received		6(9)	all aboveround Knel Storage tanks	JULY 31/21
Received By: (print) Received			shall nest on the ground, on	
Received By: (print) Received		<u>·</u>	Poundations or on supports made, of	
Received By: (print) Resceived By: (print) R			Concrete masonin plune or steel.	
2 10(4) An aboveground fiel storagetank shall July 31/21 be located at least 3 metrics from any building. 3 6(13) Eveny abovegnound (field storage tank July 31/6). cohall be protected for vehicular impact. (additional post when tanks are moved from blag) Received By: (print) Position: A M Signature: Danek			(not wood - combustible material)	
Be booked at least 3 meties from       any building.       3     6(13)       Eveny abovegnound (huef storage tank July3)/().       ushall be firsted form vehicular       Impact. (addutmal post when birks are       moved from blag				
Be booked at least 3 meties from       any building.       3     6(13)       Eveny abovegnound (huef storage tank July3)/().       ushall be firsted form vehicular       Impact. (addutmal post when birks are       moved from blag			D. K	
Be booked at least 3 meties from       any building.       3     6(13)       Eveny abovegnound (huef storage tank July3!/1).       ushall be firsted form vehicular       Impact. (additional post when tanks are       moved from blag	2	10(4)	an aboveground fuel storagetank shall	July 31/21
3 (6(13) Every abovegnound (fuel storage tank July31/1)1 shall be motected from vehicular impact (additional post when tanks are moved from blag) Received By: (print) Position: Market Signature: Dane k				J
3 (6(13) Every abovegnound (huef storage tank July31/0) shall be motected from vehicular impact (additional post when tanks are moved from blag) Received By: (print) Position: Market Signature: Danek			any building.	
Received By: (print) Received By: (print) Received Armonia Post of the sector: (print) Received Armonia Post of the Post of th				
Received By: (print) Received	3	6(13)		JU1431/01
Received By: (print) Position:				
Received By: (print)  Received By: (print)  Position:  Additional and a state balance				
Position: Darek All Signature: Darek			moved from blag)	
Position: Darek All Signature: Darek				
Position: Darek All Signature: Darek				
Position: Darek All Signature: Darek		· · · · · · · · · · · · · · · · · · ·		
Position: Darek All Signature: Darek				
Position: Darek All Signature: Darek				
Position: Darek All Signature: Darek		·		
Position: Darek All Signature: Darek				· · · ·
Position: Darek All Signature: Darek	<u></u>	·		
Position: Darek All Signature: Darek				I
Position: Darek All Signature: Darek		· · · · · · · · · · · · · · · · · · ·	Inspector (print)	· · ·
	Received By	r: (print)	1 Inspector (print) Danek	·
	Position:	A	Signature: Sonalo	<i>i</i>
		AIT	Inspector's Badge #: 175	

FS 09221(09/98)

Head-Office=

Page_

_of _(

& Perform	Periodic Im	spection	(FS) for Jo	b 009445966-0	02 (A	001873)				
Description:	A001873 Pr	ivate Fuel	Ou		n, yingayennine in Ma				al a della come e contrata della	Assignments
Stetus: Complete by DAVIDS Assigned To: Simon David				Schedule Start Scheduled Start		mmm öd e: mmm öd	Normal Station of Station of Stations	Reports		
Outcome: Details		ion Complete iclencies Time Documents		Actual Start Actual Com		tart: Mar 03, 19			reate Def	
Inspection Re Date of Insp Re-Inspection	i sport Number section:			1 LOCATIONS	1 .	T T h	o insert	general co n report, c	omments on the lick on the ad Right Click	
Orders issue	d To	time an	d saved yo	ur report ?: C	Yes	ta ta		commen		
Inspection Di Address:		and the second second		ON, ON, CA L9T	the state of the s		Licens Tank V ' Serial Numbe	-Unit	0001068153-C	

Ontario Relatio	ner and Standar		Orders/Inst	spector's tructions	Notice No.	)01873
	6115		2	Date	MAR. 3	93
Owner's Name	GAR GOL	FCLUB	Location Inspected			i~- ,
Owper's Address	6TH HINE	878 2303 1	LocationAddress	PAME		el. No.
			City/Town		R. 2 C. 029	Postal Code
City/Town/11/To	N	Postal Code	Operator's Name			<u></u>
Propane C	). Reg	Gasoline C	-	- Fue	el Oil O. Reg.	
Net. Gas C	D. Reg	1 John	ion & Distribution	Expiry Date	19	
Type 16	Reason 29	Call Action	Duration	1	2	3
Order/Instruction No.	Section	You are h	ereby ordered/ instructe infraction(	s) , , , ,		Compliance Da
	······································	Undergr		1 Jonk	lias	
	<b>.</b>	been re	moyed u	n 1986	A.M.	
	1	Milton.	accord	ing to	Al	· · · · · ·
		Langdon	n - Gem	- <del>*/ //</del>		
			ey sent l	us a le	ter to	
		that eff	at in 1	987.	e groun	
	· · · · · · · · · · · · · · · · · · ·	toutes on	the at a	cliffer		
	<u></u>	location	Twiss	1 101	Wh thes	e
· · ·		Vanles.	(8786	380 Ga	rry)	· · · · · · · · · · · · · · · · · · ·
						•
	·					
	ð		· · · · · ·		:	·
					·	· · · · · ·
		· · · · · · · · · · · · · · · · · · ·				
		Inspector	Number FSB	0		-

1.

10.00

 $\mathbb{I}_{1^{n-1}}$ 

### **Kyle Howard**

From:	Public Information Services <publicinformationservices@tssa.org></publicinformationservices@tssa.org>
Sent:	July 15, 2022 4:43 PM
To:	Kyle Howard
Subject:	RE: TSSA Search Milton, 22-0209: 6728 Sixth Line
Follow Up Flag:	Follow up
Flag Status:	Flagged

Hello,

My apologies for the discrepancies. I did a broader search for simply, "SIXTH", in Milton and found the following. The discrepancy could be a result of some of the data being imputed into our database as "SIXTH LA".

My Apologies for the confusion.

Thank you, Sherees

#### **RECORD FOUND IN CURRENT DATABASE**

Hello,

Thank you for your request for confirmation of public information. TSSA has performed a preliminary search of TSSA's current database.

• We confirm that there are records in our current database of fuel storage tanks at the subject address(es):

Inventory Number	Address	City	Province	Postal Code	Status
10848725	SIXTH LINE	MILTON	ON	L9T 2X7	Active
10848743	SIXTH LINE	MILTON	ON	L9T 2X7	Active
10848759	SIXTH LINE	MILTON	ON	L9T 2X7	Active
	SIXTH LINE RR 3 NORTH OF 5 SIDE				
10848776	RD	MILTON	ON	L9T 2X7	Active
	SIXTH LINE RR 3 NORTH OF 5 SIDE				
10848794	RD	MILTON	ON	L9T 2X7	Active
	SIXTH LINE RR 3 NORTH OF 5 SIDE				
10848809	RD	MILTON	ON	L9T 2X7	Active
10849792	13554 SIXTH LINE NASSAGAWEYA	MILTON	ON	L7J 2L7	Active
10849810	13554 SIXTH LINE NASSAGAWEYA	MILTON	ON	L7J 2L7	Active
10849825	13554 SIXTH LINE NASSAGAWEYA	MILTON	ON	L7J 2L7	Active
11639847	6728 SIXTH LA	MILTON	ON	L9T 2X7	Active
11639887	6728 SIXTH LA	MILTON	ON	L9T 2X7	Active
9283048	13554 SIXTH LINE NASSAGAWEYA	MILTON	ON	L7J 2L7	Active
9332135	SIXTH LINE	MILTON	ON	L9T 2X7	Active
	SIXTH LINE RR 3 NORTH OF 5 SIDE				
9357263	RD	MILTON	ON	L9T 2X7	Active
9445961	6728 SIXTH LA	MILTON	ON	L9T 2X7	Active

<u>This is not a confirmation that there are no records in the archives</u>. For a further search in our archives, please submit an application for release of public information (PI Form) through TSSA's new Service Prepayment Portal. The associated fee must be paid via credit card (Visa or MasterCard) through a secure site.

Please follow the steps below to access the new application(s) and Service Prepayment Portal:

- 1. Click Release of Public Information TSSA and click "need a copy of a document";
- 2. Select the appropriate application, download it and complete it in full; and
- 3. Proceed to page 3 of the application and click the link TSSA Service Prepayment Portal under payment options (the link will take you the secure site to pay for the release via credit card).

Accessing the Service Prepayment Portal:

- 1. Select new or existing customer (*if you are an existing customer, you will need your account # & postal code to access your account);
- 2. Select the program area: AD (Amusement Devices), BPV (Boilers and Pressure Vessels), ED (Elevating Devices), FS (Fuels Services), OE (Operating Engineers) or SKI (Ski Lifts) and click continue;
- 3. Enter the application form number (obtained from bottom left corner of application form) and click continue; When selecting the application form number from the drop-down menu, please make sure you select the application that begins with "PI" (i.e. PI-FS, PI-BPV etc.);
- 4. Complete the primary contact information section;
- 5. Complete the fees section;
- 6. Upload your completed application; and
- 7. Upload supporting documents (if required) and click continue.

Once all steps have been successfully completed, you will receive your receipt via email.

Questions? Please contact TSSA's Public Information Release team at publicinformationservices@tssa.org.

Although TSSA believes the information provided pursuant to your request is accurate, please note that TSSA does not warrant this information in any way whatsoever.

Kind Regards, Sherees



Public Information Agent Facilities and Business Services 345 Carlingview Drive Toronto, Ontario M9W 6N9 Tel: +1-416-734-6222 | Fax: +1-416-734-3568 | E-Mail: <u>publicinformationservices@tssa.org</u> www.tssa.org

From: Kyle Howard <khoward@envisionconsultants.ca>
Sent: July 15, 2022 2:50 PM
To: Public Information Services <publicinformationservices@tssa.org>
Subject: RE: TSSA Search Milton, 22-0209: 6728 Sixth Line

**[CAUTION]:** This email originated outside the organisation. Please do not click links or open attachments unless you recognise the source of this email and know the content is safe.

### Good Afternoon,

I am doing a records review of a property located at 6728 Sixth Line Milton, during this review I cam across a TSSA record request made in March of 2015 that indicates there are multiple ASTs on the property. In the email you sent to me it was determined there were no records in your database. Would it be possible for someone on your team to explain the discrepancies from the record results?

I have attached the TSSA documents from the previous request, for your reference,

Thank you,



Kyle Howard B.Sc Junior Environmental Technician Cell / 289-383-3068 Email / khoward@envisionconsultants.ca

From: Public Information Services <<u>publicinformationservices@tssa.org</u>>
Sent: July 4, 2022 1:22 PM
To: Kyle Howard <<u>khoward@envisionconsultants.ca</u>>
Subject: RE: TSSA Search Milton, 22-0209: 6728 Sixth Line

Please refrain from sending documents to head office. The Public Information (PI) team works remotely, mailing in applications will lengthen the overall processing time.

### NO RECORD FOUND IN CURRENT DATABASE

Hello,

Thank you for your request for confirmation of public information. TSSA has performed a preliminary search of TSSA's current database.

• We confirm that there are no records in our current database of any fuel storage tanks at the subject address(es).

<u>This is not a confirmation that there are no records in the archives</u>. For a further search in our archives, please submit an application for release of public information (PI Form) through TSSA's new Service Prepayment Portal. The associated fee must be paid via credit card (Visa or MasterCard) through a secure site.

Please follow the steps below to access the new application(s) and Service Prepayment Portal:

- 1. Click Release of Public Information TSSA and click "need a copy of a document";
- 2. Select the appropriate application, download it and complete it in full; and
- 3. Proceed to page 3 of the application and click the link TSSA Service Prepayment Portal under payment options (the link will take you the secure site to pay for the release via credit card).

Accessing the Service Prepayment Portal:

1. Select new or existing customer (*if you are an existing customer, you will need your account # & postal code to access your account);

- 2. Select the program area: AD (Amusement Devices), BPV (Boilers and Pressure Vessels), ED (Elevating Devices), FS (Fuels Services), OE (Operating Engineers) or SKI (Ski Lifts) and click continue;
- 3. Enter the application form number (obtained from bottom left corner of application form) and click continue;
  - a. When selecting the application form number from the drop-down menu, please make sure you select the application that begins with "PI" (i.e. PI-FS, PI-BPV etc.);
- 4. Complete the primary contact information section;
- 5. Complete the fees section;
- 6. Upload your completed application; and
- 7. Upload supporting documents (if required) and click continue.

Once all steps have been successfully completed, you will receive your receipt via email. Questions? Please contact TSSA's Public Information Release team at <u>publicinformationservices@tssa.org</u>. Although TSSA believes the information provided pursuant to your request is accurate, please note that TSSA does not warrant this information in any way whatsoever.

Kind Regards,

Kim



Public Information Agent Facilities and Business Services 345 Carlingview Drive Toronto, Ontario M9W 6N9 Tel: +1-416-734-6222 | Fax: +1-416-734-3568 | E-Mail: <u>publicinformationservices@tssa.org</u> www.tssa.org

From: Kyle Howard <<u>khoward@envisionconsultants.ca</u>> Sent: July 4, 2022 10:25 AM To: Public Information Services <<u>publicinformationservices@tssa.org</u>> Subject: TSSA Search Milton, 22-0209: 6728 Sixth Line

**[CAUTION]:** This email originated outside the organisation. Please do not click links or open attachments unless you recognise the source of this email and know the content is safe.

Good Morning,

I was looking to search your database for any records of USTs and/or ASTs at the following Addresses in Milton, ON:

- 6728 Sixth Line
- 6725 Sixth Line
- 6998 Sixth Line
- 6636 Sixth Line
- 6566 Sixth Line
- 7015 Sixth Line
- 11880 Derry Road
- 11801 Derry Road
- 12072 Derry Road
- 12100 Derry Road

Thank you,

Kyle Howard B.Sc Junior Environmental Technician



CONSULTANTS LTD


6415 Northwest Drive U37-40, Mississauga, ON, L4V1X1 Cell / 289-383-3068 Office/ 905-677-0202 Email / <u>khoward@envisionconsultants.ca</u> Website / <u>www.envisionconsultants.ca</u>


This electronic message and any attached documents are intended only for the named recipients. This communication from the Technical Standards and Safety Authority may contain information that is privileged, confidential or otherwise protected from disclosure and it must not be disclosed, copied, forwarded or distributed without authorization. If you have received this message in error, please notify the sender immediately and delete the original message. This electronic message and any attached documents are intended only for the named recipients. This communication from the Technical Standards and Safety Authority may contain information that is privileged, confidential or otherwise protected from disclosure and it must not be disclosed, copied, forwarded or distributed without authorization. If you have received this message in error, please notify the sender immediately and delete the original message.


# **APPENDIX E:** Aerial Photographs and Satellite Imagery


Rul Cannon and the state	E alla	and date	
hered from the state of the sta	A Contraction of the second se	Xallo	Treathorn
/ x.e. //	as X	Jacon unit	WINE (1
Bred street Bred	tuck line		Home
LEGEND          Image: Site BOUNDARY	TITLE 1877 HISTORICAL MAP OF HALTON COUNTY	PROJECT PHASE ONE ENVIRONMENTAL SITE ASSESSMENT 6728 SIXTH LINE MILTON, ONTARIO CLIENT ANATOLIA CAPITAL CORP. PROJECT NO. 22-0209 DATE PREPARED BY AP RC	PROVED BY FIGURE


LEGEND SITE BOUNDARY 250 m STUDY AREA Dea Source: University of Toronto Map Library Dea Source: University of Toronto Ma	400 Metres











## **APPENDIX F:** *Site Photographs*

## 6728 Sixth Line, Milton, ON



PHOTO 1: View of the western portion of Site Building A, facing east.



PHOTO 2: View of the western portion of Site Building B, facing north.



PHOTO 3: View of eastern and southern portions of Site Building C, facing northwest.



PHOTO 4: View of the southern portion of Site Building D facing north.



PHOTO 5: Representative view of the golf course west of the Site.



PHOTO 6: View of fuel-oil AST located in the basement of Site Building B.

## 6728 Sixth Line, Milton, ON





PHOTO 7: View of a septic tank located approximately 20 m east of Site Building B.



PHOTO 8: View of machine shop located within Site Building C.



PHOTO 9: View of one (1) diesel and one (1) gasoline AST located adjacent to the east portion of Site Building C.



PHOTO 10: View a hydraulic life located in Site Building C.



PHOTO 11: View of the pesticide shed located approximately 30 m east of Site Building C.



PHOTO 12: View of the interior of the chemical shed located approximately 15 m west of Site Building C.

## 7739 Ninth Line, Markham, ON





PHOTO 13: View of three (3) 205 L waste oil drums located 10 m east of Site Building C.



PHOTO 14: View of a gasoline spill located adjacent to the structure that houses the waste oil drums.



PHOTO 15: View of septic tank located adjacent to the west portion of Site Building C.



PHOTO 16: View of vent/fill pipes associated with a fuel oil AST at Site Building D.



PHOTO 17: View of septic tanks located adjacent to the north portion of Site Building D.



PHOTO 18: View of water well located 10 m south of Site Building D.