



BURNSIDE

**Phase One Environmental Site Assessment
6119 Trafalgar Road
Milton, Ontario**

White Squadron Development Corporation

**R.J. Burnside & Associates Limited
15 Townline
Orangeville, ON L9W 3R4 CANADA**

**May 2, 2025
300043649.1000**



Distribution List

No. of Hard Copies	PDF	Email	Organization Name
0	Yes	Yes	White Squadron Development Corporation

Record of Revisions

Revision	Date	Description
--	May 2, 2025	Updated Phase One ESA report

R.J. Burnside & Associates Limited

Report Prepared By:

Kathleen Langstaff, P.Ge., QP
 Senior Geoscientist



Phase One Environmental Site Assessment
May 2, 2025

Executive Summary

R.J. Burnside & Associates Limited (Burnside) was retained by White Squadron Development Corporation to complete a Phase One Environmental Site Assessment (ESA) of a property located at 6119 Trafalgar Road, Milton, Ontario (the "Site").

The Phase One ESA was completed in accordance with Ontario Regulation 153/04 and the Canadian Standards Association (CSA) Standard Z768-01. The purpose of the Phase One ESA is to support an application to develop the Site for Residential Use.

When describing direction in this report:

- Trafalgar Road is considered to be aligned north-south, situated west of the Site, and
- Britannia Road is aligned west-east, situated south of the Site.

The Site is located on the east side of Trafalgar Road, north of Britannia Road. The legal description of the Site is: Part Lot 6 Concession 8 Trafalgar New Survey being Part 1 Plan 20R20642 save and except Part 5 Plan 20R20955; subject to an easement in gross as in HR1447450; Town of Milton.

The area of the Site is 39.1 hectares (96.6 acres). There are no buildings on the Site. The Site has been used for farming (Agricultural or Other Use) from 1854 to the present. A farmhouse and farm buildings that were on the Site were all removed by June 2019.

The table below lists Potentially Contaminating Activities (PCAs) identified on the Site.

PCA	Description	Details
PCA 27	Garages and Maintenance and Repair of Railcars, Marine Vehicles, and Aviation Vehicles	Equipment maintenance was conducted inside a former pole barn. Oil, lubricants, and coolant were stored inside pole barn.
PCA 28	Gasoline and Associated Products Storage in Fixed Tanks	From 2016 to 2019, three ASTs were on the Site, east of the pole barn. The three ASTs were removed from the Site in 2019.
PCA 28	Gasoline and Associated Products Storage in Fixed Tanks	Potential fuel oil tank at former farmhouse for heating the house.
PCA 40	Pesticides (including Herbicides, Fungicides and Anti-Fouling Agents) Manufacturing, Processing, Bulk Storage and Large-Scale Applications	Potential applications of pesticides applied to cultivated farmland on the Site for agricultural purposes.

Contaminants of potential concern (COPCs) associated with the on-site PCAs included:

- Petroleum Hydrocarbons (PHCs);
- Benzene, Toluene, Ethylbenzene, and Xylenes (BTEX)
- Volatile Organic Compounds (VOCs); and
- Organochlorine Pesticides (OCs).

Phase One Environmental Site Assessment
May 2, 2025

The table below describes the Areas of Potential Environmental Concern (APEC) identified at the Site and lists the contaminants of potential concern for each APEC.

APEC	Location	PCA (on-site)	COPCs
APEC-1	West side of the Site, three ASTs were east of the former pole barn from 2016 to 2019.	PCA 28	PHCs, BTEX
APEC-2	West side of the Site, inside former pole barn, storage of oils, lubricants, and coolants.	PCA 27	PHCs, BTEX, VOCs
APEC-3	West side of the Site, potential fuel oil tank at the former farmhouse location.	PCA 28	PHCs, BTEX
APEC-4	Cultivated farmland area.	PCA 40	OCs

There were no APECs related to off-site PCA locations.

A Phase Two ESA was conducted at the Site in 2019 to assess soil and groundwater quality in each APEC. The 2019 sampling results were within the standards for Residential Use listed in MECP Table 8 Generic Site Condition Standards for Use within 30 m of a Water Body in a Potable Groundwater Condition. Additional soil sampling is recommended to assess shallow soil quality at additional locations in the APECs.

An updated Phase Two ESA report will be prepared to support an application to develop the Site for Residential Use. The updated Phase Two ESA report will include the 2019 sampling results and additional soil samples to assess shallow soil quality at additional locations within the APECs.

Table of Contents

1.0	Introduction	1
1.1	Phase One Property Information.....	1
1.2	Plan of Survey	1
1.3	Client Contact.....	2
2.0	Scope of Investigation	2
3.0	Records Review	3
3.1	General.....	3
3.1.1	Phase One Study Area.....	3
3.1.2	First Developed Use Determination.....	3
3.1.3	Fire Insurance Plans	3
3.1.4	City Directory	3
3.1.5	Chain of Title.....	4
3.1.6	Environmental Reports.....	4
3.2	Environmental Source Information.....	4
3.2.1	ERIS Database Search	4
3.2.2	Ministry of the Environment, Conservation and Parks	8
3.2.3	Technical Standards and Safety Authority.....	8
3.3	Physical Setting Sources	8
3.3.1	Aerial Photographs.....	8
3.3.2	Topography, Hydrology, Geology.....	9
3.3.3	Fill Materials.....	9
3.3.4	Water Bodies, Areas of Natural Significance, and Groundwater....	10
3.3.5	Well Records.....	11
3.4	Site Operating Records	11
4.0	Interviews	11
5.0	Site Reconnaissance	11
5.1	General Requirements.....	11
5.2	Specific Observations at Phase One Property	12
5.2.1	Enhanced Investigation Property.....	12
5.2.2	Buildings and Structures	12
5.2.3	Water Sources	12
5.2.4	Sewage and Wastewater	13
5.2.5	Chemical Storage and Tanks	13
5.2.6	Staining and Stressed Vegetation	14
5.2.7	Fill Materials.....	14
5.2.8	Adjacent Property Uses.....	14
5.3	Written Description of Investigation.....	15
6.0	Review and Evaluation of Information	15
6.1	Current and Past Uses	15
6.2	Potentially Contaminating Activities	16
6.2.1	On-Site Potentially Contaminating Activities.....	16

6.2.2	Off-Site Potentially Contaminating Activities.....	16
6.3	Areas of Potential Environmental Concern	17
6.4	Conceptual Site Model.....	17
7.0	Conclusions	18
7.1	Whether Phase Two ESA is Required for Record of Site Condition	18
8.0	Qualifications of Assessors	19
9.0	References	20
10.0	Limitations and Use of Report	21

Tables

Table 1:	Property Information for PIN 24938-0165.....	1
Table 2:	City Directory Listings	3
Table 3:	Chain of Title	4
Table 4:	Summary of On-Site ERIS Records.....	7
Table 5:	Summary of Off-Site ERIS Records.....	7
Table 6:	Summary of Historical Aerial Photographs.....	8
Table 7:	Adjacent Property Uses	14
Table 8:	Property Uses at the Site	15
Table 9:	On-Site Potentially Contaminating Activities	16
Table 10:	Off-Site Potentially Contaminating Activities	17
Table 11:	Areas of Potential Environmental Concern.....	17

Figures

- Figure 1: Site Location
- Figure 2: Site Plan
- Figure 3: 1909 Topographic Map
- Figure 4: Regional Plan
- Figure 5: Surficial Geology
- Figure 6: Bedrock Geology
- Figure 7: 1946 Aerial Photograph
- Figure 8: 1960 Aerial Photograph
- Figure 9: 1970 Aerial Photograph
- Figure 10: 1984 Aerial Photograph
- Figure 11: 2004 Aerial Photograph
- Figure 12: 2018 Aerial Photograph
- Figure 13: Conceptual Site Model

Phase One Environmental Site Assessment
May 2, 2025

Appendices

Appendix A Title Search and Land Transfer Documents

Appendix B Plan of Survey

Appendix C Historical Maps

Appendix D Fire Insurance Plan Search Results

Appendix E City Directory Search Results

Appendix F ERIS Report

Appendix G Correspondence

Appendix H Watershed and Surface Water Flow Maps

Appendix I Photographs

Phase One Environmental Site Assessment
May 2, 2025

Disclaimer

Other than by the addressee, copying or distribution of this document, in whole or in part, is not permitted without the express written consent of R.J. Burnside & Associates Limited.

In the preparation of the various instruments of service contained herein, R.J. Burnside & Associates Limited was required to use and rely upon various sources of information (including but not limited to: reports, data, drawings, observations) produced by parties other than R.J. Burnside & Associates Limited. For its part R.J. Burnside & Associates Limited has proceeded based on the belief that the third party/parties in question produced this documentation using accepted industry standards and best practices and that all information was therefore accurate, correct and free of errors at the time of consultation. As such, the comments, recommendations and materials presented in this instrument of service reflect our best judgment in light of the information available at the time of preparation. R.J. Burnside & Associates Limited, its employees, affiliates and subcontractors accept no liability for inaccuracies or errors in the instruments of service provided to the client, arising from deficiencies in the third-party materials and documents.

R.J. Burnside & Associates Limited makes no warranties, either express or implied, of merchantability and fitness of the documents and other instruments of service for any purpose other than that specified by the contract.

1.0 Introduction

R.J. Burnside & Associates Limited (Burnside) was retained by White Squadron Development Corporation to complete a Phase One Environmental Site Assessment (ESA) of the property located at 6119 Trafalgar Road, Milton, Ontario (the "Site").

The purpose of the Phase One ESA is to support an application to develop the Site for Residential Use.

The Site is on the east side of Trafalgar Road, north of Britannia Road. The area of the Site is 39.1 hectares (96.6 acres). There are no buildings on the Site. Most of the Site is used for farming (Agricultural or Other Use).

Figure 1 shows the Site Location. Figure 2 shows the Site boundary.

The Phase One ESA was completed in accordance with Ontario Regulation 153/04 and the Canadian Standards Association (CSA) Standard Z768-01.

1.1 Phase One Property Information

The Site is located on the east side of Trafalgar Road.

The Property Identification Number (PIN) and other property details are listed in Table 1.

Table 1: Property Information for PIN 24938-0165

PIN	24938-0165 (LT)
Municipal Address	6119 Trafalgar Road, Milton, Ontario
Legal Description	Part Lot 6 Concession 8 Trafalgar New Survey being Part 1 Plan 20R20642 save and except Part 5 Plan 20R20955; subject to an easement in gross as in HR1447450; Town of Milton
Owner	White Squadron Development Corporation
Assessment Roll Number	240909009008800
Area	39.1 hectares (96.6 acres)

Land registry records (parcel register, parcel map, land transfer documents) are provided in Appendix A.

1.2 Plan of Survey

A Plan of Survey of the Site was prepared in May 2021 by R-PE Surveying Ltd. The Site boundary is shown as a red line on the Plan of Survey provided in Appendix B.

1.3 Client Contact

Contact information for White Squadron Development Corporation is listed below:

Client: White Squadron Development Corporation

Address: 66 Wellington Street West, Suite 5500, Toronto, ON M5K 1G8

2.0 Scope of Investigation

The Phase One ESA was completed in accordance with Ontario Regulation (O. Reg.) 153/04, as amended, and Canadian Standards Association (CSA) Standard Z768-01.

The scope of work included:

- A records review of the Site and surrounding lands in the Study Area;
- Site visit;
- Interview; and
- Preparation of a Phase One ESA Report.

The following information was used to evaluate past and/or current practices on the Site:

- Aerial photographs;
- Historical mapping;
- Title search;
- Land Registry records;
- City directories;
- Municipal property information;
- Environmental Risk Information Services (ERIS) database search;
- Fire Insurance Plan search;
- Technical Standards and Safety Authority (TSSA) record search;
- Watershed and surface flow mapping;
- Ministry of the Environment, Conservation and Parks (MECP) records; and
- Geological maps, topographical maps, and municipal maps.

A Site visit was conducted to observe the current property use of the Site, topography, vegetation, site drainage, utilities/services, surrounding property uses, and potential evidence of potential contamination, such as:

- Fuel storage tanks;
- Chemical storage containers;
- Oil drums;
- Fill material of unknown quality;
- Dumped / discarded waste items;
- Surface staining and severe vegetation distress.

3.0 Records Review

3.1 General

3.1.1 Phase One Study Area

The Study Area for the Phase One ESA consists of the Site and surrounding properties within 250 m of the Site boundary. Figure 4 shows the Study Area boundary.

3.1.2 First Developed Use Determination

Records indicate ownership of the Site was transferred from Crown to William Hood in 1854. William Hood owned the Site from 1854 to 1884. The 1861 Census indicates William Hood was a farmer and he and his family lived in a 1-storey log home. A map dated 1877 (Appendix C) shows the house was on the west part of the Site.

First Developed Use is interpreted to be Agricultural or Other Use in 1854.

3.1.3 Fire Insurance Plans

A search for fire insurance documents was conducted in the Study Area. There was no FIP coverage for the Site. The FIP search results are provided in Appendix D.

3.1.4 City Directory

The municipal address of the Site is 6119 Trafalgar Road, Milton, Ontario. There are no buildings on the Site. A farmhouse that was formerly on the Site was removed in 2006.

William Hood (farmer and owner from 1854 to 1884) is listed at the Site in historical City Directories dated 1870 and 1885. Tom Alderson (owner 1962 to 1969) is listed on a 1966 well record constructed on the property for a domestic water supply.

Table 2 lists online directory listings for properties along Trafalgar Road.

Table 2: City Directory Listings

Address	Description	Property Use
6004 Trafalgar Road	Petro-Canada Gas Station	Commercial Use
6018 Trafalgar Road	Residential dwelling	Residential Use
6150 Trafalgar Road	Redhill Church	Institutional Use
6191 & 6205 Trafalgar Road	Residential dwellings	Residential Use
6198 Trafalgar Road	Wyldewood Golf and County Club	Commercial Use

A map is provided in Appendix E showing the locations of properties listed in Table 2.

Phase One Environmental Site Assessment
May 2, 2025

3.1.5 Chain of Title

The current registered owner of the Site is White Squadron Development Corporation.

Table 3 lists the chain of title of the Site, tracing ownership from 1850 to the present.

Table 3: Chain of Title

Period of Ownership	Owner
1850	Patent
1850 to 1854	Crown
1854 to 1884	William Hood
1884 to 1894	Louisa Hood
1894 to 1908	Edward Coulson
1908 to 1962	William Sprowl Maggie Frances Alderson
1962 to 1969	Thomas William Alderson Viola Florence Alderson
1969 to 1996	Blue Orchid Holding Corporation
1996 to 1999	Ranbir S Khanna
1999 to Present	White Squadron Development Corporation

There were no environmental concerns identified in the chain of title. The historical title search results, parcel register, and land transfer documents are provided in Appendix A.

3.1.6 Environmental Reports

A Phase One ESA report was prepared by David Marks, P.Geo. (Burnside) in January 2019. The report included a 2018 ERIS database search and photographs from Site visits in 2018 that showed the former aboveground storage tanks and former pole barn.

3.2 Environmental Source Information

3.2.1 ERIS Database Search

An updated database search was required to prepare this Phase One ESA report.

A database search was conducted through Environmental Risk Information Services (ERIS). The record search area (Study Area) included the Site and surrounding area within 250 m of the Site boundary.

The following federal, provincial, and private databases were searched to identify records within the Study Area.

Phase One Environmental Site Assessment
May 2, 2025

Federal Government Source Databases:

- CDRY - Dry Cleaning Facilities
- EEM - Environmental Effects Monitoring
- EIIS - Environmental Issues Inventory System
- FCON - Federal Convictions
- FCS - Contaminated Sites on Federal Land
- FOFT - Fisheries & Oceans Fuel Tanks
- FRST - Federal Identification Registry for Storage Tank Systems (FIRSTS)
- GHG - Greenhouse Gas Emissions from Large Facilities
- IAFT - Indian & Northern Affairs Fuel Tanks
- NATE - National Analysis of Trends in Emergencies System (NATES)
- NDFT - National Defense & Canadian Forces Fuel Tanks
- NDSP - National Defense & Canadian Forces Spills
- NDWD - National Defence & Canadian Forces Waste Disposal Sites
- NEBI - National Energy Board Pipeline Incidents
- NEBP - National Energy Board Wells
- NEES - National Environmental Emergencies System (NEES)
- NPCB - National PCB Inventory
- NPR2 - National Pollutant Release Inventory 1993-2020
- NPRI - National Pollutant Release Inventory - Historic
- PCFT - Parks Canada Fuel Storage Tanks
- PFCH - NPRI Reporters - PFAS Substances
- PFHA - Potential PFAS Handlers from NPRI
- TCFT - Transport Canada Fuel Storage Tanks.

Provincial Government Source Databases:

- AAGR - Abandoned Aggregate Inventory
- AGR - Aggregate Inventory
- AMIS - Abandoned Mine Information System
- AST - Aboveground Storage Tanks
- BORE - Borehole
- CA - Certificates of Approval
- CFOT - Commercial Fuel Oil Tanks
- COAL - Inventory of Coal Gasification Plants and Coal Tar Sites
- CONV - Compliance and Convictions
- CPU - Certificates of Property Use
- DRL - Drill Hole Database
- DTNK - Delisted Fuel Tanks
- EASR - Environmental Activity and Sector Registry
- EBR - Environmental Registry
- ECA - Environmental Compliance Approval
- EMHE - Emergency Management Historical Event
- EPAR - Environmental Penalty Annual Report
- EXP - List of Expired Fuels Safety Facilities
- FST - Fuel Storage Tank
- FSTH - Fuel Storage Tank - Historic

Phase One Environmental Site Assessment
May 2, 2025

- GEN - Ontario Regulation 347 Waste Generators Summary
- HINC - TSSA Historic Incidents
- INC - Fuel Oil Spills and Leaks
- LIMO - Landfill Inventory Management Ontario
- MNR - Mineral Occurrences
- NCPL - Non-Compliance Reports
- OOGW - Ontario Oil and Gas Wells
- OPCB - Inventory of PCB Storage Sites
- ORD - Orders
- PES - Pesticide Register
- PFAS – Ontario PFAS Spills
- PINC - Pipeline Incidents
- PPHA – Potential PFAS Handlers from NPRI
- PRT - Private and Retail Fuel Storage Tanks
- PTTW - Permit to Take Water
- REC - Ontario Regulation 347 Waste Receivers Summary
- RSC - Record of Site Condition
- SPL - Ontario Spills
- SRDS - Wastewater Discharger Registration Database
- VAR - Variances for Abandonment of Underground Storage Tanks
- WDS - Waste Disposal Sites - MOE CA Inventory
- WDSH - Waste Disposal Sites - MOE 1991 Historical Approval Inventory
- WWIS - Water Well Information System.

Private Source Databases:

- ANDR - Anderson's Waste Disposal Sites
- AUWR - Automobile Wrecking & Supplies
- CHEM - Chemical Manufacturers and Distributors
- CHM - Chemical Register
- CNG - Compressed Natural Gas Stations
- EHS - ERIS Historical Searches
- MINE - Canadian Mine Locations
- OGWE - Oil and Gas Wells
- PAP - Canadian Pulp and Paper
- RST - Retail Fuel Storage Tanks
- SCT - Scott's Manufacturing Directory
- TANK - Anderson's Storage Tanks.

The ERIS database search identified a total of 119 plottable records in the Study Area.

- 34 records were identified at the Site. No spill records were identified at the Site.
- 85 records were identified at off-site locations in the Study Area.

Records that were identified at the Site are summarized in Table 4.

Phase One Environmental Site Assessment
May 2, 2025

Table 4: Summary of On-Site ERIS Records

Database	Records	Comments
ERIS Historical Searches (EHS)	2	Record searches conducted in 2008 and 2018. These are not an environmental concern to the Site.
O. Reg. 347 Waste Generators (GEN)	11	Records of registered wastes at the Site, oils, and lubricants (2007-2019) and solvents (2013-2019). These are a potential environmental concern to Site.
Water Well Information System (WWIS)	21	Well records at various locations on the Site. These records are not an environmental concern to the Site.

Oils, lubricants, and solvents identified at the Site are a potential environmental concern.

Off-site records identified in the ERIS report are summarized in Table 5.

Table 5: Summary of Off-Site ERIS Records

Type of Record	Records	Comments
Certificates of Approval (CA)	4	Approvals for Municipal and Private sewage at off-site locations in the Study Area.
Environmental Registry (EBR)	1	EBR record 2022 related to Britannia Road project. This is not an environmental concern to the Site.
Environmental Compliance Approval (ECA)	1	Approval for sewage works at Wyldewood Golf Club. This is not an environmental concern to the Site.
ERIS Historical Searches (EHS)	1	Record search conducted at an off-site location. This is not an environmental concern to the Site.
Expired Fuels Safety Facilities (EXP)	4	Fuel tanks at downgradient gas station west of Trafalgar Road. These are not a concern to the Site.
Fuel Storage Tank (FST)	5	Fuel storage tanks at two downgradient locations west of the Site. Petro-Canada gas station and Wyldewood golf club are west of Trafalgar Road. These are not an environmental concern to Site.
Fuel Storage Tanks Historic (FSTH)	3	Fuel tanks at two downgradient locations, gas station 110 m south of Site and golf club 200 m west of Site. These are not an environmental concern to Site.
O. Reg. 347 Waste Generators (GEN)	17	Various wastes (petroleum, lubricants, inorganics, oils) at off-site locations west and south of the Site. These are not an environmental concern to the Site.
Private and Retail Fuel Storage Tanks (PRT)	2	Fuel tanks at downgradient gas station 110 m south of Site. These are not a concern to the Site.
Permit to Take Water (PTTW)	4	Permits for Wyldewood Golf Club west of the Site. These are not a concern to the Site.
Retail Fuel Storage Tanks (RST)	3	Fuel tanks at downgradient gas station 110 m south of Site. These are not a concern to the Site.
Ontario Spills (SPL)	6	Spills at off-site locations south of the Site. These are not an environmental concern to the Site.
Water Well Information System (WWIS)	34	WWIS records at off-site locations. These are not an environmental concern to the Site.

Phase One Environmental Site Assessment
May 2, 2025

None of the off-site records are considered to be an environmental concern to the Site. All of the spill records identified in the ERIS report were at off-site locations, south of the Site. All of the fuel tank records identified in the ERIS report were at off-site locations, west and south of the Site. The inferred direction of groundwater flow from off-site spills and tank locations is toward the south and southwest, toward East Sixteen Mile Creek.

Additional details for the records are listed in the ERIS report provided in Appendix F.

3.2.2 Ministry of the Environment, Conservation and Parks

Ministry of the Environment, Conservation and Parks (MECP) databases were included in the database record search. Details for MECP database records identified in the Study Area are listed in the ERIS report in Appendix F.

3.2.3 Technical Standards and Safety Authority

Technical Standards and Safety Authority (TSSA) conducted a database search to check for fuel records listed at the Site address. There were no TSSA fuel records identified at the Site address. Correspondence with TSSA is provided in Appendix G.

3.3 Physical Setting Sources

3.3.1 Aerial Photographs

Aerial photographs from 1946 to 2024 were examined to identify property uses during this 78-year period. Table 6 lists observations and interpreted property uses of the Site.

Table 6: Summary of Historical Aerial Photographs

Figure	Year	Description	Property Uses
7	1946	Site is cultivated farmland with house and farm buildings on west side of the Site.	Agricultural or Other Use. Residential Use.
8	1960	Site is cultivated farmland with house and farm buildings on west side of the Site.	Agricultural or Other Use. Residential Use.
9	1970	Site is cultivated farmland with house and farm buildings on west side of the Site.	Agricultural or Other Use. Residential Use.
10	1984	Site is cultivated farmland with house and farm buildings on west side of the Site.	Agricultural or Other Use. Residential Use.
11	2004	Site is cultivated farmland with house and farm buildings on west side of the Site.	Agricultural or Other Use. Residential Use.
12	2018	The Site is mainly cultivated farmland. A pole barn is on the west side of the Site. Three ASTs are east of the pole barn.	Agricultural or Other Use
13	2022	Most of the Site is cultivated farmland. There are no buildings on the Site.	Agricultural or Other Use

Phase One Environmental Site Assessment
May 2, 2025

The review of aerial photographs for the period from 1946 to 2024 confirms most of the Site has been used as farmland (Agricultural or Other Use) since prior to 1946.

There are no buildings on the Site. A farmhouse that was on the Site was removed in 2006. A pole barn that was on the Site was removed in spring 2019.

There were no environmental concerns identified in the review of aerial photographs.

3.3.2 Topography, Hydrology, Geology

The Site is located within the Peel Plain physiographic region (Chapman and Putnam, 1984) characterized by a layer of silt and clay, overlying clay till. The topography of the Peel Plain is flat to gently rolling, gradually sloping down toward Lake Ontario.

The Site topography gently slopes from an elevation of 188 m above sea level (asl) in the northeast area of the Site down to 180 asl in the southwest area of the Site. Surface drainage is interpreted to flow toward the southwest area of the Site. Figure 4 illustrates the local topography.

East Sixteen Mile Creek flows through the northwest part of the Site, flows under the bridge to the west side of Trafalgar Road, and flows southwest into Sixteen Mile Creek. The inferred direction of groundwater flow at the Site is toward the southwest.

The Site is within the Sixteen Mile Creek Watershed which drains southeastward into Lake Ontario. The inferred direction of regional groundwater flow is southeast, flowing toward Lake Ontario.

Ontario Geological Survey maps were reviewed to determine surficial and bedrock geology of the Site. Surficial geology across most of the Site consists of silt and clay glaciolacustrine deposits. Clay to silt-textured till and alluvial deposits (clay, silt, sand, and gravel) extend along the west part of the Site (see Figure 5).

Bedrock beneath the Study Area is shale, limestone, dolostone, and siltstone of the Queenston Formation (see Figure 6). Local well records indicate depth to bedrock (Queenston shale) beneath the Site is approximately 10 m below ground surface (bgs).

3.3.3 Fill Materials

Topsoil was obtained from an adjacent agricultural property in 2016 and was placed on the west part of the Site, at the west side of the cultivated farmland. There were no concerns with the source of topsoil.

There was no evidence of fill materials on the Site.

3.3.4 Water Bodies, Areas of Natural Significance, and Groundwater

Various databases and documents were reviewed to determine if the Site is in an Area of Natural Significance, defined as any of the following:

1. An area reserved or set apart as a provincial park or conservation reserve under the Provincial Parks and Conservation Reserves Act, 2006.
2. An area of natural and scientific interest (life science or earth science) identified by the Ministry of Natural Resources as having provincial significance.
3. A wetland identified by the Ministry of Natural Resources as having provincial significance.
4. An area designated by a municipality in its official plan as environmentally significant, however expressed, including designations of areas as environmentally sensitive, as being of environmental concern and as being ecologically significant.
5. An area designated as an escarpment natural area or an escarpment protection area by the Niagara Escarpment Plan under the Niagara Escarpment Planning and Development Act.
6. An area identified by the Ministry of Natural Resources as significant habitat of a threatened or endangered species.
7. An area which is habitat of a species that is classified under Section 7 of the Endangered Species Act, 2007 as a threatened or endangered species.
8. Property within an area designated as a natural core area or natural linkage area within the area to which the Oak Ridges Moraine Conservation Plan under the Oak Ridges Moraine Conservation Act, 2001 applies.
9. An area set apart as a wilderness area under the Wilderness Areas Act.

There were no Provincially Significant Wetlands (PSWs) identified on the Site or in the Study Area. There were no Areas of Natural and Scientific Interest (ANSI) identified on the Site or in the Study Area.

East Sixteen Mile Creek flows into the northwest part of the Site and flows out across the west boundary of the Site. The Site is within the Sixteen Mile Creek Watershed which drains southeastward into Lake Ontario.

The Site is not within a Wellhead Protection Area.

Maps showing the watershed and direction of surface water flow are provided in Appendix H.

3.3.5 Well Records

The ERIS report identified 21 well records on the Site. Two of the well records were for sealing old water supply wells that were on the Site but no longer used.

There are no water supply wells currently on the Site. Well record 2802657 indicates a water supply well for the house was constructed in 1966. The static water level was at 6.1 m (20 ft.) bgs. The concrete well casing extended to a depth of 11.6 m (38 ft.). The diameter of the concrete well casing was 0.8 m (2.5 ft.).

In 2006, the house was removed from the Site. The water supply well was filled in (sealed) by a licensed well contractor in September 2006 (well record A047051).

An old well with a fieldstone casing that extended to a depth of 4 m (13 ft.) bgs was on the west part of the Site. The well diameter was 0.9 m (3 ft.). The well was filled in (sealed) by a licensed well contractor in 2017.

The Site is in a rural area. Properties in the Study Area obtain water from private water supply wells. Source Water Protection information (provided in Appendix H) indicates the Site is not within a Wellhead Protection Area.

3.4 Site Operating Records

The Site is vacant land. Most of the Site is cultivated farmland used for crop farming. There are no buildings on the Site. There were no Site Operating Records available for the Site.

4.0 Interviews

Interviews were conducted with individuals familiar with the Site. Houshang Shad P.Eng. has been familiar with the Site for over 10 years. Houshang provided information about the Site history.

5.0 Site Reconnaissance

5.1 General Requirements

Burnside has visited the Site multiple times since 2018. Photographs of the former ASTs and pole barn were taken during Site visits conducted by David Marks (Burnside) on October 16, 2018, and by Dan Beckman (Burnside) on November 5, 2018.

Kathleen Langstaff, P.Geo. (Burnside) conducted a Site visit on May 2, 2025, to observe the current property use of the Site, ground surfaces, vegetation, and adjacent property uses. The weather was mild (16 C°) with partially cloudy skies. Site visit observations are noted in the following sections, along with details from the 2018 Site visits.

5.2 Specific Observations at Phase One Property

The Site is located on the east side of Trafalgar Road, north of Britannia Road. There are no buildings on the Site. A driveway extends eastward from Trafalgar Road to a clearing where a farmhouse and farm buildings were formerly located. Most of the Site is cultivated farmland. Trees and shrubs are growing on the northwest area of the Site and on the northeast corner of the Site.

5.2.1 Enhanced Investigation Property

An enhanced investigation property is a property that is used, or has ever been used, in whole or in part for an industrial use or any of the following commercial uses:

- A garage;
- A bulk liquid dispensing facility, including a gasoline outlet; or,
- For the operation of dry-cleaning equipment.

Most of the Site has been used for agricultural purposes (Agricultural or Other Use) since the 1800s. A farmhouse was formerly on the Site (Residential Use). The Site is not an enhanced investigation property, as defined in O. Reg. 153/04.

5.2.2 Buildings and Structures

There are no buildings on the Site. A farmhouse that was on the west part of the Site was removed in 2006. The type of heating system for the former house is not known. Fuel oil might have been used to heat the house. A potential fuel oil tank at the former house was identified is a potential environmental concern to the Site.

An old wood barn for storing hay was removed from the Site in 2007. There were no concerns with the former old wood barn.

A slab on grade, steel-clad pole barn that was formerly on the west part of the Site was removed in 2019. The pole barn was used for equipment maintenance. Oils, lubricants, and coolants used for equipment maintenance were stored in containers inside the pole barn. A propane-fired roof-mounted furnace that heated the pole barn was connected to a bulk propane tank that was situated west of the pole barn.

5.2.3 Water Sources

The Site is in a rural area. Local well records indicate properties in the Study Area obtain water from private water supply wells.

There are no water supply wells currently on the Site. Well record 2802657 indicates a water supply well for the house was constructed in 1966. The static water level was at

Phase One Environmental Site Assessment
May 2, 2025

6.1 m (20 ft.) bgs. The concrete well casing extended to a depth of 11.6 m (38 ft.). The diameter of the concrete well casing was 0.8 m (2.5 ft.).

In 2006, the house was removed from the Site. A domestic water supply well was filled in (sealed) by a licensed well contractor in September 2006 (well record A047051). The well measurements noted on the 2006 sealing record seem to match the well details of the domestic well that was constructed for the house in 1966 (well record 2802657).

An old well with a fieldstone casing that extended to a depth of 4 m (13 ft.) bgs was on the west part of the Site. The well diameter was 0.9 m (3 ft.). The well was filled in (sealed) by a licensed well contractor in 2017.

Source Water Protection information (provided in Appendix H) indicates the Site is not within a Wellhead Protection Area.

The sealing records for the two former water supply wells are provided in Appendix F.

5.2.4 Sewage and Wastewater

There are no buildings on the Site. Rural properties in this area have private on-site septic systems to manage wastewater.

5.2.5 Chemical Storage and Tanks

There are no chemicals stored on the Site. There are no fuel storage tanks on the Site. There are no buildings on the Site.

During a Burnside Site visit in October 2018, three ASTs were observed east of the pole barn. The ASTs were removed from the Site in 2019. The three ASTs were identified as a potential environmental concern to the Site.

Oils, lubricants, and coolants were stored inside the pole barn. The storage area inside the pole barn was identified as a potential environmental concern to the Site.

A bulk propane tank that was west of the pole barn was connected to a roof-mounted propane heater that heated the pole barn. Three small propane tanks were used for heating an office trailer that was situated north of the pole barn. The propane tanks that were on the Site are not an environmental concern to the Site.

In 2006, a house was removed from the west part of the Site. The type of heating system for the former house is not known. Fuel oil might have been used to heat the house. A potential fuel oil tank at the former house was identified is a potential environmental concern to the Site.

Phase One Environmental Site Assessment
May 2, 2025

5.2.6 Staining and Stressed Vegetation

Most of the Site is farmland. There are no buildings on the Site. There are no fuel tanks at the Site. There are no chemicals stored on the Site. There were no stained areas observed at the Site. There were no areas on the Site with stressed vegetation.

5.2.7 Fill Materials

There was no evidence of fill material on the Site.

In 2016, topsoil from an adjacent agricultural property was placed on the west part of the Site, at the west side of the cultivated farmland. There were no concerns with the source of topsoil.

5.2.8 Adjacent Property Uses

A visual assessment of properties surrounding the Site was completed from publicly accessible areas. Trafalgar Road is west of the Site. Britannia Road is south of the Site. Farmland and rural residential properties are north, east, and south of the Site. Various property uses were identified on the west side of Trafalgar Road.

The inferred direction of groundwater flow is to the south and southwest, toward Sixteen Mile Creek

Adjacent property uses are summarized in Table 7.

Table 7: Adjacent Property Uses

Direction	Description	Property Uses
West	Trafalgar Road is adjacent to the west boundary. Vacant residential lot at 6007 Trafalgar Road. Residential dwelling west of Trafalgar Road. Redhill Church on west side of Trafalgar Road. Undeveloped land west of Trafalgar Road. Petro-Canada station west of Trafalgar Road.	Community Use. Residential Use. Residential Use. Institutional Use. Agricultural or Other Use. Commercial Use.
Northwest	Wyldeewood Golf and Country Club	Commercial Use.
North	Farmland and tree-covered areas. Residential dwellings	Agricultural or Other Use. Residential Use.
East	Farmland and tree-covered areas. Residential dwellings	Agricultural or Other Use. Residential Use.
South	Britannia Road is adjacent to south boundary. Farmland and tree-covered areas. Residential dwellings	Community Use. Agricultural or Other Use. Residential Use.

Adjacent property uses around the Site are not an environmental concern to the Site.

Phase One Environmental Site Assessment
May 2, 2025

Underground fuel storage tanks at the Petro-Canada gas station on the west side of Trafalgar Road are not an environmental concern to the Site, as the gas station is west of the Site, and the inferred direction of groundwater flow is toward the southwest.

5.3 Written Description of Investigation

The Phase One ESA investigation included:

- Review records for the Site and surrounding properties in the Study Area;
- Interviews;
- A Site visit to observe the current property use of the Site and surrounding area; and
- Evaluate information to identify potentially contaminating activities in the Study Area and areas of potential environmental concern.

There are no buildings on the Site. Most of the Site is cultivated farmland used for crop farming (Agricultural or Other Use).

6.0 Review and Evaluation of Information

6.1 Current and Past Uses

Ownership of the Site was transferred from Crown to William Hood in 1854. William Hood was a farmer who owned the Site from 1854 to 1884 and used the Site for farming (Agricultural or Other Use). Records indicate that William Hood and his family lived in a 1-storey log home in 1861 (Residential Use) that was on the west part of the Site.

In 2006, a house that was on the west part of the Site was removed from the Site.

The pole barn that was formerly on the Site was used for equipment maintenance. The pole barn was removed from the Site in 2019.

Current and past property uses of the Site are summarized in Table 8.

Table 8: Property Uses at the Site

Year	Property Uses	Description
1854 to Present	Agricultural or Other Use	Developed for farming in 1854 and continues to be used for farming. An old wood barn for storing hay was removed in 2007. A pole barn used for equipment maintenance, and for storing oils, lubricants, and coolant, was removed in 2019.
1861 to 2006	Residential Use	Farmer William Hood and family lived in a house on the west part of the Site in 1861. A house was removed from the west part of the Site in 2006.

Containers of oils, lubricants, and coolants that were stored inside the former pole barn were identified as a potential environmental concern to the Site.

6.2 Potentially Contaminating Activities

A Potentially Contaminating Activity (PCA) is a property use or activity listed in O. Reg. 153/04, as amended, that is occurring or has occurred in a Phase One ESA Study Area.

Three types of PCAs were identified on the Site. Off-site PCAs were identified at two locations west of Trafalgar Road. The following sections list on-site PCAs and off-site PCAs identified in the Study Area.

6.2.1 On-Site Potentially Contaminating Activities

Table 9 lists the PCAs that were identified on the Site.

Table 9: On-Site Potentially Contaminating Activities

PCA	Description	Details
PCA 27	Garages and Maintenance and Repair of Railcars, Marine Vehicles, and Aviation Vehicles	Equipment maintenance was conducted inside former pole barn. Oil, lubricants, and coolant were stored inside pole barn.
PCA 28	Gasoline and Associated Products Storage in Fixed Tanks	From 2016 to 2019, three ASTs were on the Site, east of the pole barn. The three ASTs were removed from the Site in 2019.
PCA 28	Gasoline and Associated Products Storage in Fixed Tanks	Potential fuel oil tank at former farmhouse for heating the house.
PCA 40	Pesticides (including Herbicides, Fungicides and Anti-Fouling Agents) Manufacturing, Processing, Bulk Storage and Large-Scale Applications	Potential applications of pesticides on farmland on the Site for agricultural purposes.

The PCAs identified on the Site are a potential environmental concern to the Site.

Contaminants of potential concern (COPCs) associated with the on-site PCAs included:

- Petroleum Hydrocarbons (PHCs);
- Benzene, Toluene, Ethylbenzene, and Xylenes (BTEX)
- Volatile Organic Compounds (VOCs); and
- Organochlorine Pesticides (OCs).

6.2.2 Off-Site Potentially Contaminating Activities

Fuel storage tanks (PCA 28) were identified at two off-site locations west of the Site.

Table 10 lists two off-site PCA locations related to underground storage tanks (USTs) and aboveground storage tanks (ASTs) that were identified at properties west of Trafalgar Road.

Phase One Environmental Site Assessment
May 2, 2025

Table 10: Off-Site Potentially Contaminating Activities

PCA	Description	Details
PCA 28	Gasoline and Associated Products Storage in Fixed Tanks	Off-site USTs at Petro-Canada gas station located west of Trafalgar Road.
PCA 28	Gasoline and Associated Products Storage in Fixed Tanks	Off-site ASTs at Wyldewood Golf Club located west of Trafalgar Road.

The off-site PCA locations are not an environmental concern to the Site, as the inferred direction of groundwater flow from the two locations is toward the southwest.

6.3 Areas of Potential Environmental Concern

An Area of Potential Environmental Concern (APEC) is an area on, in or under a Site, where one or more contaminants are potentially present.

Four APECs were identified on the Site relating to the locations of on-site PCAs.

Table 11 describes the APECs identified at the Site and lists the contaminants of potential concern for each APEC.

Table 11: Areas of Potential Environmental Concern

APEC	Location	PCA (on-site)	COPCs
APEC-1	West side of the Site, three ASTs were east of the former pole barn from 2016 to 2019.	PCA 28	PHCs, BTEX
APEC-2	West side of the Site, inside former pole barn, storage of oils, lubricants, and coolants.	PCA 27	PHCs, BTEX, VOCs
APEC-3	West side of the Site, potential fuel oil tank at the former farmhouse location.	PCA 28	PHCs, BTEX
APEC-4	Cultivated farmland area.	PCA 40	OCs

Figure 13 shows the locations of the PCAs and APECs identified on the Site.

6.4 Conceptual Site Model

The Conceptual Site Model (Figure 13) identifies the Site boundary, roads, location of the former buildings, adjacent property uses, PCAs, APECs, and the inferred direction of groundwater flow. Any uncertainty or absence of information could affect the validity of the Conceptual Site Model.

Based on the findings of the Phase One ESA components, the Conceptual Site Model is considered to be valid.

7.0 Conclusions

This Phase One ESA report was prepared to support an application to develop the Site for Residential Use.

The Site has been used for farming (Agricultural or Other Use) from 1854 to the present. There are no buildings on the Site. A farmhouse (Residential Use) and farm buildings were formerly on the Site. All buildings were removed from the Site by June 2019.

The following Potentially Contaminating Activities (PCAs) were identified on the Site:

- PCA 27. Garages and Maintenance and Repair of Railcars, Marine Vehicles, and Aviation Vehicles.
- PCA 28. Gasoline and Associated Products in Fixed Tanks.
- PCA 40. Pesticides (including herbicides, fungicides and anti-fouling agents) manufacturing, processing, bulk storage and large-scale applications.

Off-site PCAs were identified west of the Site at two locations west of Trafalgar Road. The off-site PCAs are not an environmental concern to the Site, as the inferred direction of groundwater flow is toward the southwest.

Four APECs were identified on the Site relating to the locations of on-site PCAs:

- APEC 1 - West side of the Site, PCA 28, former ASTs east of the former pole barn.
- APEC 2 - West side of the Site, PCA 27, oils, lubricants, and coolants used for equipment maintenance were stored in containers inside the former pole barn.
- APEC 3 - West side of the Site, PCA 28, potential fuel oil tank at former house.
- APEC 4 - Cultivated farmland area, PCA 40, potential applications of pesticides.

A Phase Two ESA was conducted at the Site in 2019 to assess soil and groundwater quality in each APEC. The 2019 sampling results were within the standards for Residential Use listed in MECP Table 8 Generic Site Condition Standards for Use within 30 m of a Water Body in a Potable Groundwater Condition. Additional soil sampling is recommended to assess shallow soil quality at additional locations in the APECs.

An updated Phase Two ESA report will be prepared to support an application to develop the Site for Residential Use. The updated Phase Two ESA will include the 2019 results and additional samples to assess soil quality at additional locations in the APECs.

7.1 Whether Phase Two ESA is Required for Record of Site Condition

A Phase Two ESA was conducted at the Site in 2019 to assess soil and groundwater quality in each APEC. An updated Phase Two ESA report is required for a Record of Site Condition for the Site. An updated Phase Two ESA report will be prepared that includes the 2019 sampling results and additional soil samples to assess shallow soil quality at additional locations within the APECs.

8.0 Qualifications of Assessors

The following staff conducted the work presented herein:

Kathleen E. Langstaff, B.Sc., P.Geo., QP_{ESA}

Kathleen Langstaff is a Licensed Professional Geoscientist with over 20 years of experience in environmental investigations. Kathleen is a Qualified Person (QP) for preparing Record of Site Condition (RSC) submissions as per O. Reg. 153/04. Ms. Langstaff has conducted numerous Phase One and Phase Two Environmental Site Assessments (ESAs) to support land development projects. Kathleen has conducted projects at a variety of Sites involving potentially contaminated soil and groundwater in urban and remote areas. Kathleen's project experience includes soil and groundwater investigations, drilling and test pit programs, tank removals, excavation of contaminated material, and remediation. For this project, Kathleen conducted the records review, historical research, interviews, and Site Visit, and prepared this Phase One ESA report.

R.J. Burnside & Associates Limited

Burnside was founded in 1970 and currently comprises over 400 professional, technical, and support staff providing a wide range of environmental and engineering services to both the public and private sectors, domestically and internationally. Burnside provides a wide range of specialized ESA services.

9.0 References

Chapman, L.J., and Putnam, D.F., 1984: The Physiography of Southern Ontario; Ontario Geological Survey.

Ontario Geological Survey 2010. 1:50,000 scale. Surficial Geology of Southern Ontario; Ontario Geological Survey, Miscellaneous Release – Data 128 – Revised.

Ontario Geological Survey 2011. 1:250,000 scale. Bedrock geology of Ontario; Ontario Geological Survey, Miscellaneous Release – Data 126 – Revision 1.

Ontario Regulation 153/04, as amended. Environmental Protection Act.

Tremaine, George C., 1858. Township of Trafalgar, County of Halton, Canada West

Walker & Miles, 1877. Township of Trafalgar, Illustrated Historical Atlas of the County of Halton, Ontario.

10.0 Limitations and Use of Report

Burnside confirms that it has completed a Phase One ESA of the property located at 6119 Trafalgar Road, Milton, Ontario, and has made the findings and conclusions provided herein.

The conclusions in this report are professional opinions based upon visual observations of the Site conditions existing at the time of our assessment. This report has been prepared in accordance with accepted environmental study and/or engineering practices for a Phase One ESA. It should be noted that some of the information and resulting conclusions of a Phase One ESA are time sensitive. Burnside does not guarantee the accuracy and reliability of the information provided by other persons or agencies and does not claim responsibility for undisclosed or non-visible environmental concerns that may result in costs for environmental clean-up or remediation.

The results of an investigation of this nature should, in no way, be construed as a warranty that the Site is free from any and all contamination from past or current practices. Sampling and analysis of soils, groundwater, and other material were not carried out as part of this investigation.

This report was prepared for the use of White Squadron Development Corporation. Any use of, reliance on, or decisions based on this report by a third party are the responsibility of such third parties. Burnside accepts no responsibility for damages, if any, suffered by any third party as a result of decisions made or actions based on this report. Reports or memoranda resulting from this assignment are not to be used, in whole or in part, outside the client's organization without prior written permission.



BURNSIDE

[THE DIFFERENCE IS OUR PEOPLE]



Figures



		Client	
		WHITE SQUADRON DEVELOPMENT CORPORATION 6119 TRAFALGAR ROAD, MILTON	
Figure Title		PHASE ONE ENVIRONMENTAL SITE ASSESSMENT SITE LOCATION PLAN	
Drawn	Checked	Date	Figure No.
CS	KL	MAY 2025	1
Scale	Project No.		
N.T.S.	300043649		





SCALE 1:1,500

LEGEND

 APPROXIMATE SITE BOUNDARY


Air Photo Source:
Background October 2022 Air Photo obtained from Google Earth Professional / DigitalGlobe © Google Earth, use of products are subject to the Terms and Conditions of Licensed Google Earth Software.



Client
**WHITE SQUADRON
DEVELOPMENT CORPORATION
6119 TRAFALGAR ROAD, MILTON**

Figure Title
**PHASE ONE
ENVIRONMENTAL SITE ASSESSMENT
SITE PLAN**

Drawn CS	Checked KL	Date MAY 2025	Figure No. 2
Scale 1:5,000	Project No. 300043649		



LEGEND

— APPROXIMATE SITE BOUNDARY

Source:
1909 Topographic Map Sheet 030m12, edition 1,
Survey Division, Department of Militia and Defence.




Client
**WHITE SQUADRON
DEVELOPMENT CORPORATION
6119 TRAFALGAR ROAD, MILTON**

Figure Title
**PHASE ONE
ENVIRONMENTAL SITE ASSESSMENT**

1909 TOPOGRAPHIC MAP

Drawn CS	Checked KL	Date MAY 2025	Figure No. 3
Scale N.T.S.	Project No. 300043649		



- Approximate Site Boundary
- Study Area (250 m buffer from Site boundary)
- MECP: Bedrock Well Location (Depth >5m)
- MECP: Overburden Well Location (Depth >5m)
- MECP: Well Location Unknown Stratigraphy
- ▶ Interpreted Groundwater Flow Direction
- MECP: Well Location (Abandoned/Unfinished)
- Building (Location Defined)
- Building
- Fence
- Power Transmission Line
- Rail
- Arterial / Collector Road
- Local Road
- Spot Elevation
- Contour


Sources:
 1. Ministry of Natural Resources, © Queen's Printer for Ontario
 2. Natural Resources Canada © Her Majesty the Queen in Right of Canada.

Datum: North American 1983 CSRS
 Coord. System: NAD 1983 CSRS UTM Zone

Client
**WHITE SQUADRON
 DEVELOPMENT CORPORATION**
 6119 TRAFALGAR ROAD, MILTON

Figure Title
**PHASE ONE
 ENVIRONMENTAL SITE ASSESSMENT**
 REGIONAL TOPOGRAPHY


Drawn	Checked	Date	Figure No.
CS	KL	MAY 2025	4
Scale	Project No.		
1:10,000		300043649	



LEGEND

- Approximate Site Boundary
- Surficial Geology**
- 3: Paleozoic bedrock
- 5d: Glaciolacustrine-derived silty to clayey till
- 8b: Interbedded flow till, rainout deposits and silt and clay
- 9c: Foreshore-basinal deposits
- 19: Modern alluvial deposits
- Unit Contact Boundary
- End Moraine
- Freeway
- Arterial / Collector Road
- Local Road
- Waterbody

Sources:
 1. Ministry of Natural Resources, © Queen's Printer for Ontario
 2. Natural Resources Canada © Her Majesty the Queen in Right of Canada.
 3. Ontario Geological Survey 2010. Surficial geology of southern Ontario; Ontario Geological Survey, Miscellaneous Release—Data 128 – Revised.






BURNSIDE

Client
**WHITE SQUADRON
 DEVELOPMENT CORPORATION**
 6119 TRAFALGAR ROAD, MILTON

Figure Title
**PHASE ONE
 ENVIRONMENTAL SITE ASSESSMENT**
 SURFICIAL GEOLOGY

Drawn CS	Checked KL	Date MAY 2025	Figure No. 5
Scale 1:20,000	Project No. 300043649		




LEGEND

- Approximate Site Boundary
 - Freeway
 - Arterial / Collector Road
 - Local Road
 - Waterbody
- UPPER ORDOVICIAN - 55 Shale, limestone, dolostone, siltstone**
- 55a Queenston Fm.
 - 55b Georgian Bay Fm.; Blue Mountain Fm.; Billings Fm.; Collingwood Mb.; Eastview Mb. MinStr:
- LOWER SILURIAN - 56 Sandstone, shale, dolostone, siltstone**
- 56c Amabel Fm.
 - 56d Clinton Gp.; Cataract Gp.
- Bedrock Geology Unit Boundary
 - Karst: Known Area

Sources:

1. Ontario Geological Survey 2011. 1:250 000 scale bedrock geology of Ontario; Ontario Geological Survey, Miscellaneous Release-Data 126 - Revision 1.
2. Ministry of Natural Resources, © Queen's Printer for Ontario
3. Natural Resources Canada © Her Majesty the Queen in Right of Canada




Client
WHITE SQUADRON DEVELOPMENT CORPORATION
6119 TRAFALGAR ROAD, MILTON

Figure Title
PHASE ONE ENVIRONMENTAL SITE ASSESSMENT BEDROCK GEOLOGY

Drawn CS	Checked KL	Date MAY 2025	Figure No. 6
Scale 1:75,000		Project No. 300043469	



Air Photo Source:
Background air photo reproduced with the permission of Natural Resources Canada, courtesy of the National Air Photo Library



LEGEND

— APPROXIMATE SITE BOUNDARY



Figure Title

**PHASE ONE
ENVIRONMENTAL SITE ASSESSMENT
1946 AERIAL PHOTO**

Client

**WHITE SQUADRON
DEVELOPMENT CORPORATION
6119 TRAFALGAR ROAD, MILTON**

Drawn

CS

Scale

1:12,500

Checked

KL

Date

MAY 2025

Project No.


300043649

Figure No.

7



Air Photo Source:
Background air photo reproduced with the permission of Natural Resources Canada,
courtesy of the National Air Photo Library



LEGEND

——— APPROXIMATE SITE BOUNDARY



Figure Title
**PHASE ONE
ENVIRONMENTAL SITE ASSESSMENT
1960 AERIAL PHOTO**


Client
**WHITE SQUADRON
DEVELOPMENT CORPORATION
6119 TRAFALGAR ROAD, MILTON**

Drawn CS	Checked KL	Date MAY 2025
Scale 1:12,500	Project No. 300043649	

Figure No.
8



Air Photo Source:
Background air photo reproduced with the permission of Natural Resources Canada,
courtesy of the National Air Photo Library



LEGEND

— APPROXIMATE SITE BOUNDARY



Figure Title

**PHASE ONE
ENVIRONMENTAL SITE ASSESSMENT**
1970 AERIAL PHOTO

Client

**WHITE SQUADRON
DEVELOPMENT CORPORATION**
6119 TRAFALGAR ROAD, MILTON

Drawn
CS

Checked
KL

Date
MAY 2025

Scale
1:12,500


Project No.
300043649

Figure No.

9



Air Photo Source:
Background air photo reproduced with the permission of Natural Resources Canada,
courtesy of the National Air Photo Library



LEGEND

— APPROXIMATE SITE BOUNDARY



Figure Title
**PHASE ONE
ENVIRONMENTAL SITE ASSESSMENT**
1984 AERIAL PHOTO


Client
**WHITE SQUADRON
DEVELOPMENT CORPORATION**
6119 TRAFALGAR ROAD, MILTON

Drawn CS	Checked KL	Date MAY 2025
Scale 1:12,500	Project No. 300043649	

Figure No.
10



Air Photo Source:
Background air photo reproduced with the permission of Natural Resources Canada, courtesy of the National Air Photo Library



LEGEND

——— APPROXIMATE SITE BOUNDARY



Figure Title
**PHASE ONE
ENVIRONMENTAL SITE ASSESSMENT
2004 AERIAL PHOTO**

Client
**WHITE SQUADRON
DEVELOPMENT CORPORATION
6119 TRAFALGAR ROAD, MILTON**

Drawn CS	Checked KL	Date MAY 2025
Scale 1:12,500	Project No. 300043649	


Figure No.
11



LEGEND

— APPROXIMATE SITE BOUNDARY


Air Photo Source:
Background 2018 Air Photo obtained from Google Earth Professional / DigitalGlobe ©
Google Earth, use of products are subject to the Terms and Conditions of Licensed
Google Earth Software.



Client
**WHITE SQUADRON
DEVELOPMENT CORPORATION
6119 TRAFALGAR ROAD, MILTON**

Figure Title
**PHASE ONE
ENVIRONMENTAL SITE ASSESSMENT
2018 AERIAL PHOTO**

Drawn CS	Checked KL	Date MAY 2025	Figure No. 12
Scale 1:5,000	Project No. 300043649		



LEGEND

- APPROXIMATE SITE BOUNDARY
- RIVER FLOW DIRECTION
- INFERRED DIRECTION OF GROUNDWATER FLOW
- 28 POTENTIALLY CONTAMINATING ACTIVITY
- APEC-1 AREA OF POTENTIAL ENVIRONMENTAL CONCERN
- APEC-1 (related to PCA 28) three former aboveground fuel storage tanks.
- APEC-2 (related to PCA 27) inside pole barn, storage of oils, lubricants, and coolants for equipment maintenance.
- APEC-3 (related to PCA 28) potential fuel oil tank at former farmhouse location.
- APEC-4 (related to PCA 40) potential application of pesticides on cultivated farmland.


Potentially Contaminating Activities (defined in O. Reg. 153/04):

PCA 27. Garages and Maintenance and Repair of Railcars, Marine Vehicles, and Aviation Vehicles

PCA 28. Gasoline and Associated Products Storage in Fixed Tanks

PCA 40. Pesticides (including herbicides, fungicides and anti-fouling agents) manufacturing, processing, bulk storage and large-scale applications

Air Photo Source:
Background 2022 Air Photo obtained from Google Earth Professional / DigitalGlobe © Google Earth, use of products are subject to the Terms and Conditions of Licensed Google Earth Software.



Client
WHITE SQUADRON DEVELOPMENT CORPORATION
6119 TRAFALGAR ROAD, MILTON

Figure Title
PHASE ONE ENVIRONMENTAL SITE ASSESSMENT
CONCEPTUAL SITE MODEL

Drawn CS	Checked KL	Date MAY 2025	Figure No. 13
Scale 1:5,000	Project No. 300043649		



BURNSIDE

[THE DIFFERENCE IS OUR PEOPLE]

Appendix A

Title Search and Land Transfer Documents

LAND
REGISTRY
OFFICE #20

24938-0165 (LT)

* CERTIFIED IN ACCORDANCE WITH THE LAND TITLES ACT * SUBJECT TO RESERVATIONS IN CROWN GRANT *

PROPERTY DESCRIPTION: PART LOT 6 CONCESSION 8 TRAFALGAR NEW SURVEY BEING PART 1 PLAN 20R20642 SAVE AND EXCEPT PART 5 PLAN 20R20955; SUBJECT TO AN EASEMENT IN GROSS AS IN HR1447450; TOWN OF MILTON

PROPERTY REMARKS: FOR THE PURPOSE OF THE QUALIFIER THE DATE OF ABSOLUTE TITLE IS 2016 10 26.

ESTATE/QUALIFIER:
FEE SIMPLE
LT ABSOLUTE PLUS

RECENTLY:
DIVISION FROM 24938-0151


PIN CREATION DATE:
2019/08/12

OWNERS' NAMES
WHITE SQUADRON DEVELOPMENT CORPORATION

CAPACITY SHARE
ROWN

REG. NUM.	DATE	INSTRUMENT TYPE	AMOUNT	PARTIES FROM	PARTIES TO	CERT/CHKD
** PRINTOUT INCLUDES ALL DOCUMENT TYPES AND DELETED INSTRUMENTS SINCE 2019/08/12 **						
**SUBJECT TO SUBSECTION 44(1) OF THE LAND TITLES ACT, EXCEPT PARAGRAPHS 3 AND 14 AND *						
** PROVINCIAL SUCCESSION DUTIES AND EXCEPT PARAGRAPH 11 AND ESCHEATS OR FORFEITURE **						
** TO THE CROWN UP TO THE DATE OF REGISTRATION WITH AN ABSOLUTE TITLE. **						
H774555	1999/01/29	TRANSFER	\$990,000	KHANNA, RANBIR S.	WHITE SQUADRON DEVELOPMENT CORPORATION	C
20R20642	2016/10/19	PLAN REFERENCE				C
HR1404773	2016/10/26	APL ABSOLUTE TITLE		WHITE SQUADRON DEVELOPMENT CORPORATION		C
20R20660	2016/11/16	PLAN REFERENCE				C
HR1447450	2017/04/19	TRANSFER EASEMENT	\$2	WHITE SQUADRON DEVELOPMENT CORPORATION	THE REGIONAL MUNICIPALITY OF HALTON	C
HR1741988	2020/11/05	NOTICE	\$2	WHITE SQUADRON DEVELOPMENT CORPORATION	THE REGIONAL MUNICIPALITY OF HALTON	C

SCALE



PROPERTY INDEX MAP
HALTON(No. 20)

LEGEND

FREEHOLD PROPERTY	
LEASEHOLD PROPERTY	
LIMITED INTEREST PROPERTY	
CONDOMINIUM PROPERTY	
RETIRED PIN (MAP UPDATE PENDING)	
PROPERTY NUMBER	0449
BLOCK NUMBER	08050
GEOGRAPHIC FABRIC	
EASEMENT	

THIS IS NOT A PLAN OF SURVEY

NOTES


REVIEW THE TITLE RECORDS FOR COMPLETE PROPERTY INFORMATION AS THIS MAP MAY NOT REFLECT RECENT REGISTRATIONS

THIS MAP WAS COMPILED FROM PLANS AND DOCUMENTS RECORDED IN THE LAND REGISTRATION SYSTEM AND HAS BEEN PREPARED FOR PROPERTY INDEXING PURPOSES ONLY

FOR DIMENSIONS OF PROPERTIES BOUNDARIES SEE RECORDED PLANS AND DOCUMENTS

ONLY MAJOR EASEMENTS ARE SHOWN

REFERENCE PLANS UNDERLYING MORE RECENT REFERENCE PLANS ARE NOT ILLUSTRATED



FOR OFFICE USE ONLY

774555

(1) Registry Land Titles (2) Page 1 of 2 pages
 (3) Property Identifier(s) Block Property
 24938-6082 (LT)

CERTIFICATE OF RECEIPT
HALTON (20) MILTON

(4) Consideration **NINE HUNDRED NINETY THOUSAND**
Dollars \$990,000.00

'99 JAN 29 PM 4 40

(5) Description This is a: Property Division Property Consolidation
Part of Lot 6, Concession 8 N.S.
Town of Milton (formerly Township of Trafalgar) Regional
Regional Municipality of Halton AS IN 852552
 (as more particularly described in the schedule attached hereto)
EXCEPT PARTS 1, 2, 3, 4 EX 191.
 Registry Division of Halton Region (No. 20)

New Property Identifiers *[Signature]* Additional: See Schedule

Executions *[Signature]* Additional: See Schedule

(6) This Document Contains (a) Redescription New Easement Plan/Sketch (b) Schedule for: Description Additional Parties Other

(7) Interest/Estate Transferred Fee Simple

(8) Transferor(s) The transferor hereby transfers the land to the transferee and certifies that the transferor is at least eighteen years old and that **I AM A SPOUSE AND THE PROPERTY IS NOT ORDINARILY OCCUPIED BY ME AND MY SPOUSE WHO IS NOT SEPARATED FROM ME AS OUR FAMILY RESIDENCE.**

Name(s) **KHANNA, Ranbir S., In Trust** Signature(s) *[Signature]* Date of Signature Y M D **1999 01 29**

(9) Spouse(s) of Transferor(s) I hereby consent to this transaction Name(s) Signature(s) Date of Signature Y M D

(10) Transferor(s) Address for Service **6119 Trafalgar Road, Milton, Ontario**

(11) Transferee(s) **WHITE SQUADRON DEVELOPMENT CORPORATION** Date of Birth Y M D

(12) Transferee(s) Address for Service **2360 Briston Circle, Oakville, Ontario, L6H 6M5**

(13) Transferor(s) The transferor verifies that to the best of the transferor's knowledge and belief, this transfer does not contravene section 50 of the Planning Act. Signature Date of Signature Y M D

(14) Solicitor for Transferee(s) I have investigated the title to this land and to abutting land where relevant and I am satisfied that the title records reveal no contravention as set out in subclause 50 (22) (c) (ii) of the Planning Act and that to the best of my knowledge and belief this transfer does not contravene section 50 of the Planning Act. I act independently of the solicitor for the transferor(s) and I am an Ontario solicitor in good standing. Name and Address of Solicitor Signature Date of Signature Y M D

(15) Assessment Roll Number of Property **24 09 090 090 02800** City, Mun. Map Sub. Par.

(16) Municipal Address of Property **6119 Trafalgar Road Milton, Ontario**

(17) Document Prepared by: *[Signature]*
Gina Ceci
165 Main Street North
Brampton, Ontario
L6X 1N1

Fees and Tax	
Registration Fee	\$0
Land Transfer Tax	pre-pd
Total	\$0

Refer to all instructions on reverse side.

IN THE MATTER OF THE CONVEYANCE OF (insert brief description of land)

Part of Lot 6, Concession 8, New Survey
Town of Milton, Regional Municipality of Halton

BY (print names of all transferors in full) **Ranbir S. Khanna**

TO (see instruction 1 and print names of all transferees in full) **White Squadron Development Corporation**

1. (see instruction 2 and print name(s) in full) **Peter E. Gilgan**

TAKE OATH AND SAY THAT:

I am (place a clear mark within the square opposite that one of the following paragraphs that describes the capacity of the deponent(s)): (see instruction 2)

- (a) A person in trust for whom the land conveyed in the above-described conveyance is being conveyed;
- (b) A trustee named in the above-described conveyance to whom the land is being conveyed;
- (c) A transferee named in the above-described conveyance;
- (d) The authorized agent or solicitor acting in this transaction for (insert name(s) of principal(s))

(e) The President, Vice-President, Manager, Secretary, Director, or Treasurer authorized to act for (insert name(s) of corporation(s)) **White Squadron Development Corporation**

(f) A transferee described in paragraph () (insert only one of paragraph (a), (b) or (c) above, as applicable) and am making this affidavit on my own behalf and on behalf of (insert name of spouse) who is my spouse described in paragraph () (insert only one of paragraph (a), (b) or (c) above, as applicable) and as such, I have personal knowledge of the facts herein deposed to.

2. (To be completed where the value of the consideration for the conveyance exceeds \$400,000).

I have read and considered the definition of "single family residence" set out in clause 1(1)(ja) of the Act. The land conveyed in the above-described conveyance

- contains at least one and not more than two single family residences.
- does not contain a single family residence.
- contains more than two single family residences. (see instruction 3)

Note: Clause 2(1)(d) imposes an additional tax at the rate of one-half of one per cent upon the value of consideration in excess of \$400,000 where the conveyance contains at least one and not more than two single family residences.

3. I have read and considered the definitions of "non-resident corporation" and "non-resident person" set out respectively in clauses 1(1)(f) and (g) of the Act and each of the following persons to whom or in trust for whom the land is being conveyed in the above-described conveyance is a "non-resident corporation" or a "non-resident person" as set out in the Act. (see instructions 4 and 5) **none**

4. THE TOTAL CONSIDERATION FOR THIS TRANSACTION IS ALLOCATED AS FOLLOWS:

(a) Monies paid or to be paid in cash	\$	<u>Nil</u>	} All Blanks Must Be Filled In. Insert "Nil" Where Applicable
(b) Mortgages (i) Assumed (show principal and interest to be credited against purchase price)	\$	<u>Nil</u>	
(ii) Given back to vendor	\$	<u>Nil</u>	
(c) Property transferred in exchange (detail below)	\$	<u>Nil</u>	
(d) Securities transferred to the value of (detail below)	\$	<u>Nil</u>	
(e) Liens, legacies, annuities and maintenance charges to which transfer is subject	\$	<u>Nil</u>	
(f) Other valuable consideration subject to land transfer tax (detail below)	\$	<u>Nil</u>	
(g) VALUE OF LAND, BUILDING, FIXTURES AND GOODWILL SUBJECT TO LAND TRANSFER TAX (Total of (a) to (f))	\$	<u>Nil</u> \$ <u>Nil</u>	
(h) VALUE OF ALL CHATTELS - items of tangible personal property (Retail Sales Tax is payable on the value of all chattels unless exempt under the provisions of the "Retail Sales Tax Act", R.S.O. 1990, c.434, as amended)	\$	<u>Nil</u>	
(i) Other consideration for transaction not included in (g) or (h) above	\$	<u>Nil</u>	
(j) TOTAL CONSIDERATION	\$	<u>Nil</u>	

5. If consideration is nominal, describe relationship between transferor and transferee and state purpose of conveyance. (see instruction 6) **n/a**

6. If the consideration is nominal, is the land subject to any encumbrance? **n/a**

7. Other remarks and explanations, if necessary: **The Land Transfer Tax payable hereunder was paid on the 31st day of July, 1997 when the Application to Register Caution was registered on title as Instrument Number 691479.**

Sworn before me at the **City of Mississauga**
in the **Regional Municipality of Peel**
this 2nd day of **January** 19 **99**

Property Information Record

A. Describe nature of instrument: **Transfer/Deed of Land**

B. (i) Address of property being conveyed (if available) **6119 Trafalgar Road, Milton, Ontario**

(ii) Assessment Roll No. (if available) **24 09 090 090 08800**

C. Mailing address(es) for future Notices of Assessment under the Assessment Act for property being conveyed (see instruction 7) **2360 Bristol Circle, Oakville, Ontario L6H 6M5**

D. (i) Registration number for last conveyance of property being conveyed (if available) **852552**

(ii) Legal description of property conveyed: Same as in D.(i) above. Yes No Not known

E. Name(s) and address(es) of each transferee's solicitor
Mary Corrente, Law Clerk, Thompson, MacColl & Stacy
5 - 1020 Matheson Blvd. E., Mississauga, Ontario, L4W 4J9
File 11420

For Land Registry Office Use Only

Registration No. _____

Registration Date _____ Land Registry Office No. _____

School Tax Support (Voluntary Election) See reverse for explanation

- (a) Are all individual transferees Roman Catholic? Yes No
 - (b) If Yes, do all individual transferees wish to be Roman Catholic Separate School Supporters? Yes No
 - (c) Do all individual transferees have French Language Education Rights? Yes No
 - (d) If Yes, do all individual transferees wish to support the French Language School Board (where established)? Yes No
- NOTE: As to (c) and (d) the land being transferred will be assigned to the French Public School Board or Sector unless otherwise directed in (a) and (b).

Transfer/Deed of Land

Form 1 -- Land Registration Reform Act

A

852552

(1) Registry Land Titles (2) Page 1 of 3 pages

(3) Property Identifier(s) Block Property Additional See Schedule

(4) Consideration SIX HUNDRED AND TWENTY-FIVE THOUSAND Dollars \$ 625,000.00

(5) Description This is a: Property Division Property Consolidation

Part of Lot 6, Concession 8 N.S.
Town of Milton (formerly Township of Trafalgar)
Regional Municipality of Halton
(As more particularly described in the schedule attached hereto)

Registry Division of Halton Region (No. 20)

'96 JUN 5 PM 1 04

New Property Identifiers

Additional See Schedule

Executions

Additional See Schedule

(6) This Document Contains (a) Redescription New Easement Plan/Sketch (b) Schedule for: Description Additional Parties Other (7) Interest/Estate Transferred Fee Simple

(8) Transferor(s) The transferor hereby transfers the land to the transferee and certifies that the transferor is at least eighteen years old and that

Name(s) BLUE ORCHID HOLDINGS LIMITED Per: *R. Fromer* Signature(s) Date of Signature Y M D 1996 05 28
Per: Ralph Fromer, President
Per: *H. Wertheim* Signature(s) Date of Signature Y M D 1996 05 28
Per: Harrie Wertheim, Vice-President
(We have authority to bind the corporation)

(9) Spouse(s) of Transferor(s) I hereby consent to this transaction Name(s) Signature(s) Date of Signature Y M D

(10) Transferor(s) Address for Service 30 Wertheim Court, Unit 1, Richmond Hill, Ontario L4B 1B9

(11) Transferee(s) KHANNA, Ranbir S., in Trust Date of Birth Y M D 1924 09 10

(12) Transferee(s) Address for Service c/o 165 Main Street North, Brampton, Ontario L6X 1N1

(13) Transferor(s) The transferor verifies that to the best of the transferor's knowledge and belief, this transfer does not contravene section 50 of the Planning Act. Per: Ralph Fromer, President Date of Signature 1996 05 28 Per: Harrie Wertheim, Vice-Pres. Date of Signature 1996 05 28

Solicitor for Transferor(s) I have explained the effect of section 50 of the Planning Act to the transferor and I have made inquiries of the transferor to determine that this transfer does not contravene that section and based on the information supplied by the transferor, to the best of my knowledge and belief, this transfer does not contravene that section. I am an Ontario solicitor in good standing. Name and Address of Solicitor Irwin Cooper 1120 Finch Ave. W., Ste. 601 North York, Ont. M3J 3H7 Signature Date of Signature 1996 05 28

(14) Solicitor for Transferee(s) I have investigated the title to this land and to abutting land where relevant and I am satisfied that the title records reveal no contravention as set out in subclause 50 (22) (c) (i) of the Planning Act and that to the best of my knowledge and belief this transfer does not contravene section 50 of the Planning Act. I act independently of the solicitor for the transferor(s) and I am an Ontario solicitor in good standing.

Name and Address of Solicitor Signature Date of Signature Y M D

(15) Assessment Roll Number of Property City Mun. Map Sub. Par. 25 24 090 090 08800

(16) Municipal Address of Property 6119 Trafalgar Road Milton, Ontario (17) Document Prepared by: IRWIN COOPER 1120 Finch Avenue West Suite 601 North York, Ontario M3J 3H7

Fees and Tax	
Registration Fee	50
Land Transfer Tax	7850
Total	

Planning Act - OPTIONAL

Affix Statement by Solicitor for transferee(s) here if necessary

FOR OFFICE USE ONLY

Additional Property Identifier(s) and/or Other Information

(6) Description (Continued)

Part of Lot 6, Concession 8, Town of Milton, Regional Municipality of Halton (formerly Township of Trafalgar new survey) more particularly described as follows:

PREMISING that the bearings are referred to the widened limit of the road allowance between Concessions 7 and 8 as shown on County plan deposited as Number 63 Miscellaneous as being North 45 degrees West;

COMMENCING at an iron bar marking the most easterly corner of the road allowance between Concessions 7 and 8 as widened by the County of Halton (now the Regional Municipality of Halton) through the said Lot 6 and as shown on the deposited plan, the said iron bar being distant the following two courses measured along the southwesterly limit of the said Lot and the southeasterly limit of the said Lot, North 45 degrees 00 minutes West, 260.96 feet; North 39 degrees and 14 minutes East 17.08 feet to the said point of commencement;

THENCE North 45 degrees 00 minutes West following the northeasterly limit of the said road allowance as widened by the said County by the said deposited plan and by deposited Plan Number 1255 Miscellaneous, 1,739.65 feet to an iron bar in the line between Lots 6 and 7 as defined by an old post and wire fence;

THENCE North 37 degrees 58 minutes 30 seconds East following the said line between Lots as fenced, 107.63 feet to an iron bar;

THENCE North 36 degrees 39 minutes 30 seconds East along the previous site of an old wire fence (presently relocated to the west for convenience only due to flooding) 261.21 feet to an iron bar;

THENCE continuing in a northeasterly direction along the line between Lots as defined by the said old fence, the following courses:

North 37 degrees 58 minutes 30 seconds East 598.48 feet to an iron bar;
North 38 degrees 32 minutes 50 seconds East, 600.03 feet to an iron bar; North 37 degrees 58 minutes 30 seconds East 653.06 feet to an iron bar marking the northerly corner of the southwest half of the said Lot and being in an old post and wire fence defining the line between the northeast and southwest halves of the said Lot, distant 29.89 feet measured North 44 degrees 47 minutes 30 seconds West from an iron bar in the said fence;

THENCE South 44 degrees 47 minutes 30 seconds East following the said line between halves as fenced, 2,041.10 feet to a large corner fence post marking the easterly corner of the said southwest half and distant 3.23 feet measured South 44 degrees 47 minutes 30 seconds East from an iron bar in the said fence;

THENCE South 38 degrees 59 minutes 30 seconds West along the southeasterly limit of the said Lot 2,059.17 feet to an iron bar in the line of an old post and wire fence defining the northeasterly and northwesterly limit of the lands described in Instrument Number 193401 as fenced;

THENCE North 45 degrees 00 minutes West along the said old fence 260.26 feet to an iron bar;

THENCE South 39 degrees 14 minutes West following the aforementioned old post and wire fence, 149.24 feet to the point of commencement;

The above described parcel of land contains 101.289 acres and is more particularly shown in heavy outline on a print of Survey prepared by A.T. McLaren, O.L.S. dated June 26, 1969.

As previously described in Instrument Number 815480.

**Affidavit of Residence and of Value of the Consideration
Form 1 - Land Transfer Tax Act**

Refer to all instructions on reverse side.
IN THE MATTER OF THE CONVEYANCE OF (insert brief description of land) Part of Lot 6 Concession 8 N.S., Town
of Milton (formerly Township of Trafalgar) Regional Municipality of Halton as
more particularly described on schedule attached hereto.

BY (print names of all transferors in full) BLUE ORCHID HOLDINGS LIMITED

TO (see instruction 1 and print names of all transferees in full) Ranbir S. Khanna, In Trust

I. (see instruction 2 and print name(s) in full) Ranbir S. Khanna

MAKE OATH AND SAY THAT:

1. I am (place a clear mark within the square opposite that one of the following paragraphs that describes the capacity of the deponent(s)): (see instruction 2)
- (a) A person in trust for whom the land conveyed in the above-described conveyance is being conveyed;
 - (b) A trustee named in the above-described conveyance to whom the land is being conveyed;
 - (c) A transferee named in the above-described conveyance;
 - (d) The authorized agent or solicitor acting in this transaction for (insert name(s) of principal(s)) _____

_____ described in paragraph(s) (a), (b), (c) above; (strike out references to inapplicable paragraphs)

(e) The President, Vice-President, Manager, Secretary, Director, or Treasurer authorized to act for (insert name(s) of corporation(s)) _____

_____ described in paragraph(s) (a), (b), (c) above; (strike out references to inapplicable paragraphs)

(f) A transferee described in paragraph () (insert only one of paragraph (a), (b) or (c) above, as applicable) and am making this affidavit on my own behalf and on behalf of (insert name of spouse) _____ who is my spouse described in paragraph () (insert only one of paragraph (a), (b) or (c) above, as applicable) and as such, I have personal knowledge of the facts herein deposed to.

2. (To be completed where the value of the consideration for the conveyance exceeds \$400,000).
- I have read and considered the definition of "single family residence" set out in clause 1(1)(j) of the Act. The land conveyed in the above-described conveyance
- contains at least one and not more than two single family residences.
 - does not contain a single family residence.
 - contains more than two single family residences. (see instruction 3)
- Note: Clause 2(1)(d) imposes an additional tax at the rate of one-half of one per cent upon the value of consideration in excess of \$400,000 where the conveyance contains at least one and not more than two single family residences.

3. I have read and considered the definitions of "non-resident corporation" and "non-resident person" set out respectively in clauses 1(1)(f) and (g) of the Act and each of the following persons to whom or in trust for whom the land is being conveyed in the above-described conveyance is a "non-resident corporation" or a "non-resident person" as set out in the Act. (see instructions 4 and 5) None

4. THE TOTAL CONSIDERATION FOR THIS TRANSACTION IS ALLOCATED AS FOLLOWS:

(a) Monies paid or to be paid in cash	\$	<u>625,000.00</u>		
(b) Mortgages (i) Assumed (show principal and interest to be credited against purchase price)	\$	<u>Nil</u>	} All Blanks Must Be Filled In. Insert "Nil" Where Applicable	
(ii) Given back to vendor	\$	<u>Nil</u>		
(c) Property transferred in exchange (detail below)	\$	<u>Nil</u>		
(d) Securities transferred to the value of (detail below)	\$	<u>Nil</u>		
(e) Liens, legacies, annuities and maintenance charges to which transfer is subject	\$	<u>Nil</u>		
(f) Other valuable consideration subject to land transfer tax (detail below)	\$	<u>Nil</u>		
(g) VALUE OF LAND, BUILDING, FIXTURES AND GOODWILL SUBJECT TO LAND TRANSFER TAX (Total of (a) to (f))	\$	<u>625,000.00</u>	\$	<u>625,000.00</u>
(h) VALUE OF ALL CHATTELS - Items of tangible personal property (Retail Sales Tax is payable on the value of all chattels unless exempt under the provisions of the "Retail Sales Tax Act", R.S.O. 1980, c.454, as amended)	\$	<u>Nil</u>		
(i) Other consideration for transaction not included in (g) or (h) above	\$	<u>Nil</u>		
(j) TOTAL CONSIDERATION	\$	<u>625,000.00</u>		

5. If consideration is nominal, describe relationship between transferor and transferee and state purpose of conveyance. (see instruction 6) n/a

6. If the consideration is nominal, is the land subject to any encumbrance? n/a

7. Other remarks and explanations, if necessary. n/a

Sworn before me at the City of Brampton
in the Regional Municipality of Peel
this 13th day of May 1996

A Commissioner for taking Affidavits, etc.

Ranbir S. Khanna, In Trust
signature(s)

Property Information Record

A. Describe nature of instrument: Transfer/Deed of Land

B. (i) Address of property being conveyed (if available) 6119 Trafalgar Road, Milton, Ontario

(ii) Assessment Roll No. (if available) 19 24 090 090 08800

C. Mailing address(es) for future Notices of Assessment under the Assessment Act for property being conveyed (see instruction 7) 6119 Trafalgar Road, Milton, Ontario

D. (i) Registration number for last conveyance of property being conveyed (if available) _____

(ii) Legal description of property conveyed: Same as in D.(i) above. Yes No Not known

E. Name(s) and address(es) of each transferee's solicitor
Gina Ceci
Barrister & Solicitor, 165 Main Street N., Brampton, Ontario, L6X 1N1

For Land Registry Office Use Only	
Registration No.	
Registration Date	Land Registry Office No.

School Tax Support (Voluntary Election) See reverse for explanation

(a) Are all individual transferees Roman Catholic? Yes No

(b) If Yes, do all individual transferees wish to be Roman Catholic Separate School Supporters? Yes No

(c) Do all individual transferees have French Language Education Rights? Yes No

(d) If Yes, do all individual transferees wish to support the French Language School Board (where established)? Yes No

NOTE: As to (c) and (d) the land being transferred will be assigned to the French Public School Board or Sector unless otherwise directed in (a) and (b). 0489D (90-09)




BURNSIDE

[THE DIFFERENCE IS OUR PEOPLE]

Appendix B

Plan of Survey



SITE BOUNDARY

**PLAN OF SURVEY OF
PART OF LOT 6
CONCESSION 8, NEW SURVEY
(GEOGRAPHIC TOWNSHIP OF TRAFALGAR)
TOWN OF MILTON
REGIONAL MUNICIPALITY OF HALTON**

SCALE 1:1000
 P-R-E SURVEYING LTD., O.L.S.
 METRIC
 DISTANCES AND COORDINATES SHOWN ON THIS PLAN ARE IN METRES AND CAN BE CONVERTED TO FEET BY DIVIDING BY 0.3048.

- NOTES**
- DENOTES MONUMENT SET
 - DENOTES MONUMENT FOUND
 - SSB DENOTES SHORT STANDARD IRON BAR
 - SB DENOTES STANDARD IRON BAR
 - RIB DENOTES ROUND IRON BAR
 - IB DENOTES IRON BAR
 - P.I.N. DENOTES PROPERTY IDENTIFIER NUMBER
 - PL1 DENOTES EXPROPRIATION PLAN EX-191
 - PL2 DENOTES PLAN 20R-12032
 - PL3 DENOTES PLAN 20R-11633
 - PL4 DENOTES PLAN 20R-4673
 - PL5 DENOTES PLAN 20R-20642
 - PL6 DENOTES PLAN 20R-20955
 - (B24) DENOTES A.T. MCLAREN, O.L.S.
 - (S50) DENOTES F.G. CUNNINGHAM, O.L.S.
 - (N) DENOTES NOT IDENTIFIED
 - SCP DENOTES SPECIFIED CONTROL POINT

BEARINGS ARE GRID, UTM ZONE 17, NAD83 (ORIGINAL), DERIVED FROM:
 SCP 0011983360 NORTH 481845.739 EAST 600361.085
 SCP 1071999027 NORTH 4819957.108 EAST 602863.022

COORDINATES ARE UTM ZONE 17, NAD83 (ORIGINAL), TO URBAN ACCURACY PER SEC. 14 (2) OF OREG. 216/10, AND CANNOT, IN THEMSELVES, BE USED TO RE-ESTABLISH CORNERS OR BOUNDARIES SHOWN ON THIS PLAN.

DISTANCES ARE GROUND AND CAN BE CONVERTED TO GRID BY MULTIPLYING BY THE COMBINED SCALE FACTOR OF 0.999680.


SURVEYOR'S CERTIFICATE

I CERTIFY THAT:

- THIS SURVEY AND PLAN ARE CORRECT AND IN ACCORDANCE WITH THE SURVEYS ACT, THE SURVEYORS ACT AND THE REGULATIONS MADE UNDER THEM.
- THE SURVEY WAS COMPLETED ON THE 15th DAY OF MAY 2021.

DATE MAY 17th 2021.

R. Donbruder
 R. DONBRUDER
 ONTARIO LAND SURVEYOR



fpe R-P-E SURVEYING LTD.
 ONTARIO LAND SURVEYORS
 643 Christie Road, Suite 7
 Woodbridge, Ontario L4L 8A3
 Tel. (416) 635-5000 Fax (416) 635-5001
 Tel. (905) 264-0881 Fax (905) 264-2099
 Website: www.r-pe.ca
 DRAWN: A.O. CHECKED: R.D.
 JOB No. 06-300 CAD FILE No. 06300R02-RSC
 Mar 26, 2021- 09:30:00

BRITANNIA ROAD (REGIONAL ROAD No. 6)
 (ROAD ALLOWANCE BETWEEN LOTS 5 AND 6)
 P.I.N. 24938 - 0154




BURNSIDE

[THE DIFFERENCE IS OUR PEOPLE]


Appendix C

Historical Maps

1858 Township of Trafalgar Map showing Site on Lot 6, Concession 8



1877 Township of Trafalgar Map showing Site on Lot 6, Concession 8



Full record for Hood, William

Last Name	Hood
First Name	William
Post Office	Drumquin
Township	Trafalgar North
County	Halton
Atlas Date	1877

Concession and Lot	Lot size
VIII, 6	100



BURNSIDE


[THE DIFFERENCE IS OUR PEOPLE]

Appendix D

Fire Insurance Plan Search Results

Ontario Fire Insurance Plans - Western Libraries - Western University

Municipality	Plans
MILTON	1880 Rev. 1885 (Chas. E. Goad), 1 sheet
	1893 Rev. 1904 (Chas. E. Goad), 3 sheets
	1916 (The Map Company), 1 sheet
	1927 (Underwriters' Survey Bureau Limited), 7 sheets





BURNSIDE

[THE DIFFERENCE IS OUR PEOPLE]

Appendix E

City Directory Search Results

Directory Location Map for Listings on Trafalgar Road



1870 Directory - Trafalgar Township, Halton County

GAZETTEER AND DIRECTORY.

71

	Lot.	Con.		Lot.	Con.
Hebblethwaite, Jerem'ih	3	28	Jeffery, John.....	2	32 f
Hempstreet, Richd.....	6	11 f	Jenkins, Thos.....	3	5 f
Henderson, Jos.....	1	5 f	Johnson, James.....	3	5 f
Henderson, Wm.....	7	5 f	Johnston, Aaron.....	1	5 f
Hill, Erastus D.	2	1 f	Johnston, Benj.....	5	2 f
Hill, James.....	3	5h	Johnston, Henry.....	1	3 f
Hilton, Chas.....	2	26 f	Johnston, Thos.....	5	1 f
Hilton, Chas. E.....	2	26h	Jones, John.....	2	13 f
Hingston, Francis B..	2	12 f	Joyce, Geo.....	2	27h
Hingston, John.....	2	12h	Joyce, Wm.....	5	6h
Hinton, Thos.....	4	22 f	Kaitling, John.....	1	18h
Hiscou, Joseph.....	3	31 f	Kaitling, Wm. sen.....	1	18 f
Hogg, Alex.....	1	13 f	Kaitling, Wm. jun.....	1	17 f
Hollandgreen, Levi.....	8	12 f	Kelly, Edward.....	3	12 f
Holland, Wm.....	3	10h	Kenney, Cyrus.....	4	19 f
Hood, Wm.....	8	6 f	Kenney, D. R.....	6	6 f
Hopgood, Richard.....	3	10 f	Kenney, John H.....	4	18 f
House, James.....	1	3 f	Kenney, Joseph E.....	4	18 f
Howard, Thos.....	7	1h	Kenney, Peter.....	2	12 f
Howcett, John.....	3	31 f	Kenney, Samuel D.....	6	6 f
Howell, John T.....	3	19 f	Kenney, Wm.....	2	12 f
Howell, Wm. B.....	1	24 f	Kennedy, David.....	2	24
Howes, Jonathan.....	8	8 f	Kennedy, Wm. G.....	10	13 f
Howes, Robt.....	6	7 f	Kentnor, John.....	9	7 f
Howes, Wm.....	7	8 f	Kentnor, Robt.....	7	9 f
Huffman, Godfrey..	2	8 f	Kindree, Amos, sen.....	11	10
Hughes, Robt.....	4	5 f	Kindree, Amos, jun.....	11	13
Hunter, James.....	3	8 f	Kindree, Asa.....	10	9
Hunter, John.....	3	8 f	King, John.....	2	1 f
Husband, John.....	3	25 f	King, Obed.....	2	1h
Husband, George.....	3	26 f	King, Robt.....	1	4 f
Hyland, Patrick.....	1	9h	King, Samuel.....	7	15 f
Hyland, Patrick.....	3	10h	Kitchen, Alfred.....	3	5 f
Inglehart, John E.....	1	32 f	Lambert, Joseph.....	4	26h
Inglehart, John.....	1	35 f	Land, Wm.....	1	31h
Inglehart, Wm. C.....	2	31 f	Langrill, Mathew.....	3	8 f
Inglehart, Thos.....	1	33 f	Langtry, Geo.; sen.....	2	29 f
Inglehart, P. J.....	1	31 f	Langtry, Geo.; jun.....	2	29
Irving, Wm.....	7	14 f	Langtry, Wm.....	2	27 f
Jacklin, Augustus.....	4	8	Lawrence, Cyrus.....	1	5 f
Jackson, John.....	6	—	Lawrence, Ferris.....	2	1 f
Jackson, J. H.....	6	15	Lawrence, Geo., sen.....	3	1 f
Jarvis, Chas.....	2	33 f	Lawrence, Geo., jun.....	3	1h
Jarvis, James.....	3	2 f	Lawrence, Jacob.....	1	31 f
Jeffery, Edward.....	2	3 f	Lawrence, Walter D.....	1	30 f
Jeffery, John N.....	3	10 f	Leach, Chas.....	3	3 f

1885 Directory - Trafalgar Township, Halton County

TOWNSHIP OF TRAFALGAR.

58

	Con.	Lot.		Con.	Lot.
Hemstreet Benj, Hornby	6 ns	11 f	Hustler Jno, Hornby	11 ns	14
Hemstreet R, Hornby	6 ns	11 f	Ingledew Wm, Bronte	no	22 f
Henderson A D, Omagh	5 ns	6 t	Inglehart Har, Palermo	1 sd	32 f
Henderson Hy, Bronte	4 no	32 t	Inglehart J E, Palermo	1 sd	32 f
Henderson Jno, Milton	3 ns	8 f	Inglehart P L, Palermo	1 sd	33 f
Henderson Wm, Omagh	5 ns	6 f	Inglehart Wm C, Palermo	2 sd	31 f
Hetherington J S, Omagh	6 ns	5 t	Irwin Wm, Hornby	7 ns	14 f
Hill Jas W, Oakville	3 sd	5 t	Jackson Jas, Bronte	nc	18 t
Hillary G G, Bronte	4 no	22 f	Jardine Jas, Palermo	1 nd	35 t
Hilton Chas, Oakville	2 sd	26 f	Jardine Jno, Palermo	1 nd	35 t
Hilton Hy, Oakville	9 sd	26 t	Jarrett Robt, Palermo	1 sd	28 f
Hingston C G P, Omagh	6 ns	1 t	Jarvis Arch, Boyne	3 ns	2 f
Hingston F B, Oakville	2 sd	12 f	Jarvis Jas, Boyne	2 ns	2 f
Hinton Adam, Bronte	sc	16 t	Jarvis John, Boyne	2 ns	3 f
Hinton Ed, Bronte	ss	8 f	Jefferies T M, Oakville	3 sd	10 f
Holland Wm, Bronte	no	23 t	Johnson Aaron, Oakville	1 sd	5 f
Hollinger L Hornby	8 ns	12 f	Johnston Jas, Hornby	7 ns	9 f
Hood A, Drumquin	8 ns	6	Johnson Jas, Trafalgar	1 nd	14
Hood Wm, Drumquin	8 ns	6 f	Johnson Jno, Trafalgar	2 nd	21 t
Hope Hy,	1 nd	2 t	Johnson Wm, Trafalgar	1 nd	14 f
Hope Jno, Palermo	1 sd	31 t	Johnson W A Bronte	ns	16 f
Hope Wm, Palermo	1 sd	32 t	Johnson Wm, jr, Trafalgar	1 nd	14
Horn Geo, Milton	2 ns	1 t	Johnston Benj, Oakville	5 ns	1 f
Horning Philip, Bronte	4 no	32 f	Johnston Dav, Palermo	1 nd	28 f
House Alfred, Trafalgar	1 nd	4 t	Johnston J, Streetsville	11 ns	5 f
Howe D, Hornby,	9 ns	14 t	Johnston J H, Omagh	3 ns	10 t
Howell Geo, Palermo	1 sd	27 t	Johnston W G, Oakville	5 ns	2
Howell W R, Trafalgar	1 sd	24 f	Jones Jno, Milton	2 nd	21 t
Howes Jonth, Drumquin	8 ns	8 f	Joyce Geo, Omagh	6 sd	3 t
Howes J W, Drumquin	7 m	7 t	Joyce Jas, Bronte	no	15 t
Howes Robt, Drumquin	7 ns	8 f	Joyce Jer, Bronte	ns	6 t
Howes Wm, Drumquin	7 ns	8 f	Joyce Jno, Bronte	sh	17 f
Howes Wm H, Drumquin	8 ns	8	Joyce Richard, Bronte	sc	17 t
Hughes Alfred, Oakville	1 nd	9 t	Joyce Robt, Bronte	ss	5 f
Humerston Jno, Oakville	2 sd	11 f	Joyce Samuel, Omagh	6 sd	3 t
Humphrey Chas, Oakville	3 sd	22 t	Joyce Thos, Bronte	no	19 f
Hunter Jas, Milton	3 ns	8 f	Joyce Thos, Omagh	2 nd	21 t
Hunter J H, Milton	3 ns	8	Jull Bernet, Bronte	sf	f
Hunter John, Milton	1 ns	5 f	Jull Thos, Oakville	2 sd	5 f
Hurd Hiram, Hamilton	1 nd	30 f	Justin J, Hornby	1 ns	13 f
Husband Geo F, Oakville	4 sd	4 f	Justin Wm, Hornby	11 ns	13 f
Husband Hy, Oakville	3 sd	11 t	Justin W F, Hornby	11 ns	13 f
Husband John, Oakville	3 no	25 f	Kaitling John	1 nd	18
Hustler Benj, Hornby	11 ns	14 t	Kaitling Wm, Trafalgar	1 nd	18 f
Hustler Francis, Hornby	10 ns	14 f	Kee Hugh, Streetsville	10 ns	2 f
Hustler Jer, Hornby	11 ns	14	Kee Jos, Streetsville	10 ns	2 t

1871 Census, Trafalgar Township - William Hood, occupation Farmer

Page 4/1

Province of *Ontario*

District No. *38 Hallow*

Sub-District *B Township of Trafalgar*

Division 205

Census of 1871.

Schedule No. 1.—Nominal Return of the Living.

Page 4/1

Census of 1871.

Numbered in the order of visitation.						Names.	Sex.	Age.	Born within last twelve months.	Country or Province of Birth.	Religion.	Origin.	Profession, Occupation or Trade.	Married or widowed.	Married within last twelve months.	Instruction.			Infirmities.			Dates of Operations and Remarks.
Vessel.	Occupation.	Drilling houses in occupation.	Drilling houses inhabited.	Dwelling houses inhabited.	Families.											Going to school.	Over 25 unable to read.	Over 25 unable to write.	Deaf and dumb.	Blind.	Unsound mind.	
1	2	3	4	5	6	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
						Beatty Hannah L.	F	9	-	O.	C. of England	<i>Irish</i>	—	—	—	1	-	-	-	-	-	-
						" Archibald C.	M	4	-	"	"	"	—	—	—	1	-	-	-	-	-	
						" James Jr	M	5	-	"	"	"	—	—	—	-	-	-	-	-	-	
						" Nobah C.	M	3	-	"	"	"	—	—	—	-	-	-	-	-	-	
						" Arthur Ch.	M	7	<i>Jany.</i>	"	"	"	—	—	—	-	-	-	-	-	-	
						Noakes Charles	M	65	-	England	W. C. Meth.	<i>English</i>	Farmer	M	—	—	—	—	—	—	—	
						" Mary	F	52	-	"	"	"	—	M	—	—	—	—	—	—	—	
						" Maria	F	19	-	O.	"	"	—	—	—	—	—	—	—	—	—	
						Gaswell David	M	30	-	"	"	"	<i>Farmer Labourer</i>	—	—	—	1	1	—	—	—	
						Lindsay John W.	M	28	-	O.	W. Meth.	<i>Irish</i>	Farmer	—	—	—	—	—	—	—	—	
						Lindsay James	M	45	-	Ireland	W. Meth.	<i>Irish</i>	Farmer	M	—	—	—	—	—	—	—	
						" Rosana	F	65	-	"	"	"	—	M	—	—	—	—	—	—	—	
						" Jane	F	33	-	O.	"	"	—	—	—	—	—	—	—	—	—	
						" Rosana	F	31	-	"	"	"	—	—	—	—	—	—	—	—	—	
						" Joseph	M	24	-	"	"	"	Farmer	—	—	—	—	—	—	—	—	
						" Mary	F	19	-	"	"	"	—	—	—	—	—	—	—	—	—	
						Hall Sarah	F	63	-	Ireland	C. of England	<i>Irish</i>	Farmer	W.	—	—	—	1	—	—	—	
						" John R.	M	30	-	O.	"	"	—	—	—	—	—	—	—	—	—	
						Hood William	M	50	-	England	C. of England	<i>English</i>	Farmer	M	—	—	—	—	—	—	—	
						" Louisa	F	141	-	O.	"	<i>American</i>	—	M	—	—	—	—	—	—	—	



BURNSIDE

[THE DIFFERENCE IS OUR PEOPLE]

Appendix F

ERIS Report

Appendix F



DATABASE REPORT

Project Property: WSDC
6119 Trafalgar Road
Milton ON L9E 0V5

Project No:

Report Type: Quote - Custom-Build Your Own Report

Order No: 25032600712

Requested by: R.J. Burnside & Associates Limited

Date Completed: March 27, 2025

Table of Contents

Table of Contents.....	2
Executive Summary.....	3
Executive Summary: Report Summary.....	4
Executive Summary: Site Report Summary - Project Property.....	7
Executive Summary: Site Report Summary - Surrounding Properties.....	11
Executive Summary: Summary By Data Source.....	18
Map.....	31
Aerial.....	32
Topographic Map.....	33
Detail Report.....	34
Unplottable Summary.....	228
Unplottable Report.....	230
Appendix: Database Descriptions.....	252
Definitions.....	262

Notice: IMPORTANT LIMITATIONS and YOUR LIABILITY

Reliance on information in Report: This report DOES NOT replace a full Phase I Environmental Site Assessment but is solely intended to be used as a database review of environmental records.

License for use of information in Report: No page of this report can be used without this cover page, this notice and the project property identifier. The information in Report(s) may not be modified or re-sold.

Your Liability for misuse: Using this Service and/or its reports in a manner contrary to this Notice or your agreement will be in breach of copyright and contract and ERIS may obtain damages for such mis-use, including damages caused to third parties, and gives ERIS the right to terminate your account, rescind your license to any previous reports and to bar you from future use of the Service.

No warranty of Accuracy or Liability for ERIS: The information contained in this report has been produced by ERIS Information Limited Partnership ("ERIS") using various sources of information, including information provided by Federal and Provincial government departments. The report applies only to the address and up to the date specified on the cover of this report, and any alterations or deviation from this description will require a new report. This report and the data contained herein does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein and does not constitute a legal opinion nor medical advice. Although ERIS has endeavored to present you with information that is accurate, ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

Trademark and Copyright: You may not use the ERIS trademarks or attribute any work to ERIS other than as outlined above. This Service and Report (s) are protected by copyright owned by ERIS Information Limited Partnership. Copyright in data used in the Service or Report(s) (the "Data") is owned by ERIS or its licensors. The Service, Report(s) and Data may not be copied or reproduced in whole or in any substantial part without prior written consent of ERIS.

Executive Summary

Property Information:

Project Property: WSDC
6119 Trafalgar Road Milton ON L9E 0V5

Project No:

Order Information:

Order No: 25032600712
Date Requested: March 26, 2025
Requested by: R.J. Burnside & Associates Limited
Report Type: Quote - Custom-Build Your Own Report

Historical/Products:

ERIS Xplorer [ERIS Xplorer](#)

Executive Summary: Report Summary

<i>Database</i>	<i>Name</i>	<i>Searched</i>	<i>Project Property</i>	<i>Boundary to 0.25km</i>	<i>Total</i>
AAGR	<i>Abandoned Aggregate Inventory</i>	Y	0	0	0
AGR	<i>Aggregate Inventory</i>	Y	0	0	0
AMIS	<i>Abandoned Mine Information System</i>	Y	0	0	0
ANDR	<i>Anderson's Waste Disposal Sites</i>	Y	0	0	0
AST	<i>Aboveground Storage Tanks</i>	Y	0	0	0
AUWR	<i>Automobile Wrecking & Supplies</i>	Y	0	0	0
BORE	<i>Borehole</i>	Y	0	0	0
CA	<i>Certificates of Approval</i>	Y	0	4	4
CDRY	<i>Dry Cleaning Facilities</i>	Y	0	0	0
CFOT	<i>Commercial Fuel Oil Tanks</i>	Y	0	0	0
CHEM	<i>Chemical Manufacturers and Distributors</i>	Y	0	0	0
CHM	<i>Chemical Register</i>	Y	0	0	0
CNG	<i>Compressed Natural Gas Stations</i>	Y	0	0	0
COAL	<i>Inventory of Coal Gasification Plants and Coal Tar Sites</i>	Y	0	0	0
CONV	<i>Compliance and Convictions</i>	Y	0	0	0
CPU	<i>Certificates of Property Use</i>	Y	0	0	0
DRL	<i>Drill Hole Database</i>	Y	0	0	0
DTNK	<i>Delisted Fuel Tanks</i>	Y	0	0	0
EASR	<i>Environmental Activity and Sector Registry</i>	Y	0	0	0
EBR	<i>Environmental Registry</i>	Y	0	1	1
ECA	<i>Environmental Compliance Approval</i>	Y	0	1	1
EEM	<i>Environmental Effects Monitoring</i>	Y	0	0	0
EHS	<i>ERIS Historical Searches</i>	Y	2	1	3
EIIS	<i>Environmental Issues Inventory System</i>	Y	0	0	0
EMHE	<i>Emergency Management Historical Event</i>	Y	0	0	0
EPAR	<i>Environmental Penalty Annual Report</i>	Y	0	0	0
EXP	<i>List of Expired Fuels Safety Facilities</i>	Y	0	4	4
FCON	<i>Federal Convictions</i>	Y	0	0	0
FCS	<i>Contaminated Sites on Federal Land</i>	Y	0	0	0
FOFT	<i>Fisheries & Oceans Fuel Tanks</i>	Y	0	0	0
FRST	<i>Federal Identification Registry for Storage Tank Systems (FIRSTS)</i>	Y	0	0	0
FST	<i>Fuel Storage Tank</i>	Y	0	5	5
FSTH	<i>Fuel Storage Tank - Historic</i>	Y	0	3	3
GEN	<i>Ontario Regulation 347 Waste Generators Summary</i>	Y	11	17	28
GHG	<i>Greenhouse Gas Emissions from Large Facilities</i>	Y	0	0	0
HINC	<i>TSSA Historic Incidents</i>	Y	0	0	0

Database	Name	Searched	Project Property	Boundary to 0.25km	Total
IAFT	<i>Indian & Northern Affairs Fuel Tanks</i>	Y	0	0	0
INC	<i>Fuel Oil Spills and Leaks</i>	Y	0	0	0
LIMO	<i>Landfill Inventory Management Ontario</i>	Y	0	0	0
MINE	<i>Canadian Mine Locations</i>	Y	0	0	0
MNR	<i>Mineral Occurrences</i>	Y	0	0	0
NATE	<i>National Analysis of Trends in Emergencies System (NATES)</i>	Y	0	0	0
NCPL	<i>Non-Compliance Reports</i>	Y	0	0	0
NDFT	<i>National Defense & Canadian Forces Fuel Tanks</i>	Y	0	0	0
NDSP	<i>National Defense & Canadian Forces Spills</i>	Y	0	0	0
NDWD	<i>National Defence & Canadian Forces Waste Disposal Sites</i>	Y	0	0	0
NEBI	<i>National Energy Board Pipeline Incidents</i>	Y	0	0	0
NEBP	<i>National Energy Board Wells</i>	Y	0	0	0
NEES	<i>National Environmental Emergencies System (NEES)</i>	Y	0	0	0
NPCB	<i>National PCB Inventory</i>	Y	0	0	0
NPR2	<i>National Pollutant Release Inventory</i>	Y	0	0	0
NPRI	<i>National Pollutant Release Inventory - Historic</i>	Y	0	0	0
OGWE	<i>Oil and Gas Wells</i>	Y	0	0	0
OOGW	<i>Ontario Oil and Gas Wells</i>	Y	0	0	0
OPCB	<i>Inventory of PCB Storage Sites</i>	Y	0	0	0
ORD	<i>Orders</i>	Y	0	0	0
PAP	<i>Canadian Pulp and Paper</i>	Y	0	0	0
PCFT	<i>Parks Canada Fuel Storage Tanks</i>	Y	0	0	0
PES	<i>Pesticide Register</i>	Y	0	0	0
PFAS	<i>Ontario PFAS Spills</i>	Y	0	0	0
PFCH	<i>NPRI Reporters - PFAS Substances</i>	Y	0	0	0
PFHA	<i>Potential PFAS Handlers from NPRI</i>	Y	0	0	0
PINC	<i>Pipeline Incidents</i>	Y	0	0	0
PPHA	<i>Potential PFAS Handlers from EASR</i>	Y	0	0	0
PRT	<i>Private and Retail Fuel Storage Tanks</i>	Y	0	2	2
PTTW	<i>Permit to Take Water</i>	Y	0	4	4
REC	<i>Ontario Regulation 347 Waste Receivers Summary</i>	Y	0	0	0
RSC	<i>Record of Site Condition</i>	Y	0	0	0
RST	<i>Retail Fuel Storage Tanks</i>	Y	0	3	3
SCT	<i>Scott's Manufacturing Directory</i>	Y	0	0	0
SPL	<i>Ontario Spills</i>	Y	0	6	6
SRDS	<i>Wastewater Discharger Registration Database</i>	Y	0	0	0
TANK	<i>Anderson's Storage Tanks</i>	Y	0	0	0
TCFT	<i>Transport Canada Fuel Storage Tanks</i>	Y	0	0	0
VAR	<i>Variances for Abandonment of Underground Storage Tanks</i>	Y	0	0	0
WDS	<i>Waste Disposal Sites - MOE CA Inventory</i>	Y	0	0	0

<i>Database</i>	<i>Name</i>	<i>Searched</i>	<i>Project Property</i>	<i>Boundary to 0.25km</i>	<i>Total</i>
WDSH	<i>Waste Disposal Sites - MOE 1991 Historical Approval Inventory</i>	Y	0	0	0
WWIS	<i>Water Well Information System</i>	Y	21	34	55
<hr/>			Total:	34	85
				85	119

Executive Summary: Site Report Summary - Project Property

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev diff (m)	Page Number
<u>1</u>	GEN	D K Equipment Limited	6119 Trafalgar Road Milton ON L0P1E0	SSW/0.0	-0.20	<u>34</u>
<u>2</u>	WWIS		Trafalgar Road & Britannia Road lot 6 con 8 Milton ON <i>Well ID: 7385247</i>	ESE/0.0	0.08	<u>36</u>
<u>3</u>	WWIS		Trafalgar Road & Britannia Road lot 6 con 8 Milton ON <i>Well ID: 7385444</i>	WSW/0.0	-1.20	<u>39</u>
<u>4</u>	WWIS		Trafalgar Road & Britannia Road lot 6 con 8 Milton ON <i>Well ID: 7380756</i>	SW/0.0	-2.20	<u>42</u>
<u>5</u>	WWIS		lot 6 con 8 ON <i>Well ID: 2802657</i>	WSW/0.0	-2.20	<u>45</u>
<u>6</u>	WWIS		Trafalgar Road & Britannia Road lot 6 con 8 Milton ON <i>Well ID: 7385432</i>	NW/0.0	1.99	<u>48</u>
<u>7</u>	WWIS		Trafalgar Road & Britannia Road lot 6 con 8 Milton ON <i>Well ID: 7385445</i>	E/0.0	0.80	<u>51</u>
<u>8</u>	WWIS		6119 Trafalgar Road Milton ON <i>Well ID: 7338811</i>	W/0.0	-1.73	<u>54</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev diff (m)	Page Number
9	WWIS		6119 TRAFALGAR lot 6 con 8 MILTON ON <i>Well ID: 7384267</i>	WSW/0.0	-3.08	57
9	WWIS		6119 TRAFALGAR lot 6 con 8 MILTON ON <i>Well ID: 7384250</i>	WSW/0.0	-3.08	61
10	EHS		6119 Trafalgar Rd Milton ON	WSW/0.0	-2.20	64
10	GEN	D K Equipment Limited	6119 Trafalgar Road Milton ON LOP1E0	WSW/0.0	-2.20	64
10	GEN	D K Equipment Limited	6119 Trafalgar Road Milton ON	WSW/0.0	-2.20	65
10	GEN	D K Equipment Limited	6119 Trafalgar Road Milton ON	WSW/0.0	-2.20	65
10	GEN	D K Equipment Limited	6119 Trafalgar Road Milton ON	WSW/0.0	-2.20	65
10	GEN	D K Equipment Limited	6119 Trafalgar Road Milton ON LOP1E0	WSW/0.0	-2.20	66
10	GEN	D K Equipment Limited	6119 Trafalgar Road Milton ON	WSW/0.0	-2.20	66
10	GEN	D K Equipment Limited	6119 Trafalgar Road Milton ON LOP1E0	WSW/0.0	-2.20	66

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev diff (m)	Page Number
10	GEN	D K Equipment Limited	6119 Trafalgar Road Milton ON L0P1E0	WSW/0.0	-2.20	67
10	GEN	D K Equipment Limited	6119 Trafalgar Road Milton ON L0P1E0	WSW/0.0	-2.20	67
10	GEN	D K Equipment Limited	6119 Trafalgar Road Milton ON L0P1E0	WSW/0.0	-2.20	68
10	EHS		6119 Trafalgar Road Milton ON L0P	WSW/0.0	-2.20	68
11	WWIS		6119 Trafalgar Road Milton ON <i>Well ID: 7338850</i>	WSW/0.0	-2.20	68
12	WWIS		6119 TRAFALGAR ROAD lot 6 con 8 MILTON ON <i>Well ID: 2810636</i>	WSW/0.0	-2.20	72
13	WWIS		Trafalgar Road & Britannia Road lot 6 con 8 Milton ON <i>Well ID: 7380755</i>	SSW/0.0	-2.20	74
14	WWIS		Trafalgar Road & Britannia Road lot 6 con 8 Milton ON <i>Well ID: 7380757</i>	WSW/0.0	-3.20	77
15	WWIS		Trafalgar Road & Britannia Road lot 6 con 8 Milton ON <i>Well ID: 7385448</i>	W/0.0	-1.19	80

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev diff (m)	Page Number
16	WWIS		6119 Trafalgar Road Milton ON <i>Well ID: 7338810</i>	WSW/0.0	-2.20	83
17	WWIS		Trafalgar Road & Britannia Road lot 6 con 8 Milton ON <i>Well ID: 7385430</i>	S/0.0	-1.94	86
18	WWIS		Trafalgar Road & Britannia Road lot 6 con 8 Milton ON <i>Well ID: 7385431</i>	NNE/0.0	1.80	89
19	WWIS		Trafalgar Road & Britannia Road lot 6 con 8 Milton ON <i>Well ID: 7380754</i>	SSW/0.0	-2.20	92
20	WWIS		Trafalgar Road & Britannia Road lot 6 con 8 Milton ON <i>Well ID: 7385443</i>	E/0.0	1.57	94
21	WWIS		6119 TRAFALGAR lot 6 con 8 MILTON ON <i>Well ID: 7384264</i>	N/0.0	1.80	97
22	WWIS		Trafalgar Road & Britannia Road lot 6 con 8 Milton ON <i>Well ID: 7385262</i>	S/0.0	-1.20	101

Executive Summary: Site Report Summary - Surrounding Properties

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
23	WWIS		Trafalgar Road & Britannia Road lot 6 con 8 Milton ON Well ID: 7385246	ESE/4.4	0.33	104
24	WWIS		lot 6 con 8 ON Well ID: 2807776	E/9.9	0.80	107
25	WWIS		TRAFALGAR & BRITTIANCE ROAD Milton ON Well ID: 7266003	SE/14.3	-0.78	109
26	WWIS		lot 6 con 8 ON Well ID: 2807777	E/17.5	0.80	113
27	WWIS		1120 BRITANNIA ROAD lot 6 con 8 MILTON ON Well ID: 7360204	ESE/19.0	0.80	116
28	WWIS		6119 TRAFALGAR ROAD lot 6 con 8 HORNBY ON Well ID: 7296829	WSW/21.0	-4.19	120
29	WWIS		lot 6 con 8 ON Well ID: 2807708	ENE/23.7	0.80	123
30	WWIS		BRITANNIA ROAD APPROX. .15KM E OF TRAFALGAR ROAD Milton ON Well ID: 7287308	SSE/25.9	-0.20	128
31	WWIS		BRITANNIA ROAD APPROX. 0.5KM E OF TRAFALGAR ROAD Milton ON Well ID: 7287307	ESE/33.8	0.80	131
32	WWIS		6004 TRAFALGAR RD Milton ON Well ID: 7370693	SW/37.7	-3.20	134
33	WWIS		lot 5 con 8 ON Well ID: 2802655	SSE/40.5	-1.06	138
34	GEN	WYLDEWOOD GOLF & COUNTRY CLUB	6198 TRAFALGAR ROAD MILTON HALTON ON L9E 0Z2	W/52.5	-4.14	140

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
35	WWIS		Trafalgar Road & Britannia Road lot 7 con 8 Milton ON <i>Well ID: 7385446</i>	NNW/53.1	2.80	143
36	WWIS		ON <i>Well ID: 7257318</i>	S/59.8	-1.20	146
37	WWIS		13308 BRITANIA RD lot 5 con 8 MILTON ON <i>Well ID: 7384222</i>	E/63.8	0.80	146
38	WWIS		lot 6 con 7 ON <i>Well ID: 2803513</i>	S/64.4	-1.20	150
39	CA	R.M. OF HALTON	TRAFALGAR RD/BRITANNIA RD. MILTON ON	S/71.9	-1.20	154
39	SPL	TRANSPORT TRUCK	TRAFALGAR RD S/BRITTANIA RD MOTOR VEHICLE (OPERATING FLUID) OAKVILLE TOWN ON	S/71.9	-1.20	155
39	SPL	TRANSPORT TRUCK	BRITANNIA & TRAFALGAR ROADS INTERSECTION MOTOR VEHICLE (OPERATING FLUID) MILTON TOWN ON	S/71.9	-1.20	156
39	SPL	PRIVATE OWNER	TRAFALGAR/BRITANNIA, EAST ON BRITANNIA INTO PEEL REGION MOTOR VEHICLE (OPERATING FLUID) MILTON TOWN ON	S/71.9	-1.20	156
39	CA	R.M. OF HALTON	TRAFALGAR RD./BRITANNIA RD. MILTON TOWN ON	S/71.9	-1.20	157
39	GEN	SCPL	Trafalgar & Britannia Road (630 m south of Trafalgar) Milton ON	S/71.9	-1.20	158
40	WWIS		lot 6 con 7 ON <i>Well ID: 2802629</i>	WSW/73.7	-3.75	158
41	WWIS		lot 6 con 8 ON	ENE/77.3	0.80	161

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			Well ID: 7020089			
42	WWIS		BRITANNIA ROAD APPROX. 0.6KM W OF EIGHTH LINE Milton ON Well ID: 7287306	E/89.5	0.80	162
43	WWIS		lot 5 con 8 ON Well ID: 2808862	SE/100.9	-1.20	165
44	WWIS		BRITANNIA ROAD APPROX. 30M W OF TRAFALGAR ROAD Milton ON Well ID: 7287309	S/102.8	-1.64	169
45	PRT	GILL & ASSOCIATES INC	6004 TRAFALGAR RD HORNBY ON	S/109.5	-1.64	172
45	PRT		6004 TRAFALGAR RD. HORNBY ON	S/109.5	-1.64	172
45	SPL	ESSO PETROLEUM CANADA	6004 TRAFALGAR ROAD AT BRITANNIA, ESSO SERVICE STATION. SERVICE STATION MILTON TOWN ON	S/109.5	-1.64	172
45	SPL		6004 TRAFALGAR (AT BRITANNIA RD) \ MILTON TOWN ON	S/109.5	-1.64	173
45	RST	DRUMKUIM ESSO	6004 TRAFALGAR RD HORNBY ON	S/109.5	-1.64	174
45	GEN	SHELL CANADA LTD.	6004 TRAFALGAR & BRITANNIA RDS, MILTON C/O 1500 DON MILLS ROAD DON MILLS ON M3B 3K4	S/109.5	-1.64	174
45	GEN	SHELL CANADA LTD. 35-468	6004 TRAFALGAR & BRITANNIA RDS, MILTON C/O 1500 DON MILLS ROAD DON MILLS ON M3B 3K4	S/109.5	-1.64	174
45	GEN	SHELL CANADA LIMITED	6004 TRAFALGAR ROAD AT BRITANNIA ROAD MILTON ON	S/109.5	-1.64	175
45	SPL	Esso Service Station - Gill Balwant	6004 Trafalgar Rd (at Britannia) Milton ON	S/109.5	-1.64	175

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
45	FSTH	GILL & ASSOCIATES INC	6004 TRAFALGAR RD HORNBY ON L0P 1E0	S/109.5	-1.64	176
45	RST	GILL & ASSOCIATES	6004 TRAFALGAR RD SS 111 HORNBY ON L0P1E0	S/109.5	-1.64	176
45	RST	GILL AND ASSOCIATES INC	6004 TRAFALGAR RD MILTON ON L9E0Y9	S/109.5	-1.64	177
45	FST	GILL & ASSOCIATES INC	6004 TRAFALGAR RD HORNBY ON	S/109.5	-1.64	177
45	FST	GILL & ASSOCIATES INC	6004 TRAFALGAR RD HORNBY ON	S/109.5	-1.64	177
45	GEN	Gill & Associates Ltd	6004 Trafalgar Rd Milton ON L0P 1E0	S/109.5	-1.64	177
45	EXP	GILL & ASSOCIATES INC	6004 TRAFALGAR RD HORNBY ON	S/109.5	-1.64	178
45	EXP	GILL & ASSOCIATES INC	6004 TRAFALGAR RD HORNBY ON	S/109.5	-1.64	178
45	EXP	GILL & ASSOCIATES INC	6004 TRAFALGAR RD HORNBY ON	S/109.5	-1.64	178
45	EXP	GILL & ASSOCIATES INC	6004 TRAFALGAR RD HORNBY ON	S/109.5	-1.64	178
45	FST	GILL & ASSOCIATES INC	6004 TRAFALGAR RD HORNBY ON	S/109.5	-1.64	179
46	WWIS		lot 5 con 8 ON Well ID: 2803633	SSE/118.6	-1.20	179
47	WWIS		BRITANNA ROAD APPROX. 50M W OF TRAFALGAR ROAD Milton ON	S/130.2	-2.18	183

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			Well ID: 7287311			
48	WWIS		BRITANNIA ROAD APPROX. 50M W OF TRAFALGAR ROAD Milton ON Well ID: 7287310	S/131.1	-2.18	186
49	WWIS		6191 TRAFALGER RD MILTON ON Well ID: 2810410	W/132.6	-3.20	190
50	WWIS		6191 TRAFALGAR RD lot 7 con 8 HORNBY ON Well ID: 7195498	W/168.3	-3.12	193
51	WWIS		Trafalgar Road & Britannia Road lot 7 con 8 Milton ON Well ID: 7385434	WNW/170.9	-2.20	196
52	PTTW	Wyldeewood Golf and Country Club	6197 Trafalger Rd, Town of Milton, Regional Municipality Of Halton, L0P 1E0 REGIONAL MUNICIPALITY OF HALTON TOWN OF MILTON ON	W/171.9	-3.20	199
53	WWIS		6252 EIGHTH LINE lot 7 con 8 MILTON ON Well ID: 7384205	WNW/176.1	-1.65	199
54	WWIS		TRAFALGAR RD MILTON ON Well ID: 7274004	W/193.7	-3.20	202
55	CA	WYLDEWOOD GOLF & COUNTRY CLUB	PT.LOT 7/CON.7, SEW.DISP.SYS. MILTON TOWN ON	W/201.0	-1.59	205
55	CA		6198 Trafalgar Road Milton ON	W/201.0	-1.59	205
55	PTTW	Wyldeewood Golf and Country Club	6198 Trafalgar Road Hornby Ontario L0P 1E0 Part of Lot 7, Concession 7 TOWN OF MILTON ON	W/201.0	-1.59	205
55	GEN	WYLDEWOOD GOLF & COUNTRY CLUB	6198 TRAFALGAR ROAD RR #1 HORNBY HALTON ON L0P 1E0	W/201.0	-1.59	206
55	GEN	WYLDEWOOD GOLF & COUNTRY CLUB 42-012	6198 TRAFALGAR ROAD RR #1 HORNBY HALTON ON L0P 1E0	W/201.0	-1.59	206

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
55	GEN	WYLDEWOOD GOLF & COUNTRY CLUB	6198 TRAFALGAR ROAD R.R. # 1 HORNBY HALTON ON L0P 1E0	W/201.0	-1.59	207
55	FSTH	WYLDEWOOD GOLF & COUNTRY CLUB	6198 TRAFALGAR RD HORNBY ON	W/201.0	-1.59	207
55	PTTW	Wyldeewood Golf and Country Club	6198 Trafalgar Road Lot: 7, Concession: 7, Town of Milton, Regional Municipality Of Halton Milton TOWN OF MILTON ON	W/201.0	-1.59	207
55	FSTH	WYLDEWOOD GOLF & COUNTRY CLUB	6198 TRAFALGAR RD HORNBY ON L0P 1E0	W/201.0	-1.59	208
55	PTTW	Wyldeewood Golf and Country Club	Lot 7, Concession 7, Town of Milton, Regional Municipality Of Halton TOWN OF MILTON ON	W/201.0	-1.59	208
55	GEN	WYLDEWOOD GOLF & COUNTRY CLUB	6198 TRAFALGAR ROAD R.R. # 1 HORNBY HALTON ON	W/201.0	-1.59	209
55	GEN	WYLDEWOOD GOLF & COUNTRY CLUB	6198 TRAFALGAR ROAD R.R. # 1 HORNBY HALTON ON	W/201.0	-1.59	209
55	GEN	WYLDEWOOD GOLF & COUNTRY CLUB	6198 TRAFALGAR ROAD MILTON HALTON ON L9E 0Z2	W/201.0	-1.59	209
55	GEN	WYLDEWOOD GOLF & COUNTRY CLUB	6198 TRAFALGAR ROAD R.R. # 1 HORNBY HALTON ON L0P 1E0	W/201.0	-1.59	210
55	GEN	WYLDEWOOD GOLF & COUNTRY CLUB	6198 TRAFALGAR ROAD R.R. # 1 HORNBY HALTON ON L0P 1E0	W/201.0	-1.59	210
55	GEN	WYLDEWOOD GOLF & COUNTRY CLUB	6198 TRAFALGAR ROAD MILTON HALTON ON L9E 0Z2	W/201.0	-1.59	210
56	FST	WYLDEWOOD GOLF & COUNTRY CLUB	6198 TRAFALGAR RD HORNBY ON	W/201.0	-1.59	211

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
56	FST	WYLDEWOOD GOLF & COUNTRY CLUB	6198 TRAFALGAR RD HORNBY ON	W/201.0	-1.59	211
56	ECA	Wyldeewood Golf and Country Club	6198 Trafalgar Road Milton ON L0P 1E0	W/201.0	-1.59	211
56	GEN	WYLDEWOOD GOLF & COUNTRY CLUB	6198 TRAFALGAR ROAD MILTON HALTON ON L9E 0Z2	W/201.0	-1.59	212
56	GEN	WYLDEWOOD GOLF & COUNTRY CLUB	6198 TRAFALGAR ROAD MILTON HALTON ON L9E 0Z2	W/201.0	-1.59	212
57	WWIS		6252 EIGHTH LINE lot 7 con 8 MILTON ON Well ID: 7384195	NNW/212.2	3.13	212
58	EBR	Regional Municipality of Halton	Milton, ON L9T 7G5 Canada ON	S/212.8	-3.89	216
59	WWIS		Trafalgar Road & Britannia Road lot 7 con 8 Milton ON Well ID: 7385447	NNW/215.7	4.78	216
60	WWIS		lot 6 con 7 ON Well ID: 7405874	SSW/236.2	-6.84	219
61	WWIS		lot 6 con 7 ON Well ID: 7405872	SSW/240.2	-7.30	220
62	EHS		13670 Britannia Rd Milton ON L9T7G7	E/241.3	0.59	221
63	WWIS		Trafalgar Road & Britannia Road lot 7 con 8 Milton ON Well ID: 7385433	WNW/246.5	-0.19	221
64	WWIS		BRITANNIA ROAD APPROX. 0.2KM W OF TRAFALGAR ROAD Milton ON Well ID: 7287312	SSW/247.2	-7.52	224

Executive Summary: Summary By Data Source

CA - Certificates of Approval

A search of the CA database, dated 1985-Oct 30, 2011* has found that there are 4 CA site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
R.M. OF HALTON	TRAFALGAR RD/BRITANNIA RD. MILTON ON	71.9	<u>39</u>
R.M. OF HALTON	TRAFALGAR RD./BRITANNIA RD. MILTON TOWN ON	71.9	<u>39</u>
	6198 Trafalgar Road Milton ON	201.0	<u>55</u>
WYLDEWOOD GOLF & COUNTRY CLUB	PT.LOT 7/CON.7, SEW.DISP.SYS. MILTON TOWN ON	201.0	<u>55</u>

EBR - Environmental Registry

A search of the EBR database, dated 1994 - Jan 31, 2025 has found that there are 1 EBR site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Regional Municipality of Halton	Milton, ON L9T 7G5 Canada ON	212.8	<u>58</u>

ECA - Environmental Compliance Approval

A search of the ECA database, dated Oct 2011-Feb 28, 2025 has found that there are 1 ECA site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Wyldeewood Golf and Country Club	6198 Trafalgar Road Milton ON L0P 1E0	201.0	<u>56</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
-------------	----------------	---------------------	----------------

EHS - ERIS Historical Searches

A search of the EHS database, dated 1999-Aug 31, 2024 has found that there are 3 EHS site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	6119 Trafalgar Rd Milton ON	0.0	10
	6119 Trafalgar Road Milton ON L0P	0.0	10
	13670 Britannia Rd Milton ON L9T7G7	241.3	62

EXP - List of Expired Fuels Safety Facilities

A search of the EXP database, dated Oct 2023 has found that there are 4 EXP site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
GILL & ASSOCIATES INC	6004 TRAFALGAR RD HORNBY ON	109.5	45
GILL & ASSOCIATES INC	6004 TRAFALGAR RD HORNBY ON	109.5	45
GILL & ASSOCIATES INC	6004 TRAFALGAR RD HORNBY ON	109.5	45
GILL & ASSOCIATES INC	6004 TRAFALGAR RD HORNBY ON	109.5	45

FST - Fuel Storage Tank

A search of the FST database, dated Oct 2023 has found that there are 5 FST site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
GILL & ASSOCIATES INC	6004 TRAFALGAR RD HORNBY ON	109.5	<u>45</u>
GILL & ASSOCIATES INC	6004 TRAFALGAR RD HORNBY ON	109.5	<u>45</u>
GILL & ASSOCIATES INC	6004 TRAFALGAR RD HORNBY ON	109.5	<u>45</u>
WYLDEWOOD GOLF & COUNTRY CLUB	6198 TRAFALGAR RD HORNBY ON	201.0	<u>56</u>
WYLDEWOOD GOLF & COUNTRY CLUB	6198 TRAFALGAR RD HORNBY ON	201.0	<u>56</u>

FSTH - Fuel Storage Tank - Historic

A search of the FSTH database, dated Pre-Jan 2010* has found that there are 3 FSTH site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
GILL & ASSOCIATES INC	6004 TRAFALGAR RD HORNBY ON L0P 1E0	109.5	<u>45</u>
WYLDEWOOD GOLF & COUNTRY CLUB	6198 TRAFALGAR RD HORNBY ON	201.0	<u>55</u>
WYLDEWOOD GOLF & COUNTRY CLUB	6198 TRAFALGAR RD HORNBY ON L0P 1E0	201.0	<u>55</u>

GEN - Ontario Regulation 347 Waste Generators Summary

A search of the GEN database, dated 1986-Jun 30, 2024 has found that there are 28 GEN site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
D K Equipment Limited	6119 Trafalgar Road Milton ON L0P1E0	0.0	<u>1</u>
D K Equipment Limited	6119 Trafalgar Road Milton ON	0.0	<u>10</u>
D K Equipment Limited	6119 Trafalgar Road Milton ON L0P1E0	0.0	<u>10</u>
D K Equipment Limited	6119 Trafalgar Road Milton ON L0P1E0	0.0	<u>10</u>
D K Equipment Limited	6119 Trafalgar Road Milton ON	0.0	<u>10</u>
D K Equipment Limited	6119 Trafalgar Road Milton ON L0P1E0	0.0	<u>10</u>
D K Equipment Limited	6119 Trafalgar Road Milton ON L0P1E0	0.0	<u>10</u>
D K Equipment Limited	6119 Trafalgar Road Milton ON L0P1E0	0.0	<u>10</u>
D K Equipment Limited	6119 Trafalgar Road Milton ON L0P1E0	0.0	<u>10</u>
D K Equipment Limited	6119 Trafalgar Road Milton ON	0.0	<u>10</u>
D K Equipment Limited	6119 Trafalgar Road Milton ON	0.0	<u>10</u>

Site	Address	Distance (m)	Map Key
WYLDEWOOD GOLF & COUNTRY CLUB	6198 TRAFALGAR ROAD MILTON HALTON ON L9E 0Z2	52.5	<u>34</u>
SCPL	Trafalgar & Britannia Road (630 m south of Trafalgar) Milton ON	71.9	<u>39</u>
SHELL CANADA LIMITED	6004 TRAFALGAR ROAD AT BRITANNIA ROAD MILTON ON	109.5	<u>45</u>
SHELL CANADA LTD. 35-468	6004 TRAFALGAR & BRITTANNIA RDS, MILTON C/O 1500 DON MILLS ROAD DON MILLS ON M3B 3K4	109.5	<u>45</u>
SHELL CANADA LTD.	6004 TRAFALGAR & BRITTANNIA RDS, MILTON C/O 1500 DON MILLS ROAD DON MILLS ON M3B 3K4	109.5	<u>45</u>
Gill & Associates Ltd	6004 Trafalgar Rd Milton ON L0P 1E0	109.5	<u>45</u>
WYLDEWOOD GOLF & COUNTRY CLUB	6198 TRAFALGAR ROAD MILTON HALTON ON L9E 0Z2	201.0	<u>55</u>
WYLDEWOOD GOLF & COUNTRY CLUB	6198 TRAFALGAR ROAD R.R. # 1 HORNBY HALTON ON L0P 1E0	201.0	<u>55</u>
WYLDEWOOD GOLF & COUNTRY CLUB	6198 TRAFALGAR ROAD R.R. # 1 HORNBY HALTON ON L0P 1E0	201.0	<u>55</u>
WYLDEWOOD GOLF & COUNTRY CLUB	6198 TRAFALGAR ROAD MILTON HALTON ON L9E 0Z2	201.0	<u>55</u>
WYLDEWOOD GOLF & COUNTRY CLUB	6198 TRAFALGAR ROAD R.R. # 1 HORNBY HALTON ON	201.0	<u>55</u>
WYLDEWOOD GOLF & COUNTRY CLUB	6198 TRAFALGAR ROAD R.R. # 1 HORNBY HALTON ON	201.0	<u>55</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
WYLDEWOOD GOLF & COUNTRY CLUB	6198 TRAFALGAR ROAD R.R. # 1 HORNBY HALTON ON L0P 1E0	201.0	55
WYLDEWOOD GOLF & COUNTRY CLUB 42-012	6198 TRAFALGAR ROAD RR #1 HORNBY HALTON ON L0P 1E0	201.0	55
WYLDEWOOD GOLF & COUNTRY CLUB	6198 TRAFALGAR ROAD RR #1 HORNBY HALTON ON L0P 1E0	201.0	55
WYLDEWOOD GOLF & COUNTRY CLUB	6198 TRAFALGAR ROAD MILTON HALTON ON L9E 0Z2	201.0	56
WYLDEWOOD GOLF & COUNTRY CLUB	6198 TRAFALGAR ROAD MILTON HALTON ON L9E 0Z2	201.0	56

PRT - Private and Retail Fuel Storage Tanks

A search of the PRT database, dated 1989-1996* has found that there are 2 PRT site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
GILL & ASSOCIATES INC	6004 TRAFALGAR RD HORNBY ON	109.5	45
	6004 TRAFALGAR RD. HORNBY ON	109.5	45

PTTW - Permit to Take Water

A search of the PTTW database, dated 1994 - Jan 31, 2025 has found that there are 4 PTTW site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Wyldeewood Golf and Country Club	6197 Trafalger Rd, Town of Milton, Regional Municipality Of Halton, L0P 1E0 REGIONAL MUNICIPALITY OF HALTON TOWN OF MILTON	171.9	52

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	ON		
Wyldeewood Golf and Country Club	Lot 7, Concession 7, Town of Milton, Regional Municipality Of Halton TOWN OF MILTON ON	201.0	55
Wyldeewood Golf and Country Club	6198 Trafalgar Road Hornby Ontario L0P 1E0 Part of Lot 7, Concession 7 TOWN OF MILTON ON	201.0	55
Wyldeewood Golf and Country Club	6198 Trafalgar Road Lot: 7, Concession: 7, Town of Milton, Regional Municipality Of Halton Milton TOWN OF MILTON ON	201.0	55

RST - Retail Fuel Storage Tanks

A search of the RST database, dated 1999-Apr 30, 2024 has found that there are 3 RST site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
GILL & ASSOCIATES	6004 TRAFALGAR RD SS 111 HORNBY ON L0P1E0	109.5	45
GILL AND ASSOCIATES INC	6004 TRAFALGAR RD MILTON ON L9E0Y9	109.5	45
DRUMKUIJ ESSO	6004 TRAFALGAR RD HORNBY ON	109.5	45

SPL - Ontario Spills

A search of the SPL database, dated 1988-Jun 2024; Aug-Jan 2025 has found that there are 6 SPL site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
TRANSPORT TRUCK	TRAFALGAR RD S/BRITANIA RD MOTOR VEHICLE (OPERATING FLUID) OAKVILLE TOWN ON	71.9	39

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
TRANSPORT TRUCK	BRITANNIA & TRAFALGAR ROADS INTERSECTION MOTOR VEHICLE (OPERATING FLUID) MILTON TOWN ON	71.9	39
PRIVATE OWNER	TRAFALGAR/BRITANNIA, EAST ON BRITANNIA INTO PEEL REGION MOTOR VEHICLE (OPERATING FLUID) MILTON TOWN ON	71.9	39
	6004 TRAFALGAR (AT BRITANNIA RD) \ MILTON TOWN ON	109.5	45
Esso Service Station - Gill Balwant	6004 Trafalgar Rd (at Britannia) Milton ON	109.5	45
ESSO PETROLEUM CANADA	6004 TRAFALGAR ROAD AT BRITANNIA, ESSO SERVICE STATION. SERVICE STATION MILTON TOWN ON	109.5	45

WWIS - Water Well Information System

A search of the WWIS database, dated Dec 31 2023 has found that there are 55 WWIS site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	Trafalgar Road & Britannia Road lot 6 con 8 Milton ON <i>Well ID: 7385247</i>	0.0	2
	Trafalgar Road & Britannia Road lot 6 con 8 Milton ON <i>Well ID: 7385444</i>	0.0	3
	Trafalgar Road & Britannia Road lot 6 con 8 Milton ON <i>Well ID: 7380756</i>	0.0	4
	lot 6 con 8 ON	0.0	5


<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	<i>Well ID:</i> 2802657		
	Trafalgar Road & Britannia Road lot 6 con 8 Milton ON	0.0	<u>6</u>
	<i>Well ID:</i> 7385432		
	Trafalgar Road & Britannia Road lot 6 con 8 Milton ON	0.0	<u>7</u>
	<i>Well ID:</i> 7385445		
	6119 Trafalgar Road Milton ON	0.0	<u>8</u>
	<i>Well ID:</i> 7338811		
	6119 TRAFALGAR lot 6 con 8 MILTON ON	0.0	<u>9</u>
	<i>Well ID:</i> 7384267		
	6119 TRAFALGAR lot 6 con 8 MILTON ON	0.0	<u>9</u>
	<i>Well ID:</i> 7384250		
	6119 Trafalgar Road Milton ON	0.0	<u>11</u>
	<i>Well ID:</i> 7338850		
	6119 TRAFALGAR ROAD lot 6 con 8 MILTON ON	0.0	<u>12</u>
	<i>Well ID:</i> 2810636		
	Trafalgar Road & Britannia Road lot 6 con 8 Milton ON	0.0	<u>13</u>
	<i>Well ID:</i> 7380755		
	Trafalgar Road & Britannia Road lot 6 con 8 Milton ON	0.0	<u>14</u>
	<i>Well ID:</i> 7380757		
	Trafalgar Road & Britannia Road lot 6 con 8 Milton ON	0.0	<u>15</u>
	<i>Well ID:</i> 7385448		
	6119 Trafalgar Road Milton ON	0.0	<u>16</u>
	<i>Well ID:</i> 7338810		

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	Trafalgar Road & Britannia Road lot 6 con 8 Milton ON <i>Well ID: 7385430</i>	0.0	<u>17</u>
	Trafalgar Road & Britannia Road lot 6 con 8 Milton ON <i>Well ID: 7385431</i>	0.0	<u>18</u>
	Trafalgar Road & Britannia Road lot 6 con 8 Milton ON <i>Well ID: 7380754</i>	0.0	<u>19</u>
	Trafalgar Road & Britannia Road lot 6 con 8 Milton ON <i>Well ID: 7385443</i>	0.0	<u>20</u>
	6119 TRAFALGAR lot 6 con 8 MILTON ON <i>Well ID: 7384264</i>	0.0	<u>21</u>
	Trafalgar Road & Britannia Road lot 6 con 8 Milton ON <i>Well ID: 7385262</i>	0.0	<u>22</u>
	Trafalgar Road & Britannia Road lot 6 con 8 Milton ON <i>Well ID: 7385246</i>	4.4	<u>23</u>
	lot 6 con 8 ON <i>Well ID: 2807776</i>	9.9	<u>24</u>
	TRAFALGAR & BRITTIANCE ROAD Milton ON <i>Well ID: 7266003</i>	14.3	<u>25</u>
	lot 6 con 8 ON <i>Well ID: 2807777</i>	17.5	<u>26</u>
	1120 BRITANNIA ROAD lot 6 con 8 MILTON ON <i>Well ID: 7360204</i>	19.0	<u>27</u>
	6119 TRAFALGAR ROAD lot 6 con 8 HORNBY ON	21.0	<u>28</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	<i>Well ID:</i> 7296829		
	lot 6 con 8 ON	23.7	29
	<i>Well ID:</i> 2807708		
	BRITANNIA ROAD APPROX. .15KM E OF TRAFALGAR ROAD Milton ON <i>Well ID:</i> 7287308	25.9	30
	BRITANNIA ROAD APPROX. 0.5KM E OF TRAFALGAR ROAD Milton ON <i>Well ID:</i> 7287307	33.8	31
	6004 TRAFALGAR RD Milton ON <i>Well ID:</i> 7370693	37.7	32
	lot 5 con 8 ON <i>Well ID:</i> 2802655	40.5	33
	Trafalgar Road & Britannia Road lot 7 con 8 Milton ON <i>Well ID:</i> 7385446	53.1	35
	ON <i>Well ID:</i> 7257318	59.8	36
	13308 BRITANIA RD lot 5 con 8 MILTON ON <i>Well ID:</i> 7384222	63.8	37
	lot 6 con 7 ON <i>Well ID:</i> 2803513	64.4	38
	lot 6 con 7 ON <i>Well ID:</i> 2802629	73.7	40
	lot 6 con 8 ON <i>Well ID:</i> 7020089	77.3	41

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	BRITANNIA ROAD APPROX. 0.6KM W OF EIGHTH LINE Milton ON <i>Well ID: 7287306</i>	89.5	42
	lot 5 con 8 ON <i>Well ID: 2808862</i>	100.9	43
	BRITANNIA ROAD APPROX. 30M W OF TRAFALGAR ROAD Milton ON <i>Well ID: 7287309</i>	102.8	44
	lot 5 con 8 ON <i>Well ID: 2803633</i>	118.6	46
	BRITANNIA ROAD APPROX. 50M W OF TRAFALGAR ROAD Milton ON <i>Well ID: 7287311</i>	130.2	47
	BRITANNIA ROAD APPROX. 50M W OF TRAFALGAR ROAD Milton ON <i>Well ID: 7287310</i>	131.1	48
	6191 TRAFALGER RD MILTON ON <i>Well ID: 2810410</i>	132.6	49
	6191 TRAFALGAR RD lot 7 con 8 HORNBY ON <i>Well ID: 7195498</i>	168.3	50
	Trafalgar Road & Britannia Road lot 7 con 8 Milton ON <i>Well ID: 7385434</i>	170.9	51
	6252 EIGHTH LINE lot 7 con 8 MILTON ON <i>Well ID: 7384205</i>	176.1	53
	TRAFALGAR RD MILTON ON <i>Well ID: 7274004</i>	193.7	54
	6252 EIGHTH LINE lot 7 con 8 MILTON ON	212.2	57

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	<i>Well ID:</i> 7384195		
	Trafalgar Road & Britannia Road lot 7 con 8 Milton ON	215.7	<u>59</u>
	<i>Well ID:</i> 7385447		
	lot 6 con 7 ON	236.2	<u>60</u>
	<i>Well ID:</i> 7405874		
	lot 6 con 7 ON	240.2	<u>61</u>
	<i>Well ID:</i> 7405872		
	Trafalgar Road & Britannia Road lot 7 con 8 Milton ON	246.5	<u>63</u>
	<i>Well ID:</i> 7385433		
	BRITANNIA ROAD APPROX. 0.2KM W OF TRAFALGAR ROAD Milton ON	247.2	<u>64</u>
	<i>Well ID:</i> 7287312		



Map: 0.25 Kilometer Radius

Order Number: 25032600712

Address: 6119 Trafalgar Road, Milton, ON



Project Property	Freeways; Highways	Beach	Shopping & Sports Area
Buffer Outline	Traffic Circle; Ramp	Airport	University/College
Eris Sites with Higher Elevation	Major Arterial; Minor Arterial	Industrial Area	Cemetery; Golf Course
Eris Sites with Same Elevation	Local Road	Military Base	Park (National)
Eris Sites with Lower Elevation	Service Road; Traffic Circle; Ramp	Aircraft Roads	Park (City/County)
Eris Sites with Unknown Elevation	Rail	Native Reservation	
		Hospital	



Aerial Year: 2023

Order Number: 25032600712

Address: 6119 Trafalgar Road, Milton, ON



Source: ESRI World Imagery

© ERIS Information Limited Partnership

79°48'W


79°46'30"W

43°33'N

43°33'N

43°31'30"N

43°31'30"N



Topographic Map

Address: 6119 Trafalgar Road, ON

Source: ESRI World Topographic Map

Order Number: 25032600712



© ERIS Information Limited Partnership

Detail Report

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>1</u>	1 of 1	SSW/0.0	182.9 / -0.20	D K Equipment Limited 6119 Trafalgar Road Milton ON L0P1E0	GEN

Generator Info

Generator No: ON9724391 Approval Years: As of Oct 2019 Status: Registered PO Box No: Country: Canada Co Admin: Phone No Admin: SIC Description:	Choice of Contact: Contaminated Fac: MHSW Facility: SIC Code:
--	--

Waste Detail(s)

Waste Class: 252 L
Waste Class Name: Waste crankcase oils and lubricants

Waste Detail(s)

Waste Class: 212 L
Waste Class Name: Aliphatic solvents and residues

2017 Generator Info

Gen No: ON9724391 ID: 37988 Contaminated Fac: N MHSW Facility: N NAICS Code1: 238910 NAICS Code2: NAICS Code3: Gen Name: D K Equipment Limited Gen Div: Gen Op Name: D K Equipment Limited Gen Op Div: Site Adrs1: 6119 Trafalgar Road Site Bldg: Site Pobox: Province In: ONTARIO Site Adrs2: Site City: Milton Province Out: Site Postal Code: L0P1E0 Site Country: Canada Co Official: John DeKay Co Admin: Heather Deitz	Choice of Contact: CO_ADMIN Phone No Official: 519-471-6610 Ext. Phone No Admin: 519-471-6610 Ext. County Ont: HALTON (R. M.) County Out: District: 305
---	--

2017 Generator Manifest

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
ID:	66888			Sum Received Qty:	454.0
Generator No:	ON9724391			Waste Class Name:	ALIPHATIC SOLVENTS
Receiver Type:	035			Count Manifests:	1
Waste Char:	L			District:	305
Waste Code:	212				
<u>2017 Generator Manifest</u>					
ID:	66889			Sum Received Qty:	5082.0
Generator No:	ON9724391			Waste Class Name:	WASTE OILS & LUBRICANTS
Receiver Type:	035			Count Manifests:	1
Waste Char:	L			District:	305
Waste Code:	252				
<u>2018 Generator Info</u>					
Gen No:	ON9724391			Choice of Contact:	CO_ADMIN
ID:	38758			Phone No Official:	519-471-6610 Ext.
Contaminated Fac:	N			Phone No Admin:	519-471-6610 Ext.
MHSW Facility:	N			County Ont:	HALTON (R. M.)
NAICS Code1:	238910			County Out:	
NAICS Code2:				District:	305
NAICS Code3:					
Gen Name:		D K Equipment Limited			
Gen Div:					
Gen Op Name:		D K Equipment Limited			
Gen Op Div:					
Site Adrs1:		6119 Trafalgar Road			
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:					
Site City:		Milton			
Province Out:					
Site Postal Code:		L0P1E0			
Site Country:		Canada			
Co Official:		John DeKay			
Co Admin:		Heather Deitz			
<u>2018 Generator Manifest</u>					
ID:	67490			Sum Received Qty:	5005.0
Generator No:	ON9724391			Waste Class Name:	WASTE OILS & LUBRICANTS
Receiver Type:	035			Count Manifests:	1
Waste Char:	L			District:	305
Waste Code:	252				
<u>2019 Generator Info</u>					
Gen No:	ON9724391			Choice of Contact:	CO_ADMIN
ID:	39336			Phone No Official:	519-471-6610 Ext.
Contaminated Fac:	N			Phone No Admin:	519-471-6610 Ext.
MHSW Facility:	N			County Ont:	HALTON (R. M.)
NAICS Code1:	238910			County Out:	
NAICS Code2:				District:	305
NAICS Code3:					
Gen Name:		D K Equipment Limited			
Gen Div:					
Gen Op Name:		D K Equipment Limited			
Gen Op Div:					
Site Adrs1:		6119 Trafalgar Road			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:					
Site City:		Milton			
Province Out:					
Site Postal Code:		L0P1E0			
Site Country:					
Co Official:		John DeKay			
Co Admin:		Heather Deitz			

2019 Generator Manifest

ID:	67503	Sum Received Qty:	2550.0
Generator No:	ON9724391	Waste Class Name:	WASTE OILS & LUBRICANTS
Receiver Type:	035	Count Manifests:	1
Waste Char:	L	District:	305
Waste Code:	252		

<u>2</u>	1 of 1	ESE/0.0	183.1 / 0.08	Trafalgar Road & Britannia Road lot 6 con 8 Milton ON	WWIS
Well ID:	7385247	Flowing (Y/N):			
Construction Date:		Flow Rate:			
Use 1st:	Monitoring	Data Entry Status:			
Use 2nd:		Data Src:			
Final Well Status:	Observation Wells	Date Received:	04/14/2021		
Water Type:		Selected Flag:	TRUE		
Casing Material:		Abandonment Rec:			
Audit No:	CUNB2S7A	Contractor:	7472		
Tag:	A315201	Form Version:	9		
Constructn Method:		Owner:			
Elevation (m):		County:	HALTON		
Elevatn Reliabilty:		Lot:	006		
Depth to Bedrock:		Concession:	08		
Well Depth:		Concession Name:	NS		
Overburden/Bedrock:		Easting NAD83:			
Pump Rate:		Northing NAD83:			
Static Water Level:		Zone:			
Clear/Cloudy:		UTM Reliability:			
Municipality:	MILTON TOWN (TRAFALGAR)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/738\7385247.pdf				

Additional Detail(s) (Map)

Well Completed Date:	03/18/2021
Year Completed:	2021
Depth (m):	4.8768
Latitude:	43.5398358573558
Longitude:	-79.7803540455204
X:	-79.78035389624114
Y:	43.5398358547022
Path:	738\7385247.pdf

Bore Hole Information

Bore Hole ID:	1008610433	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598537.00

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Code OB Desc:				North83:	4821488.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	03/18/2021			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Location Method Desc:		on Water Well Record			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1008610535			
Layer:		2			
Color:		2			
General Color:		GREY			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		28			
Material 2 Desc:		SAND			
Material 3:		79			
Material 3 Desc:		PACKED			
Formation Top Depth:		2.0			
Formation End Depth:		16.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1008610534			
Layer:		1			
Color:		6			
General Color:		BROWN			
Material 1:		02			
Material 1 Desc:		TOPSOIL			
Material 2:					
Material 2 Desc:					
Material 3:		77			
Material 3 Desc:		LOOSE			
Formation Top Depth:		0.0			
Formation End Depth:		2.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1008610624			
Layer:		1			
Plug From:		0.0			
Plug To:		10.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1008610625			
Layer:		2			
Plug From:		10.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug To:		16.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1008610595			
Layer:		1			
Plug From:					
Plug To:					
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1008610480			
Method Construction Code:		E			
Method Construction:		Auger			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1008610464			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1008610550			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		11.0			
Casing Diameter:		0.75			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1008610565			
Layer:		1			
Slot:		10			
Screen Top Depth:		11.0			
Screen End Depth:		16.0			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID:		1008610465			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1008610580			
Diameter:		7.5			
Depth From:		0.0			
Depth To:		16.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

<u>3</u>	1 of 1	WSW/0.0	181.9 / -1.20	Trafalgar Road & Britannia Road lot 6 con 8 Milton ON	WWIS
Well ID:	7385444			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Monitoring			Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:	Observation Wells			Date Received:	04/22/2021
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	W9NFBUW3			Contractor:	7472
Tag:	A315197			Form Version:	9
Constructn Method:				Owner:	
Elevation (m):				County:	HALTON
Elevatn Reliabilty:				Lot:	006
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	NS
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	MILTON TOWN (TRAFALGAR)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/738\7385444.pdf				

Additional Detail(s) (Map)

Well Completed Date:	03/18/2021
Year Completed:	2021
Depth (m):	7.62
Latitude:	43.5394717147507
Longitude:	-79.7825150490924
X:	-79.78251489990197
Y:	43.53947171258047
Path:	738\7385444.pdf

Bore Hole Information

Bore Hole ID:	1008614503	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598363.00

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Code OB Desc:				North83:	4821445.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	03/18/2021			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Location Method Desc:		on Water Well Record			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1008614564			
Layer:		2			
Color:		2			
General Color:		GREY			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		28			
Material 2 Desc:		SAND			
Material 3:		79			
Material 3 Desc:		PACKED			
Formation Top Depth:		2.0			
Formation End Depth:		25.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1008614563			
Layer:		1			
Color:		6			
General Color:		BROWN			
Material 1:		02			
Material 1 Desc:		TOPSOIL			
Material 2:					
Material 2 Desc:					
Material 3:		77			
Material 3 Desc:		LOOSE			
Formation Top Depth:		0.0			
Formation End Depth:		2.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1008614609			
Layer:		1			
Plug From:					
Plug To:					
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1008614620			
Layer:		1			
Plug From:		0.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug To:		14.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1008614621			
Layer:		2			
Plug From:		14.0			
Plug To:		25.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1008614546			
Method Construction Code:		E			
Method Construction:		Auger			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1008614529			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1008614583			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		15.0			
Casing Diameter:		0.75			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1008614592			
Layer:		1			
Slot:		10			
Screen Top Depth:		15.0			
Screen End Depth:		25.0			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID:		1008614530			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1008614601			
Diameter:		7.5			
Depth From:		0.0			
Depth To:		25.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

<u>4</u>	1 of 1	SW/0.0	180.9 / -2.20	Trafalgar Road & Britannia Road lot 6 con 8 Milton ON	WWIS
Well ID:	7380756			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Monitoring			Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:	Observation Wells			Date Received:	02/22/2021
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	M6PG8FA8			Contractor:	7472
Tag:	A308412			Form Version:	9
Constructn Method:				Owner:	
Elevation (m):				County:	HALTON
Elevatn Reliabilty:				Lot:	006
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	NS
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	MILTON TOWN (TRAFALGAR)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/738\7380756.pdf				

Additional Detail(s) (Map)

Well Completed Date:	12/22/2020
Year Completed:	2020
Depth (m):	7.62
Latitude:	43.5386339827779
Longitude:	-79.7824823986927
X:	-79.78248224981917
Y:	43.538633980719034
Path:	738\7380756.pdf

Bore Hole Information

Bore Hole ID:	1008573530	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598367.00

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Code OB Desc:				North83:	4821352.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	12/22/2020			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Location Method Desc:		on Water Well Record			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1008573622			
Layer:		1			
Color:		2			
General Color:		GREY			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		06			
Material 2 Desc:		SILT			
Material 3:		79			
Material 3 Desc:		PACKED			
Formation Top Depth:		0.0			
Formation End Depth:		25.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1008573708			
Layer:		1			
Plug From:		0.0			
Plug To:		19.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1008573682			
Layer:		1			
Plug From:					
Plug To:					
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1008573709			
Layer:		2			
Plug From:		19.0			
Plug To:		25.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		1008573583			
Method Construction Code:		E			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Method Construction:		Auger			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1008573564			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1008573637			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		20.0			
Casing Diameter:		0.800000011920929			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1008573652			
Layer:		1			
Slot:		10			
Screen Top Depth:		20.0			
Screen End Depth:		25.0			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID:		1008573565			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1008573667			
Diameter:		7.5			
Depth From:		0.0			
Depth To:		25.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
5	1 of 1	WSW/0.0	180.9 / -2.20	lot 6 con 8 ON	WWIS
Well ID:		2802657		Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:		Domestic		Data Entry Status:	
Use 2nd:		0		Data Src:	
Final Well Status:		Water Supply		Date Received:	
Water Type:				Selected Flag:	
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	
Tag:				Form Version:	
Constructn Method:				Owner:	
Elevation (m):				County:	
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		MILTON TOWN (TRAFALGAR)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/280\2802657.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		06/29/1966			
Year Completed:		1966			
Depth (m):		11.5824			
Latitude:		43.5391280727866			
Longitude:		-79.7832212820471			
X:		-79.78322113272641			
Y:		43.53912807098261			
Path:		280\2802657.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10149206		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	
Code OB:				East83:	
Code OB Desc:				North83:	
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	
Date Completed:		06/29/1966		UTMRC Desc:	
Remarks:				Location Method:	
Location Method Desc:		Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931429229			
Layer:		3			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Color:			6		
General Color:			BROWN		
Material 1:			11		
Material 1 Desc:			GRAVEL		
Material 2:			13		
Material 2 Desc:			BOULDERS		
Material 3:					
Material 3 Desc:					
Formation Top Depth:			9.0		
Formation End Depth:			19.0		
Formation End Depth UOM:			ft		
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:			931429231		
Layer:			5		
Color:					
General Color:					
Material 1:			11		
Material 1 Desc:			GRAVEL		
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:			26.0		
Formation End Depth:			38.0		
Formation End Depth UOM:			ft		
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:			931429227		
Layer:			1		
Color:					
General Color:					
Material 1:			02		
Material 1 Desc:			TOPSOIL		
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:			0.0		
Formation End Depth:			2.0		
Formation End Depth UOM:			ft		
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:			931429228		
Layer:			2		
Color:			6		
General Color:			BROWN		
Material 1:			05		
Material 1 Desc:			CLAY		
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:			2.0		
Formation End Depth:			9.0		
Formation End Depth UOM:			ft		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931429230			
Layer:		4			
Color:		3			
General Color:		BLUE			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		19.0			
Formation End Depth:		26.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		962802657			
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10697776			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930253872			
Layer:		1			
Material:		3			
Open Hole or Material:		CONCRETE			
Depth From:					
Depth To:		38.0			
Casing Diameter:		30.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		992802657			
Pump Set At:					
Static Level:		20.0			
Final Level After Pumping:		37.0			
Recommended Pump Depth:		37.0			
Pumping Rate:		1.0			
Flowing Rate:					
Recommended Pump Rate:		0.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		0			
Pumping Duration MIN:		30			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Flowing:		No			
<u>Water Details</u>					
Water ID:	933604770				
Layer:	1				
Kind Code:	1				
Kind:	FRESH				
Water Found Depth:	37.0				
Water Found Depth UOM:	ft				

<u>6</u>	1 of 1	NW/0.0	185.0 / 1.99	Trafalgar Road & Britannia Road lot 6 con 8 Milton ON	WWIS
Well ID:	7385432			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Monitoring			Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:	Observation Wells			Date Received:	04/22/2021
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	JGGYAMFL			Contractor:	7472
Tag:	A315200			Form Version:	9
Constructn Method:				Owner:	
Elevation (m):				County:	HALTON
Elevatn Reliability:				Lot:	006
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	NS
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	MILTON TOWN (TRAFALGAR)				
Site Info:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/738\7385432.pdf

Additional Detail(s) (Map)

Well Completed Date: 03/18/2021
Year Completed: 2021
Depth (m): 4.572
Latitude: 43.5418596698665
Longitude: -79.7826897916979
X: -79.78268964261909
Y: 43.54185966805364
Path: 738\7385432.pdf

Bore Hole Information

Bore Hole ID:	1008614258	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598345.00
Code OB Desc:		North83:	4821710.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	03/18/2021	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Location Method Desc:	on Water Well Record		
Elevrc Desc:			
Location Source Date:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1008614361			
Layer:		2			
Color:		2			
General Color:		GREY			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		28			
Material 2 Desc:		SAND			
Material 3:		79			
Material 3 Desc:		PACKED			
Formation Top Depth:		2.0			
Formation End Depth:		15.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1008614360			
Layer:		1			
Color:		6			
General Color:		BROWN			
Material 1:		02			
Material 1 Desc:		TOPSOIL			
Material 2:					
Material 2 Desc:					
Material 3:		77			
Material 3 Desc:		LOOSE			
Formation Top Depth:		0.0			
Formation End Depth:		2.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1008614451			
Layer:		1			
Plug From:		0.0			
Plug To:		9.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1008614432			
Layer:		1			
Plug From:					
Plug To:					
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1008614452			
Layer:		2			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug From:		9.0			
Plug To:		15.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1008614325			
Method Construction Code:		E			
Method Construction:		Auger			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1008614299			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1008614386			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		10.0			
Casing Diameter:		0.75			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1008614401			
Layer:		1			
Slot:		10			
Screen Top Depth:		10.0			
Screen End Depth:		15.0			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID:		1008614300			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Hole Diameter</u>					
Hole ID:		1008614417			
Diameter:		7.5			
Depth From:		0.0			
Depth To:		15.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

7	1 of 1	E/0.0	183.9/ 0.80	Trafalgar Road & Britannia Road lot 6 con 8 Milton ON	WWIS
Well ID:	7385445			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Monitoring			Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:	Observation Wells			Date Received:	04/22/2021
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	8YXU3OXS			Contractor:	7472
Tag:	A315198			Form Version:	9
Constructn Method:				Owner:	
Elevation (m):				County:	HALTON
Elevatn Reliabilty:				Lot:	006
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	NS
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	MILTON TOWN (TRAFALGAR)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/738\7385445.pdf				

Additional Detail(s) (Map)

Well Completed Date:	03/18/2021
Year Completed:	2021
Depth (m):	15.24
Latitude:	43.5406084954765
Longitude:	-79.7785065834512
X:	-79.77850643322472
Y:	43.54060849255974
Path:	738\7385445.pdf

Bore Hole Information

Bore Hole ID:	1008614506	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598685.00
Code OB Desc:		North83:	4821576.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	03/18/2021	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Location Method Desc:	on Water Well Record		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<i>Improvement Location Method:</i>					
<i>Source Revision Comment:</i>					
<i>Supplier Comment:</i>					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1008614565			
Layer:		1			
Color:		6			
General Color:		BROWN			
Material 1:		02			
Material 1 Desc:		TOPSOIL			
Material 2:					
Material 2 Desc:					
Material 3:		77			
Material 3 Desc:		LOOSE			
Formation Top Depth:		0.0			
Formation End Depth:		2.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1008614566			
Layer:		2			
Color:		2			
General Color:		GREY			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		28			
Material 2 Desc:		SAND			
Material 3:		79			
Material 3 Desc:		PACKED			
Formation Top Depth:		2.0			
Formation End Depth:		50.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1008614610			
Layer:		1			
Plug From:					
Plug To:					
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1008614622			
Layer:		1			
Plug From:		0.0			
Plug To:		39.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1008614623			
Layer:		2			
Plug From:		39.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug To:		50.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1008614547			
Method Construction Code:		E			
Method Construction:		Auger			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1008614531			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1008614584			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		40.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1008614593			
Layer:		1			
Slot:		10			
Screen Top Depth:		40.0			
Screen End Depth:		50.0			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.5			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID:		1008614532			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Hole Diameter</u>					
Hole ID:		1008614602			
Diameter:		7.5			
Depth From:		0.0			
Depth To:		50.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

<u>8</u>	1 of 1	W/0.0	181.3 / -1.73	6119 Trafalgar Road Milton ON	WWIS
Well ID:	7338811			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Monitoring			Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:	Monitoring and Test Hole			Date Received:	08/01/2019
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	Z313080			Contractor:	7366
Tag:	A270508			Form Version:	7
Constructn Method:				Owner:	
Elevation (m):				County:	HALTON
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	MILTON TOWN (TRAFALGAR)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/733\7338811.pdf				

Additional Detail(s) (Map)

Well Completed Date:	07/10/2019
Year Completed:	2019
Depth (m):	9.1
Latitude:	43.5396324766
Longitude:	-79.7840837441192
X:	-79.78408359413216
Y:	43.5396324746075
Path:	733\7338811.pdf

Bore Hole Information

Bore Hole ID:	1007603851	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598236.00
Code OB Desc:		North83:	4821461.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	07/10/2019	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Location Method Desc:	on Water Well Record		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<i>Source Revision Comment:</i>					
<i>Supplier Comment:</i>					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1007866507			
Layer:		2			
Color:		6			
General Color:		BROWN			
Material 1:		06			
Material 1 Desc:		SILT			
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.8999999761581421			
Formation End Depth:		3.9000000953674316			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1007866506			
Layer:		1			
Color:		6			
General Color:		BROWN			
Material 1:		01			
Material 1 Desc:		FILL			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		0.8999999761581421			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1007866508			
Layer:		3			
Color:		2			
General Color:		GREY			
Material 1:		06			
Material 1 Desc:		SILT			
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		3.9000000953674316			
Formation End Depth:		9.100000381469727			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1007867701			
Layer:		1			
Plug From:		0.0			
Plug To:		5.099999904632568			
Plug Depth UOM:		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1007867702			
Layer:		2			
Plug From:		5.099999904632568			
Plug To:		9.100000381469727			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1007869009			
Method Construction Code:		9			
Method Construction:		Driving			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1007864895			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1007869471			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		7.599999904632568			
Casing Diameter:		3.799999952316284			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1007869915			
Layer:		1			
Slot:		10			
Screen Top Depth:		7.599999904632568			
Screen End Depth:		9.100000381469727			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID:		1007870560			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Rate UOM:		LPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:		0			
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1007868534			
Diameter:		10.0			
Depth From:		0.0			
Depth To:		9.100000381469727			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

<u>9</u>	1 of 2	WSW/0.0	180.0 / -3.08	6119 TRAFALGAR lot 6 con 8 MILTON ON	WWIS
Well ID:		7384267		Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:		Monitoring		Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:		Observation Wells		Date Received: 03/29/2021	
Water Type:				Selected Flag: TRUE	
Casing Material:				Abandonment Rec:	
Audit No:		VV9M3UGR		Contractor: 6607	
Tag:		A293591		Form Version: 9	
Constructn Method:				Owner:	
Elevation (m):				County: HALTON	
Elevatn Reliabilty:				Lot: 006	
Depth to Bedrock:				Concession: 08	
Well Depth:				Concession Name: NS	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		MILTON TOWN (TRAFALGAR)			
Site Info:		110-113 STEELES AVE E			
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/738\7384267.pdf			

Additional Detail(s) (Map)

Well Completed Date:	02/10/2021
Year Completed:	2021
Depth (m):	13.7
Latitude:	43.5387182512595
Longitude:	-79.7836317839798
X:	-79.7836316348693
Y:	43.53871824893629
Path:	738\7384267.pdf

Bore Hole Information

Bore Hole ID:	1008600452	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598274.00
Code OB Desc:		North83:	4821360.00
Open Hole:		Org CS:	UTM83

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Cluster Kind:				UTMRC:	4
Date Completed:	02/10/2021			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Location Method Desc:		on Water Well Record			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

Overburden and Bedrock
Materials Interval

Formation ID: 1008600551
Layer: 3
Color: 6
General Color: BROWN
Material 1: 05
Material 1 Desc: CLAY
Material 2: 06
Material 2 Desc: SILT
Material 3: 85
Material 3 Desc: SOFT
Formation Top Depth: 3.0
Formation End Depth: 9.100000381469727
Formation End Depth UOM: m

Overburden and Bedrock
Materials Interval

Formation ID: 1008600553
Layer: 5
Color: 2
General Color: GREY
Material 1: 06
Material 1 Desc: SILT
Material 2: 28
Material 2 Desc: SAND
Material 3: 05
Material 3 Desc: CLAY
Formation Top Depth: 12.199999809265137
Formation End Depth: 13.699999809265137
Formation End Depth UOM: m

Overburden and Bedrock
Materials Interval

Formation ID: 1008600550
Layer: 2
Color: 6
General Color: BROWN
Material 1: 06
Material 1 Desc: SILT
Material 2: 05
Material 2 Desc: CLAY
Material 3: 66
Material 3 Desc: DENSE
Formation Top Depth: 1.0
Formation End Depth: 3.0
Formation End Depth UOM: m

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1008600552			
Layer:		4			
Color:		2			
General Color:		GREY			
Material 1:		06			
Material 1 Desc:		SILT			
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:		28			
Material 3 Desc:		SAND			
Formation Top Depth:		9.100000381469727			
Formation End Depth:		12.199999809265137			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1008600549			
Layer:		1			
Color:		6			
General Color:		BROWN			
Material 1:		02			
Material 1 Desc:		TOPSOIL			
Material 2:		06			
Material 2 Desc:		SILT			
Material 3:		85			
Material 3 Desc:		SOFT			
Formation Top Depth:		0.0			
Formation End Depth:		1.0			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1008600644			
Layer:		1			
Plug From:		0.0			
Plug To:		0.029999999329447746			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1008600645			
Layer:		2			
Plug From:		0.029999999329447746			
Plug To:		11.800000190734863			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1008600615			
Layer:		1			
Plug From:					
Plug To:					
Plug Depth UOM:		m			
<u>Method of Construction & Well</u>					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<u>Use</u>					
Method Construction ID:		1008600500			
Method Construction Code:		E			
Method Construction:		Auger			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1008600483			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1008600568			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		12.199999809265137			
Casing Diameter:		5.099999904632568			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1008600583			
Layer:		1			
Slot:		10			
Screen Top Depth:		12.199999809265137			
Screen End Depth:		13.699999809265137			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.400000095367432			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID:		1008600484			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:		LPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Water Details</u>					
Water ID:		1008600518			
Layer:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Kind Code:	8				
Kind:	Untested				
Water Found Depth:	11.5				
Water Found Depth UOM:	m				
<u>Hole Diameter</u>					
Hole ID:	1008600600				
Diameter:	21.0				
Depth From:	0.0				
Depth To:	13.699999809265137				
Hole Depth UOM:	m				
Hole Diameter UOM:	cm				

<u>9</u>	2 of 2	WSW/0.0	180.0 / -3.08	6119 TRAFALGAR lot 6 con 8 MILTON ON	WWIS
Well ID:	7384250			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Monitoring			Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:	Observation Wells			Date Received:	03/29/2021
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	OTKP7Z6T			Contractor:	6607
Tag:	A299443			Form Version:	9
Constructn Method:				Owner:	
Elevation (m):				County:	HALTON
Elevatn Reliabilty:				Lot:	006
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	NS
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	MILTON TOWN (TRAFALGAR)				
Site Info:	110-113 STEELES AVE E				
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/738\7384250.pdf				

Additional Detail(s) (Map)

Well Completed Date:	02/11/2021
Year Completed:	2021
Depth (m):	6
Latitude:	43.5387182512595
Longitude:	-79.7836317839798
X:	-79.7836316348693
Y:	43.53871824893629
Path:	738\7384250.pdf

Bore Hole Information

Bore Hole ID:	1008600174	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598274.00
Code OB Desc:		North83:	4821360.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	02/11/2021	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Location Method Desc:		on Water Well Record			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1008600271			
Layer:		3			
Color:		6			
General Color:		BROWN			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		06			
Material 2 Desc:		SILT			
Material 3:		85			
Material 3 Desc:		SOFT			
Formation Top Depth:		3.0			
Formation End Depth:		6.0			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1008600270			
Layer:		2			
Color:		6			
General Color:		BROWN			
Material 1:		06			
Material 1 Desc:		SILT			
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:		66			
Material 3 Desc:		DENSE			
Formation Top Depth:		1.0			
Formation End Depth:		3.0			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1008600269			
Layer:		1			
Color:		6			
General Color:		BROWN			
Material 1:		02			
Material 1 Desc:		TOPSOIL			
Material 2:		06			
Material 2 Desc:		SILT			
Material 3:		85			
Material 3 Desc:		SOFT			
Formation Top Depth:		0.0			
Formation End Depth:		1.0			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug ID:		1008600332			
Layer:		1			
Plug From:					
Plug To:					
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1008600360			
Layer:		2			
Plug From:		0.029999999329447746			
Plug To:		4.19999809265137			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1008600359			
Layer:		1			
Plug From:		0.0			
Plug To:		0.029999999329447746			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1008600225			
Method Construction Code:		E			
Method Construction:		Auger			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1008600207			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1008600287			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		4.5			
Casing Diameter:		5.099999904632568			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1008600302			
Layer:		1			
Slot:		10			
Screen Top Depth:		4.5			
Screen End Depth:		6.0			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Screen Diameter: 6.400000095367432

Results of Well Yield Testing

Pumping Test Method Desc:
Pump Test ID: 1008600208
Pump Set At:
Static Level:
Final Level After Pumping:
Recommended Pump Depth:
Pumping Rate:
Flowing Rate:
Recommended Pump Rate:
Levels UOM: m
Rate UOM: LPM
Water State After Test Code:
Water State After Test:
Pumping Test Method:
Pumping Duration HR:
Pumping Duration MIN:
Flowing:

Hole Diameter

Hole ID: 1008600317
Diameter: 21.0
Depth From: 0.0
Depth To: 6.0
Hole Depth UOM: m
Hole Diameter UOM: cm

10	1 of 12	WSW/0.0	180.9 / -2.20	6119 Trafalgar Rd Milton ON	EHS
--------------------	---------	---------	---------------	--------------------------------	-----

Order No: 20081217004	Nearest Intersection:
Status: C	Municipality:
Report Type: Custom Report	Client Prov/State: ON
Report Date: 12/29/2008	Search Radius (km): 0.25
Date Received: 12/17/2008	X: -79.781062
Previous Site Name:	Y: 43.539765
Lot/Building Size:	
Additional Info Ordered:	

10	2 of 12	WSW/0.0	180.9 / -2.20	D K Equipment Limited 6119 Trafalgar Road Milton ON L0P1E0	GEN
--------------------	---------	---------	---------------	--	-----

Generator Info

Generator No: ON9724391	Choice of Contact:
Approval Years: 07,08	Contaminated Fac:
Status:	MHSW Facility:
PO Box No:	SIC Code: 238910
Country:	
Co Admin:	
Phone No Admin:	
SIC Description: Site Preparation Contractors	

Waste Detail(s)

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		252			
Waste Class Name:		WASTE OILS & LUBRICANTS			
10	3 of 12	WSW/0.0	180.9 / -2.20	D K Equipment Limited 6119 Trafalgar Road Milton ON	GEN
Generator Info					
Generator No:	ON9724391			Choice of Contact:	
Approval Years:	2009			Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	238910
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:	Site Preparation Contractors				
Waste Detail(s)					
Waste Class:		252			
Waste Class Name:		WASTE OILS & LUBRICANTS			
10	4 of 12	WSW/0.0	180.9 / -2.20	D K Equipment Limited 6119 Trafalgar Road Milton ON	GEN
Generator Info					
Generator No:	ON9724391			Choice of Contact:	
Approval Years:	2010			Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	238910
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:	Site Preparation Contractors				
Waste Detail(s)					
Waste Class:		252			
Waste Class Name:		WASTE OILS & LUBRICANTS			
10	5 of 12	WSW/0.0	180.9 / -2.20	D K Equipment Limited 6119 Trafalgar Road Milton ON	GEN
Generator Info					
Generator No:	ON9724391			Choice of Contact:	
Approval Years:	2011			Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	238910
Country:					
Co Admin:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Phone No Admin:					
SIC Description:		Site Preparation Contractors			
<u>Waste Detail(s)</u>					
Waste Class:		252			
Waste Class Name:		WASTE OILS & LUBRICANTS			
10	6 of 12	WSW/0.0	180.9 / -2.20	D K Equipment Limited 6119 Trafalgar Road Milton ON L0P1E0	GEN
<u>Generator Info</u>					
Generator No:		ON9724391		Choice of Contact:	
Approval Years:		2012		Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code: 238910	
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:		Site Preparation Contractors			
<u>Waste Detail(s)</u>					
Waste Class:		252			
Waste Class Name:		WASTE OILS & LUBRICANTS			
10	7 of 12	WSW/0.0	180.9 / -2.20	D K Equipment Limited 6119 Trafalgar Road Milton ON	GEN
<u>Generator Info</u>					
Generator No:		ON9724391		Choice of Contact:	
Approval Years:		2013		Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code: 238910	
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:		SITE PREPARATION CONTRACTORS			
<u>Waste Detail(s)</u>					
Waste Class:		252			
Waste Class Name:		WASTE OILS & LUBRICANTS			
<u>Waste Detail(s)</u>					
Waste Class:		212			
Waste Class Name:		ALIPHATIC SOLVENTS			
10	8 of 12	WSW/0.0	180.9 / -2.20	D K Equipment Limited 6119 Trafalgar Road Milton ON L0P1E0	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Generator Info

Generator No:	ON9724391	Choice of Contact:	CO_ADMIN
Approval Years:	2015	Contaminated Fac:	No
Status:		MHSW Facility:	No
PO Box No:		SIC Code:	238910
Country:	Canada		
Co Admin:	Joan Childs		
Phone No Admin:	519-471-6610 Ext.		
SIC Description:	SITE PREPARATION CONTRACTORS		

Waste Detail(s)

Waste Class: 252
Waste Class Name: WASTE OILS & LUBRICANTS

Waste Detail(s)

Waste Class: 212
Waste Class Name: ALIPHATIC SOLVENTS

<u>10</u>	9 of 12	WSW/0.0	180.9 / -2.20	D K Equipment Limited 6119 Trafalgar Road Milton ON L0P1E0	GEN
---------------------------	---------	---------	---------------	--	-----

Generator Info

Generator No:	ON9724391	Choice of Contact:	CO_ADMIN
Approval Years:	2016	Contaminated Fac:	No
Status:		MHSW Facility:	No
PO Box No:		SIC Code:	238910
Country:	Canada		
Co Admin:	Heather Deitz		
Phone No Admin:	519-471-6610 Ext.		
SIC Description:	SITE PREPARATION CONTRACTORS		

Waste Detail(s)

Waste Class: 212
Waste Class Name: ALIPHATIC SOLVENTS

Waste Detail(s)

Waste Class: 252
Waste Class Name: WASTE OILS & LUBRICANTS

<u>10</u>	10 of 12	WSW/0.0	180.9 / -2.20	D K Equipment Limited 6119 Trafalgar Road Milton ON L0P1E0	GEN
---------------------------	----------	---------	---------------	--	-----

Generator Info

Generator No:	ON9724391	Choice of Contact:	CO_ADMIN
Approval Years:	2014	Contaminated Fac:	No

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Status: PO Box No: Country: Canada Co Admin: Joan Childs Phone No Admin: 519-471-6610 Ext. SIC Description: SITE PREPARATION CONTRACTORS				MHSW Facility: No SIC Code: 238910	
<u>Waste Detail(s)</u>					
Waste Class: 252 Waste Class Name: WASTE OILS & LUBRICANTS					
<u>Waste Detail(s)</u>					
Waste Class: 212 Waste Class Name: ALIPHATIC SOLVENTS					
10	11 of 12	WSW/0.0	180.9 / -2.20	D K Equipment Limited 6119 Trafalgar Road Milton ON L0P1E0	GEN
<u>Generator Info</u>					
Generator No: ON9724391 Approval Years: As of Dec 2018 Status: Registered PO Box No: Country: Canada Co Admin: Phone No Admin: SIC Description:		Choice of Contact: Contaminated Fac: MHSW Facility: SIC Code:			
<u>Waste Detail(s)</u>					
Waste Class: 212 L Waste Class Name: Aliphatic solvents and residues					
<u>Waste Detail(s)</u>					
Waste Class: 252 L Waste Class Name: Waste crankcase oils and lubricants					
10	12 of 12	WSW/0.0	180.9 / -2.20	6119 Trafalgar Road Milton ON L0P	EHS
Order No: 20181026059 Status: C Report Type: Custom Report Report Date: 02-NOV-18 Date Received: 26-OCT-18 Previous Site Name: Lot/Building Size: ~ 39.7 ha Additional Info Ordered:		Nearest Intersection: Municipality: Milton Client Prov/State: ON Search Radius (km): .3 X: -79.781202 Y: 43.54001			
11	1 of 1	WSW/0.0	180.9 / -2.20	6119 Trafalgar Road Milton ON	WWIS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Well ID:	7338850			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Monitoring			Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:	Monitoring and Test Hole			Date Received:	08/01/2019
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	Z313079			Contractor:	7366
Tag:	A270509			Form Version:	7
Constructn Method:				Owner:	
Elevation (m):				County:	HALTON
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	MILTON TOWN (TRAFALGAR)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/733\7338850.pdf				

Additional Detail(s) (Map)

Well Completed Date: 07/10/2019
Year Completed: 2019
Depth (m): 10.3
Latitude: 43.5394641983938
Longitude: -79.7843470509954
X: -79.78434690105293
Y: 43.53946419599667
Path: 733\7338850.pdf

Bore Hole Information

Bore Hole ID:	1007621158	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598215.00
Code OB Desc:		North83:	4821442.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	07/10/2019	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Location Method Desc:	on Water Well Record		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID: 1007866548
Layer: 1
Color: 6
General Color: BROWN
Material 1: 01
Material 1 Desc: FILL
Material 2:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		0.8999999761581421			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1007866550			
Layer:		3			
Color:		2			
General Color:		GREY			
Material 1:		06			
Material 1 Desc:		SILT			
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		3.9000000953674316			
Formation End Depth:		10.300000190734863			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1007866549			
Layer:		2			
Color:		6			
General Color:		BROWN			
Material 1:		06			
Material 1 Desc:		SILT			
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.8999999761581421			
Formation End Depth:		3.9000000953674316			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1007867731			
Layer:		2			
Plug From:		3.0			
Plug To:		10.300000190734863			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1007867730			
Layer:		1			
Plug From:		0.0			
Plug To:		3.0			
Plug Depth UOM:		m			
<u>Method of Construction & Well</u>					
<u>Use</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Method Construction ID:		1007869023			
Method Construction Code:		9			
Method Construction:		Driving			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		1007864910			
Casing No:		0			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		1007869518			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		7.300000190734863			
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:		m			
 <u>Construction Record - Screen</u>					
Screen ID:		1007869962			
Layer:		1			
Slot:		10			
Screen Top Depth:		7.300000190734863			
Screen End Depth:		10.300000190734863			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.0			
 <u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID:		1007870608			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:		LPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:		0			
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
 <u>Hole Diameter</u>					
Hole ID:		1007868548			
Diameter:		10.0			
Depth From:		0.0			
Depth To:		10.300000190734863			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

[12](#) 1 of 1 WSW/0.0 180.9 / -2.20 6119 TRAFALGAR ROAD lot 6 con 8 MILTON ON [WWIS](#)

Well ID:	2810636	Flowing (Y/N):	
Construction Date:		Flow Rate:	
Use 1st:	Not Used	Data Entry Status:	
Use 2nd:		Data Src:	
Final Well Status:	Abandoned-Other	Date Received:	10/27/2006
Water Type:		Selected Flag:	TRUE
Casing Material:		Abandonment Rec:	Yes
Audit No:	Z53047	Contractor:	7219
Tag:	A047051	Form Version:	3
Constructn Method:		Owner:	
Elevation (m):		County:	HALTON
Elevatn Reliabilty:		Lot:	006
Depth to Bedrock:		Concession:	08
Well Depth:		Concession Name:	
Overburden/Bedrock:		Easting NAD83:	
Pump Rate:		Northing NAD83:	
Static Water Level:		Zone:	
Clear/Cloudy:		UTM Reliability:	
Municipality:	MILTON TOWN (TRAFALGAR)		
Site Info:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/281\2810636.pdf

Additional Detail(s) (Map)

Well Completed Date: 09/21/2006
Year Completed: 2006
Depth (m):
Latitude: 43.5390568618064
Longitude: -79.7841448220655
X: -79.78414467241649
Y: 43.539056859856444
Path: 281\2810636.pdf

Bore Hole Information

Bore Hole ID:	11692841	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598232.00
Code OB Desc:		North83:	4821397.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	3
Date Completed:	09/21/2006	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	wwr
Location Method Desc:	on Water Well Record		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Annular Space/Abandonment

Sealing Record

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Plug ID:</i>		933303475			
<i>Layer:</i>		5			
<i>Plug From:</i>		18.399999618530273			
<i>Plug To:</i>		31.600000381469727			
<i>Plug Depth UOM:</i>		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
<i>Plug ID:</i>		933303472			
<i>Layer:</i>		2			
<i>Plug From:</i>		4.5			
<i>Plug To:</i>		6.0			
<i>Plug Depth UOM:</i>		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
<i>Plug ID:</i>		933303474			
<i>Layer:</i>		4			
<i>Plug From:</i>		17.0			
<i>Plug To:</i>		18.399999618530273			
<i>Plug Depth UOM:</i>		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
<i>Plug ID:</i>		933303473			
<i>Layer:</i>		3			
<i>Plug From:</i>		6.0			
<i>Plug To:</i>		17.0			
<i>Plug Depth UOM:</i>		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
<i>Plug ID:</i>		933303471			
<i>Layer:</i>		1			
<i>Plug From:</i>		0.0			
<i>Plug To:</i>		4.5			
<i>Plug Depth UOM:</i>		ft			
<u>Method of Construction & Well Use</u>					
<i>Method Construction ID:</i>		962810636			
<i>Method Construction Code:</i>					
<i>Method Construction:</i>					
<i>Other Method Construction:</i>					
<u>Pipe Information</u>					
<i>Pipe ID:</i>		11697707			
<i>Casing No:</i>		1			
<i>Comment:</i>					
<i>Alt Name:</i>					
<u>Construction Record - Casing</u>					
<i>Casing ID:</i>		930888179			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Layer: 1
Material: 3
Open Hole or Material: CONCRETE
Depth From:
Depth To:
Casing Diameter: 30.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Results of Well Yield Testing

Pumping Test Method Desc:
Pump Test ID: 11702147
Pump Set At:
Static Level: 18.0
Final Level After Pumping:
Recommended Pump Depth:
Pumping Rate:
Flowing Rate:
Recommended Pump Rate:
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code:
Water State After Test:
Pumping Test Method:
Pumping Duration HR:
Pumping Duration MIN:
Flowing:

Hole Diameter

Hole ID: 11756606
Diameter: 30.0
Depth From: 0.0
Depth To: 34.0
Hole Depth UOM: ft
Hole Diameter UOM: inch

13	1 of 1	SSW/0.0	180.9 / -2.20	Trafalgar Road & Britannia Road lot 6 con 8 Milton ON	WWIS
--------------------	--------	---------	---------------	--	------

Well ID: 7380755 Construction Date: Use 1st: Monitoring Use 2nd: Final Well Status: Observation Wells Water Type: Casing Material: Audit No: VM6JFP8J Tag: A308414 Constructn Method: Elevation (m): Elevatn Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: MILTON TOWN (TRAFALGAR) Site Info:	Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: Date Received: 02/22/2021 Selected Flag: TRUE Abandonment Rec: Contractor: 7472 Form Version: 9 Owner: County: HALTON Lot: 006 Concession: 08 Concession Name: NS Easting NAD83: Northing NAD83: Zone: UTM Reliability:
--	---

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/738\7380755.pdf

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Additional Detail(s) (Map)

Well Completed Date: 12/22/2020
Year Completed: 2020
Depth (m): 9.144
Latitude: 43.5377728416377
Longitude: -79.7819427620922
X: -79.7819426123128
Y: 43.537772839987184
Path: 738\7380755.pdf

Bore Hole Information

Bore Hole ID:	1008573527	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598412.00
Code OB Desc:		North83:	4821257.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	12/22/2020	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Location Method Desc:	on Water Well Record		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID: 1008573621
Layer: 1
Color: 2
General Color: GREY
Material 1: 05
Material 1 Desc: CLAY
Material 2: 06
Material 2 Desc: SILT
Material 3: 79
Material 3 Desc: PACKED
Formation Top Depth: 0.0
Formation End Depth: 30.0
Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1008573707
Layer: 2
Plug From: 19.0
Plug To: 30.0
Plug Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1008573681
Layer: 1

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug From:					
Plug To:					
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1008573706			
Layer:		1			
Plug From:		0.0			
Plug To:		19.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1008573582			
Method Construction Code:		E			
Method Construction:		Auger			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1008573562			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1008573636			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		20.0			
Casing Diameter:		0.800000011920929			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1008573651			
Layer:		1			
Slot:		10			
Screen Top Depth:		20.0			
Screen End Depth:		30.0			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID:		1008573563			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1008573666			
Diameter:		7.5			
Depth From:		0.0			
Depth To:		30.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

14	1 of 1	WSW/0.0	179.9/ -3.20	Trafalgar Road & Britannia Road lot 6 con 8 Milton ON	WWIS
Well ID:	7380757			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Monitoring			Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:	Observation Wells			Date Received:	02/22/2021
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	2NFP67B4			Contractor:	7472
Tag:	A308415			Form Version:	9
Constructn Method:				Owner:	
Elevation (m):				County:	HALTON
Elevatn Reliabilty:				Lot:	006
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	NS
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	MILTON TOWN (TRAFALGAR)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/738\7380757.pdf				

Additional Detail(s) (Map)

Well Completed Date:	12/22/2020
Year Completed:	2020
Depth (m):	9.7536
Latitude:	43.5386946675365
Longitude:	-79.783954065644
X:	-79.78395391615692
Y:	43.538694665859545
Path:	738\7380757.pdf

Bore Hole Information

Bore Hole ID:	1008573533	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Code OB:				East83:	598248.00
Code OB Desc:				North83:	4821357.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	12/22/2020			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Location Method Desc:		on Water Well Record			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1008573623			
Layer:		1			
Color:		2			
General Color:		GREY			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		06			
Material 2 Desc:		SILT			
Material 3:		79			
Material 3 Desc:		PACKED			
Formation Top Depth:		0.0			
Formation End Depth:		32.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1008573711			
Layer:		2			
Plug From:		26.0			
Plug To:		32.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1008573683			
Layer:		1			
Plug From:					
Plug To:					
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1008573710			
Layer:		1			
Plug From:		0.0			
Plug To:		26.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		1008573584			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Method Construction Code:		E			
Method Construction:		Auger			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		1008573566			
Casing No:		0			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		1008573638			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		27.0			
Casing Diameter:		0.800000011920929			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		1008573653			
Layer:		1			
Slot:		10			
Screen Top Depth:		27.0			
Screen End Depth:		32.0			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.0			
 <u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID:		1008573567			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
 <u>Hole Diameter</u>					
Hole ID:		1008573668			
Diameter:		7.5			
Depth From:		0.0			
Depth To:		32.0			
Hole Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Hole Diameter UOM: inch

[15](#) 1 of 1 W/0.0 181.9/ -1.19 Trafalgar Road & Britannia Road lot 6 con 8 Milton ON [WWIS](#)

Well ID:	7385448	Flowing (Y/N):	
Construction Date:		Flow Rate:	
Use 1st:	Monitoring	Data Entry Status:	
Use 2nd:		Data Src:	
Final Well Status:	Observation Wells	Date Received:	04/22/2021
Water Type:		Selected Flag:	TRUE
Casing Material:		Abandonment Rec:	
Audit No:	8JZSOG6E	Contractor:	7472
Tag:	A322945	Form Version:	9
Constructn Method:		Owner:	
Elevation (m):		County:	HALTON
Elevatn Reliabilty:		Lot:	006
Depth to Bedrock:		Concession:	08
Well Depth:		Concession Name:	NS
Overburden/Bedrock:		Easting NAD83:	
Pump Rate:		Northing NAD83:	
Static Water Level:		Zone:	
Clear/Cloudy:		UTM Reliability:	
Municipality:	MILTON TOWN (TRAFALGAR)		
Site Info:			
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/738\7385448.pdf		

Additional Detail(s) (Map)

Well Completed Date: 03/18/2021
Year Completed: 2021
Depth (m): 4.572
Latitude: 43.5407026320012
Longitude: -79.7848048924181
X: -79.78480474245372
Y: 43.54070263007589
Path: 738\7385448.pdf

Bore Hole Information

Bore Hole ID:	1008614515	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598176.00
Code OB Desc:		North83:	4821579.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	03/18/2021	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Location Method Desc:	on Water Well Record		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Overburden and Bedrock
Materials Interval**

Formation ID: 1008614571

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:		1			
Color:		6			
General Color:		BROWN			
Material 1:		02			
Material 1 Desc:		TOPSOIL			
Material 2:					
Material 2 Desc:					
Material 3:		77			
Material 3 Desc:		LOOSE			
Formation Top Depth:		0.0			
Formation End Depth:		2.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1008614572			
Layer:		2			
Color:		2			
General Color:		GREY			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		28			
Material 2 Desc:		SAND			
Material 3:		79			
Material 3 Desc:		PACKED			
Formation Top Depth:		2.0			
Formation End Depth:		15.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1008614628			
Layer:		1			
Plug From:		0.0			
Plug To:		9.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1008614613			
Layer:		1			
Plug From:					
Plug To:					
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1008614629			
Layer:		2			
Plug From:		9.0			
Plug To:		15.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		1008614550			
Method Construction Code:		E			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Method Construction:		Auger			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1008614537			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1008614587			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		10.0			
Casing Diameter:		0.75			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1008614596			
Layer:		1			
Slot:		10			
Screen Top Depth:		10.0			
Screen End Depth:		15.0			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID:		1008614538			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1008614605			
Diameter:		7.5			
Depth From:		0.0			
Depth To:		15.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
16	1 of 1	WSW/0.0	180.9 / -2.20	6119 Trafalgar Road Milton ON	WWIS
Well ID: 7338810 Construction Date: Use 1st: Monitoring Use 2nd: Final Well Status: Monitoring and Test Hole Water Type: Casing Material: Audit No: Z313078 Tag: A270517 Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: MILTON TOWN (TRAFALGAR) Site Info:		Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: Date Received: 08/01/2019 Selected Flag: TRUE Abandonment Rec: Contractor: 7366 Form Version: 7 Owner: County: HALTON Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:			
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/733\7338810.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date: 07/03/2019 Year Completed: 2019 Depth (m): 9.1 Latitude: 43.53900758574 Longitude: -79.784591394303 X: -79.7845912445696 Y: 43.539007584082256 Path: 733\7338810.pdf					
<u>Bore Hole Information</u>					
Bore Hole ID: 1007603848 DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: 07/03/2019 Remarks: Location Method Desc: on Water Well Record Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:		Elevation: Elevrc: Zone: 17 East83: 598196.00 North83: 4821391.00 Org CS: UTM83 UTMRC: 4 UTMRC Desc: margin of error : 30 m - 100 m Location Method: wwr			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID: 1007866504 Layer: 2					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Color:		6			
General Color:		BROWN			
Material 1:		06			
Material 1 Desc:		SILT			
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.6000000238418579			
Formation End Depth:		3.9000000953674316			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1007866505			
Layer:		3			
Color:		2			
General Color:		GREY			
Material 1:		06			
Material 1 Desc:		SILT			
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		3.9000000953674316			
Formation End Depth:		9.100000381469727			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1007866503			
Layer:		1			
Color:		6			
General Color:		BROWN			
Material 1:		01			
Material 1 Desc:		FILL			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		0.6000000238418579			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1007867699			
Layer:		1			
Plug From:		0.0			
Plug To:		5.099999904632568			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1007867700			
Layer:		2			
Plug From:		5.099999904632568			
Plug To:		9.100000381469727			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1007869008			
Method Construction Code:		9			
Method Construction:		Driving			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1007864894			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1007869470			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		6.0			
Casing Diameter:		3.799999952316284			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1007869914			
Layer:		1			
Slot:		10			
Screen Top Depth:		6.0			
Screen End Depth:		9.100000381469727			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID:		1007870556			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:		LPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:		0			
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Hole Diameter</u>					
Hole ID:		1007868533			
Diameter:		10.0			
Depth From:		0.0			
Depth To:		9.100000381469727			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

17	1 of 1	S/0.0	181.1 / -1.94	Trafalgar Road & Britannia Road lot 6 con 8 Milton ON	WWIS
Well ID:	7385430			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Monitoring			Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:	Observation Wells			Date Received:	04/22/2021
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	OQX2OKYF			Contractor:	7472
Tag:	A315180			Form Version:	9
Constructn Method:				Owner:	
Elevation (m):				County:	HALTON
Elevatn Reliabilty:				Lot:	006
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	NS
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	MILTON TOWN (TRAFALGAR)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/738\7385430.pdf				

Additional Detail(s) (Map)

Well Completed Date:	03/18/2021
Year Completed:	2021
Depth (m):	16.764
Latitude:	43.5371113292101
Longitude:	-79.781547642518
X:	-79.78154749390909
Y:	43.537111326720044
Path:	738\7385430.pdf

Bore Hole Information

Bore Hole ID:	1008614252	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598445.00
Code OB Desc:		North83:	4821184.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	03/18/2021	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Location Method Desc:	on Water Well Record		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1008614357			
Layer:		2			
Color:		2			
General Color:		GREY			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		28			
Material 2 Desc:		SAND			
Material 3:		79			
Material 3 Desc:		PACKED			
Formation Top Depth:		2.0			
Formation End Depth:		55.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1008614356			
Layer:		1			
Color:		6			
General Color:		BROWN			
Material 1:		02			
Material 1 Desc:		TOPSOIL			
Material 2:					
Material 2 Desc:					
Material 3:		77			
Material 3 Desc:		LOOSE			
Formation Top Depth:		0.0			
Formation End Depth:		2.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1008614430			
Layer:		1			
Plug From:					
Plug To:					
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1008614448			
Layer:		2			
Plug From:		44.0			
Plug To:		55.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1008614447			
Layer:		1			
Plug From:		0.0			
Plug To:		44.0			
Plug Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Method of Construction & Well Use

Method Construction ID: 1008614323
Method Construction Code: E
Method Construction: Auger
Other Method Construction:

Pipe Information

Pipe ID: 1008614295
Casing No: 0
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 1008614384
Layer: 1
Material: 5
Open Hole or Material: PLASTIC
Depth From: 0.0
Depth To: 45.0
Casing Diameter: 2.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1008614399
Layer: 1
Slot: 10
Screen Top Depth: 45.0
Screen End Depth: 55.0
Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 2.5

Results of Well Yield Testing

Pumping Test Method Desc:
Pump Test ID: 1008614296
Pump Set At:
Static Level:
Final Level After Pumping:
Recommended Pump Depth:
Pumping Rate:
Flowing Rate:
Recommended Pump Rate:
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code:
Water State After Test:
Pumping Test Method:
Pumping Duration HR:
Pumping Duration MIN:
Flowing:

Hole Diameter

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Hole ID:		1008614415			
Diameter:		7.5			
Depth From:		0.0			
Depth To:		55.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

18	1 of 1	NNE/0.0	184.9 / 1.80	Trafalgar Road & Britannia Road lot 6 con 8 Milton ON	WWIS
--------------------	--------	---------	--------------	--	------

Well ID:	7385431	Flowing (Y/N):	
Construction Date:		Flow Rate:	
Use 1st:	Monitoring	Data Entry Status:	
Use 2nd:		Data Src:	
Final Well Status:	Observation Wells	Date Received:	04/22/2021
Water Type:		Selected Flag:	TRUE
Casing Material:		Abandonment Rec:	
Audit No:	X5CSUCKY	Contractor:	7472
Tag:	A315181	Form Version:	9
Constructn Method:		Owner:	
Elevation (m):		County:	HALTON
Elevatn Reliability:		Lot:	006
Depth to Bedrock:		Concession:	08
Well Depth:		Concession Name:	NS
Overburden/Bedrock:		Easting NAD83:	
Pump Rate:		Northing NAD83:	
Static Water Level:		Zone:	
Clear/Cloudy:		UTM Reliability:	
Municipality:	MILTON TOWN (TRAFALGAR)		
Site Info:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/738\7385431.pdf

Additional Detail(s) (Map)

Well Completed Date:	03/18/2021
Year Completed:	2021
Depth (m):	4.572
Latitude:	43.5433583545622
Longitude:	-79.780530587853
X:	-79.78053043818278
Y:	43.54335835310795
Path:	738\7385431.pdf

Bore Hole Information

Bore Hole ID:	1008614255	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598517.00
Code OB Desc:		North83:	4821879.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	03/18/2021	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Location Method Desc:	on Water Well Record		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:			1008614358		
Layer:			1		
Color:			6		
General Color:			BROWN		
Material 1:			02		
Material 1 Desc:			TOPSOIL		
Material 2:					
Material 2 Desc:					
Material 3:			77		
Material 3 Desc:			LOOSE		
Formation Top Depth:			0.0		
Formation End Depth:			2.0		
Formation End Depth UOM:			ft		
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:			1008614359		
Layer:			2		
Color:			2		
General Color:			GREY		
Material 1:			05		
Material 1 Desc:			CLAY		
Material 2:			28		
Material 2 Desc:			SAND		
Material 3:			79		
Material 3 Desc:			PACKED		
Formation Top Depth:			2.0		
Formation End Depth:			15.0		
Formation End Depth UOM:			ft		
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:			1008614449		
Layer:			1		
Plug From:			0.0		
Plug To:			9.0		
Plug Depth UOM:			ft		
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:			1008614450		
Layer:			2		
Plug From:			9.0		
Plug To:			15.0		
Plug Depth UOM:			ft		
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:			1008614431		
Layer:			1		
Plug From:					
Plug To:					
Plug Depth UOM:			ft		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
----------------	--------------------------	--------------------------------	----------------------	-------------	-----------

Method of Construction & Well Use

Method Construction ID: 1008614324
Method Construction Code: E
Method Construction: Auger
Other Method Construction:

Pipe Information

Pipe ID: 1008614297
Casing No: 0
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 1008614385
Layer: 1
Material: 5
Open Hole or Material: PLASTIC
Depth From: 0.0
Depth To: 10.0
Casing Diameter: 0.75
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1008614400
Layer: 1
Slot: 10
Screen Top Depth: 10.0
Screen End Depth: 15.0
Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 1.0

Results of Well Yield Testing

Pumping Test Method Desc:
Pump Test ID: 1008614298
Pump Set At:
Static Level:
Final Level After Pumping:
Recommended Pump Depth:
Pumping Rate:
Flowing Rate:
Recommended Pump Rate:
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code:
Water State After Test:
Pumping Test Method:
Pumping Duration HR:
Pumping Duration MIN:
Flowing:

Hole Diameter

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Hole ID:		1008614416			
Diameter:		7.5			
Depth From:		0.0			
Depth To:		15.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

19	1 of 1	SSW/0.0	180.9 / -2.20	Trafalgar Road & Britannia Road lot 6 con 8 Milton ON	WWIS
Well ID:	7380754			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Monitoring			Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:	Observation Wells			Date Received:	02/22/2021
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	BIHLAX86			Contractor:	7472
Tag:	A308413			Form Version:	9
Constructn Method:				Owner:	
Elevation (m):				County:	HALTON
Elevatn Reliabilty:				Lot:	006
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	NS
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	MILTON TOWN (TRAFALGAR)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/738\7380754.pdf				

Additional Detail(s) (Map)

Well Completed Date:	12/22/2020
Year Completed:	2020
Depth (m):	9.144
Latitude:	43.5368928668827
Longitude:	-79.7821708841534
X:	-79.78217073409466
Y:	43.53689286488853
Path:	738\7380754.pdf

Bore Hole Information

Bore Hole ID:	1008573524	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598395.00
Code OB Desc:		North83:	4821159.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	12/22/2020	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Location Method Desc:	on Water Well Record		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1008573620			
Layer:		1			
Color:		2			
General Color:		GREY			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		06			
Material 2 Desc:		SILT			
Material 3:		79			
Material 3 Desc:		PACKED			
Formation Top Depth:		0.0			
Formation End Depth:		30.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1008573680			
Layer:		1			
Plug From:					
Plug To:					
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1008573705			
Layer:		2			
Plug From:		19.0			
Plug To:		30.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1008573704			
Layer:		1			
Plug From:		0.0			
Plug To:		19.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1008573581			
Method Construction Code:		E			
Method Construction:		Auger			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1008573560			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Casing ID: 1008573635
Layer: 1
Material: 5
Open Hole or Material: PLASTIC
Depth From: 0.0
Depth To: 20.0
Casing Diameter: 0.800000011920929
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1008573650
Layer: 1
Slot: 10
Screen Top Depth: 20.0
Screen End Depth: 30.0
Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 1.0

Results of Well Yield Testing

Pumping Test Method Desc:
Pump Test ID: 1008573561
Pump Set At:
Static Level:
Final Level After Pumping:
Recommended Pump Depth:
Pumping Rate:
Flowing Rate:
Recommended Pump Rate:
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code:
Water State After Test:
Pumping Test Method:
Pumping Duration HR:
Pumping Duration MIN:
Flowing:

Hole Diameter

Hole ID: 1008573665
Diameter: 7.5
Depth From: 0.0
Depth To: 30.0
Hole Depth UOM: ft
Hole Diameter UOM: inch

[20](#)

1 of 1

E/0.0

184.6 / 1.57

Trafalgar Road & Britannia Road lot 6 con 8
Milton ON

WWIS

Well ID: 7385443
Construction Date:
Use 1st: Monitoring
Use 2nd:
Final Well Status: Observation Wells
Water Type:
Casing Material:

Flowing (Y/N):
Flow Rate:
Data Entry Status:
Data Src:
Date Received: 04/22/2021
Selected Flag: TRUE
Abandonment Rec:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Audit No:	AW33TXMA			Contractor:	7472
Tag:	A315196			Form Version:	9
Constructn Method:				Owner:	
Elevation (m):				County:	HALTON
Elevatn Reliabilty:				Lot:	006
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	NS
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	MILTON TOWN (TRAFALGAR)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/738\7385443.pdf				

Additional Detail(s) (Map)

Well Completed Date: 03/18/2021
Year Completed: 2021
Depth (m): 4.572
Latitude: 43.5404251503923
Longitude: -79.7765174975476
X: -79.77651734823846
Y: 43.54042514765397
Path: 738\7385443.pdf

Bore Hole Information

Bore Hole ID:	1008614500	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598846.00
Code OB Desc:		North83:	4821558.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	03/18/2021	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Location Method Desc:	on Water Well Record		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID: 1008614561
Layer: 1
Color: 6
General Color: BROWN
Material 1: 02
Material 1 Desc: TOPSOIL
Material 2:
Material 2 Desc:
Material 3: 77
Material 3 Desc: LOOSE
Formation Top Depth: 0.0
Formation End Depth: 2.0
Formation End Depth UOM: ft

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1008614562			
Layer:		2			
Color:		2			
General Color:		GREY			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		28			
Material 2 Desc:		SAND			
Material 3:		79			
Material 3 Desc:		PACKED			
Formation Top Depth:		2.0			
Formation End Depth:		15.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1008614618			
Layer:		1			
Plug From:		0.0			
Plug To:		9.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1008614619			
Layer:		2			
Plug From:		9.0			
Plug To:		15.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1008614608			
Layer:		1			
Plug From:					
Plug To:					
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1008614545			
Method Construction Code:		E			
Method Construction:		Auger			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1008614527			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Casing ID: 1008614582
Layer: 1
Material: 5
Open Hole or Material: PLASTIC
Depth From: 0.0
Depth To: 10.0
Casing Diameter: 0.75
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1008614591
Layer: 1
Slot: 10
Screen Top Depth: 10.0
Screen End Depth: 15.0
Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 1.0

Results of Well Yield Testing

Pumping Test Method Desc:
Pump Test ID: 1008614528
Pump Set At:
Static Level:
Final Level After Pumping:
Recommended Pump Depth:
Pumping Rate:
Flowing Rate:
Recommended Pump Rate:
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code:
Water State After Test:
Pumping Test Method:
Pumping Duration HR:
Pumping Duration MIN:
Flowing:

Hole Diameter

Hole ID: 1008614600
Diameter: 7.5
Depth From: 0.0
Depth To: 15.0
Hole Depth UOM: ft
Hole Diameter UOM: inch

21	1 of 1	N/0.0	184.9 / 1.80	6119 TRAFALGAR lot 6 con 8 MILTON ON	WWIS
--------------------	--------	-------	--------------	---	------

Well ID: 7384264 Construction Date: Use 1st: Monitoring Use 2nd: Final Well Status: Observation Wells Water Type: Casing Material:	Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: Date Received: 03/29/2021 Selected Flag: TRUE Abandonment Rec:
---	--

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Audit No:	TSXKLYLS			Contractor:	6607
Tag:	A313836			Form Version:	9
Constructn Method:				Owner:	
Elevation (m):				County:	HALTON
Elevatn Reliabilty:				Lot:	006
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	NS
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	MILTON TOWN (TRAFALGAR)				
Site Info:	110-113 STEELES AVE E				

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/738\7384264.pdf

Additional Detail(s) (Map)

Well Completed Date: 02/09/2021
Year Completed: 2021
Depth (m): 6
Latitude: 43.5437189701572
Longitude: -79.7805728307868
X: -79.78057268141366
Y: 43.5437189680602
Path: 738\7384264.pdf

Bore Hole Information

Bore Hole ID:	1008600443	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598513.00
Code OB Desc:		North83:	4821919.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	02/09/2021	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Location Method Desc:	on Water Well Record		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID: 1008600541
Layer: 1
Color: 6
General Color: BROWN
Material 1: 02
Material 1 Desc: TOPSOIL
Material 2: 06
Material 2 Desc: SILT
Material 3: 85
Material 3 Desc: SOFT
Formation Top Depth: 0.0
Formation End Depth: 1.0
Formation End Depth UOM: m

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1008600543			
Layer:		3			
Color:		6			
General Color:		BROWN			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		06			
Material 2 Desc:		SILT			
Material 3:		85			
Material 3 Desc:		SOFT			
Formation Top Depth:		3.0			
Formation End Depth:		6.0			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1008600542			
Layer:		2			
Color:		6			
General Color:		BROWN			
Material 1:		06			
Material 1 Desc:		SILT			
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:		66			
Material 3 Desc:		DENSE			
Formation Top Depth:		1.0			
Formation End Depth:		3.0			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1008600638			
Layer:		1			
Plug From:		0.0			
Plug To:		0.029999999329447746			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1008600639			
Layer:		2			
Plug From:		0.029999999329447746			
Plug To:		4.19999809265137			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1008600612			
Layer:		1			
Plug From:					
Plug To:					
Plug Depth UOM:		m			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1008600496			
Method Construction Code:		E			
Method Construction:		Auger			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1008600477			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1008600565			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		4.5			
Casing Diameter:		5.099999904632568			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1008600580			
Layer:		1			
Slot:		10			
Screen Top Depth:		4.5			
Screen End Depth:		6.0			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.400000095367432			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID:		1008600478			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:		LPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1008600596			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Diameter:		21.0			
Depth From:		0.0			
Depth To:		6.0			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

22	1 of 1	S/0.0	181.9 / -1.20	Trafalgar Road & Britannia Road lot 6 con 8 Milton ON	WWIS
Well ID:	7385262			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Monitoring			Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:	Observation Wells			Date Received:	04/14/2021
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	WOOINUDE			Contractor:	7472
Tag:	A315126			Form Version:	9
Constructn Method:				Owner:	
Elevation (m):				County:	HALTON
Elevatn Reliabilty:				Lot:	006
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	NS
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	MILTON TOWN (TRAFALGAR)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/738\7385262.pdf				

Additional Detail(s) (Map)

Well Completed Date:	03/18/2021
Year Completed:	2021
Depth (m):	13.716
Latitude:	43.5363198261226
Longitude:	-79.780783848284
X:	-79.78078369805831
Y:	43.53631982359632
Path:	738\7385262.pdf

Bore Hole Information

Bore Hole ID:	1008610713	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598508.00
Code OB Desc:		North83:	4821097.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	03/18/2021	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Location Method Desc:	on Water Well Record		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1008610785			
Layer:		1			
Color:		6			
General Color:		BROWN			
Material 1:		02			
Material 1 Desc:		TOPSOIL			
Material 2:					
Material 2 Desc:					
Material 3:		77			
Material 3 Desc:		LOOSE			
Formation Top Depth:		0.0			
Formation End Depth:		2.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1008610786			
Layer:		2			
Color:		2			
General Color:		GREY			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		28			
Material 2 Desc:		SAND			
Material 3:		79			
Material 3 Desc:		PACKED			
Formation Top Depth:		2.0			
Formation End Depth:		45.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1008610864			
Layer:		1			
Plug From:		0.0			
Plug To:		34.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1008610865			
Layer:		2			
Plug From:		34.0			
Plug To:		45.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1008610840			
Layer:		1			
Plug From:					
Plug To:					
Plug Depth UOM:		ft			
<u>Method of Construction & Well</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Use</u>					
Method Construction ID:		1008610753			
Method Construction Code:		E			
Method Construction:		Auger			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1008610744			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1008610802			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		35.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1008610816			
Layer:		1			
Slot:		10			
Screen Top Depth:		35.0			
Screen End Depth:		45.0			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.5			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID:		1008610745			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1008610825			
Diameter:		7.5			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth From:		0.0			
Depth To:		45.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

23	1 of 1	ESE/4.4	183.4 / 0.33	Trafalgar Road & Britannia Road lot 6 con 8 Milton ON	WWIS
Well ID:	7385246			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Monitoring			Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:	Observation Wells			Date Received:	04/14/2021
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	RHCXXBUR			Contractor:	7472
Tag:	A315179			Form Version:	9
Constructn Method:				Owner:	
Elevation (m):				County:	HALTON
Elevatn Reliabilty:				Lot:	006
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	NS
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	MILTON TOWN (TRAFALGAR)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/738\7385246.pdf				

Additional Detail(s) (Map)

Well Completed Date:	03/18/2021
Year Completed:	2021
Depth (m):	4.8768
Latitude:	43.5386425803739
Longitude:	-79.7782244687659
X:	-79.77822431937001
Y:	43.53864257762943
Path:	738\7385246.pdf

Bore Hole Information

Bore Hole ID:	1008610430	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598711.00
Code OB Desc:		North83:	4821358.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	03/18/2021	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Location Method Desc:	on Water Well Record		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Materials Interval</u>					
Formation ID:		1008610532			
Layer:		1			
Color:		6			
General Color:		BROWN			
Material 1:		02			
Material 1 Desc:		TOPSOIL			
Material 2:					
Material 2 Desc:					
Material 3:		77			
Material 3 Desc:		LOOSE			
Formation Top Depth:		0.0			
Formation End Depth:		2.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1008610533			
Layer:		2			
Color:		2			
General Color:		GREY			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		28			
Material 2 Desc:		SAND			
Material 3:		79			
Material 3 Desc:		PACKED			
Formation Top Depth:		2.0			
Formation End Depth:		16.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1008610622			
Layer:		1			
Plug From:		0.0			
Plug To:		10.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1008610623			
Layer:		2			
Plug From:		10.0			
Plug To:		16.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1008610594			
Layer:		1			
Plug From:					
Plug To:					
Plug Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Method Construction ID:		1008610479			
Method Construction Code:		E			
Method Construction:		Auger			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1008610462			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1008610549			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		11.0			
Casing Diameter:		0.75			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1008610564			
Layer:		1			
Slot:		10			
Screen Top Depth:		11.0			
Screen End Depth:		16.0			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID:		1008610463			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1008610579			
Diameter:		7.5			
Depth From:		0.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth To: Hole Depth UOM: Hole Diameter UOM:		16.0 ft inch			

[24](#) 1 of 1 E/9.9 183.9 / 0.80 lot 6 con 8 ON WWIS

Well ID:	2807776	Flowing (Y/N):	
Construction Date:		Flow Rate:	
Use 1st:	Domestic	Data Entry Status:	
Use 2nd:		Data Src:	1
Final Well Status:	Abandoned-Supply	Date Received:	03/12/1991
Water Type:		Selected Flag:	TRUE
Casing Material:		Abandonment Rec:	
Audit No:	NA	Contractor:	3349
Tag:		Form Version:	1
Constructn Method:		Owner:	
Elevation (m):		County:	HALTON
Elevatn Reliabilty:		Lot:	006
Depth to Bedrock:		Concession:	08
Well Depth:		Concession Name:	NS
Overburden/Bedrock:		Easting NAD83:	
Pump Rate:		Northing NAD83:	
Static Water Level:		Zone:	
Clear/Cloudy:		UTM Reliability:	
Municipality:	MILTON TOWN (TRAFALGAR)		
Site Info:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/280\2807776.pdf

Additional Detail(s) (Map)

Well Completed Date: 08/09/1990
Year Completed: 1990
Depth (m): 23.7744
Latitude: 43.5410008793001
Longitude: -79.7764674829429
X: -79.77646733360166
Y: 43.5410008769724
Path: 280\2807776.pdf

Bore Hole Information

Bore Hole ID:	10154035	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598849.10
Code OB Desc:		North83:	4821622.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	3
Date Completed:	08/09/1990	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	gps
Location Method Desc:	from gps		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Overburden and Bedrock
Materials Interval**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		931448735			
Layer:		2			
Color:		2			
General Color:		GREY			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		1.0			
Formation End Depth:		34.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931448734			
Layer:		1			
Color:		8			
General Color:		BLACK			
Material 1:		02			
Material 1 Desc:		TOPSOIL			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		1.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931448737			
Layer:		4			
Color:		7			
General Color:		RED			
Material 1:		17			
Material 1 Desc:		SHALE			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		50.0			
Formation End Depth:		78.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931448736			
Layer:		3			
Color:		2			
General Color:		GREY			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:		11			
Material 2 Desc:		GRAVEL			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		34.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth:		50.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933139772			
Layer:		1			
Plug From:		1.0			
Plug To:		48.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933139773			
Layer:		2			
Plug From:		48.0			
Plug To:		78.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		962807776			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10702605			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930262034			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		50.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			

25

1 of 1

SE/14.3

182.3 / -0.78

TRAFALGAR & BRITTIANCE ROAD
Milton ON

WWIS

Well ID: 7266003
Construction Date:
Use 1st: Monitoring
Use 2nd:
Final Well Status: Observation Wells
Water Type:
Casing Material:
Audit No: Z232918
Tag: A201625
Constructn Method:

Flowing (Y/N):
Flow Rate:
Data Entry Status:
Data Src:
Date Received: 07/06/2016
Selected Flag: TRUE
Abandonment Rec:
Contractor: 7238
Form Version: 7
Owner:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: Site Info:		Direction/ Distance (m) MILTON TOWN (TRAFALGAR)		County: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	HALTON
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/726\7266003.pdf			

Additional Detail(s) (Map)

Well Completed Date: 06/14/2016
Year Completed: 2016
Depth (m): 16.764
Latitude: 43.538044987012
Longitude: -79.7787563740232
X: -79.77875622430997
Y: 43.53804498508931
Path: 726\7266003.pdf

Bore Hole Information

Bore Hole ID:	1006106256	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598669.00
Code OB Desc:		North83:	4821291.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	06/14/2016	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Location Method Desc:	on Water Well Record		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Overburden and Bedrock
Materials Interval**

Formation ID: 1006131004
Layer: 2
Color:
General Color:
Material 1: 34
Material 1 Desc: TILL
Material 2:
Material 2 Desc:
Material 3:
Material 3 Desc:
Formation Top Depth: 4.0
Formation End Depth: 54.0
Formation End Depth UOM: ft

**Overburden and Bedrock
Materials Interval**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		1006131005			
Layer:		3			
Color:					
General Color:					
Material 1:		17			
Material 1 Desc:		SHALE			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		54.0			
Formation End Depth:		55.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006131003			
Layer:		1			
Color:					
General Color:					
Material 1:		02			
Material 1 Desc:		TOPSOIL			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		4.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1006131014			
Layer:		3			
Plug From:		2.0			
Plug To:		46.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1006131015			
Layer:		4			
Plug From:		46.0			
Plug To:		53.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1006131013			
Layer:		2			
Plug From:		1.0			
Plug To:		2.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug ID:		1006131012			
Layer:		1			
Plug From:		0.0			
Plug To:		1.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006131016			
Layer:		5			
Plug From:		53.0			
Plug To:		55.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1006131011			
Method Construction Code:		E			
Method Construction:		Auger			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006131002			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006131008			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		3.0			
Depth To:		48.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1006131009			
Layer:		1			
Slot:		10			
Screen Top Depth:		48.0			
Screen End Depth:		53.0			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.5			
<u>Water Details</u>					
Water ID:		1006131007			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					
Hole ID:	1006131006				
Diameter:	8.0				
Depth From:	0.0				
Depth To:	55.0				
Hole Depth UOM:	ft				
Hole Diameter UOM:	inch				

26	1 of 1	E/17.5	183.9 / 0.80	lot 6 con 8 ON	WWIS
Well ID:	2807777			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:	Water Supply			Date Received:	03/12/1991
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	NA			Contractor:	3349
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	HALTON
Elevatn Reliability:				Lot:	006
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	NS
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	MILTON TOWN (TRAFALGAR)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/280\2807777.pdf				

Additional Detail(s) (Map)

Well Completed Date:	10/26/1990
Year Completed:	1990
Depth (m):	14.6304
Latitude:	43.5409170779873
Longitude:	-79.77620924689
X:	-79.77620909769138
Y:	43.54091707562224
Path:	280\2807777.pdf

Bore Hole Information

Bore Hole ID:	10154036	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598870.10
Code OB Desc:		North83:	4821613.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	3
Date Completed:	10/26/1990	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	gps
Location Method Desc:	from gps		
Elevrc Desc:			
Location Source Date:			

Improvement Location Source:
 Improvement Location Method:
 Source Revision Comment:
 Supplier Comment:

Overburden and Bedrock
Materials Interval

Formation ID: 931448740
 Layer: 3
 Color: 2
 General Color: GREY
 Material 1: 08
 Material 1 Desc: FINE SAND
 Material 2: 11
 Material 2 Desc: GRAVEL
 Material 3:
 Material 3 Desc:
 Formation Top Depth: 32.0
 Formation End Depth: 48.0
 Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 931448738
 Layer: 1
 Color: 8
 General Color: BLACK
 Material 1: 02
 Material 1 Desc: TOPSOIL
 Material 2:
 Material 2 Desc:
 Material 3:
 Material 3 Desc:
 Formation Top Depth: 0.0
 Formation End Depth: 1.0
 Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 931448739
 Layer: 2
 Color: 2
 General Color: GREY
 Material 1: 05
 Material 1 Desc: CLAY
 Material 2:
 Material 2 Desc:
 Material 3:
 Material 3 Desc:
 Formation Top Depth: 1.0
 Formation End Depth: 32.0
 Formation End Depth UOM: ft

Method of Construction & Well
Use

Method Construction ID: 962807777
 Method Construction Code: 1
 Method Construction: Cable Tool

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Other Method Construction:</i>					
<i>Pipe Information</i>					
<i>Pipe ID:</i>		10702606			
<i>Casing No:</i>		1			
<i>Comment:</i>					
<i>Alt Name:</i>					
<i>Construction Record - Casing</i>					
<i>Casing ID:</i>		930262035			
<i>Layer:</i>		1			
<i>Material:</i>		5			
<i>Open Hole or Material:</i>		PLASTIC			
<i>Depth From:</i>					
<i>Depth To:</i>		48.0			
<i>Casing Diameter:</i>		5.0			
<i>Casing Diameter UOM:</i>		inch			
<i>Casing Depth UOM:</i>		ft			
<i>Construction Record - Screen</i>					
<i>Screen ID:</i>		933338999			
<i>Layer:</i>		1			
<i>Slot:</i>		017			
<i>Screen Top Depth:</i>					
<i>Screen End Depth:</i>					
<i>Screen Material:</i>					
<i>Screen Depth UOM:</i>		ft			
<i>Screen Diameter UOM:</i>		inch			
<i>Screen Diameter:</i>		5.0			
<i>Results of Well Yield Testing</i>					
<i>Pumping Test Method Desc:</i>		PUMP			
<i>Pump Test ID:</i>		992807777			
<i>Pump Set At:</i>					
<i>Static Level:</i>		8.0			
<i>Final Level After Pumping:</i>		42.0			
<i>Recommended Pump Depth:</i>		45.0			
<i>Pumping Rate:</i>		2.0			
<i>Flowing Rate:</i>					
<i>Recommended Pump Rate:</i>		2.0			
<i>Levels UOM:</i>		ft			
<i>Rate UOM:</i>		GPM			
<i>Water State After Test Code:</i>		2			
<i>Water State After Test:</i>		CLOUDY			
<i>Pumping Test Method:</i>		1			
<i>Pumping Duration HR:</i>		99			
<i>Pumping Duration MIN:</i>		59			
<i>Flowing:</i>		No			
<i>Draw Down & Recovery</i>					
<i>Pump Test Detail ID:</i>		934180055			
<i>Test Type:</i>		Draw Down			
<i>Test Duration:</i>		15			
<i>Test Level:</i>		23.0			
<i>Test Level UOM:</i>		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934712729			
Test Type:		Draw Down			
Test Duration:		45			
Test Level:		42.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934453585			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		36.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934964966			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		42.0			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		933611406			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		32.0			
Water Found Depth UOM:		ft			

27	1 of 1	ESE/19.0	183.9 / 0.80	1120 BRITANNIA ROAD lot 6 con 8 MILTON ON	WWIS
Well ID:	7360204			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Monitoring			Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:	Observation Wells			Date Received:	05/25/2020
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	V5HS56FC			Contractor:	6607
Tag:	A293401			Form Version:	9
Constructn Method:				Owner:	
Elevation (m):				County:	HALTON
Elevatn Reliabilty:				Lot:	006
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	NS
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	MILTON TOWN (TRAFALGAR)				
Site Info:	NORTH SIDE OF BRITANNIA ROAD				
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/736\7360204.pdf				
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	05/22/2020				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Year Completed:		2020			
Depth (m):		12.8			
Latitude:		43.5390405351594			
Longitude:		-79.7775480589455			
X:		-79.77754790970042			
Y:		43.539040532834214			
Path:		736\7360204.pdf			

Bore Hole Information

Bore Hole ID:	1008299281	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598765.00
Code OB Desc:		North83:	4821403.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	05/22/2020	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Location Method Desc:	on Water Well Record		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	1008299432
Layer:	3
Color:	2
General Color:	GREY
Material 1:	05
Material 1 Desc:	CLAY
Material 2:	84
Material 2 Desc:	SILTY
Material 3:	73
Material 3 Desc:	HARD
Formation Top Depth:	9.100000381469727
Formation End Depth:	10.600000381469727
Formation End Depth UOM:	m

Overburden and Bedrock

Materials Interval

Formation ID:	1008299433
Layer:	4
Color:	2
General Color:	GREY
Material 1:	06
Material 1 Desc:	SILT
Material 2:	05
Material 2 Desc:	CLAY
Material 3:	73
Material 3 Desc:	HARD
Formation Top Depth:	10.600000381469727
Formation End Depth:	12.800000190734863
Formation End Depth UOM:	m

Overburden and Bedrock

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Materials Interval</u>					
Formation ID:		1008299430			
Layer:		1			
Color:		6			
General Color:		BROWN			
Material 1:		06			
Material 1 Desc:		SILT			
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:		66			
Material 3 Desc:		DENSE			
Formation Top Depth:		0.0			
Formation End Depth:		3.5999999046325684			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1008299431			
Layer:		2			
Color:		2			
General Color:		GREY			
Material 1:		06			
Material 1 Desc:		SILT			
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:		73			
Material 3 Desc:		HARD			
Formation Top Depth:		3.5999999046325684			
Formation End Depth:		9.100000381469727			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1008299566			
Layer:		2			
Plug From:		0.30000001192092896			
Plug To:		9.5			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1008299528			
Layer:		1			
Plug From:					
Plug To:					
Plug Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1008299565			
Layer:		1			
Plug From:		0.0			
Plug To:		0.30000001192092896			
Plug Depth UOM:		m			
<u>Method of Construction & Well</u>					
<u>Use</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Method Construction ID:		1008299367			
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1008299336			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1008299463			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		9.800000190734863			
Casing Diameter:		5.099999904632568			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1008299482			
Layer:		1			
Slot:		10			
Screen Top Depth:		9.800000190734863			
Screen End Depth:		12.800000190734863			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.400000095367432			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID:		1008299337			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:		LPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1008299505			
Diameter:		21.0			
Depth From:		0.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth To:		12.800000190734863			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

28 1 of 1 **WSW/21.0** **178.9 / -4.19** **6119 TRAFALGAR ROAD lot 6 con 8 HORNBY ON** **WWIS**

Well ID:	7296829	Flowing (Y/N):	
Construction Date:		Flow Rate:	
Use 1st:		Data Entry Status:	
Use 2nd:		Data Src:	
Final Well Status:	Abandoned-Other	Date Received:	10/06/2017
Water Type:		Selected Flag:	TRUE
Casing Material:		Abandonment Rec:	Yes
Audit No:	Z254642	Contractor:	7523
Tag:		Form Version:	7
Constructn Method:		Owner:	
Elevation (m):		County:	HALTON
Elevatn Reliabilty:		Lot:	006
Depth to Bedrock:		Concession:	08
Well Depth:		Concession Name:	NS
Overburden/Bedrock:		Easting NAD83:	
Pump Rate:		Northing NAD83:	
Static Water Level:		Zone:	
Clear/Cloudy:		UTM Reliability:	
Municipality:	MILTON TOWN (TRAFALGAR)		
Site Info:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/729\7296829.pdf

Additional Detail(s) (Map)

Well Completed Date: 05/23/2017
Year Completed: 2017
Depth (m):
Latitude: 43.5390646950487
Longitude: -79.7857289574792
X: -79.78572880779673
Y: 43.539064693130825
Path: 729\7296829.pdf

Bore Hole Information

Bore Hole ID:	1006759965	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598104.00
Code OB Desc:		North83:	4821396.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	05/23/2017	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	gis
Location Method Desc:	from gis		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Overburden and Bedrock
Materials Interval**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		1006925077			
Layer:					
Color:					
General Color:					
Material 1:					
Material 1 Desc:					
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:					
Formation End Depth:					
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006925083			
Layer:		1			
Plug From:		0.0			
Plug To:		2.0			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006925086			
Layer:		4			
Plug From:		3.0			
Plug To:		4.0			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006925085			
Layer:		3			
Plug From:		2.200000047683716			
Plug To:		3.0			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006925084			
Layer:		2			
Plug From:		2.0			
Plug To:		2.200000047683716			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1006925082			
Method Construction Code:					
Method Construction:					
Other Method Construction:					
<u>Pipe Information</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pipe ID:		1006925075			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006925080			
Layer:		1			
Material:					
Open Hole or Material:					
Depth From:		0.0			
Depth To:		4.0			
Casing Diameter:		0.9139999747276306			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1006925081			
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID:		1006925076			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:		LPM			
Water State After Test Code:		0			
Water State After Test:					
Pumping Test Method:		0			
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Water Details</u>					
Water ID:		1006925079			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1006925078			
Diameter:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth From: Depth To: Hole Depth UOM: m Hole Diameter UOM: cm					

29	1 of 1	ENE/23.7	183.9 / 0.80	lot 6 con 8 ON	WWIS
Well ID: 2807708 Construction Date: Use 1st: Domestic Use 2nd: Final Well Status: Water Supply Water Type: Casing Material: Audit No: 74545 Tag: Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: MILTON TOWN (TRAFALGAR) Site Info: PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/280\2807708.pdf					
Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: 1 Date Received: 01/15/1991 Selected Flag: TRUE Abandonment Rec: Contractor: 4868 Form Version: 1 Owner: County: HALTON Lot: 006 Concession: 08 Concession Name: NS Easting NAD83: Northing NAD83: Zone: UTM Reliability:					

Additional Detail(s) (Map)

Well Completed Date:	01/11/1990
Year Completed:	1990
Depth (m):	14.6304
Latitude:	43.5415194328274
Longitude:	-79.7769644841839
X:	-79.77696433441358
Y:	43.54151943103955
Path:	280\2807708.pdf

Bore Hole Information

Bore Hole ID:	10153967	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598808.10
Code OB Desc:		North83:	4821679.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	3
Date Completed:	01/11/1990	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	gps
Location Method Desc:	from gps		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Materials Interval</u>					
Formation ID:		931448463			
Layer:		2			
Color:		6			
General Color:		BROWN			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		08			
Material 2 Desc:		FINE SAND			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		2.0			
Formation End Depth:		10.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931448468			
Layer:		7			
Color:		7			
General Color:		RED			
Material 1:		17			
Material 1 Desc:		SHALE			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		48.0			
Formation End Depth:		48.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931448467			
Layer:		6			
Color:		2			
General Color:		GREY			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:		85			
Material 2 Desc:		SOFT			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		46.0			
Formation End Depth:		48.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931448466			
Layer:		5			
Color:		7			
General Color:		RED			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		12			
Material 2 Desc:		STONES			
Material 3:		73			
Material 3 Desc:		HARD			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation Top Depth:		31.0			
Formation End Depth:		46.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931448462			
Layer:		1			
Color:		6			
General Color:		BROWN			
Material 1:		02			
Material 1 Desc:		TOPSOIL			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		2.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931448464			
Layer:		3			
Color:		2			
General Color:		GREY			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		12			
Material 2 Desc:		STONES			
Material 3:		08			
Material 3 Desc:		FINE SAND			
Formation Top Depth:		10.0			
Formation End Depth:		27.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931448465			
Layer:		4			
Color:		6			
General Color:		BROWN			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		12			
Material 2 Desc:		STONES			
Material 3:		73			
Material 3 Desc:		HARD			
Formation Top Depth:		27.0			
Formation End Depth:		31.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		933139767			
Layer:		1			
Plug From:		0.0			
Plug To:		10.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		962807708			
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10702537			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930261916			
Layer:		3			
Material:					
Open Hole or Material:					
Depth From:					
Depth To:		48.0			
Casing Diameter:					
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930261915			
Layer:		2			
Material:		2			
Open Hole or Material:		GALVANIZED			
Depth From:					
Depth To:		45.0			
Casing Diameter:		30.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930261914			
Layer:		1			
Material:		3			
Open Hole or Material:		CONCRETE			
Depth From:					
Depth To:		6.0			
Casing Diameter:		30.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		992807708			
Pump Set At:					
Static Level:		8.0			
Final Level After Pumping:		31.0			
Recommended Pump Depth:		38.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pumping Rate:		10.0			
Flowing Rate:					
Recommended Pump Rate:		3.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		2			
Water State After Test:		CLOUDY			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934453526			
Test Type:		Recovery			
Test Duration:		30			
Test Level:		31.0			
Test Level UOM:		ft			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934712255			
Test Type:		Recovery			
Test Duration:		45			
Test Level:		30.0			
Test Level UOM:		ft			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934179577			
Test Type:		Recovery			
Test Duration:		15			
Test Level:		31.0			
Test Level UOM:		ft			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934964906			
Test Type:		Recovery			
Test Duration:		60			
Test Level:		30.0			
Test Level UOM:		ft			
 <u>Water Details</u>					
Water ID:		933611328			
Layer:		2			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		31.0			
Water Found Depth UOM:		ft			
 <u>Water Details</u>					
Water ID:		933611327			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		27.0			
Water Found Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water Details					
Water ID:		933611329			
Layer:		3			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		46.0			
Water Found Depth UOM:		ft			

[30](#) 1 of 1 SSE/25.9 182.9 / -0.20 BRITANNIA ROAD APPROX. .15KM E OF TRAFALGAR ROAD Milton ON [WWIS](#)

Well ID:	7287308	Flowing (Y/N):	
Construction Date:		Flow Rate:	
Use 1st:	Monitoring	Data Entry Status:	
Use 2nd:		Data Src:	
Final Well Status:	Observation Wells	Date Received:	05/29/2017
Water Type:		Selected Flag:	TRUE
Casing Material:		Abandonment Rec:	
Audit No:	Z259463	Contractor:	7472
Tag:	A222963	Form Version:	7
Constructn Method:		Owner:	
Elevation (m):		County:	HALTON
Elevatn Reliability:		Lot:	
Depth to Bedrock:		Concession:	
Well Depth:		Concession Name:	
Overburden/Bedrock:		Easting NAD83:	
Pump Rate:		Northing NAD83:	
Static Water Level:		Zone:	
Clear/Cloudy:		UTM Reliability:	
Municipality:	MILTON TOWN (TRAFALGAR)		
Site Info:			
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/728\7287308.pdf		

Additional Detail(s) (Map)

Well Completed Date: 03/23/2017
Year Completed: 2017
Depth (m): 4.572
Latitude: 43.5366894696191
Longitude: -79.7799842844021
X: -79.77998413479479
Y: 43.536689468077626
Path: 728\7287308.pdf

Bore Hole Information

Bore Hole ID:	1006488139	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598572.00
Code OB Desc:		North83:	4821139.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	03/23/2017	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Location Method Desc:	on Water Well Record		
Elevrc Desc:			
Location Source Date:			

Improvement Location Source:
 Improvement Location Method:
 Source Revision Comment:
 Supplier Comment:

Overburden and Bedrock
Materials Interval

Formation ID: 1006756821
 Layer: 1
 Color:
 General Color:
 Material 1:
 Material 1 Desc:
 Material 2:
 Material 2 Desc:
 Material 3:
 Material 3 Desc:
 Formation Top Depth: 0.0
 Formation End Depth: 1.0
 Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 1006756822
 Layer: 2
 Color: 6
 General Color: BROWN
 Material 1: 06
 Material 1 Desc: SILT
 Material 2: 28
 Material 2 Desc: SAND
 Material 3: 79
 Material 3 Desc: PACKED
 Formation Top Depth: 1.0
 Formation End Depth: 10.0
 Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 1006756823
 Layer: 3
 Color: 2
 General Color: GREY
 Material 1: 05
 Material 1 Desc: CLAY
 Material 2: 06
 Material 2 Desc: SILT
 Material 3: 79
 Material 3 Desc: PACKED
 Formation Top Depth: 10.0
 Formation End Depth: 15.0
 Formation End Depth UOM: ft

Annular Space/Abandonment
Sealing Record

Plug ID: 1006756830
 Layer: 1
 Plug From: 0.0

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Plug To:</i>		4.0			
<i>Plug Depth UOM:</i>		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
<i>Plug ID:</i>		1006756831			
<i>Layer:</i>		2			
<i>Plug From:</i>		4.0			
<i>Plug To:</i>		15.0			
<i>Plug Depth UOM:</i>		ft			
<u>Method of Construction & Well Use</u>					
<i>Method Construction ID:</i>		1006756829			
<i>Method Construction Code:</i>		6			
<i>Method Construction:</i>		Boring			
<i>Other Method Construction:</i>					
<u>Pipe Information</u>					
<i>Pipe ID:</i>		1006756820			
<i>Casing No:</i>		0			
<i>Comment:</i>					
<i>Alt Name:</i>					
<u>Construction Record - Casing</u>					
<i>Casing ID:</i>		1006756826			
<i>Layer:</i>		1			
<i>Material:</i>		5			
<i>Open Hole or Material:</i>		PLASTIC			
<i>Depth From:</i>		0.0			
<i>Depth To:</i>		5.0			
<i>Casing Diameter:</i>		2.0			
<i>Casing Diameter UOM:</i>		inch			
<i>Casing Depth UOM:</i>		ft			
<u>Construction Record - Screen</u>					
<i>Screen ID:</i>		1006756827			
<i>Layer:</i>		1			
<i>Slot:</i>		10			
<i>Screen Top Depth:</i>		5.0			
<i>Screen End Depth:</i>		15.0			
<i>Screen Material:</i>		5			
<i>Screen Depth UOM:</i>		ft			
<i>Screen Diameter UOM:</i>		inch			
<i>Screen Diameter:</i>		2.5			
<u>Water Details</u>					
<i>Water ID:</i>		1006756825			
<i>Layer:</i>					
<i>Kind Code:</i>					
<i>Kind:</i>					
<i>Water Found Depth:</i>					
<i>Water Found Depth UOM:</i>		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Hole Diameter</u>					
Hole ID:		1006756824			
Diameter:		7.5			
Depth From:		0.0			
Depth To:		15.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

31	1 of 1	ESE/33.8	183.9 / 0.80	BRITANNIA ROAD APPROX. 0.5KM E OF TRAFALGAR ROAD Milton ON	WWIS
Well ID:	7287307			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Monitoring			Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:	Observation Wells			Date Received:	05/29/2017
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	Z259462			Contractor:	7472
Tag:	A222964			Form Version:	7
Constructn Method:				Owner:	
Elevation (m):				County:	HALTON
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	MILTON TOWN (TRAFALGAR)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/728\7287307.pdf				

Additional Detail(s) (Map)

Well Completed Date:	03/23/2017
Year Completed:	2017
Depth (m):	4.572
Latitude:	43.5389935391839
Longitude:	-79.7773633494788
X:	-79.77736319907288
Y:	43.53899353684625
Path:	728\7287307.pdf

Bore Hole Information

Bore Hole ID:	1006488136	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598780.00
Code OB Desc:		North83:	4821398.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	03/23/2017	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Location Method Desc:	on Water Well Record		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:			1006756804		
Layer:			2		
Color:			6		
General Color:			BROWN		
Material 1:			06		
Material 1 Desc:			SILT		
Material 2:			28		
Material 2 Desc:			SAND		
Material 3:			79		
Material 3 Desc:			PACKED		
Formation Top Depth:			1.0		
Formation End Depth:			10.0		
Formation End Depth UOM:			ft		
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:			1006756805		
Layer:			3		
Color:			2		
General Color:			GREY		
Material 1:			05		
Material 1 Desc:			CLAY		
Material 2:			06		
Material 2 Desc:			SILT		
Material 3:			79		
Material 3 Desc:			PACKED		
Formation Top Depth:			10.0		
Formation End Depth:			15.0		
Formation End Depth UOM:			ft		
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:			1006756803		
Layer:			1		
Color:			2		
General Color:			GREY		
Material 1:					
Material 1 Desc:					
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:			0.0		
Formation End Depth:			1.0		
Formation End Depth UOM:			ft		
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:			1006756812		
Layer:			1		
Plug From:			0.0		
Plug To:			4.0		
Plug Depth UOM:			ft		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
----------------	--------------------------	--------------------------------	----------------------	-------------	-----------

Annular Space/Abandonment Sealing Record

Plug ID: 1006756813
Layer: 2
Plug From: 4.0
Plug To: 15.0
Plug Depth UOM: ft

Method of Construction & Well Use

Method Construction ID: 1006756811
Method Construction Code: 6
Method Construction: Boring
Other Method Construction:

Pipe Information

Pipe ID: 1006756802
Casing No: 0
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 1006756808
Layer: 1
Material: 5
Open Hole or Material: PLASTIC
Depth From: 0.0
Depth To: 5.0
Casing Diameter: 2.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1006756809
Layer: 1
Slot: 10
Screen Top Depth: 5.0
Screen End Depth: 15.0
Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 2.5

Water Details

Water ID: 1006756807
Layer:
Kind Code:
Kind:
Water Found Depth:
Water Found Depth UOM: ft

Hole Diameter

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Hole ID:		1006756806			
Diameter:		7.5			
Depth From:		0.0			
Depth To:		15.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

32	1 of 1	SW/37.7	179.9 / -3.20	6004 TRAFALGAR RD Milton ON	WWIS
Well ID:	7370693			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:				Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:	0			Date Received:	10/19/2020
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	Z321436			Contractor:	7464
Tag:	A282660			Form Version:	7
Constructn Method:				Owner:	
Elevation (m):				County:	HALTON
Elevatn Reliability:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	MILTON TOWN (TRAFALGAR)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/737\7370693.pdf				

Additional Detail(s) (Map)

Well Completed Date:	05/28/2020
Year Completed:	2020
Depth (m):	25.908
Latitude:	43.537350968936
Longitude:	-79.7837582881174
X:	-79.78375813840334
Y:	43.53735096659471
Path:	737\7370693.pdf

Bore Hole Information

Bore Hole ID:	1008497084	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598266.00
Code OB Desc:		North83:	4821208.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	05/28/2020	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Location Method Desc:	on Water Well Record		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1009201743			
Layer:		1			
Color:		8			
General Color:		BLACK			
Material 1:					
Material 1 Desc:					
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		6.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1009201746			
Layer:		4			
Color:		7			
General Color:		RED			
Material 1:		26			
Material 1 Desc:		ROCK			
Material 2:		92			
Material 2 Desc:		WEATHERED			
Material 3:		17			
Material 3 Desc:		SHALE			
Formation Top Depth:		45.0			
Formation End Depth:		47.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1009201744			
Layer:		2			
Color:					
General Color:					
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		6.0			
Formation End Depth:		20.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1009201747			
Layer:		5			
Color:		7			
General Color:		RED			
Material 1:		26			
Material 1 Desc:		ROCK			
Material 2:					
Material 2 Desc:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 3:					
Material 3 Desc:					
Formation Top Depth:		47.0			
Formation End Depth:		85.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1009201745			
Layer:		3			
Color:					
General Color:					
Material 1:		11			
Material 1 Desc:		GRAVEL			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		20.0			
Formation End Depth:		45.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1009201755			
Layer:		2			
Plug From:		28.0			
Plug To:		37.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1009201757			
Layer:		4			
Plug From:		48.0			
Plug To:		85.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1009201756			
Layer:		3			
Plug From:		37.0			
Plug To:		48.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1009201754			
Layer:		1			
Plug From:		0.0			
Plug To:		28.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
Method Construction ID:		1009201753			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1009201742			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1009201751			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		30.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1009201752			
Layer:		1			
Slot:		10			
Screen Top Depth:		35.0			
Screen End Depth:		30.0			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.0			
<u>Water Details</u>					
Water ID:		1009201750			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					
Hole ID:		1009201748			
Diameter:		5.0			
Depth From:		0.0			
Depth To:		45.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
<u>Hole Diameter</u>					
Hole ID:		1009201749			
Diameter:		40.0			
Depth From:		45.0			
Depth To:		85.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

[33](#) 1 of 1 SSE/40.5 182.0 / -1.06 lot 5 con 8 ON [WWIS](#)

Well ID:	2802655	Flowing (Y/N):	
Construction Date:		Flow Rate:	
Use 1st:	Domestic	Data Entry Status:	
Use 2nd:	0	Data Src:	1
Final Well Status:	Water Supply	Date Received:	06/03/1959
Water Type:		Selected Flag:	TRUE
Casing Material:		Abandonment Rec:	
Audit No:		Contractor:	2309
Tag:		Form Version:	1
Constructn Method:		Owner:	
Elevation (m):		County:	HALTON
Elevatn Reliability:		Lot:	005
Depth to Bedrock:		Concession:	08
Well Depth:		Concession Name:	NS
Overburden/Bedrock:		Easting NAD83:	
Pump Rate:		Northing NAD83:	
Static Water Level:		Zone:	
Clear/Cloudy:		UTM Reliability:	
Municipality:	MILTON TOWN (TRAFALGAR)		
Site Info:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/280\2802655.pdf

Additional Detail(s) (Map)

Well Completed Date: 05/09/1959
Year Completed: 1959
Depth (m): 20.4216
Latitude: 43.5369720583479
Longitude: -79.7794649465748
X: -79.7794647973095
Y: 43.536972055877705
Path: 280\2802655.pdf

Bore Hole Information

Bore Hole ID:	10149204	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598613.50
Code OB Desc:		North83:	4821171.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	5
Date Completed:	05/09/1959	UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:		Location Method:	p5
Location Method Desc:	Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		931429223			
Layer:		2			
Color:		7			
General Color:		RED			
Material 1:		17			
Material 1 Desc:		SHALE			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		58.0			
Formation End Depth:		67.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931429222			
Layer:		1			
Color:					
General Color:					
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		58.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		962802655			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10697774			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930253870			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		67.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930253869			
Layer:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		60.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		BAILER			
Pump Test ID:		992802655			
Pump Set At:					
Static Level:		25.0			
Final Level After Pumping:		50.0			
Recommended Pump Depth:					
Pumping Rate:		6.0			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		2			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933604768			
Layer:		2			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		65.0			
Water Found Depth UOM:		ft			
<u>Water Details</u>					
Water ID:		933604767			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		60.0			
Water Found Depth UOM:		ft			

[34](#)

1 of 1

W/52.5

178.9 / -4.14

WYLDEWOOD GOLF & COUNTRY CLUB
6198 TRAFALGAR ROAD MILTON
HALTON ON L9E 0Z2

GEN

Generator Info

Generator No: ON0296000
Approval Years: As of Oct 2022
Status: Registered
PO Box No:
Country: Canada
Co Admin:
Phone No Admin:
SIC Description:

Choice of Contact:
Contaminated Fac:
MHSW Facility:
SIC Code:

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<u>Waste Detail(s)</u>					
Waste Class:		252 L			
Waste Class Name:		WASTE OILS & LUBRICANTS			
<u>2017 Generator Info</u>					
Gen No:	ON0296000			Choice of Contact:	CO_OFFICIAL
ID:	2824			Phone No Official:	416-523-8192 Ext.
Contaminated Fac:	N			Phone No Admin:	
MHSW Facility:	N			County Ont:	HALTON (R. M.)
NAICS Code1:	713910			County Out:	
NAICS Code2:				District:	305
NAICS Code3:					
Gen Name:		WYLDEWOOD GOLF & COUNTRY CLUB			
Gen Div:					
Gen Op Name:		WYLDEWOOD GOLF & COUNTRY CLUB			
Gen Op Div:					
Site Adrs1:		6198 TRAFALGAR ROAD			
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:		MILTON			
Site City:		HALTON			
Province Out:					
Site Postal Code:		L9E 0Z2			
Site Country:		Canada			
Co Official:		Mike Creed			
Co Admin:					
<u>2018 Generator Info</u>					
Gen No:	ON0296000			Choice of Contact:	CO_OFFICIAL
ID:	2757			Phone No Official:	416-523-8192 Ext.
Contaminated Fac:	N			Phone No Admin:	
MHSW Facility:	N			County Ont:	HALTON (R. M.)
NAICS Code1:	713910			County Out:	
NAICS Code2:				District:	305
NAICS Code3:					
Gen Name:		WYLDEWOOD GOLF & COUNTRY CLUB			
Gen Div:					
Gen Op Name:		WYLDEWOOD GOLF & COUNTRY CLUB			
Gen Op Div:					
Site Adrs1:		6198 TRAFALGAR ROAD			
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:		MILTON			
Site City:		HALTON			
Province Out:					
Site Postal Code:		L9E 0Z2			
Site Country:		Canada			
Co Official:		Mike Creed			
Co Admin:					
<u>2019 Generator Info</u>					
Gen No:	ON0296000			Choice of Contact:	CO_OFFICIAL
ID:	2686			Phone No Official:	905-878-4848 Ext.
Contaminated Fac:	N			Phone No Admin:	
MHSW Facility:	N			County Ont:	HALTON (R. M.)
NAICS Code1:	713910			County Out:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
				District:	305
NAICS Code2:					
NAICS Code3:					
Gen Name:		WYLDEWOOD GOLF & COUNTRY CLUB			
Gen Div:					
Gen Op Name:		WYLDEWOOD GOLF & COUNTRY CLUB			
Gen Op Div:					
Site Adrs1:		6198 TRAFALGAR ROAD			
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:		MILTON			
Site City:		HALTON			
Province Out:					
Site Postal Code:		L9E 0Z2			
Site Country:		Canada			
Co Official:		Monica Buechler			
Co Admin:					
<u>2020 Generator Info</u>					
Gen No:	ON0296000			Choice of Contact:	CO_OFFICIAL
ID:	2597			Phone No Official:	905-878-4848 Ext.
Contaminated Fac:	N			Phone No Admin:	
MHSW Facility:	N			County Ont:	HALTON (R. M.)
NAICS Code1:	713910			County Out:	
NAICS Code2:				District:	305
NAICS Code3:					
Gen Name:		WYLDEWOOD GOLF & COUNTRY CLUB			
Gen Div:					
Gen Op Name:		WYLDEWOOD GOLF & COUNTRY CLUB			
Gen Op Div:					
Site Adrs1:		6198 TRAFALGAR ROAD			
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:		MILTON			
Site City:		HALTON			
Province Out:					
Site Postal Code:		L9E 0Z2			
Site Country:		Canada			
Co Official:		Monica Buechler			
Co Admin:					
<u>2021 Generator Info</u>					
Gen No:	ON0296000			Choice of Contact:	CO_OFFICIAL
ID:	2549			Phone No Official:	905-878-4848 Ext.
Contaminated Fac:	N			Phone No Admin:	
MHSW Facility:	N			County Ont:	HALTON (R. M.)
NAICS Code1:	713910			County Out:	
NAICS Code2:				District:	305
NAICS Code3:					
Gen Name:		WYLDEWOOD GOLF & COUNTRY CLUB			
Gen Div:					
Gen Op Name:		WYLDEWOOD GOLF & COUNTRY CLUB			
Gen Op Div:					
Site Adrs1:		6198 TRAFALGAR ROAD			
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:		MILTON			
Site City:		HALTON			
Province Out:					
Site Postal Code:		L9E 0Z2			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Site Country:		Canada			
Co Official:		Monica Buechler			
Co Admin:					

35	1 of 1	NNW/53.1	185.9 / 2.80	Trafalgar Road & Britannia Road lot 7 con 8 Milton ON	WWIS
Well ID:	7385446			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Monitoring			Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:	Observation Wells			Date Received:	04/22/2021
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	G52ZZSJW			Contractor:	7472
Tag:	A322941			Form Version:	9
Constructn Method:				Owner:	
Elevation (m):				County:	HALTON
Elevatn Reliabilty:				Lot:	007
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	NS
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	MILTON TOWN (TRAFALGAR)				
Site Info:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/738\7385446.pdf

Additional Detail(s) (Map)

Well Completed Date: 03/18/2021
Year Completed: 2021
Depth (m): 4.572
Latitude: 43.5441878118397
Longitude: -79.7823211027524
X: -79.78232095327633
Y: 43.54418780986701
Path: 738\7385446.pdf

Bore Hole Information

Bore Hole ID:	1008614509	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598371.00
Code OB Desc:		North83:	4821969.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	03/18/2021	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Location Method Desc:	on Water Well Record		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Overburden and Bedrock
Materials Interval**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		1008614567			
Layer:		1			
Color:		6			
General Color:		BROWN			
Material 1:		02			
Material 1 Desc:		TOPSOIL			
Material 2:					
Material 2 Desc:					
Material 3:		77			
Material 3 Desc:		LOOSE			
Formation Top Depth:		0.0			
Formation End Depth:		2.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1008614568			
Layer:		2			
Color:		2			
General Color:		GREY			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		28			
Material 2 Desc:		SAND			
Material 3:		79			
Material 3 Desc:		PACKED			
Formation Top Depth:		2.0			
Formation End Depth:		15.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1008614625			
Layer:		2			
Plug From:		9.0			
Plug To:		15.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1008614611			
Layer:		1			
Plug From:					
Plug To:					
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1008614624			
Layer:		1			
Plug From:		0.0			
Plug To:		9.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Method Construction ID:		1008614548			
Method Construction Code:		E			
Method Construction:		Auger			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1008614533			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1008614585			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		10.0			
Casing Diameter:		0.75			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1008614594			
Layer:		1			
Slot:		10			
Screen Top Depth:		10.0			
Screen End Depth:		15.0			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID:		1008614534			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1008614603			
Diameter:		7.5			
Depth From:		0.0			
Depth To:		15.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

[36](#) 1 of 1 S/59.8 181.9 / -1.20 ON [WWIS](#)

Well ID:	7257318	Flowing (Y/N):	
Construction Date:		Flow Rate:	
Use 1st:		Data Entry Status:	Yes
Use 2nd:		Data Src:	
Final Well Status:		Date Received:	02/02/2016
Water Type:		Selected Flag:	TRUE
Casing Material:		Abandonment Rec:	
Audit No:	C29833	Contractor:	7230
Tag:	A178326	Form Version:	8
Constructn Method:		Owner:	
Elevation (m):		County:	HALTON
Elevatn Reliability:		Lot:	
Depth to Bedrock:		Concession:	
Well Depth:		Concession Name:	
Overburden/Bedrock:		Easting NAD83:	
Pump Rate:		Northing NAD83:	
Static Water Level:		Zone:	
Clear/Cloudy:		UTM Reliability:	
Municipality:	MILTON TOWN (TRAFALGAR)		
Site Info:			

Additional Detail(s) (Map)

Bore Hole ID:	1005879804	Tag No:	A178326
Depth M:		Contractor:	7230
Year Completed:	2015	Latitude:	43.5357214285823
Well Completed Dt:	04/02/2015	Longitude:	-79.7812414639166
Audit No:	C29833	Y:	43.53572142655763
Path:		X:	-79.78124131414457

Bore Hole Information

Bore Hole ID:	1005879804	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598472.00
Code OB Desc:		North83:	4821030.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	04/02/2015	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Location Method Desc:	on Water Well Record		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

[37](#) 1 of 1 E/63.8 183.9 / 0.80 13308 BRITANIA RD lot 5 con 8 MILTON ON [WWIS](#)

Well ID:	7384222	Flowing (Y/N):	
Construction Date:		Flow Rate:	
Use 1st:	Monitoring	Data Entry Status:	
Use 2nd:		Data Src:	
Final Well Status:	Observation Wells	Date Received:	03/29/2021

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	LHF3OKS9			Contractor:	6607
Tag:	A313838			Form Version:	9
Constructn Method:				Owner:	
Elevation (m):				County:	HALTON
Elevatn Reliabilty:				Lot:	005
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	NS
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	MILTON TOWN (TRAFALGAR)				
Site Info:	13308-13512 BRITANIA ROAD				
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/738\7384222.pdf				

Additional Detail(s) (Map)

Well Completed Date: 02/08/2021
Year Completed: 2021
Depth (m): 6
Latitude: 43.5400917978206
Longitude: -79.7756578145452
X: -79.77565766530589
Y: 43.54009179618352
Path: 738\7384222.pdf

Bore Hole Information

Bore Hole ID:	1008599631	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598916.00
Code OB Desc:		North83:	4821522.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	02/08/2021	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Location Method Desc:	on Water Well Record		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID: 1008599732
Layer: 1
Color: 6
General Color: BROWN
Material 1: 02
Material 1 Desc: TOPSOIL
Material 2: 28
Material 2 Desc: SAND
Material 3: 85
Material 3 Desc: SOFT
Formation Top Depth: 0.0
Formation End Depth: 1.0

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1008599734			
Layer:		3			
Color:		6			
General Color:		BROWN			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		06			
Material 2 Desc:		SILT			
Material 3:		85			
Material 3 Desc:		SOFT			
Formation Top Depth:		4.5			
Formation End Depth:		6.0			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1008599733			
Layer:		2			
Color:		6			
General Color:		BROWN			
Material 1:		06			
Material 1 Desc:		SILT			
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:		66			
Material 3 Desc:		DENSE			
Formation Top Depth:		1.0			
Formation End Depth:		4.5			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1008599823			
Layer:		2			
Plug From:		0.30000001192092896			
Plug To:		4.199999809265137			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1008599796			
Layer:		1			
Plug From:					
Plug To:					
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1008599822			
Layer:		1			
Plug From:		0.0			
Plug To:		0.30000001192092896			
Plug Depth UOM:		m			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
----------------	--------------------------	--------------------------------	----------------------	-------------	-----------

Method of Construction & Well Use

Method Construction ID: 1008599678
Method Construction Code: E
Method Construction: Auger
Other Method Construction:

Pipe Information

Pipe ID: 1008599662
Casing No: 0
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 1008599749
Layer: 1
Material: 5
Open Hole or Material: PLASTIC
Depth From: 0.0
Depth To: 4.5
Casing Diameter: 5.099999904632568
Casing Diameter UOM: cm
Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1008599764
Layer: 1
Slot: 10
Screen Top Depth: 4.5
Screen End Depth: 6.0
Screen Material: 5
Screen Depth UOM: m
Screen Diameter UOM: cm
Screen Diameter: 6.400000095367432

Results of Well Yield Testing

Pumping Test Method Desc:
Pump Test ID: 1008599663
Pump Set At:
Static Level:
Final Level After Pumping:
Recommended Pump Depth:
Pumping Rate:
Flowing Rate:
Recommended Pump Rate:
Levels UOM: m
Rate UOM: LPM
Water State After Test Code:
Water State After Test:
Pumping Test Method:
Pumping Duration HR:
Pumping Duration MIN:
Flowing:

Hole Diameter

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Hole ID:		1008599781			
Diameter:		21.0			
Depth From:		0.0			
Depth To:		6.0			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

38	1 of 1	S/64.4	181.9 / -1.20	lot 6 con 7 ON	WWIS
--------------------	--------	--------	---------------	-------------------	------

Well ID:	2803513	Flowing (Y/N):	
Construction Date:		Flow Rate:	
Use 1st:	Domestic	Data Entry Status:	
Use 2nd:	0	Data Src:	1
Final Well Status:	Water Supply	Date Received:	03/11/1971
Water Type:		Selected Flag:	TRUE
Casing Material:		Abandonment Rec:	
Audit No:		Contractor:	3637
Tag:		Form Version:	1
Constructn Method:		Owner:	
Elevation (m):		County:	HALTON
Elevatn Reliabilty:		Lot:	006
Depth to Bedrock:		Concession:	07
Well Depth:		Concession Name:	NS
Overburden/Bedrock:		Easting NAD83:	
Pump Rate:		Northing NAD83:	
Static Water Level:		Zone:	
Clear/Cloudy:		UTM Reliability:	
Municipality:	MILTON TOWN (TRAFALGAR)		
Site Info:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/280\2803513.pdf

Additional Detail(s) (Map)

Well Completed Date:	08/07/1970
Year Completed:	1970
Depth (m):	11.2776
Latitude:	43.5357546998363
Longitude:	-79.7818286827011
X:	-79.78182853367305
Y:	43.53575469786715
Path:	280\2803513.pdf

Bore Hole Information

Bore Hole ID:	10150053	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598424.50
Code OB Desc:		North83:	4821033.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	4
Date Completed:	08/07/1970	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	p4
Location Method Desc:	Original Pre1985 UTM Rel Code 4: margin of error : 30 m - 100 m		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931432307			
Layer:		1			
Color:		6			
General Color:		BROWN			
Material 1:		02			
Material 1 Desc:		TOPSOIL			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		1.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931432312			
Layer:		6			
Color:		3			
General Color:		BLUE			
Material 1:		12			
Material 1 Desc:		STONES			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		22.0			
Formation End Depth:		23.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931432313			
Layer:		7			
Color:		2			
General Color:		GREY			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		12			
Material 2 Desc:		STONES			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		23.0			
Formation End Depth:		30.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931432308			
Layer:		2			
Color:		6			
General Color:		BROWN			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:			1.0		
Formation End Depth:			13.0		
Formation End Depth UOM:			ft		
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:			931432309		
Layer:			3		
Color:			2		
General Color:			GREY		
Material 1:			05		
Material 1 Desc:			CLAY		
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:			13.0		
Formation End Depth:			17.0		
Formation End Depth UOM:			ft		
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:			931432311		
Layer:			5		
Color:			6		
General Color:			BROWN		
Material 1:			05		
Material 1 Desc:			CLAY		
Material 2:			12		
Material 2 Desc:			STONES		
Material 3:					
Material 3 Desc:					
Formation Top Depth:			19.0		
Formation End Depth:			22.0		
Formation End Depth UOM:			ft		
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:			931432310		
Layer:			4		
Color:			2		
General Color:			GREY		
Material 1:			05		
Material 1 Desc:			CLAY		
Material 2:			09		
Material 2 Desc:			MEDIUM SAND		
Material 3:					
Material 3 Desc:					
Formation Top Depth:			17.0		
Formation End Depth:			19.0		
Formation End Depth UOM:			ft		
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:			931432315		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:		9			
Color:		2			
General Color:		GREY			
Material 1:		06			
Material 1 Desc:		SILT			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		32.0			
Formation End Depth:		33.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931432316			
Layer:		10			
Color:		2			
General Color:		GREY			
Material 1:		11			
Material 1 Desc:		GRAVEL			
Material 2:		06			
Material 2 Desc:		SILT			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		33.0			
Formation End Depth:		37.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931432314			
Layer:		8			
Color:		2			
General Color:		GREY			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		30.0			
Formation End Depth:		32.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		962803513			
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10698623			
Casing No:		1			
Comment:					
Alt Name:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Construction Record - Casing</u>					
Casing ID:		930255182			
Layer:		2			
Material:		2			
Open Hole or Material:		GALVANIZED			
Depth From:					
Depth To:		37.0			
Casing Diameter:		32.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930255181			
Layer:		1			
Material:		3			
Open Hole or Material:		CONCRETE			
Depth From:					
Depth To:		34.0			
Casing Diameter:		30.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID:		992803513			
Pump Set At:					
Static Level:		27.0			
Final Level After Pumping:					
Recommended Pump Depth:		35.0			
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:		5.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:		No			
<u>Water Details</u>					
Water ID:		933605965			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		32.0			
Water Found Depth UOM:		ft			
39	1 of 6	S/71.9	181.9 / -1.20	R.M. OF HALTON TRAFALGAR RD/BRITANNIA RD. MILTON ON	CA
Certificate #:		3-0207-98-			
Application Year:		98			
Issue Date:		3/18/1998			
Approval Type:		Municipal sewage			
Status:		Approved			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:					
<u>39</u>	2 of 6	S/71.9	181.9 / -1.20	TRANSPORT TRUCK TRAFALGAR RD S/BRITANIA RD MOTOR VEHICLE (OPERATING FLUID) OAKVILLE TOWN ON	SPL
Ref No:	28122			Municipality No: 14403	
Year:				Nature of Damage:	
Incident Dt:	6/27/1989			Discharger Report:	
Dt MOE Arvl on Scn:				Material Group:	
MOE Reported Dt:	6/27/1989			Impact to Health:	
Dt Document Closed:				Agency Involved: HALTON REGION	
Site No:					
MOE Response:					
Site County/District:					
Site Geo Ref Meth:					
Site District Office:					
Nearest Watercourse:					
Site Name:					
Site Address:					
Site Region:					
Site Municipality:		OAKVILLE TOWN			
Site Lot:					
Site Conc:					
Site Geo Ref Accu:					
Site Map Datum:					
Northing:					
Easting:					
Entity Operating Name:					
Client Name:					
Client Type:					
Source Type:					
Incident Cause:				OTHER TRANSPORTATION ACCIDENT	
Incident Preceding Spill:					
Incident Reason:				DAMAGE BY MOVING EQUIPMENT	
Incident Summary:				BACKENTRY - 50L DIESEL FUEL TO ROADWAY DUE TO VEHICLE ACCIDENT	
Environment Impact:				NOT ANTICIPATED	
Health Env Consequence:					
Nature of Impact:					
Contaminant Qty:					
Contaminant Qty 1:					
Contaminant Unit:					
Contaminant Code:					
Contaminant Name:					
Contaminant Limit 1:					
Contam Limit Freq 1:					
Contaminant UN No 1:					
Receiving Medium:		LAND			
Activity Preceding Spill:					
Property 2nd Watershed:					
Property Tertiary Watershed:					
Sector Type:					
SAC Action Class:					
Call Report Locatn Geodata:					
Time Reported:					
System Facility Address:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
39	3 of 6	S/71.9	181.9 / -1.20	TRANSPORT TRUCK BRITANIA & TRAFALGAR ROADS INTERSECTION MOTOR VEHICLE (OPERATING FLUID) MILTON TOWN ON	SPL
Ref No:	129144			Municipality No: 14402	
Year:				Nature of Damage:	
Incident Dt:	7/13/1996			Discharger Report:	
Dt MOE Arvl on Scn:				Material Group:	
MOE Reported Dt:	7/13/1996			Impact to Health:	
Dt Document Closed:				Agency Involved: WORKS, POLICE	
Site No:					
MOE Response:					
Site County/District:					
Site Geo Ref Meth:					
Site District Office:					
Nearest Watercourse:					
Site Name:					
Site Address:					
Site Region:					
Site Municipality:		MILTON TOWN			
Site Lot:					
Site Conc:					
Site Geo Ref Accu:					
Site Map Datum:					
Northing:					
Easting:					
Entity Operating Name:					
Client Name:					
Client Type:					
Source Type:					
Incident Cause:		TRUCK/TRAILER OVERTURN			
Incident Preceding Spill:					
Incident Reason:		ERROR			
Incident Summary:		APLAND GROUP DUMP TRUCK: DRIPPING DIESEL TO DITCH AFTER ROLLOVER. CLEANING			
Environment Impact:		CONFIRMED			
Health Env Consequence:					
Nature of Impact:		Soil contamination			
Contaminant Qty:					
Contaminant Qty 1:					
Contaminant Unit:					
Contaminant Code:					
Contaminant Name:					
Contaminant Limit 1:					
Contam Limit Freq 1:					
Contaminant UN No 1:					
Receiving Medium:		LAND			
Activity Preceding Spill:					
Property 2nd Watershed:					
Property Tertiary Watershed:					
Sector Type:					
SAC Action Class:					
Call Report Locatn Geodata:					
Time Reported:					
System Facility Address:					
39	4 of 6	S/71.9	181.9 / -1.20	PRIVATE OWNER TRAFALGAR/BRITANIA, EAST ON BRITANIA INTO PEEL REGION MOTOR VEHICLE (OPERATING FLUID)	SPL

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
MILTON TOWN ON					
Ref No:	181280			Municipality No:	14402
Year:				Nature of Damage:	
Incident Dt:	5/26/2000			Discharger Report:	
Dt MOE Arvl on Scn:				Material Group:	
MOE Reported Dt:	5/26/2000			Impact to Health:	
Dt Document Closed:				Agency Involved:	HALTON REIGON, PEEL REGION
Site No:					
MOE Response:					
Site County/District:					
Site Geo Ref Meth:					
Site District Office:					
Nearest Watercourse:					
Site Name:					
Site Address:					
Site Region:					
Site Municipality:		MILTON TOWN			
Site Lot:					
Site Conc:					
Site Geo Ref Accu:					
Site Map Datum:					
Northing:					
Easting:					
Entity Operating Name:					
Client Name:					
Client Type:					
Source Type:					
Incident Cause:		OTHER CONTAINER LEAK			
Incident Preceding Spill:					
Incident Reason:		OTHER			
Incident Summary:		PRIVATE OWNER: UNK VEHI- CLE LEAKING OIL TO ROAD IN PEEL/MILTON.			
Environment Impact:		POSSIBLE			
Health Env Consequence:					
Nature of Impact:		Multi Media Pollution			
Contaminant Qty:					
Contaminant Qty 1:					
Contaminant Unit:					
Contaminant Code:					
Contaminant Name:					
Contaminant Limit 1:					
Contam Limit Freq 1:					
Contaminant UN No 1:					
Receiving Medium:		LAND			
Activity Preceding Spill:					
Property 2nd Watershed:					
Property Tertiary Watershed:					
Sector Type:					
SAC Action Class:					
Call Report Locatn Geodata:					
Time Reported:					
System Facility Address:					

39	5 of 6	S/71.9	181.9 / -1.20	R.M. OF HALTON TRAFALGAR RD./BRITANNIA RD. MILTON TOWN ON	CA
--------------------	--------	--------	---------------	---	----

Certificate #:	3-0500-99-
Application Year:	99
Issue Date:	5/26/1999
Approval Type:	Municipal sewage
Status:	Approved
Application Type:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:					

39	6 of 6	S/71.9	181.9 / -1.20	SCPL Trafalgar & Britannia Road (630 m south of Trafalgar) Milton ON	GEN
--------------------	--------	--------	---------------	---	-----

Generator Info as of July 2024

Generator No: ON001058971
Generator Company Name: SCPL
Street: Trafalgar & Britannia Road (630 m south of Trafalgar)
City: Milton
Province State: Ontario
Country: Canada
Postal Code: L0P1E0
Waste Class: 146 L

Waste Class Decoded:

146 - OTHER SPECIFIED INORGANICS

40	1 of 1	WSW/73.7	179.3 / -3.75	lot 6 con 7 ON	WWIS
--------------------	--------	----------	---------------	-------------------	------

Well ID: 2802629 Construction Date: Use 1st: Not Used Use 2nd: 0 Final Well Status: Observation Wells Water Type: Casing Material: Audit No: Tag: Constructn Method: Elevation (m): Elevatn Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: MILTON TOWN (TRAFALGAR) Site Info: PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/280\2802629.pdf	Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: 1 Date Received: 10/06/1966 Selected Flag: TRUE Abandonment Rec: Contractor: 3002 Form Version: 1 Owner: County: HALTON Lot: 006 Concession: 07 Concession Name: NS Easting NAD83: Northing NAD83: Zone: UTM Reliability:
--	---

Additional Detail(s) (Map)

Well Completed Date: 05/26/1966
Year Completed: 1966
Depth (m): 13.4112
Latitude: 43.5380421206012

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Longitude:		-79.7852482092034			
X:		-79.7852480593444			
Y:		43.538042118793555			
Path:		280\2802629.pdf			

Bore Hole Information

Bore Hole ID:	10149178	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598144.50
Code OB Desc:		North83:	4821283.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	4
Date Completed:	05/26/1966	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	p4
Location Method Desc:	Original Pre1985 UTM Rel Code 4: margin of error : 30 m - 100 m		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	931429120
Layer:	2
Color:	2
General Color:	GREY
Material 1:	05
Material 1 Desc:	CLAY
Material 2:	12
Material 2 Desc:	STONES
Material 3:	28
Material 3 Desc:	SAND
Formation Top Depth:	20.0
Formation End Depth:	34.0
Formation End Depth UOM:	ft

Overburden and Bedrock

Materials Interval

Formation ID:	931429121
Layer:	3
Color:	7
General Color:	RED
Material 1:	17
Material 1 Desc:	SHALE
Material 2:	
Material 2 Desc:	
Material 3:	
Material 3 Desc:	
Formation Top Depth:	34.0
Formation End Depth:	44.0
Formation End Depth UOM:	ft

Overburden and Bedrock

Materials Interval

Formation ID:	931429119
----------------------	-----------

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:		1			
Color:		6			
General Color:		BROWN			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		12			
Material 2 Desc:		STONES			
Material 3:		28			
Material 3 Desc:		SAND			
Formation Top Depth:		0.0			
Formation End Depth:		20.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		962802629			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10697748			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930253836			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		32.0			
Casing Diameter:		1.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933338776			
Layer:		1			
Slot:					
Screen Top Depth:		32.0			
Screen End Depth:		35.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID:		992802629			
Pump Set At:					
Static Level:		13.0			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:		No			
Water Details					
Water ID:		933604741			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		26.0			
Water Found Depth UOM:		ft			

<u>41</u>	1 of 1	ENE/77.3	183.9 / 0.80	lot 6 con 8 ON	WWIS
Well ID:	7020089			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:				Data Entry Status:	Yes
Use 2nd:				Data Src:	
Final Well Status:				Date Received:	02/19/1991
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	41667			Contractor:	4868
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	HALTON
Elevatn Reliability:				Lot:	006
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	NS
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		MILTON TOWN (TRAFALGAR)			
Site Info:					

Additional Detail(s) (Map)

Bore Hole ID:	1009117638	Tag No:	
Depth M:		Contractor:	4868
Year Completed:	1991	Latitude:	43.5421948743051
Well Completed Dt:	01/11/1991	Longitude:	-79.7769768218422
Audit No:	41667	Y:	43.54219487175679
Path:		X:	-79.7769766727103

Bore Hole Information

Bore Hole ID:	1009117638	Elevation:	
DP2BR:		Elevarc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598806.00
Code OB Desc:		North83:	4821754.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	01/11/1991	UTMRC Desc:	margin of error : 30 m - 100 m

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Remarks:				Location Method:	gis
Location Method Desc:		from gis			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

42	1 of 1	E/89.5	183.9 / 0.80	BRITANNIA ROAD APPROX. 0.6KM W OF EIGHTH LINE Milton ON	WWIS
Well ID:		7287306		Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:		Monitoring		Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:		Observation Wells		Date Received: 05/29/2017	
Water Type:				Selected Flag: TRUE	
Casing Material:				Abandonment Rec:	
Audit No:		Z259461		Contractor: 7472	
Tag:		A222876		Form Version: 7	
Constructn Method:				Owner:	
Elevation (m):				County: HALTON	
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		MILTON TOWN (TRAFALGAR)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/728\7287306.pdf			

Additional Detail(s) (Map)

Well Completed Date:	03/23/2017
Year Completed:	2017
Depth (m):	4.572
Latitude:	43.5410044520891
Longitude:	-79.7751194810479
X:	-79.77511933109759
Y:	43.54100444989002
Path:	728\7287306.pdf

Bore Hole Information

Bore Hole ID:	1006488133	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598958.00
Code OB Desc:		North83:	4821624.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	03/23/2017	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Location Method Desc:	on Water Well Record		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<i>Source Revision Comment:</i>					
<i>Supplier Comment:</i>					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:			1006756783		
Layer:			2		
Color:			6		
General Color:			BROWN		
Material 1:			06		
Material 1 Desc:			SILT		
Material 2:			28		
Material 2 Desc:			SAND		
Material 3:			79		
Material 3 Desc:			PACKED		
Formation Top Depth:			1.0		
Formation End Depth:			10.0		
Formation End Depth UOM:			ft		
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:			1006756784		
Layer:			3		
Color:			2		
General Color:			GREY		
Material 1:			05		
Material 1 Desc:			CLAY		
Material 2:			06		
Material 2 Desc:			SILT		
Material 3:			79		
Material 3 Desc:			PACKED		
Formation Top Depth:			10.0		
Formation End Depth:			15.0		
Formation End Depth UOM:			ft		
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:			1006756782		
Layer:			1		
Color:			2		
General Color:			GREY		
Material 1:					
Material 1 Desc:					
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:			0.0		
Formation End Depth:			1.0		
Formation End Depth UOM:			ft		
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:			1006756791		
Layer:			1		
Plug From:			0.0		
Plug To:			4.0		
Plug Depth UOM:			ft		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006756792			
Layer:		2			
Plug From:		4.0			
Plug To:		15.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1006756790			
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006756781			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006756787			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		5.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1006756788			
Layer:		1			
Slot:		10			
Screen Top Depth:		5.0			
Screen End Depth:		15.0			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.5			
<u>Water Details</u>					
Water ID:		1006756786			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Hole ID:		1006756785			
Diameter:		7.5			
Depth From:		0.0			
Depth To:		15.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

43	1 of 1	SE/100.9	181.9 / -1.20	lot 5 con 8 ON	WWIS
Well ID:	2808862			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:	Water Supply			Date Received:	12/08/1998
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	198316			Contractor:	4005
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	HALTON
Elevatn Reliability:				Lot:	005
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	NS
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	MILTON TOWN (TRAFALGAR)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/280\2808862.pdf				

Additional Detail(s) (Map)

Well Completed Date:	11/18/1998
Year Completed:	1998
Depth (m):	12.4968
Latitude:	43.5367039114962
Longitude:	-79.7788069591949
X:	-79.77880680944452
Y:	43.536703908792695
Path:	280\2808862.pdf

Bore Hole Information

Bore Hole ID:	10155119	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598667.10
Code OB Desc:		North83:	4821142.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	5
Date Completed:	11/18/1998	UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:		Location Method:	gps
Location Method Desc:	from gps		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931453261			
Layer:		1			
Color:		6			
General Color:		BROWN			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		30.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931453262			
Layer:		2			
Color:		6			
General Color:		BROWN			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		28			
Material 2 Desc:		SAND			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		30.0			
Formation End Depth:		35.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931453263			
Layer:		3			
Color:		6			
General Color:		BROWN			
Material 1:		11			
Material 1 Desc:		GRAVEL			
Material 2:		28			
Material 2 Desc:		SAND			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		35.0			
Formation End Depth:		38.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931453264			
Layer:		4			
Color:		6			
General Color:		BROWN			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		28			
Material 2 Desc:		SAND			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 3:					
Material 3 Desc:					
Formation Top Depth:		38.0			
Formation End Depth:		41.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933140295			
Layer:		1			
Plug From:		0.0			
Plug To:		33.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933140296			
Layer:		2			
Plug From:		33.0			
Plug To:		41.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		962808862			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10703689			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930263967			
Layer:		3			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		39.0			
Casing Diameter:		5.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930263966			
Layer:		2			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		38.0			
Casing Diameter:		5.0			
Casing Diameter UOM:		inch			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:	930263965				
Layer:	1				
Material:	1				
Open Hole or Material:	STEEL				
Depth From:					
Depth To:	35.0				
Casing Diameter:	6.0				
Casing Diameter UOM:	inch				
Casing Depth UOM:	ft				
<u>Construction Record - Screen</u>					
Screen ID:	933339060				
Layer:	1				
Slot:	020				
Screen Top Depth:	35.0				
Screen End Depth:	38.0				
Screen Material:					
Screen Depth UOM:	ft				
Screen Diameter UOM:	inch				
Screen Diameter:	5.0				
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:	BAILER				
Pump Test ID:	992808862				
Pump Set At:					
Static Level:	29.0				
Final Level After Pumping:	35.0				
Recommended Pump Depth:	35.0				
Pumping Rate:	3.0				
Flowing Rate:					
Recommended Pump Rate:	3.0				
Levels UOM:	ft				
Rate UOM:	GPM				
Water State After Test Code:	2				
Water State After Test:	CLOUDY				
Pumping Test Method:	2				
Pumping Duration HR:	2				
Pumping Duration MIN:	45				
Flowing:	No				
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:	934174586				
Test Type:					
Test Duration:	15				
Test Level:	35.0				
Test Level UOM:	ft				
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:	934456985				
Test Type:					
Test Duration:	30				
Test Level:	35.0				
Test Level UOM:	ft				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Water Details

Water ID: 933612904
Layer: 1
Kind Code: 5
Kind: Not stated
Water Found Depth: 35.0
Water Found Depth UOM: ft

44	1 of 1	S/102.8	181.4 / -1.64	BRITANNIA ROAD APPROX. 30M W OF TRAFALGAR ROAD Milton ON	WWIS
--------------------	--------	---------	---------------	---	------

Well ID: 7287309 Construction Date: Use 1st: Monitoring Use 2nd: Final Well Status: Observation Wells Water Type: Casing Material: Audit No: Z252538 Tag: A222973 Constructn Method: Elevation (m): Elevatn Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: MILTON TOWN (TRAFALGAR) Site Info:	Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: Date Received: 05/29/2017 Selected Flag: TRUE Abandonment Rec: Contractor: 7472 Form Version: 7 Owner: County: HALTON Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:
---	---

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/728\7287309.pdf

Additional Detail(s) (Map)

Well Completed Date: 03/17/2017
Year Completed: 2017
Depth (m): 4.572
Latitude: 43.535363450943
Longitude: -79.7814466989582
X: -79.78144654950904
Y: 43.535363448813946
Path: 728\7287309.pdf

Bore Hole Information

Bore Hole ID: 1006488142 DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: 03/17/2017 Remarks: Location Method Desc: on Water Well Record Elevrc Desc: Location Source Date: Improvement Location Source:	Elevation: Elevrc: Zone: 17 East83: 598456.00 North83: 4820990.00 Org CS: UTM83 UTMRC: 4 UTMRC Desc: margin of error : 30 m - 100 m Location Method: wwr
---	---

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Improvement Location Method:
Source Revision Comment:
Supplier Comment:

**Overburden and Bedrock
Materials Interval**

Formation ID: 1006756833
Layer: 1
Color:
General Color:
Material 1:
Material 1 Desc:
Material 2:
Material 2 Desc:
Material 3:
Material 3 Desc:
Formation Top Depth: 0.0
Formation End Depth: 1.0
Formation End Depth UOM: ft

**Overburden and Bedrock
Materials Interval**

Formation ID: 1006756834
Layer: 2
Color: 6
General Color: BROWN
Material 1: 06
Material 1 Desc: SILT
Material 2: 28
Material 2 Desc: SAND
Material 3: 79
Material 3 Desc: PACKED
Formation Top Depth: 1.0
Formation End Depth: 10.0
Formation End Depth UOM: ft

**Overburden and Bedrock
Materials Interval**

Formation ID: 1006756835
Layer: 3
Color: 2
General Color: GREY
Material 1: 05
Material 1 Desc: CLAY
Material 2: 06
Material 2 Desc: SILT
Material 3: 79
Material 3 Desc: PACKED
Formation Top Depth: 10.0
Formation End Depth: 15.0
Formation End Depth UOM: ft

**Annular Space/Abandonment
Sealing Record**

Plug ID: 1006756842
Layer: 1
Plug From: 0.0
Plug To: 4.0

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006756843			
Layer:		2			
Plug From:		4.0			
Plug To:		15.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1006756841			
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006756832			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006756838			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		5.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1006756839			
Layer:		1			
Slot:		10			
Screen Top Depth:		5.0			
Screen End Depth:		15.0			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.5			
<u>Water Details</u>					
Water ID:		1006756837			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Hole ID: Diameter: Depth From: Depth To: Hole Depth UOM: Hole Diameter UOM:		1006756836 7.5 0.0 15.0 ft inch			
45	1 of 20	S/109.5	181.4 / -1.64	GILL & ASSOCIATES INC 6004 TRAFALGAR RD HORNBY ON	PRT
Location ID: Type: Expiry Date: Capacity (L): Licence #:		24559 retail 1995-04-30 10977 0053300001			
45	2 of 20	S/109.5	181.4 / -1.64	6004 TRAFALGAR RD. HORNBY ON	PRT
Location ID: Type: Expiry Date: Capacity (L): Licence #:		6428 retail			
45	3 of 20	S/109.5	181.4 / -1.64	ESSO PETROLEUM CANADA 6004 TRAFALGAR ROAD AT BRITANNIA, ESSO SERVICE STATION. SERVICE STATION MILTON TOWN ON	SPL
Ref No: Year: Incident Dt: Dt MOE Arvl on Scn: MOE Reported Dt: Dt Document Closed: Site No: MOE Response: Site County/District: Site Geo Ref Meth: Site District Office: Nearest Watercourse: Site Name: Site Address: Site Region: Site Municipality: Site Lot: Site Conc: Site Geo Ref Accu: Site Map Datum: Northing: Easting: Entity Operating Name: Client Name: Client Type: Source Type: Incident Cause: Incident Preceding Spill: Incident Reason:		155096 4/28/1998 4/28/1998 MILTON TOWN PIPE/HOSE LEAK ERROR		Municipality No: Nature of Damage: Discharger Report: Material Group: Impact to Health: Agency Involved:	14402

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Incident Summary:		ESSO CANADA- 32 LITRES GASOLINE TO GROUND FROM BROKEN HOSE,CONTAINED.			
Environment Impact:		NOT ANTICIPATED			
Health Env Consequence:					
Nature of Impact:					
Contaminant Qty:					
Contaminant Qty 1:					
Contaminant Unit:					
Contaminant Code:					
Contaminant Name:					
Contaminant Limit 1:					
Contam Limit Freq 1:					
Contaminant UN No 1:					
Receiving Medium:		LAND			
Activity Preceding Spill:					
Property 2nd Watershed:					
Property Tertiary Watershed:					
Sector Type:					
SAC Action Class:					
Call Report Locatn Geodata:					
Time Reported:					
System Facility Address:					

45	4 of 20	S/109.5	181.4 / -1.64	6004 TRAFALGAR (AT BRITANNIA RD) \ MILTON TOWN ON	SPL
Ref No:	159099			Municipality No:	14402
Year:				Nature of Damage:	
Incident Dt:	8/17/1998			Discharger Report:	
Dt MOE Arvl on Scn:				Material Group:	
MOE Reported Dt:	8/17/1998			Impact to Health:	
Dt Document Closed:				Agency Involved:	
Site No:					
MOE Response:					
Site County/District:					
Site Geo Ref Meth:					
Site District Office:					
Nearest Watercourse:					
Site Name:					
Site Address:					
Site Region:					
Site Municipality:		MILTON TOWN			
Site Lot:					
Site Conc:					
Site Geo Ref Accu:					
Site Map Datum:					
Northing:					
Easting:					
Entity Operating Name:					
Client Name:					
Client Type:					
Source Type:					
Incident Cause:					
Incident Preceding Spill:					
Incident Reason:					
Incident Summary:					
Environment Impact:					
Health Env Consequence:					
Nature of Impact:					
Contaminant Qty:					
Contaminant Qty 1:					
Contaminant Unit:					
Contaminant Code:					
Contaminant Name:					
Contaminant Limit 1:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Contam Limit Freq 1: Contaminant UN No 1: Receiving Medium: WATER / LAND Activity Preceding Spill: Property 2nd Watershed: Property Tertiary Watershed: Sector Type: SAC Action Class: Call Report Locatn Geodata: Time Reported: System Facility Address:					

45	5 of 20	S/109.5	181.4 / -1.64	DRUMKUIIM ESSO 6004 TRAFALGAR RD HORNBY ON	RST
--------------------	---------	---------	---------------	--	-----

Headcode: 1186800
Headcode Desc: Service Stations-Gasoline, Oil & Natural Gas
Phone: 9058761349
List Name:
Description:

45	6 of 20	S/109.5	181.4 / -1.64	SHELL CANADA LTD. 6004 TRAFALGAR & BRITANNIA RDS, MILTON C/O 1500 DON MILLS ROAD DON MILLS ON M3B 3K4	GEN
--------------------	---------	---------	---------------	--	-----

Generator Info

Generator No:	ON0005171	Choice of Contact:	
Approval Years:	90	Contaminated Fac:	
Status:		MHSW Facility:	
PO Box No:		SIC Code:	3611
Country:			
Co Admin:			
Phone No Admin:			
SIC Description:	REFINED PETRO. PROD.		

Waste Detail(s)

Waste Class:	146
Waste Class Name:	OTHER SPECIFIED INORGANICS

45	7 of 20	S/109.5	181.4 / -1.64	SHELL CANADA LTD. 35-468 6004 TRAFALGAR & BRITANNIA RDS, MILTON C/O 1500 DON MILLS ROAD DON MILLS ON M3B 3K4	GEN
--------------------	---------	---------	---------------	---	-----

Generator Info

Generator No:	ON0005171	Choice of Contact:	
Approval Years:	92,93,94,95,96,97	Contaminated Fac:	
Status:		MHSW Facility:	
PO Box No:		SIC Code:	3611
Country:			
Co Admin:			
Phone No Admin:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
SIC Description:		REFINED PETRO. PROD.			
<u>Waste Detail(s)</u>					
Waste Class:		146			
Waste Class Name:		OTHER SPECIFIED INORGANICS			
45	8 of 20	S/109.5	181.4 / -1.64	SHELL CANADA LIMITED 6004 TRAFALGAR ROAD AT BRITANNIA ROAD MILTON ON	GEN
<u>Generator Info</u>					
Generator No:	ON0005171			Choice of Contact:	
Approval Years:	98			Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	3611
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:	REFINED PETRO. PROD.				
<u>Waste Detail(s)</u>					
Waste Class:		146			
Waste Class Name:		OTHER SPECIFIED INORGANICS			
45	9 of 20	S/109.5	181.4 / -1.64	Esso Service Station - Gill Balwant 6004 Trafalgar Rd (at Britannia) Milton ON	SPL
Ref No:	5380-5M6QVJ			Municipality No:	
Year:				Nature of Damage:	
Incident Dt:	5/2/2003			Discharger Report:	Oil
Dt MOE Arvl on Scn:	5/2/2003			Material Group:	
MOE Reported Dt:	5/2/2003			Impact to Health:	
Dt Document Closed:				Agency Involved:	
Site No:					
MOE Response:					
Site County/District:					
Site Geo Ref Meth:					
Site District Office:	Halton-Peel				
Nearest Watercourse:					
Site Name:	ESSO SERVICE STATION<UNOFFICIAL>				
Site Address:					
Site Region:	Central				
Site Municipality:	Milton				
Site Lot:					
Site Conc:					
Site Geo Ref Accu:					
Site Map Datum:					
Northing:					
Easting:					
Entity Operating Name:					
Client Name:	Esso Service Station - Gill Balwant				
Client Type:					
Source Type:					
Incident Cause:					
Incident Preceding Spill:					
Incident Reason:					
Incident Summary:	diesel spill contaminated well. h/u notf'd				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Environment Impact: Health Env Consequence: Nature of Impact: Contaminant Qty: Contaminant Qty 1: Contaminant Unit: Contaminant Code: Contaminant Name: Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Receiving Medium: Activity Preceding Spill: Property 2nd Watershed: Property Tertiary Watershed: Sector Type: SAC Action Class: Call Report Locatn Geodata: Time Reported: System Facility Address:		Possible			
45	10 of 20	S/109.5	181.4 / -1.64	GILL & ASSOCIATES INC 6004 TRAFALGAR RD HORNBY ON L0P 1E0	FSTH
License Issue Date: Tank Status: Tank Status As Of: Operation Type: Facility Type:		2/22/2002 Licensed December 2008 Retail Fuel Outlet Gasoline Station - Self Serve			
--Details--					
Status: Year of Installation: Corrosion Protection: Capacity: Tank Fuel Type:		Active 1991			
Status: Year of Installation: Corrosion Protection: Capacity: Tank Fuel Type:		Active 1991			
Status: Year of Installation: Corrosion Protection: Capacity: Tank Fuel Type:		Active 1991			
Status: Year of Installation: Corrosion Protection: Capacity: Tank Fuel Type:		Active 1991 45460 Liquid Fuel Single Wall UST - Gasoline			
45	11 of 20	S/109.5	181.4 / -1.64	GILL & ASSOCIATES 6004 TRAFALGAR RD SS 111 HORNBY ON L0P1E0	RST
Headcode:		01186800			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Headcode Desc:		SERVICE STATIONS GASOLINE OIL & NATURAL			
Phone:		9058761349			
List Name:					
Description:					
45	12 of 20	S/109.5	181.4 / -1.64	GILL AND ASSOCIATES INC 6004 TRAFALGAR RD MILTON ON L9E0Y9	RST
Headcode:		01186800			
Headcode Desc:		SERVICE STATIONS GASOLINE OIL & NATURAL GAS			
Phone:		9058761349			
List Name:		INFO-DIRECT(TM) BUSINESS FILE			
Description:					
45	13 of 20	S/109.5	181.4 / -1.64	GILL & ASSOCIATES INC 6004 TRAFALGAR RD HORNBY ON	FST
Inventory No:	70001507			Tank Material:	
Inventory Status:	active			Corrosion Protect:	Fiberglass
Installation Year:	2021			Overfill Protection:	
Capacity:	100000			Inventory Context:	FS Liquid Fuel
Capacity Unit:	L			Inventory Item:	FS Liquid Fuel Tank
Tank Type:	Double Wall UST				
Manufacturer:					
Model:					
Description:					
45	14 of 20	S/109.5	181.4 / -1.64	GILL & ASSOCIATES INC 6004 TRAFALGAR RD HORNBY ON	FST
Inventory No:	70001508			Tank Material:	
Inventory Status:	active			Corrosion Protect:	Fiberglass
Installation Year:	2021			Overfill Protection:	
Capacity:	75000			Inventory Context:	FS Liquid Fuel
Capacity Unit:	L			Inventory Item:	FS Liquid Fuel Tank
Tank Type:	Double Wall UST				
Manufacturer:					
Model:					
Description:	Split: 25k prem, 50K diesel				
45	15 of 20	S/109.5	181.4 / -1.64	Gill & Associates Ltd 6004 Trafalgar Rd Milton ON L0P 1E0	GEN
<u>Generator Info</u>					
Generator No:	ON2833995			Choice of Contact:	
Approval Years:	As of Oct 2022			Contaminated Fac:	
Status:	Registered			MHSW Facility:	
PO Box No:				SIC Code:	
Country:	Canada				
Co Admin:					
Phone No Admin:					
SIC Description:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Detail(s)					
Waste Class:		221 L			
Waste Class Name:		LIGHT FUELS			
45	16 of 20	S/109.5	181.4 / -1.64	GILL & ASSOCIATES INC 6004 TRAFALGAR RD HORNBY ON	EXP
Inventory No:	11224293			Tank Material:	Fiberglass (FRP)
Inventory Status:	EXPIRED			Corrosion Protect:	Fiberglass
Installation Year:	1991			Overfill Protection:	
Capacity:	22730			Inventory Context:	FS Liquid Fuel Tank
Capacity Unit:				Inventory Item:	FS LIQUID FUEL TANK
Tank Type:					
Manufacturer:					
Model:					
Description:	2009VBS				
Previous Fuel Type:	Diesel				
45	17 of 20	S/109.5	181.4 / -1.64	GILL & ASSOCIATES INC 6004 TRAFALGAR RD HORNBY ON	EXP
Inventory No:	11224298			Tank Material:	Fiberglass (FRP)
Inventory Status:	EXPIRED			Corrosion Protect:	Fiberglass
Installation Year:	1991			Overfill Protection:	
Capacity:	45460			Inventory Context:	FS Liquid Fuel Tank
Capacity Unit:				Inventory Item:	FS LIQUID FUEL TANK
Tank Type:					
Manufacturer:					
Model:					
Description:	2009VBS;REGULAR				
Previous Fuel Type:	Gasoline				
45	18 of 20	S/109.5	181.4 / -1.64	GILL & ASSOCIATES INC 6004 TRAFALGAR RD HORNBY ON	EXP
Inventory No:	11224315			Tank Material:	Fiberglass (FRP)
Inventory Status:	EXPIRED			Corrosion Protect:	Fiberglass
Installation Year:	1991			Overfill Protection:	
Capacity:	22730			Inventory Context:	FS Liquid Fuel Tank
Capacity Unit:				Inventory Item:	FS LIQUID FUEL TANK
Tank Type:					
Manufacturer:					
Model:					
Description:	2009VBS;SUPER				
Previous Fuel Type:	Gasoline				
45	19 of 20	S/109.5	181.4 / -1.64	GILL & ASSOCIATES INC 6004 TRAFALGAR RD HORNBY ON	EXP
Inventory No:	11224304			Tank Material:	Fiberglass (FRP)
Inventory Status:	EXPIRED			Corrosion Protect:	Fiberglass
Installation Year:	1991			Overfill Protection:	
Capacity:	22730			Inventory Context:	FS Liquid Fuel Tank

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Capacity Unit: Tank Type: Manufacturer: Model: Description: Previous Fuel Type:				Inventory Item: FS LIQUID FUEL TANK	
45	20 of 20	S/109.5	181.4 / -1.64	GILL & ASSOCIATES INC 6004 TRAFALGAR RD HORNBY ON	FST
Inventory No: 10054131 Inventory Status: Active Installation Year: Capacity: 175000 Capacity Unit: L Tank Type: Manufacturer: Model: Description:		Tank Material: Corrosion Protect: Overfill Protection: Inventory Context: Liquid Fuels Inventory Item: FS Gasoline Station - Self Serve			
46	1 of 1	SSE/118.6	181.9 / -1.20	lot 5 con 8 ON	WWIS
Well ID: 2803633 Construction Date: Use 1st: Domestic Use 2nd: 0 Final Well Status: Water Supply Water Type: Casing Material: Audit No: Tag: Constructn Method: Elevation (m): Elevatn Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: MILTON TOWN (TRAFALGAR) Site Info:		Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: 1 Date Received: 10/21/1971 Selected Flag: TRUE Abandonment Rec: Contractor: 3637 Form Version: 1 Owner: County: HALTON Lot: 005 Concession: 08 Concession Name: NS Easting NAD83: Northing NAD83: Zone: UTM Reliability:			
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/280\2803633.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date: 01/06/1971 Year Completed: 1971 Depth (m): 11.5824 Latitude: 43.5355522210968 Longitude: -79.7797287426226 X: -79.77972859392267 Y: 43.53555221871281 Path: 280\2803633.pdf					
<u>Bore Hole Information</u>					
Bore Hole ID: 10150169		Elevation:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	598594.50
Code OB Desc:				North83:	4821013.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	4
Date Completed:	01/06/1971			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	p4
Location Method Desc:		Original Pre1985 UTM Rel Code 4: margin of error : 30 m - 100 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

Overburden and Bedrock

Materials Interval

Formation ID: 931432712
Layer: 2
Color: 6
General Color: BROWN
Material 1: 05
Material 1 Desc: CLAY
Material 2:
Material 2 Desc:
Material 3:
Material 3 Desc:
Formation Top Depth: 2.0
Formation End Depth: 13.0
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931432717
Layer: 7
Color: 6
General Color: BROWN
Material 1: 11
Material 1 Desc: GRAVEL
Material 2: 10
Material 2 Desc: COARSE SAND
Material 3:
Material 3 Desc:
Formation Top Depth: 37.0
Formation End Depth: 38.0
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931432711
Layer: 1
Color: 8
General Color: BLACK
Material 1: 02
Material 1 Desc: TOPSOIL
Material 2:
Material 2 Desc:
Material 3:
Material 3 Desc:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation Top Depth:			0.0		
Formation End Depth:			2.0		
Formation End Depth UOM:			ft		
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:			931432716		
Layer:			6		
Color:			7		
General Color:			RED		
Material 1:			06		
Material 1 Desc:			SILT		
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:			36.0		
Formation End Depth:			37.0		
Formation End Depth UOM:			ft		
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:			931432715		
Layer:			5		
Color:			2		
General Color:			GREY		
Material 1:			05		
Material 1 Desc:			CLAY		
Material 2:			12		
Material 2 Desc:			STONES		
Material 3:					
Material 3 Desc:					
Formation Top Depth:			20.0		
Formation End Depth:			36.0		
Formation End Depth UOM:			ft		
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:			931432714		
Layer:			4		
Color:			7		
General Color:			RED		
Material 1:			05		
Material 1 Desc:			CLAY		
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:			18.0		
Formation End Depth:			20.0		
Formation End Depth UOM:			ft		
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:			931432713		
Layer:			3		
Color:			2		
General Color:			GREY		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		13.0			
Formation End Depth:		18.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		962803633			
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10698739			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930255369			
Layer:		2			
Material:		2			
Open Hole or Material:		GALVANIZED			
Depth From:					
Depth To:		38.0			
Casing Diameter:		32.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930255368			
Layer:		1			
Material:		3			
Open Hole or Material:		CONCRETE			
Depth From:					
Depth To:		35.0			
Casing Diameter:		30.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		BAILER			
Pump Test ID:		992803633			
Pump Set At:					
Static Level:		27.0			
Final Level After Pumping:		38.0			
Recommended Pump Depth:		36.0			
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:		4.0			
Levels UOM:		ft			
Rate UOM:		GPM			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water State After Test Code:	1				
Water State After Test:	CLEAR				
Pumping Test Method:	2				
Pumping Duration HR:	1				
Pumping Duration MIN:	0				
Flowing:	No				
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:	934451167				
Test Type:	Recovery				
Test Duration:	30				
Test Level:	36.0				
Test Level UOM:	ft				
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:	934710372				
Test Type:	Recovery				
Test Duration:	45				
Test Level:	35.0				
Test Level UOM:	ft				
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:	934167221				
Test Type:	Recovery				
Test Duration:	15				
Test Level:	37.0				
Test Level UOM:	ft				
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:	934970267				
Test Type:	Recovery				
Test Duration:	60				
Test Level:	34.0				
Test Level UOM:	ft				
<u>Water Details</u>					
Water ID:	933606130				
Layer:	1				
Kind Code:	1				
Kind:	FRESH				
Water Found Depth:	37.0				
Water Found Depth UOM:	ft				

[47](#)

1 of 1

S/130.2

180.9 / -2.18

BRITANNA ROAD APPROX. 50M W OF
TRAFALGAR ROAD
Milton ON

WWIS

Well ID: 7287311
Construction Date:
Use 1st: Monitoring
Use 2nd:
Final Well Status: Observation Wells
Water Type:
Casing Material:
Audit No: Z259448
Tag: A222968

Flowing (Y/N):
Flow Rate:
Data Entry Status:
Data Src:
Date Received: 05/29/2017
Selected Flag: TRUE
Abandonment Rec:
Contractor: 7472
Form Version: 7

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Constructn Method: Elevation (m): Elevatn Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: Site Info:		MILTON TOWN (TRAFALGAR)		Owner: County: HALTON Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/728\7287311.pdf			

Additional Detail(s) (Map)

Well Completed Date: 03/23/2017
Year Completed: 2017
Depth (m): 6.096
Latitude: 43.5351589059956
Longitude: -79.7816859715449
X: -79.78168582291352
Y: 43.53515890404023
Path: 728\7287311.pdf

Bore Hole Information

Bore Hole ID:	1006488148	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598437.00
Code OB Desc:		North83:	4820967.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	03/23/2017	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Location Method Desc:	on Water Well Record		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock
Materials Interval

Formation ID: 1006756865
Layer: 1
Color:
General Color:
Material 1:
Material 1 Desc:
Material 2:
Material 2 Desc:
Material 3:
Material 3 Desc:
Formation Top Depth: 0.0
Formation End Depth: 1.0
Formation End Depth UOM: ft

Overburden and Bedrock

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Materials Interval</u>					
Formation ID:		1006756866			
Layer:		2			
Color:		6			
General Color:		BROWN			
Material 1:		06			
Material 1 Desc:		SILT			
Material 2:		28			
Material 2 Desc:		SAND			
Material 3:		79			
Material 3 Desc:		PACKED			
Formation Top Depth:		1.0			
Formation End Depth:		10.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006756867			
Layer:		3			
Color:		2			
General Color:		GREY			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		06			
Material 2 Desc:		SILT			
Material 3:		79			
Material 3 Desc:		PACKED			
Formation Top Depth:		10.0			
Formation End Depth:		20.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1006756874			
Layer:		1			
Plug From:		0.0			
Plug To:		9.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1006756875			
Layer:		2			
Plug From:		9.0			
Plug To:		20.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		1006756873			
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006756864			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing No:	0				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:	1006756870				
Layer:	1				
Material:	5				
Open Hole or Material:	PLASTIC				
Depth From:	0.0				
Depth To:	10.0				
Casing Diameter:	2.0				
Casing Diameter UOM:	inch				
Casing Depth UOM:	ft				
<u>Construction Record - Screen</u>					
Screen ID:	1006756871				
Layer:	1				
Slot:	10				
Screen Top Depth:	10.0				
Screen End Depth:	20.0				
Screen Material:	5				
Screen Depth UOM:	ft				
Screen Diameter UOM:	inch				
Screen Diameter:	2.5				
<u>Water Details</u>					
Water ID:	1006756869				
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:	ft				
<u>Hole Diameter</u>					
Hole ID:	1006756868				
Diameter:	7.5				
Depth From:	0.0				
Depth To:	20.0				
Hole Depth UOM:	ft				
Hole Diameter UOM:	inch				

48

1 of 1

S/131.1

180.9 / -2.18

BRITANNIA ROAD APPROX. 50M W OF
TRAFALGAR ROAD
Milton ON

WWIS

Well ID: 7287310
 Construction Date:
 Use 1st: Monitoring
 Use 2nd:
 Final Well Status: Observation Wells
 Water Type:
 Casing Material:
 Audit No: Z259446
 Tag: A222967
 Constructn Method:
 Elevation (m):
 Elevatn Reliabilty:

Flowing (Y/N):
 Flow Rate:
 Data Entry Status:
 Data Src:
 Date Received: 05/29/2017
 Selected Flag: TRUE
 Abandonment Rec:
 Contractor: 7472
 Form Version: 7
 Owner:
 County: HALTON
 Lot:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: Site Info:		MILTON TOWN (TRAFALGAR)		Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/728\7287310.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date: Year Completed: Depth (m): Latitude: Longitude: X: Y: Path:		03/23/2017 2017 15.24 43.5351500356587 -79.7816985266347 -79.78169837776473 43.535150033566765 728\7287310.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: Remarks: Location Method Desc: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:	1006488145			Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc: Location Method:	17 598436.00 4820966.00 UTM83 4 margin of error : 30 m - 100 m wwr
on Water Well Record					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID: Layer: Color: General Color: Material 1: Material 1 Desc: Material 2: Material 2 Desc: Material 3: Material 3 Desc: Formation Top Depth: Formation End Depth: Formation End Depth UOM:	1006756855				
	5				
	6				
	BROWN				
	11				
	GRAVEL				
	28				
	SAND				
	66				
	DENSE				
	40.0				
	50.0				
	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1006756853				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:		3			
Color:		2			
General Color:		GREY			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		06			
Material 2 Desc:		SILT			
Material 3:		79			
Material 3 Desc:		PACKED			
Formation Top Depth:		10.0			
Formation End Depth:		25.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006756851			
Layer:		1			
Color:		2			
General Color:		GREY			
Material 1:					
Material 1 Desc:					
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		1.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006756854			
Layer:		4			
Color:		6			
General Color:		BROWN			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		11			
Material 2 Desc:		GRAVEL			
Material 3:		66			
Material 3 Desc:		DENSE			
Formation Top Depth:		25.0			
Formation End Depth:		40.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006756852			
Layer:		2			
Color:		6			
General Color:		BROWN			
Material 1:		06			
Material 1 Desc:		SILT			
Material 2:		28			
Material 2 Desc:		SAND			
Material 3:		79			
Material 3 Desc:		PACKED			
Formation Top Depth:		1.0			
Formation End Depth:		10.0			
Formation End Depth UOM:		ft			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006756862			
Layer:		1			
Plug From:		0.0			
Plug To:		39.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006756863			
Layer:		2			
Plug From:		39.0			
Plug To:		50.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1006756861			
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006756850			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006756858			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		40.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1006756859			
Layer:		1			
Slot:		10			
Screen Top Depth:		40.0			
Screen End Depth:		50.0			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.5			
<u>Water Details</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water ID:		1006756857			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					
Hole ID:		1006756856			
Diameter:		7.5			
Depth From:		0.0			
Depth To:		50.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

49	1 of 1	W/132.6	179.9 / -3.20	6191 TRAFALGER RD MILTON ON	WWIS
Well ID:		2810410		Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:				Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:		Observation Wells		Date Received:	
Water Type:				11/01/2005	
Casing Material:				Selected Flag:	
Audit No:		Z24263		TRUE	
Tag:		A021356		Abandonment Rec:	
Constructn Method:				Contractor:	
Elevation (m):				6607	
Elevatn Reliabilty:				Form Version:	
Depth to Bedrock:				3	
Well Depth:				Owner:	
Overburden/Bedrock:				County:	
Pump Rate:				HALTON	
Static Water Level:				Lot:	
Clear/Cloudy:				Concession:	
Municipality:		MILTON TOWN (TRAFALGAR)		Concession Name:	
Site Info:				Easting NAD83:	
				Northing NAD83:	
				Zone:	
				UTM Reliability:	
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/281\2810410.pdf			

Additional Detail(s) (Map)

Well Completed Date:	02/09/2005
Year Completed:	2005
Depth (m):	12.1
Latitude:	43.5404699502472
Longitude:	-79.7874831226871
X:	-79.78748297342126
Y:	43.54046994791083
Path:	281\2810410.pdf

Bore Hole Information

Bore Hole ID:	11319365	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	597960.00
Code OB Desc:		North83:	4821550.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Date Completed:	02/09/2005			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Location Method Desc:	on Water Well Record				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	933007741				
Layer:	5				
Color:	7				
General Color:	RED				
Material 1:	17				
Material 1 Desc:	SHALE				
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:	9.100000381469727				
Formation End Depth:	12.100000381469727				
Formation End Depth UOM:	m				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	933007740				
Layer:	4				
Color:	2				
General Color:	GREY				
Material 1:	06				
Material 1 Desc:	SILT				
Material 2:	05				
Material 2 Desc:	CLAY				
Material 3:					
Material 3 Desc:					
Formation Top Depth:	4.199999809265137				
Formation End Depth:	9.100000381469727				
Formation End Depth UOM:	m				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	933007739				
Layer:	3				
Color:	6				
General Color:	BROWN				
Material 1:	06				
Material 1 Desc:	SILT				
Material 2:	28				
Material 2 Desc:	SAND				
Material 3:					
Material 3 Desc:					
Formation Top Depth:	3.5				
Formation End Depth:	4.199999809265137				
Formation End Depth UOM:	m				
<u>Overburden and Bedrock</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Materials Interval</u>					
Formation ID:		933007738			
Layer:		2			
Color:		6			
General Color:		BROWN			
Material 1:		06			
Material 1 Desc:		SILT			
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		1.0			
Formation End Depth:		3.5			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		933007737			
Layer:		1			
Color:		6			
General Color:		BROWN			
Material 1:		06			
Material 1 Desc:		SILT			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		1.0			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		933280306			
Layer:		1			
Plug From:		0.0			
Plug To:		10.0			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		933280307			
Layer:		2			
Plug From:		10.0			
Plug To:		12.100000381469727			
Plug Depth UOM:		m			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		962810410			
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11334220			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing No: Comment: Alt Name:	1				
<u>Construction Record - Casing</u>					
Casing ID:	930860367				
Layer:	1				
Material:	5				
Open Hole or Material:	PLASTIC				
Depth From:	0.0				
Depth To:	10.0				
Casing Diameter:	5.099999904632568				
Casing Diameter UOM:	cm				
Casing Depth UOM:	m				
<u>Construction Record - Screen</u>					
Screen ID:	933415371				
Layer:	1				
Slot:	10				
Screen Top Depth:	10.0				
Screen End Depth:	12.100000381469727				
Screen Material:	5				
Screen Depth UOM:	m				
Screen Diameter UOM:	cm				
Screen Diameter:	6.400000095367432				
<u>Water Details</u>					
Water ID:	934067062				
Layer:	1				
Kind Code:	1				
Kind:	FRESH				
Water Found Depth:	11.0				
Water Found Depth UOM:	m				
<u>Hole Diameter</u>					
Hole ID:	11537956				
Diameter:	15.0				
Depth From:	0.0				
Depth To:	12.100000381469727				
Hole Depth UOM:	m				
Hole Diameter UOM:	cm				

50

1 of 1

W/168.3

179.9 / -3.12

6191 TRAFALGAR RD lot 7 con 8
HORNBY ON

WWIS

Well ID: 7195498
 Construction Date:
 Use 1st: Not Used
 Use 2nd:
 Final Well Status: Abandoned-Other
 Water Type:
 Casing Material:
 Audit No: Z162861
 Tag:
 Constructn Method:
 Elevation (m):
 Elevatn Reliabilty:
 Depth to Bedrock:

Flowing (Y/N):
 Flow Rate:
 Data Entry Status:
 Data Src:
 Date Received: 01/16/2013
 Selected Flag: TRUE
 Abandonment Rec: Yes
 Contractor: 7385
 Form Version: 7
 Owner:
 County: HALTON
 Lot: 007
 Concession: 08

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: Site Info:		MILTON TOWN (TRAFALGAR)		Concession Name: NS Easting NAD83: Northing NAD83: Zone: UTM Reliability:	
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/719\7195498.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date: Year Completed: Depth (m): Latitude: Longitude: X: Y: Path:		12/13/2012 2012 12/13/2012	12/13/2012 2012 43.5412593885342 -79.787207367285 -79.78720721759626 43.54125938700081 719\7195498.pdf		
<u>Bore Hole Information</u>					
Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: Remarks: Location Method Desc: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:		1004237758		Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc: Location Method:	NS 17 597981.00 4821638.00 UTM83 4 margin of error : 30 m - 100 m wwr
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID: Layer: Plug From: Plug To: Plug Depth UOM:		1004759808 2 0.0 30.0 ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID: Layer: Plug From: Plug To: Plug Depth UOM:		1004759809 3 30.0 47.0 ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004759810			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:		4			
Plug From:		47.0			
Plug To:		0.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004759807			
Layer:		1			
Plug From:					
Plug To:					
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1004759806			
Method Construction Code:					
Method Construction:					
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1004759799			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1004759803			
Layer:					
Material:					
Open Hole or Material:					
Depth From:					
Depth To:					
Casing Diameter:					
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1004759804			
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:					
<u>Water Details</u>					
Water ID:		1004759802			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Hole Diameter</u>					
Hole ID:		1004759801			
Diameter:					
Depth From:					
Depth To:					
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

51	1 of 1	WNW/170.9	180.9 / -2.20	Trafalgar Road & Britannia Road lot 7 con 8 Milton ON	WWIS
Well ID:	7385434			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Monitoring			Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:	Observation Wells			Date Received:	04/22/2021
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	OYUUJATJ			Contractor:	7472
Tag:	A322944			Form Version:	9
Constructn Method:				Owner:	
Elevation (m):				County:	HALTON
Elevatn Reliability:				Lot:	007
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	NS
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	MILTON TOWN (TRAFALGAR)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/738\7385434.pdf				

Additional Detail(s) (Map)

Well Completed Date:	03/18/2021
Year Completed:	2021
Depth (m):	4.572
Latitude:	43.5417406494962
Longitude:	-79.7867397389329
X:	-79.78673958979967
Y:	43.5417406466473
Path:	738\7385434.pdf

Bore Hole Information

Bore Hole ID:	1008614264	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598018.00
Code OB Desc:		North83:	4821692.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	03/18/2021	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Location Method Desc:	on Water Well Record		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<i>Improvement Location Method:</i>					
<i>Source Revision Comment:</i>					
<i>Supplier Comment:</i>					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1008614364			
Layer:		1			
Color:		6			
General Color:		BROWN			
Material 1:		02			
Material 1 Desc:		TOPSOIL			
Material 2:					
Material 2 Desc:					
Material 3:		77			
Material 3 Desc:		LOOSE			
Formation Top Depth:		0.0			
Formation End Depth:		2.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1008614365			
Layer:		2			
Color:		2			
General Color:		GREY			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		28			
Material 2 Desc:		SAND			
Material 3:		79			
Material 3 Desc:		PACKED			
Formation Top Depth:		2.0			
Formation End Depth:		15.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1008614456			
Layer:		2			
Plug From:		9.0			
Plug To:		15.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1008614434			
Layer:		1			
Plug From:					
Plug To:					
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1008614455			
Layer:		1			
Plug From:		0.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug To:		9.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1008614327			
Method Construction Code:		E			
Method Construction:		Auger			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1008614303			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1008614388			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		10.0			
Casing Diameter:		0.75			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1008614403			
Layer:		1			
Slot:		10			
Screen Top Depth:		10.0			
Screen End Depth:		15.0			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID:		1008614304			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Hole Diameter</u>					
Hole ID:		1008614419			
Diameter:		7.5			
Depth From:		0.0			
Depth To:		15.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
<u>52</u>	1 of 1	W/171.9	179.9 / -3.20	Wyldeewood Golf and Country Club 6197 Trafalger Rd, Town of Milton, Regional Municipality Of Halton, L0P 1E0 REGIONAL MUNICIPALITY OF HALTON TOWN OF MILTON ON	PTTW
EBR Registry No:	012-6741			Decision Posted:	
Ministry Ref No:	2642-A6UKEP			Exception Posted:	
Notice Type:	Instrument Decision			Section:	
Notice Stage:				Act 1:	
Notice Date:	May 02, 2016			Act 2:	
Proposal Date:	February 09, 2016			Site Location Map:	
Year:	2016				
Instrument Type:	(OWRA s. 34) - Permit to Take Water				
Off Instrument Name:					
Posted By:					
Company Name:	Wyldeewood Golf and Country Club				
Site Address:					
Location Other:					
Proponent Name:					
Proponent Address:	c/o Burnside & Associates, 6198 Trafalgar Road, Milton Ontario, L0P 1E0				
Comment Period:					
URL:					
Summary:					
Site Location Details:					
	6197 Trafalger Rd, Town of Milton, Regional Municipality Of Halton, L0P 1E0 REGIONAL MUNICIPALITY OF HALTON TOWN OF MILTON				
<u>53</u>	1 of 1	WNW/176.1	181.4 / -1.65	6252 EIGHTH LINE lot 7 con 8 MILTON ON	WWIS
Well ID:	7384205			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Monitoring			Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:	Observation Wells			Date Received:	03/29/2021
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	XPPECGN7			Contractor:	6607
Tag:	A313849			Form Version:	9
Constructn Method:				Owner:	
Elevation (m):				County:	HALTON
Elevatn Reliabilty:				Lot:	007
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	NS
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	MILTON TOWN (TRAFALGAR)				
Site Info:	110-113 STEELES AVE E				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/738\7384205.pdf

Additional Detail(s) (Map)

Well Completed Date: 02/09/2021
Year Completed: 2021
Depth (m): 6
Latitude: 43.5420709729057
Longitude: -79.7864731779259
X: -79.78647302826931
Y: 43.54207097081987
Path: 738\7384205.pdf

Bore Hole Information

Bore Hole ID:	1008599339	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598039.00
Code OB Desc:		North83:	4821729.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	02/09/2021	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Location Method Desc:	on Water Well Record		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Overburden and Bedrock
Materials Interval**

Formation ID: 1008599451
Layer: 1
Color: 6
General Color: BROWN
Material 1: 02
Material 1 Desc: TOPSOIL
Material 2: 06
Material 2 Desc: SILT
Material 3: 85
Material 3 Desc: SOFT
Formation Top Depth: 0.0
Formation End Depth: 1.5
Formation End Depth UOM: m

**Overburden and Bedrock
Materials Interval**

Formation ID: 1008599453
Layer: 3
Color: 6
General Color: BROWN
Material 1: 05
Material 1 Desc: CLAY
Material 2: 06
Material 2 Desc: SILT
Material 3: 85

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 3 Desc:		SOFT			
Formation Top Depth:		3.0			
Formation End Depth:		6.0			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1008599452			
Layer:		2			
Color:		6			
General Color:		BROWN			
Material 1:		06			
Material 1 Desc:		SILT			
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:		66			
Material 3 Desc:		DENSE			
Formation Top Depth:		1.5			
Formation End Depth:		3.0			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1008599538			
Layer:		1			
Plug From:		0.0			
Plug To:		0.029999999329447746			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1008599515			
Layer:		1			
Plug From:					
Plug To:					
Plug Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1008599539			
Layer:		2			
Plug From:		0.029999999329447746			
Plug To:		4.199999809265137			
Plug Depth UOM:		m			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		1008599390			
Method Construction Code:		E			
Method Construction:		Auger			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1008599372			
Casing No:		0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Comment:
Alt Name:

Construction Record - Casing

Casing ID: 1008599470
 Layer: 1
 Material: 5
 Open Hole or Material: PLASTIC
 Depth From: 0.0
 Depth To: 4.5
 Casing Diameter: 5.099999904632568
 Casing Diameter UOM: cm
 Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1008599485
 Layer: 1
 Slot: 10
 Screen Top Depth: 4.5
 Screen End Depth: 6.0
 Screen Material: 5
 Screen Depth UOM: m
 Screen Diameter UOM: cm
 Screen Diameter: 6.400000095367432

Results of Well Yield Testing

Pumping Test Method Desc:
 Pump Test ID: 1008599373
 Pump Set At:
 Static Level:
 Final Level After Pumping:
 Recommended Pump Depth:
 Pumping Rate:
 Flowing Rate:
 Recommended Pump Rate:
 Levels UOM: m
 Rate UOM: LPM
 Water State After Test Code:
 Water State After Test:
 Pumping Test Method:
 Pumping Duration HR:
 Pumping Duration MIN:
 Flowing:

Hole Diameter

Hole ID: 1008599500
 Diameter: 21.0
 Depth From: 0.0
 Depth To: 6.0
 Hole Depth UOM: m
 Hole Diameter UOM: cm

54	1 of 1	W/193.7	179.9 / -3.20	TRAFALGAR RD MILTON ON WWIS
--------------------	--------	---------	---------------	---------------------------	----------------------

Well ID:	7274004	Flowing (Y/N):
Construction Date:		Flow Rate:
Use 1st:		Data Entry Status:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation Top Depth:					
Formation End Depth:					
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006452234			
Layer:		2			
Plug From:		0.0			
Plug To:		6.139999866485596			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006452233			
Layer:		1			
Plug From:					
Plug To:					
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1006452232			
Method Construction Code:					
Method Construction:					
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006452226			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006452230			
Layer:					
Material:					
Open Hole or Material:					
Depth From:					
Depth To:					
Casing Diameter:					
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1006452231			
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Water Details</u>					
Water ID:		1006452229			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1006452228			
Diameter:					
Depth From:					
Depth To:					
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
55	1 of 16	W/201.0	181.5 / -1.59	WYLDEWOOD GOLF & COUNTRY CLUB PT.LOT 7/CON.7, SEW.DISP.SYS. MILTON TOWN ON	CA
Certificate #:		3-1161-99-			
Application Year:		99			
Issue Date:		12/2/1999			
Approval Type:		Municipal sewage			
Status:		Approved			
Application Type:					
Client Name:					
Client Address:					
Client City:					
Client Postal Code:					
Project Description:					
Contaminants:					
Emission Control:					
55	2 of 16	W/201.0	181.5 / -1.59	6198 Trafalgar Road Milton ON	CA
Certificate #:		8286-4GTTCX			
Application Year:		00			
Issue Date:		2/29/00			
Approval Type:		Municipal & Private sewage			
Status:		Approved			
Application Type:		Amended CofA			
Client Name:		Wyldeewood Golf And Country Club			
Client Address:		6198 Trafalgar Road			
Client City:		Milton			
Client Postal Code:		L0P 1E0			
Project Description:		This is an application to amend an existing municipal and private sewage certificate of approval to replace a treatment and disposal system.			
Contaminants:					
Emission Control:					
55	3 of 16	W/201.0	181.5 / -1.59	Wyldeewood Golf and Country Club 6198 Trafalgar Road Hornby Ontario L0P 1E0 Part of Lot 7, Concession 7 TOWN OF MILTON ON	PTTW
EBR Registry No:		IA00E0099		Decision Posted:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Ministry Ref No: 00-P-3007 Notice Type: Instrument Decision Notice Stage: Notice Date: September 24, 2001 Proposal Date: January 18, 2000 Year: 2000 Instrument Type: (OWRA s. 34) - Permit to Take Water Off Instrument Name: Posted By: Company Name: Wyldewood Golf and Country Club Site Address: Location Other: Proponent Name: Proponent Address: 6198 Trafalgar Road, Milton Ontario, Canada L0P 1E0 Comment Period: URL: Summary: Site Location Details: 6198 Trafalgar Road Hornby Ontario L0P 1E0 Part of Lot 7, Concession 7 TOWN OF MILTON					
55	4 of 16	W/201.0	181.5 / -1.59	WYLDEWOOD GOLF & COUNTRY CLUB 6198 TRAFALGAR ROAD RR #1 HORNBY HALTON ON L0P 1E0	GEN

Generator Info

Generator No: ON0296000
Approval Years: 86,87,88,89,90,92,93,97,98,99,00,01
Status:
PO Box No:
Country:
Co Admin:
Phone No Admin:
SIC Description: GOLF COURSES

Choice of Contact:
Contaminated Fac:
MHSW Facility:
SIC Code: 9651

Waste Detail(s)

Waste Class: 252
Waste Class Name: WASTE OILS & LUBRICANTS

55	5 of 16	W/201.0	181.5 / -1.59	WYLDEWOOD GOLF & COUNTRY CLUB 42-012 6198 TRAFALGAR ROAD RR #1 HORNBY HALTON ON L0P 1E0	GEN
<u>Generator Info</u> Generator No: ON0296000 Approval Years: 94,95,96 Status: PO Box No: Country: Co Admin: Phone No Admin: SIC Description: GOLF COURSES Choice of Contact: Contaminated Fac: MHSW Facility: SIC Code: 9651					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Waste Detail(s)</u>					
Waste Class:		252			
Waste Class Name:		WASTE OILS & LUBRICANTS			
55	6 of 16	W/201.0	181.5 / -1.59	WYLDEWOOD GOLF & COUNTRY CLUB 6198 TRAFALGAR ROAD R.R. # 1 HORNBY HALTON ON L0P 1E0	GEN
<u>Generator Info</u>					
Generator No:	ON0296000			Choice of Contact:	
Approval Years:	05			Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	713910
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:	Golf Courses and Country Clubs				
<u>Waste Detail(s)</u>					
Waste Class:		252			
Waste Class Name:		WASTE OILS & LUBRICANTS			
55	7 of 16	W/201.0	181.5 / -1.59	WYLDEWOOD GOLF & COUNTRY CLUB 6198 TRAFALGAR RD HORNBY ON	FSTH
License Issue Date:	7/12/2001				
Tank Status:	Licensed				
Tank Status As Of:	August 2007				
Operation Type:	Private Fuel Outlet				
Facility Type:	Gasoline Station - Self Serve				
<u>--Details--</u>					
Status:	Active				
Year of Installation:	1998				
Corrosion Protection:					
Capacity:	2200				
Tank Fuel Type:	Liquid Fuel Single Wall AST - Gasoline				
Status:	Active				
Year of Installation:	1998				
Corrosion Protection:					
Capacity:	2200				
Tank Fuel Type:	Liquid Fuel Single Wall AST - Gasoline				
55	8 of 16	W/201.0	181.5 / -1.59	Wyldeewood Golf and Country Club 6198 Trafalgar Road Lot: 7, Concession: 7, Town of Milton, Regional Municipality Of Halton Milton TOWN OF MILTON ON	PTTW
EBR Registry No:	010-3488			Decision Posted:	
Ministry Ref No:	3062-7DTL6S			Exception Posted:	
Notice Type:	Instrument Decision			Section:	
Notice Stage:				Act 1:	
Notice Date:	June 18, 2008			Act 2:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Proposal Date: May 01, 2008 Site Location Map: Year: 2008 Instrument Type: (OWRA s. 34) - Permit to Take Water Off Instrument Name: Posted By: Company Name: Wyldewood Golf and Country Club Site Address: Location Other: Proponent Name: Proponent Address: 6198 Trafalgar Road, Milton Ontario, Canada L0P 1E0 Comment Period: URL: Summary: Site Location Details: 6198 Trafalgar Road Lot: 7, Concession: 7, Town of Milton, Regional Municipality Of Halton Milton TOWN OF MILTON					
<u>55</u>	9 of 16	W/201.0	181.5 / -1.59	WYLDEWOOD GOLF & COUNTRY CLUB 6198 TRAFALGAR RD HORNBY ON L0P 1E0	FSTH
License Issue Date: 7/12/2001 Tank Status: Licensed Tank Status As Of: December 2008 Operation Type: Private Fuel Outlet Facility Type: Gasoline Station - Self Serve --Details-- Status: Active Year of Installation: 1998 Corrosion Protection: Capacity: 2200 Tank Fuel Type: Liquid Fuel Single Wall AST - Gasoline Status: Active Year of Installation: 1998 Corrosion Protection: Capacity: 2200 Tank Fuel Type: Liquid Fuel Single Wall AST - Gasoline					
<u>55</u>	10 of 16	W/201.0	181.5 / -1.59	Wyldewood Golf and Country Club Lot 7, Concession 7, Town of Milton, Regional Municipality Of Halton TOWN OF MILTON ON	PTTW
EBR Registry No: 011-2068 Decision Posted: Ministry Ref No: 7008-8CFM56 Exception Posted: Notice Type: Instrument Decision Section: Notice Stage: Act 1: Notice Date: March 15, 2011 Act 2: Proposal Date: December 24, 2010 Site Location Map: Year: 2010 Instrument Type: (OWRA s. 34) - Permit to Take Water Off Instrument Name: Posted By: Company Name: Wyldewood Golf and Country Club Site Address: Location Other: Proponent Name:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

Proponent Address: 6198 Trafalgar Road, Milton Ontario, Canada L0P 1E0
Comment Period:
URL:
Summary:

Site Location Details:

Lot 7, Concession 7, Town of Milton, Regional Municipality Of Halton TOWN OF MILTON

55	11 of 16	W/201.0	181.5 / -1.59	WYLDEWOOD GOLF & COUNTRY CLUB 6198 TRAFALGAR ROAD R.R. # 1 HORNBY HALTON ON	GEN
--------------------	----------	---------	---------------	---	-----

Generator Info

Generator No:	ON0296000	Choice of Contact:	
Approval Years:	2009	Contaminated Fac:	
Status:		MHSW Facility:	
PO Box No:		SIC Code:	713910
Country:			
Co Admin:			
Phone No Admin:			
SIC Description:	Golf Courses and Country Clubs		

Waste Detail(s)

Waste Class:	252
Waste Class Name:	WASTE OILS & LUBRICANTS

55	12 of 16	W/201.0	181.5 / -1.59	WYLDEWOOD GOLF & COUNTRY CLUB 6198 TRAFALGAR ROAD R.R. # 1 HORNBY HALTON ON	GEN
--------------------	----------	---------	---------------	---	-----

Generator Info

Generator No:	ON0296000	Choice of Contact:	
Approval Years:	2013	Contaminated Fac:	
Status:		MHSW Facility:	
PO Box No:		SIC Code:	713910
Country:			
Co Admin:			
Phone No Admin:			
SIC Description:	GOLF COURSES AND COUNTRY CLUBS		

Waste Detail(s)

Waste Class:	252
Waste Class Name:	WASTE OILS & LUBRICANTS

55	13 of 16	W/201.0	181.5 / -1.59	WYLDEWOOD GOLF & COUNTRY CLUB 6198 TRAFALGAR ROAD MILTON HALTON ON L9E 0Z2	GEN
--------------------	----------	---------	---------------	--	-----

Generator Info

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<p>Generator No: ON0296000 Approval Years: 2016 Status: PO Box No: Country: Canada Co Admin: Phone No Admin: SIC Description: GOLF COURSES AND COUNTRY CLUBS</p> <p>Choice of Contact: CO_OFFICIAL Contaminated Fac: No MHSW Facility: No SIC Code: 713910</p>					
Waste Detail(s)					
<p>Waste Class: 252 Waste Class Name: WASTE OILS & LUBRICANTS</p>					
55	14 of 16	W/201.0	181.5 / -1.59	WYLDEWOOD GOLF & COUNTRY CLUB 6198 TRAFALGAR ROAD R.R. # 1 HORNBY HALTON ON L0P 1E0	GEN
Generator Info					
<p>Generator No: ON0296000 Approval Years: 2015 Status: PO Box No: Country: Canada Co Admin: Phone No Admin: SIC Description: GOLF COURSES AND COUNTRY CLUBS</p> <p>Choice of Contact: CO_OFFICIAL Contaminated Fac: No MHSW Facility: No SIC Code: 713910</p>					
Waste Detail(s)					
<p>Waste Class: 252 Waste Class Name: WASTE OILS & LUBRICANTS</p>					
55	15 of 16	W/201.0	181.5 / -1.59	WYLDEWOOD GOLF & COUNTRY CLUB 6198 TRAFALGAR ROAD R.R. # 1 HORNBY HALTON ON L0P 1E0	GEN
Generator Info					
<p>Generator No: ON0296000 Approval Years: 2014 Status: PO Box No: Country: Canada Co Admin: Phone No Admin: SIC Description: GOLF COURSES AND COUNTRY CLUBS</p> <p>Choice of Contact: CO_OFFICIAL Contaminated Fac: No MHSW Facility: No SIC Code: 713910</p>					
Waste Detail(s)					
<p>Waste Class: 252 Waste Class Name: WASTE OILS & LUBRICANTS</p>					
55	16 of 16	W/201.0	181.5 / -1.59	WYLDEWOOD GOLF & COUNTRY CLUB 6198 TRAFALGAR ROAD MILTON	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
HALTON ON L9E 0Z2					
<u>Generator Info</u>					
Generator No:	ON0296000			Choice of Contact:	
Approval Years:	As of Dec 2018			Contaminated Fac:	
Status:	Registered			MHSW Facility:	
PO Box No:				SIC Code:	
Country:	Canada				
Co Admin:					
Phone No Admin:					
SIC Description:					
<u>Waste Detail(s)</u>					
Waste Class:	252 L				
Waste Class Name:	Waste crankcase oils and lubricants				
<u>56</u>	1 of 5	W/201.0	181.5 / -1.59	WYLDEWOOD GOLF & COUNTRY CLUB 6198 TRAFALGAR RD HORNBY ON	FST
Inventory No:	11640305			Tank Material:	Steel
Inventory Status:	Active			Corrosion Protect:	Painted
Installation Year:				Overfill Protection:	
Capacity:				Inventory Context:	FS Liquid Fuel Tank
Capacity Unit:				Inventory Item:	FS LIQUID FUEL TANK
Tank Type:					
Manufacturer:					
Model:					
Description:					
<u>56</u>	2 of 5	W/201.0	181.5 / -1.59	WYLDEWOOD GOLF & COUNTRY CLUB 6198 TRAFALGAR RD HORNBY ON	FST
Inventory No:	11640296			Tank Material:	Steel
Inventory Status:	Active			Corrosion Protect:	Painted
Installation Year:				Overfill Protection:	
Capacity:				Inventory Context:	FS Liquid Fuel Tank
Capacity Unit:				Inventory Item:	FS LIQUID FUEL TANK
Tank Type:					
Manufacturer:					
Model:					
Description:					
<u>56</u>	3 of 5	W/201.0	181.5 / -1.59	Wyldeewood Golf and Country Club 6198 Trafalgar Road Milton ON L0P 1E0	ECA
Approval No:	8286-4GTTCX			MOE District:	Halton-Peel
Approval Date:	2000-02-29			City:	
Status:	Approved			Longitude:	-79.80041
Record Type:	ECA			Latitude:	43.60548
Link Source:	IDS			Geometry X:	
SWP Area Name:	Credit Valley			Geometry Y:	
Approval Type:	ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS				
Project Type:	MUNICIPAL AND PRIVATE SEWAGE WORKS				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Business Name:		Wyldeewood Golf and Country Club			
Address:		6198 Trafalgar Road			
Full Address:					
Full PDF Link:		https://www.accessenvironment.ene.gov.on.ca/instruments/8657-4GDNC4-14.pdf			
PDF Site Location:					

56	4 of 5	W/201.0	181.5 / -1.59	WYLDEWOOD GOLF & COUNTRY CLUB 6198 TRAFALGAR ROAD MILTON HALTON ON L9E 0Z2	GEN
--------------------	--------	---------	---------------	--	-----

Generator Info

Generator No:	ON0296000	Choice of Contact:	
Approval Years:	As of Jul 2020	Contaminated Fac:	
Status:	Registered	MHSW Facility:	
PO Box No:		SIC Code:	
Country:	Canada		
Co Admin:			
Phone No Admin:			
SIC Description:			

Waste Detail(s)

Waste Class:	252 L
Waste Class Name:	Waste crankcase oils and lubricants

56	5 of 5	W/201.0	181.5 / -1.59	WYLDEWOOD GOLF & COUNTRY CLUB 6198 TRAFALGAR ROAD MILTON HALTON ON L9E 0Z2	GEN
--------------------	--------	---------	---------------	--	-----

Generator Info

Generator No:	ON0296000	Choice of Contact:	
Approval Years:	As of Nov 2021	Contaminated Fac:	
Status:	Registered	MHSW Facility:	
PO Box No:		SIC Code:	
Country:	Canada		
Co Admin:			
Phone No Admin:			
SIC Description:			

Waste Detail(s)

Waste Class:	252 L
Waste Class Name:	Waste crankcase oils and lubricants

57	1 of 1	NNW/212.2	186.2 / 3.13	6252 EIGHTH LINE lot 7 con 8 MILTON ON	WWIS
--------------------	--------	-----------	--------------	---	------

Well ID:	7384195	Flowing (Y/N):	
Construction Date:		Flow Rate:	
Use 1st:	Monitoring	Data Entry Status:	
Use 2nd:		Data Src:	
Final Well Status:	Observation Wells	Date Received:	03/29/2021
Water Type:		Selected Flag:	TRUE
Casing Material:		Abandonment Rec:	
Audit No:	5TM2NRJZ	Contractor:	6607

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Tag:	A300738			Form Version:	9
Constructn Method:				Owner:	
Elevation (m):				County:	HALTON
Elevatn Reliability:				Lot:	007
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	NS
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	MILTON TOWN (TRAFALGAR)				
Site Info:	110-113 STEELES AVE E				
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/738\7384195.pdf				

Additional Detail(s) (Map)

Well Completed Date: 02/10/2021
Year Completed: 2021
Depth (m): 6
Latitude: 43.5454961183866
Longitude: -79.7834212175117
X: -79.78342106833533
Y: 43.545496116064676
Path: 738\7384195.pdf

Bore Hole Information

Bore Hole ID:	1008599309	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598280.00
Code OB Desc:		North83:	4822113.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	02/10/2021	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Location Method Desc:	on Water Well Record		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID: 1008599421
Layer: 1
Color: 6
General Color: BROWN
Material 1: 02
Material 1 Desc: TOPSOIL
Material 2: 06
Material 2 Desc: SILT
Material 3: 85
Material 3 Desc: SOFT
Formation Top Depth: 0.0
Formation End Depth: 1.5
Formation End Depth UOM: m

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1008599422			
Layer:		2			
Color:		6			
General Color:		BROWN			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		06			
Material 2 Desc:		SILT			
Material 3:		85			
Material 3 Desc:		SOFT			
Formation Top Depth:		1.5			
Formation End Depth:		3.0			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1008599423			
Layer:		3			
Color:		6			
General Color:		BROWN			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		28			
Material 2 Desc:		SAND			
Material 3:		06			
Material 3 Desc:		SILT			
Formation Top Depth:		3.0			
Formation End Depth:		6.0			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1008599523			
Layer:		2			
Plug From:		0.0299999999329447746			
Plug To:		4.199999809265137			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1008599522			
Layer:		1			
Plug From:		0.0			
Plug To:		0.0299999999329447746			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1008599505			
Layer:		1			
Plug From:					
Plug To:					
Plug Depth UOM:		m			
<u>Method of Construction & Well</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Use</u>					
Method Construction ID:		1008599380			
Method Construction Code:		E			
Method Construction:		Auger			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1008599352			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1008599460			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		4.5			
Casing Diameter:		5.099999904632568			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1008599475			
Layer:		1			
Slot:		10			
Screen Top Depth:		4.5			
Screen End Depth:		6.0			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.400000095367432			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID:		1008599353			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:		LPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Water Details</u>					
Water ID:		1008599409			
Layer:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Kind Code:	8				
Kind:	Untested				
Water Found Depth:	4.599999904632568				
Water Found Depth UOM:	m				
Hole Diameter					
Hole ID:	1008599490				
Diameter:	21.0				
Depth From:	0.0				
Depth To:	6.0				
Hole Depth UOM:	m				
Hole Diameter UOM:	cm				

[58](#) 1 of 1 S/212.8 179.2 / -3.89 Regional Municipality of Halton Milton, ON L9T 7G5 Canada **EBR**

EBR Registry No: 019-5324 **Decision Posted:** June 23, 2022
Ministry Ref No: AU-C-005-17 **Exception Posted:**
Notice Type: Instrument **Section:** Section 17 (2) (c)
Notice Stage: Decision **Act 1:** Endangered Species Act , R.S.O. 2007
Notice Date: **Act 2:** Endangered Species Act, 2007
Proposal Date: April 19, 2022 **Site Location Map:** 43.534463,-79.782327
Year: 2022
Instrument Type: Permit for activities to achieve an overall benefit to a species
Off Instrument Name: Permit for activities with conditions to achieve overall benefit to the species (ESA s.17(2) (c))
Posted By: Ministry of the Environment, Conservation and Parks
Company Name:
Site Address: Milton,
ON
L9T 7G5
Canada
Location Other:
Proponent Name: Regional Municipality of Halton
Proponent Address: Regional Municipality of Halton
1151 Bronte Road
Oakville,
ON
L6M 3L1
Canada
Comment Period: April 19, 2022 - May 19, 2022 (30 days) Closed
URL: <https://ero.ontario.ca/notice/019-5324>
Summary:

Site Location Details:

The proposed project is being carried out on Britannia Road between Sixth Line and Trafalgar Road in the City of Milton, Regional Municipality of Halton, Ontario.

[59](#) 1 of 1 NNW/215.7 187.8 / 4.78 Trafalgar Road & Britannia Road lot 7 con 8 Milton ON **WWIS**

Well ID: 7385447 **Flowing (Y/N):**
Construction Date: **Flow Rate:**
Use 1st: Monitoring **Data Entry Status:**
Use 2nd: **Data Src:**
Final Well Status: Observation Wells **Date Received:** 04/22/2021
Water Type: **Selected Flag:** TRUE
Casing Material: **Abandonment Rec:**
Audit No: TDYNXNQH **Contractor:** 7472
Tag: A322942 **Form Version:** 9

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Constructn Method:				Owner:	
Elevation (m):				County:	HALTON
Elevatn Reliability:				Lot:	007
Depth to Bedrock:				Concession:	08
Well Depth:				Concession Name:	NS
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		MILTON TOWN (TRAFALGAR)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/738\7385447.pdf			

Additional Detail(s) (Map)

Well Completed Date: 03/18/2021
Year Completed: 2021
Depth (m): 4.572
Latitude: 43.5448199829219
Longitude: -79.7841899031609
X: -79.78418975384454
Y: 43.544819981150674
Path: 738\7385447.pdf

Bore Hole Information

Bore Hole ID:	1008614512	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598219.00
Code OB Desc:		North83:	4822037.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	03/18/2021	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Location Method Desc:	on Water Well Record		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock
Materials Interval

Formation ID: 1008614569
Layer: 1
Color: 6
General Color: BROWN
Material 1: 02
Material 1 Desc: TOPSOIL
Material 2:
Material 2 Desc:
Material 3: 77
Material 3 Desc: LOOSE
Formation Top Depth: 0.0
Formation End Depth: 2.0
Formation End Depth UOM: ft

Overburden and Bedrock

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Materials Interval</u>					
Formation ID:		1008614570			
Layer:		2			
Color:		2			
General Color:		GREY			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		28			
Material 2 Desc:		SAND			
Material 3:		79			
Material 3 Desc:		PACKED			
Formation Top Depth:		2.0			
Formation End Depth:		15.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1008614626			
Layer:		1			
Plug From:		0.0			
Plug To:		9.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1008614627			
Layer:		2			
Plug From:		9.0			
Plug To:		15.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1008614612			
Layer:		1			
Plug From:					
Plug To:					
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1008614549			
Method Construction Code:		E			
Method Construction:		Auger			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1008614535			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1008614586			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer: 1					
Material: 5					
Open Hole or Material: PLASTIC					
Depth From: 0.0					
Depth To: 10.0					
Casing Diameter: 0.75					
Casing Diameter UOM: inch					
Casing Depth UOM: ft					
<u>Construction Record - Screen</u>					
Screen ID: 1008614595					
Layer: 1					
Slot: 10					
Screen Top Depth: 10.0					
Screen End Depth: 15.0					
Screen Material: 5					
Screen Depth UOM: ft					
Screen Diameter UOM: inch					
Screen Diameter: 1.0					
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID: 1008614536					
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM: ft					
Rate UOM: GPM					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID: 1008614604					
Diameter: 7.5					
Depth From: 0.0					
Depth To: 15.0					
Hole Depth UOM: ft					
Hole Diameter UOM: inch					

60

1 of 1

SSW/236.2

176.2 / -6.84

lot 6 con 7
ON

WWIS

Well ID: 7405874
Construction Date:
Use 1st:
Use 2nd:
Final Well Status:
Water Type:
Casing Material:
Audit No: Z371165
Tag: A172091

Flowing (Y/N):
Flow Rate:
Data Entry Status: Yes
Data Src:
Date Received: 12/20/2021
Selected Flag: TRUE
Abandonment Rec:
Contractor: 7201
Form Version: 7

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Constructn Method: Elevation (m): Elevatn Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: Site Info:		MILTON TOWN (TRAFALGAR)		Owner: County: HALTON Lot: 006 Concession: 07 Concession Name: NS Easting NAD83: Northing NAD83: Zone: UTM Reliability:	

Additional Detail(s) (Map)

Bore Hole ID:	1008884719	Tag No:	A172091
Depth M:		Contractor:	7201
Year Completed:	2019	Latitude:	43.5342761242027
Well Completed Dt:	12/20/2019	Longitude:	-79.7824958295731
Audit No:	Z371165	Y:	43.534276121730436
Path:		X:	-79.78249568091233

Bore Hole Information

Bore Hole ID:	1008884719	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598373.00
Code OB Desc:		North83:	4820868.00
Open Hole:		Org CS:	dms83
Cluster Kind:		UTMRC:	4
Date Completed:	12/20/2019	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Location Method Desc:	on Water Well Record		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

61	1 of 1	SSW/240.2	175.8 / -7.30	lot 6 con 7 ON	WWIS
Well ID: 7405872 Construction Date: Use 1st: Use 2nd: Final Well Status: Water Type: Casing Material: Audit No: Z371167 Tag: A306976 Constructn Method: Elevation (m): Elevatn Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: MILTON TOWN (TRAFALGAR) Site Info:		Flowing (Y/N): Flow Rate: Data Entry Status: Yes Data Src: Date Received: 12/20/2021 Selected Flag: TRUE Abandonment Rec: Contractor: 7201 Form Version: 7 Owner: County: HALTON Lot: 006 Concession: 07 Concession Name: NS Easting NAD83: Northing NAD83: Zone: UTM Reliability:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Additional Detail(s) (Map)

Bore Hole ID:	1008884713	Tag No:	A306976
Depth M:		Contractor:	7201
Year Completed:	2019	Latitude:	43.5343900794723
Well Completed Dt:	12/20/2019	Longitude:	-79.7830504715617
Audit No:	Z371167	Y:	43.53439007708691
Path:		X:	-79.78305032214197

Bore Hole Information

Bore Hole ID:	1008884713	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598328.00
Code OB Desc:		North83:	4820880.00
Open Hole:		Org CS:	dms83
Cluster Kind:		UTMRC:	4
Date Completed:	12/20/2019	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Location Method Desc:	on Water Well Record		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

62	1 of 1	E/241.3	183.6 / 0.59	13670 Britannia Rd Milton ON L9T7G7	EHS
--------------------	--------	---------	--------------	--	-----

Order No:	20151218109	Nearest Intersection:	
Status:	C	Municipality:	
Report Type:	Custom Report	Client Prov/State:	ON
Report Date:	24-DEC-15	Search Radius (km):	.25
Date Received:	18-DEC-15	X:	-79.773106
Previous Site Name:	Landscaping Company	Y:	43.54053
Lot/Building Size:			
Additional Info Ordered:	Topographic Maps; Aerial Photos		

63	1 of 1	WNW/246.5	182.9 / -0.19	Trafalgar Road & Britannia Road lot 7 con 8 Milton ON	WWIS
--------------------	--------	-----------	---------------	--	------

Well ID:	7385433	Flowing (Y/N):	
Construction Date:		Flow Rate:	
Use 1st:	Monitoring	Data Entry Status:	
Use 2nd:		Data Src:	
Final Well Status:	Observation Wells	Date Received:	04/22/2021
Water Type:		Selected Flag:	TRUE
Casing Material:		Abandonment Rec:	
Audit No:	RJQZNOMZ	Contractor:	7472
Tag:	A322943	Form Version:	9
Constructn Method:		Owner:	
Elevation (m):		County:	HALTON
Elevatn Reliabilty:		Lot:	007
Depth to Bedrock:		Concession:	08
Well Depth:		Concession Name:	NS
Overburden/Bedrock:		Easting NAD83:	
Pump Rate:		Northing NAD83:	
Static Water Level:		Zone:	
Clear/Cloudy:		UTM Reliability:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
----------------	--------------------------	------------------------------------	--------------------------	-------------	-----------

Municipality: MILTON TOWN (TRAFALGAR)
Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/738\7385433.pdf

Additional Detail(s) (Map)

Well Completed Date: 03/18/2021
Year Completed: 2021
Depth (m): 4.572
Latitude: 43.5432044630808
Longitude: -79.7863761698723
X: -79.78637602003057
Y: 43.54320446120972
Path: 738\7385433.pdf

Bore Hole Information

Bore Hole ID:	1008614261	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598045.00
Code OB Desc:		North83:	4821855.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	03/18/2021	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Location Method Desc:	on Water Well Record		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID: 1008614363
Layer: 2
Color: 2
General Color: GREY
Material 1: 05
Material 1 Desc: CLAY
Material 2: 28
Material 2 Desc: SAND
Material 3: 79
Material 3 Desc: PACKED
Formation Top Depth: 2.0
Formation End Depth: 15.0
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1008614362
Layer: 1
Color: 6
General Color: BROWN
Material 1: 02
Material 1 Desc: TOPSOIL
Material 2:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 2 Desc:					
Material 3:		77			
Material 3 Desc:		LOOSE			
Formation Top Depth:		0.0			
Formation End Depth:		2.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1008614453			
Layer:		1			
Plug From:		0.0			
Plug To:		9.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1008614454			
Layer:		2			
Plug From:		9.0			
Plug To:		15.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1008614433			
Layer:		1			
Plug From:					
Plug To:					
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1008614326			
Method Construction Code:		E			
Method Construction:		Auger			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1008614301			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1008614387			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		10.0			
Casing Diameter:		0.75			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Construction Record - Screen

Screen ID: 1008614402
 Layer: 1
 Slot: 10
 Screen Top Depth: 10.0
 Screen End Depth: 15.0
 Screen Material: 5
 Screen Depth UOM: ft
 Screen Diameter UOM: inch
 Screen Diameter: 1.0

Results of Well Yield Testing

Pumping Test Method Desc:
 Pump Test ID: 1008614302
 Pump Set At:
 Static Level:
 Final Level After Pumping:
 Recommended Pump Depth:
 Pumping Rate:
 Flowing Rate:
 Recommended Pump Rate:
 Levels UOM: ft
 Rate UOM: GPM
 Water State After Test Code:
 Water State After Test:
 Pumping Test Method:
 Pumping Duration HR:
 Pumping Duration MIN:
 Flowing:

Hole Diameter

Hole ID: 1008614418
 Diameter: 7.5
 Depth From: 0.0
 Depth To: 15.0
 Hole Depth UOM: ft
 Hole Diameter UOM: inch

64	1 of 1	SSW/247.2	175.5 / -7.52	BRITANNIA ROAD APPROX. 0.2KM W OF TRAFALGAR ROAD Milton ON	WWIS
--------------------	--------	-----------	---------------	--	------

Well ID: 7287312
 Construction Date:
 Use 1st: Monitoring
 Use 2nd:
 Final Well Status: Observation Wells
 Water Type:
 Casing Material:
 Audit No: Z259464
 Tag: A222962
 Constructn Method:
 Elevation (m):
 Elevatn Reliabilty:
 Depth to Bedrock:
 Well Depth:
 Overburden/Bedrock:
 Pump Rate:
 Static Water Level:

Flowing (Y/N):
 Flow Rate:
 Data Entry Status:
 Data Src:
 Date Received: 05/29/2017
 Selected Flag: TRUE
 Abandonment Rec:
 Contractor: 7472
 Form Version: 7
 Owner:
 County: HALTON
 Lot:
 Concession:
 Concession Name:
 Easting NAD83:
 Northing NAD83:
 Zone:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Clear/Cloudy: Municipality: Site Info:		MILTON TOWN (TRAFALGAR)		UTM Reliability:	
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/728\7287312.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		03/24/2017			
Year Completed:		2017			
Depth (m):		20.1168			
Latitude:		43.5341867609837			
Longitude:		-79.7825595090864			
X:		-79.78255935977556			
Y:		43.534186759180294			
Path:		728\7287312.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:	1006488151			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	598368.00
Code OB Desc:				North83:	4820858.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	03/24/2017			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Location Method Desc:		on Water Well Record			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1006756877				
Layer:	1				
Color:	6				
General Color:	BROWN				
Material 1:	06				
Material 1 Desc:	SILT				
Material 2:	05				
Material 2 Desc:	CLAY				
Material 3:					
Material 3 Desc:					
Formation Top Depth:	0.0				
Formation End Depth:	20.0				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1006756878				
Layer:	2				
Color:	2				
General Color:	GREY				
Material 1:	06				
Material 1 Desc:	SILT				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:		66			
Material 3 Desc:		DENSE			
Formation Top Depth:		20.0			
Formation End Depth:		37.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006756879			
Layer:		3			
Color:		7			
General Color:		RED			
Material 1:		17			
Material 1 Desc:		SHALE			
Material 2:					
Material 2 Desc:					
Material 3:		73			
Material 3 Desc:		HARD			
Formation Top Depth:		37.0			
Formation End Depth:		66.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1006756888			
Layer:		2			
Plug From:		55.0			
Plug To:		66.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1006756887			
Layer:		1			
Plug From:		0.0			
Plug To:		55.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		1006756886			
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:		DIAMOND			
<u>Pipe Information</u>					
Pipe ID:		1006756876			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006756883			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		56.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1006756884			
Layer:		1			
Slot:		10			
Screen Top Depth:		56.0			
Screen End Depth:		66.0			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.5			
<u>Water Details</u>					
Water ID:		1006756882			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					
Hole ID:		1006756880			
Diameter:		7.5			
Depth From:		0.0			
Depth To:		37.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
<u>Hole Diameter</u>					
Hole ID:		1006756881			
Diameter:		3.799999952316284			
Depth From:		37.0			
Depth To:		66.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

Unplottable Summary

Total: 17 Unplottable sites

DB	Company Name/Site Name	Address	City	Postal
AAGR		Lot 7 Con 7	Milton ON	
CA	The Regional Municipality of Halton	Trafalgar Rd	Milton ON	
CA	R.M. OF HALTON-FLOATING STORAGE RESERVOIR	TRAFALGAR ROAD RESERVOIR	HALTON HILLS TOWN ON	
CA	SCOTT'S COMPOSTING FARM INC.	LOT 5,CONC.7, BRITANNIA RD.E	MILTON TOWN - (N/S) 12/10/92) ON	
ECA	The Regional Municipality of Halton	Trafalgar Rd	Milton ON	L6M 3L1
GEN	SCPL	Trafalgar road	Milton ON	
NATE	ESSO BULK PLANT		MILTON ON	
PRT	PIONEER PETROLEUMS ATTN LOLA LAURIE	TRAFALGAR RD SOUTHWEST OF HWY 401	MILTON ON	
PTTW	Wyldeewood Golf and Country Club	Lot: 7, Concession: 7, Town of Milton Milton	ON	
RSC	REMINGTON TRAFALGAR INC.	0 TRAFALGAR ROAD ON	Milton ON	
SPL	CHALMERS FUEL	ASSOCIATED PAVING, WEST SIDE OF TRAFALGAR RD, NORTH OF DERRY RD TANK TRUCK (CARGO)	MILTON TOWN ON	
SPL		From 5th Sideroad & Trafalgar Rd. Northbound until Trafalgar Rd. and Berton Blvd	Halton Hills ON	
WWIS		con 7	ON	
WWIS		lot 7	ON	
WWIS		300 BLOOR STREET WEST	Toronto ON	
WWIS		lot 7	ON	

Unplottable Report

Site: Lot 7 Con 7 Milton ON

Database:
AAGR

Type:
Region/County: Halton
Township: Milton
Concession: 7
Lot: 7
Size (ha):
Landuse:
Comments: no pit found

Site: The Regional Municipality of Halton
Trafalgar Rd Milton ON

Database:
CA

Certificate #: 7295-77FT9A
Application Year: 2007
Issue Date: 10/1/2007
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: R.M. OF HALTON-FLOATING STORAGE RESERVOI
TRAFALGAR ROAD RESERVOIR HALTON HILLS TOWN ON

Database:
CA

Certificate #: 7-2085-89-000
Application Year: 89
Issue Date: 1/13/92
Approval Type: Municipal water
Status: Application Cancelled
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: SCOTT'S COMPOSTING FARM INC.
LOT 5,CONC.7, BRITANNIA RD.E MILTON TOWN - (N/S) 12/10/92) ON

Database:
CA

Certificate #: 4-0067-92-
Application Year: 92
Issue Date: 9/9/1992
Approval Type: Industrial wastewater
Status: Approved
Application Type:

Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description: LEACHATE COLLECTION POND (COMPOST FAC.)
Contaminants:
Emission Control:

Site: *The Regional Municipality of Halton
Trafalgar Rd Milton ON L6M 3L1*

Database:
ECA

Approval No: 7295-77FT9A
Approval Date: 2007-10-01
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name:
Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Business Name: The Regional Municipality of Halton
Address: Trafalgar Rd
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/1642-77EH7B-14.pdf>
PDF Site Location:

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

Site: *SCPL
Trafalgar road Milton ON*

Database:
GEN

Generator Info as of July 2024

Generator No: ON001058944
Generator Company Name: SCPL
Street: Trafalgar road
City: Milton
Province State: Ontario
Country: Canada
Postal Code: L0P 1E0
Waste Class: 146 L

Waste Class Decoded:

146 - OTHER SPECIFIED INORGANICS

Site: *ESSOBULKPLANT
MILTON ON*

Database:
NATE

File No.: MOE78391
Reported By: Province
Material Reaction:
Spill Date: 781017
Lead Agency:
Basin: St. Lawrence River Drainage
Air:
DOE on Scene:
Land: Y
Fresh Water:
Ground Water:
Salt Water:
Other Environment:
Waterbody:
Cause: Above Ground Tank Leak
Reason: Unknown

Source: Storage Depot
Sector: Petroleum
Ship No.:
Ship Name:
Clean Up By: polluter
Disposal Method: landfill
Recovery %: 80.00
Act Invoked: Unknown
Enforcement Resp:
Fish Kill: N
Oiled Birds: N
Other Kill: N
Vegetation Damage: N
Property Damage: N
Drinking Water: N
Income Loss: N
Other Consequences: N
No. of Injuries:
No. of Evacuations:
Fine:
No. of Dead:
Cleanup Cost:
Material: fuel oil no. 2
Amount (ton): 1.40
Volume (L):
Concentration:
Phase:
Additional Info:

Site: **PIONEER PETROLEUMS ATTN LOLA LAURIE**
TRAFALGAR RD SOUTHWEST OF HWY 401 MILTON ON

Database:
PRT

Location ID: 8865
Type: retail
Expiry Date: 1995-12-31
Capacity (L): 181600
Licence #: 0055422001

Site: **Wyldewood Golf and Country Club**
Lot: 7, Concession: 7, Town of Milton Milton ON

Database:
PTTW

EBR Registry No: IA05E1417
Ministry Ref No: 2847-5ZQJD3
Notice Type: Instrument Decision
Notice Stage:
Notice Date: December 29, 2005
Proposal Date: September 09, 2005
Year: 2005
Instrument Type: (OWRA s. 34) - Permit to Take Water
Off Instrument Name:
Posted By:
Company Name: Wyldewood Golf and Country Club
Site Address:
Location Other:
Proponent Name:
Proponent Address: c/o Burnside & Associates, 6198 Trafalgar Road, Milton Ontario, L0P 1E0
Comment Period:
URL:
Summary:

Decision Posted:
Exception Posted:
Section:
Act 1:
Act 2:
Site Location Map:

Site Location Details:

Lot: 7, Concession: 7, Town of Milton Milton

Site: REMINGTON TRAFALGAR INC.
0 TRAFALGAR ROAD ON Milton ON

Database:
RSC

RSC No:	230918	X:	-79.79171263543647
RA No:		Y:	43.54808720069577
Status:	FILED	Latitude:	43.5480872
Filing Date:		Longitude:	-79.79171264
Date Ack:		UTM Coordinates:	
Date Returned:		Latitude Longitude:	
Approval Date:	March 29, 2022	Accuracy Estimate:	
Cert Date:		Measurement Method:	
Cert Prop Use No:		Mailing Address:	
Curr Property Use:		Telephone:	
Intended Prop Use:		Fax:	
Restoration Type:		Email:	
Soil Type:		Postal Code:	L9E 0Z8
Criteria:		Ministry District:	
Stratified (Y/N):		MOE District:	Halton-Peel
Audit (Y/N):		SWP Area Name:	Halton
Entire Leg Prop. (Y/N):		Qual Person Name:	SEBASTIAN NICHOLAS
CPU Issu Sect 1686:		Consultant:	
Business Name:	REMINGTON TRAFALGAR INC.		
Address:	0 TRAFALGAR ROAD ON		
Legal Desc:			
Site Pin:	24938-0102 (LT)		
Asmt Roll No:			
Project Type:	POST2011		
Approval Type:	RSC based on Phase One and Two ESAs		
Applicable Standards:			
PDF Link:	https://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=230918		

Site: CHALMERS FUEL
ASSOCIATED PAVING, WEST SIDE OF TRAFALGAR RD, NORTH OF DERRY RD TANK TRUCK (CARGO) MILTON TOWN ON

Database:
SPL

Ref No:	76765	Municipality No:	14402
Year:		Nature of Damage:	
Incident Dt:	9/23/1992	Discharger Report:	
Dt MOE Arvl on Scn:		Material Group:	
MOE Reported Dt:	9/25/1992	Impact to Health:	
Dt Document Closed:		Agency Involved:	
Site No:			
MOE Response:			
Site County/District:			
Site Geo Ref Meth:			
Site District Office:			
Nearest Watercourse:			
Site Name:			
Site Address:			
Site Region:			
Site Municipality:	MILTON TOWN		
Site Lot:			
Site Conc:			
Site Geo Ref Accu:			
Site Map Datum:			
Northing:			
Easting:			
Entity Operating Name:			
Client Name:			
Client Type:			
Source Type:			
Incident Cause:	PIPE/HOSE LEAK		
Incident Preceding Spill:			
Incident Reason:	ERROR		
Incident Summary:	CHALMERS FUEL -50-100L GASOLINE ONTO ASPHALT AT CUSTOMER'S PROPERTY.		
Environment Impact:	CONFIRMED		

Health Env Consequence:
Nature of Impact: Soil contamination
Contaminant Qty:
Contaminant Qty 1:
Contaminant Unit:
Contaminant Code:
Contaminant Name:
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Receiving Medium: LAND
Activity Preceding Spill:
Property 2nd Watershed:
Property Tertiary Watershed:
Sector Type:
SAC Action Class:
Call Report Locatn Geodata:
Time Reported:
System Facility Address:

Site: From 5th Sideroad & Trafalgar Rd. Northbound until Trafalgar Rd. and Berton Blvd Halton Hills ON

Database:
SPL

Ref No: 1823-725QFT
Year:
Incident Dt:
Dt MOE Arvl on Scn:
MOE Reported Dt: 4/10/2007
Dt Document Closed: 4/18/2007
Site No:
MOE Response: Referral to others
Site County/District:
Site Geo Ref Meth:
Site District Office:
Nearest Watercourse:
Site Name: Roadway<UNOFFICIAL>
Site Address:
Site Region:
Site Municipality: Halton Hills
Site Lot:
Site Conc:
Site Geo Ref Accu:
Site Map Datum:
Northing:
Easting:
Entity Operating Name:
Client Name:
Client Type:
Source Type:
Incident Cause: Other Transport Accident
Incident Preceding Spill:
Incident Reason: Gasket/Joint Failure - Any point of connection (Except Weld/Seam)
Incident Summary: TT- spill of hydraulic oil onto roadway- 10Km.
Environment Impact: Confirmed
Health Env Consequence:
Nature of Impact: Soil Contamination
Contaminant Qty: unknown unknown
Contaminant Qty 1: unknown
Contaminant Unit: unknown
Contaminant Code: 15
Contaminant Name: HYDRAULIC OIL
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Receiving Medium: Land
Activity Preceding Spill:
Property 2nd Watershed:

Property Tertiary Watershed:
Sector Type: Transport Truck
SAC Action Class:
Call Report Locatn Geodata:
Time Reported:
System Facility Address:

Site:
con 7 ON

Database:
WWIS

Well ID:	2809710	Flowing (Y/N):	
Construction Date:		Flow Rate:	
Use 1st:	Domestic	Data Entry Status:	
Use 2nd:		Data Src:	1
Final Well Status:	Water Supply	Date Received:	03/17/2003
Water Type:		Selected Flag:	TRUE
Casing Material:		Abandonment Rec:	
Audit No:	207098	Contractor:	4868
Tag:		Form Version:	1
Constructn Method:		Owner:	
Elevation (m):		County:	HALTON
Elevatn Reliabilty:		Lot:	
Depth to Bedrock:		Concession:	07
Well Depth:		Concession Name:	NS
Overburden/Bedrock:		Easting NAD83:	
Pump Rate:		Northing NAD83:	
Static Water Level:		Zone:	
Clear/Cloudy:		UTM Reliability:	
Municipality:	MILTON TOWN (TRAFALGAR)		
Site Info:			

Bore Hole Information

Bore Hole ID:	10538801	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	
Code OB Desc:		North83:	
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	02/20/2003	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	na
Location Method Desc:	Not Applicable i.e. no UTM		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	932909883
Layer:	3
Color:	7
General Color:	RED
Material 1:	17
Material 1 Desc:	SHALE
Material 2:	15
Material 2 Desc:	LIMESTONE
Material 3:	73
Material 3 Desc:	HARD
Formation Top Depth:	45.0
Formation End Depth:	138.0

Formation End Depth UOM: ft

**Overburden and Bedrock
Materials Interval**

Formation ID: 932909882
Layer: 2
Color: 7
General Color: RED
Material 1: 05
Material 1 Desc: CLAY
Material 2: 12
Material 2 Desc: STONES
Material 3: 73
Material 3 Desc: HARD
Formation Top Depth: 41.0
Formation End Depth: 45.0
Formation End Depth UOM: ft

**Overburden and Bedrock
Materials Interval**

Formation ID: 932909881
Layer: 1
Color: 6
General Color: BROWN
Material 1: 05
Material 1 Desc: CLAY
Material 2: 12
Material 2 Desc: STONES
Material 3:
Material 3 Desc:
Formation Top Depth: 0.0
Formation End Depth: 41.0
Formation End Depth UOM: ft

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933237204
Layer: 1
Plug From: 0.0
Plug To: 52.0
Plug Depth UOM: ft

**Method of Construction & Well
Use**

Method Construction ID: 962809710
Method Construction Code: 1
Method Construction: Cable Tool
Other Method Construction:

Pipe Information

Pipe ID: 11087371
Casing No: 1
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 930265084
Layer: 1

Material: 1
Open Hole or Material: STEEL
Depth From:
Depth To: 52.0
Casing Diameter: 8.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Casing

Casing ID: 930265085
Layer: 2
Material: 4
Open Hole or Material: OPEN HOLE
Depth From:
Depth To: 138.0
Casing Diameter: 8.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Results of Well Yield Testing

Pumping Test Method Desc: BAILER
Pump Test ID: 992809710
Pump Set At:
Static Level: 48.0
Final Level After Pumping: 75.0
Recommended Pump Depth: 120.0
Pumping Rate: 5.0
Flowing Rate:
Recommended Pump Rate: 4.0
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 1
Water State After Test: CLEAR
Pumping Test Method: 2
Pumping Duration HR: 1
Pumping Duration MIN: 0
Flowing: No

Draw Down & Recovery

Pump Test Detail ID: 934978554
Test Type: Draw Down
Test Duration: 60
Test Level: 48.0
Test Level UOM: ft

Water Details

Water ID: 934032506
Layer: 3
Kind Code: 1
Kind: FRESH
Water Found Depth: 135.0
Water Found Depth UOM: ft

Water Details

Water ID: 934032504
Layer: 1
Kind Code: 1
Kind: FRESH
Water Found Depth: 68.0
Water Found Depth UOM: ft

Water Details

Water ID: 934032505
Layer: 2
Kind Code: 1
Kind: FRESH
Water Found Depth: 110.0
Water Found Depth UOM: ft

Site:
lot 7 ON

Database:
WWIS

Well ID: 2807469
Construction Date:
Use 1st: Domestic
Use 2nd:
Final Well Status: Water Supply
Water Type:
Casing Material:
Audit No: 43050
Tag:
Constructn Method:
Elevation (m):
Elevatn Reliabilty:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Clear/Cloudy:
Municipality: MILTON TOWN (TRAFALGAR)
Site Info:

Flowing (Y/N):
Flow Rate:
Data Entry Status:
Data Src: 1
Date Received: 11/07/1989
Selected Flag: TRUE
Abandonment Rec:
Contractor: 1660
Form Version: 1
Owner:
County: HALTON
Lot: 007
Concession:
Concession Name:
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 10153730
DP2BR:
Spatial Status:
Code OB:
Code OB Desc:
Open Hole:
Cluster Kind:
Date Completed: 06/18/1988
Remarks:
Location Method Desc: Not Applicable i.e. no UTM
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Elevation:
Elevrc:
Zone: 17
East83:
North83:
Org CS:
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: na

Overburden and Bedrock
Materials Interval

Formation ID: 931447438
Layer: 3
Color: 6
General Color: BROWN
Material 1: 28
Material 1 Desc: SAND
Material 2: 12
Material 2 Desc: STONES
Material 3:
Material 3 Desc:

Formation Top Depth: 43.0
Formation End Depth: 90.0
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 931447436
Layer: 1
Color: 6
General Color: BROWN
Material 1: 05
Material 1 Desc: CLAY
Material 2:
Material 2 Desc:
Material 3:
Material 3 Desc:
Formation Top Depth: 0.0
Formation End Depth: 1.0
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 931447437
Layer: 2
Color: 2
General Color: GREY
Material 1: 05
Material 1 Desc: CLAY
Material 2: 81
Material 2 Desc: SANDY
Material 3:
Material 3 Desc:
Formation Top Depth: 1.0
Formation End Depth: 43.0
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 931447440
Layer: 5
Color: 6
General Color: BROWN
Material 1: 30
Material 1 Desc: MEDIUM GRAVEL
Material 2:
Material 2 Desc:
Material 3:
Material 3 Desc:
Formation Top Depth: 103.0
Formation End Depth: 104.0
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 931447439
Layer: 4
Color: 6
General Color: BROWN
Material 1: 28
Material 1 Desc: SAND
Material 2:

Material 2 Desc:
Material 3:
Material 3 Desc:
Formation Top Depth: 90.0
Formation End Depth: 103.0
Formation End Depth UOM: ft

Method of Construction & Well Use

Method Construction ID: 962807469
Method Construction Code: 1
Method Construction: Cable Tool
Other Method Construction:

Pipe Information

Pipe ID: 10702300
Casing No: 1
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 930261481
Layer: 1
Material: 1
Open Hole or Material: STEEL
Depth From:
Depth To: 104.0
Casing Diameter: 6.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Results of Well Yield Testing

Pumping Test Method Desc: PUMP
Pump Test ID: 992807469
Pump Set At:
Static Level:
Final Level After Pumping: 82.0
Recommended Pump Depth: 95.0
Pumping Rate: 8.0
Flowing Rate:
Recommended Pump Rate: 7.0
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 1
Water State After Test: CLEAR
Pumping Test Method: 1
Pumping Duration HR: 4
Pumping Duration MIN: 0
Flowing: Yes

Draw Down & Recovery

Pump Test Detail ID: 934452933
Test Type: Draw Down
Test Duration: 30
Test Level: 82.0
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934178967
Test Type: Draw Down
Test Duration: 15
Test Level: 82.0
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934711663
Test Type: Draw Down
Test Duration: 45
Test Level: 82.0
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934964309
Test Type: Draw Down
Test Duration: 60
Test Level: 82.0
Test Level UOM: ft

Water Details

Water ID: 933610995
Layer: 1
Kind Code: 1
Kind: FRESH
Water Found Depth: 104.0
Water Found Depth UOM: ft

Site: 300 BLOOR STREET WEST Toronto ON

Database:
WWIS

Well ID: 7288647
Construction Date:
Use 1st: Monitoring
Use 2nd:
Final Well Status: Observation Wells
Water Type:
Casing Material:
Audit No: Z248233
Tag: A210104
Constructn Method:
Elevation (m):
Elevatn Reliabilty:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Clear/Cloudy:
Municipality: MILTON TOWN (TRAFALGAR)
Site Info:

Flowing (Y/N):
Flow Rate:
Data Entry Status:
Data Src:
Date Received: 06/21/2017
Selected Flag: TRUE
Abandonment Rec:
Contractor: 6607
Form Version: 7
Owner:
County: HALTON
Lot:
Concession:
Concession Name:
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Additional Detail(s) (Map)

Bore Hole ID: 1006567128
Depth M: 35.052
Year Completed: 2017
Well Completed Dt: 03/24/2017
Audit No: Z248233
Path:

Tag No: A210104
Contractor: 6607
Latitude: 43.5372130496287
Longitude: -79.7801098726895
Y: 43.537213048150534
X: -79.78010972367683

Bore Hole Information

Bore Hole ID: 1006567128
DP2BR:
Spatial Status:
Code OB:
Code OB Desc:
Open Hole:
Cluster Kind:
Date Completed: 03/24/2017
Remarks:
Location Method Desc: on Water Well Record
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Elevation:
Elevrc:
Zone: 17
East83: 598561.00
North83: 4821197.00
Org CS: UTM83
UTMRC: 4
UTMRC Desc: margin of error : 30 m - 100 m
Location Method: wwr

Overburden and Bedrock

Materials Interval

Formation ID: 1006797579
Layer: 1
Color: 6
General Color: BROWN
Material 1: 02
Material 1 Desc: TOPSOIL
Material 2:
Material 2 Desc:
Material 3:
Material 3 Desc:
Formation Top Depth: 0.0
Formation End Depth: 3.0
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006797580
Layer: 2
Color: 2
General Color: GREY
Material 1: 06
Material 1 Desc: SILT
Material 2: 34
Material 2 Desc: TILL
Material 3:
Material 3 Desc:
Formation Top Depth: 3.0
Formation End Depth: 75.0
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006797581
Layer: 3
Color: 2
General Color: GREY
Material 1: 28
Material 1 Desc: SAND
Material 2: 06
Material 2 Desc: SILT
Material 3: 11
Material 3 Desc: GRAVEL

Formation Top Depth: 75.0
Formation End Depth: 105.0
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006797582
Layer: 4
Color: 2
General Color: GREY
Material 1: 17
Material 1 Desc: SHALE
Material 2: 26
Material 2 Desc: ROCK
Material 3:
Material 3 Desc:
Formation Top Depth: 105.0
Formation End Depth: 115.0
Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006797591
Layer: 2
Plug From: 54.0
Plug To: 5.0
Plug Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006797590
Layer: 1
Plug From: 0.0
Plug To: 54.0
Plug Depth UOM: ft

Method of Construction & Well

Use

Method Construction ID: 1006797589
Method Construction Code: 6
Method Construction: Boring
Other Method Construction:

Pipe Information

Pipe ID: 1006797578
Casing No: 0
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 1006797586
Layer: 1
Material: 5
Open Hole or Material: PLASTIC
Depth From: 0.0
Depth To: 55.0
Casing Diameter: 5.099999904632568
Casing Diameter UOM: inch

Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1006797587
Layer: 1
Slot: 10
Screen Top Depth: 55.0
Screen End Depth: 65.0
Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 6.400000095367432

Water Details

Water ID: 1006797585
Layer: 1
Kind Code: 1
Kind: FRESH
Water Found Depth: 55.0
Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1006797584
Diameter: 4.75
Depth From: 10.0
Depth To: 65.0
Hole Depth UOM: ft
Hole Diameter UOM: inch

Hole Diameter

Hole ID: 1006797583
Diameter: 10.0
Depth From: 0.0
Depth To: 10.0
Hole Depth UOM: ft
Hole Diameter UOM: inch

Site:
lot 7 ON

Database:
WWIS

Well ID: 2808958
Construction Date:
Use 1st: Domestic
Use 2nd:
Final Well Status: Water Supply
Water Type:
Casing Material:
Audit No: 195952
Tag:
Constructn Method:
Elevation (m):
Elevatn Reliabilty:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Clear/Cloudy:
Municipality: MILTON TOWN (NASSAGAWEYA)
Site Info:

Flowing (Y/N):
Flow Rate:
Data Entry Status:
Data Src: 1
Date Received: 04/01/1999
Selected Flag: TRUE
Abandonment Rec:
Contractor: 3406
Form Version: 1
Owner:
County: HALTON
Lot: 007
Concession:
Concession Name: CON
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID:	10155215	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	
Code OB Desc:		North83:	
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	08/31/1998	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	na
Location Method Desc:	Not Applicable i.e. no UTM		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	931453669
Layer:	1
Color:	6
General Color:	BROWN
Material 1:	05
Material 1 Desc:	CLAY
Material 2:	12
Material 2 Desc:	STONES
Material 3:	
Material 3 Desc:	
Formation Top Depth:	0.0
Formation End Depth:	24.0
Formation End Depth UOM:	ft

Overburden and Bedrock

Materials Interval

Formation ID:	931453670
Layer:	2
Color:	2
General Color:	GREY
Material 1:	05
Material 1 Desc:	CLAY
Material 2:	12
Material 2 Desc:	STONES
Material 3:	
Material 3 Desc:	
Formation Top Depth:	24.0
Formation End Depth:	31.0
Formation End Depth UOM:	ft

Overburden and Bedrock

Materials Interval

Formation ID:	931453671
Layer:	3
Color:	
General Color:	
Material 1:	15
Material 1 Desc:	LIMESTONE
Material 2:	
Material 2 Desc:	
Material 3:	

Material 3 Desc:
Formation Top Depth: 31.0
Formation End Depth: 64.0
Formation End Depth UOM: ft

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933140366
Layer: 1
Plug From: 0.0
Plug To: 31.0
Plug Depth UOM: ft

**Method of Construction & Well
Use**

Method Construction ID: 962808958
Method Construction Code: 2
Method Construction: Rotary (Convent.)
Other Method Construction:

Pipe Information

Pipe ID: 10703785
Casing No: 1
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 930264127
Layer: 2
Material: 4
Open Hole or Material: OPEN HOLE
Depth From:
Depth To: 64.0
Casing Diameter: 6.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Casing

Casing ID: 930264126
Layer: 1
Material: 1
Open Hole or Material: STEEL
Depth From:
Depth To: 32.0
Casing Diameter: 6.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Results of Well Yield Testing

Pumping Test Method Desc: PUMP
Pump Test ID: 992808958
Pump Set At:
Static Level: 9.0
Final Level After Pumping: 10.0
Recommended Pump Depth: 12.0
Pumping Rate: 5.0
Flowing Rate:
Recommended Pump Rate: 5.0

Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 1
Water State After Test: CLEAR
Pumping Test Method: 1
Pumping Duration HR: 1
Pumping Duration MIN: 0
Flowing: No

Draw Down & Recovery

Pump Test Detail ID: 934977471
Test Type: Draw Down
Test Duration: 60
Test Level: 10.0
Test Level UOM: ft

Water Details

Water ID: 933613000
Layer: 1
Kind Code: 5
Kind: Not stated
Water Found Depth: 57.0
Water Found Depth UOM: ft

Water Details

Water ID: 933613001
Layer: 2
Kind Code: 5
Kind: Not stated
Water Found Depth: 61.0
Water Found Depth UOM: ft

Site: lot 6 ON

Database:
WWIS

Well ID: 2808962
Construction Date:
Use 1st: Domestic
Use 2nd:
Final Well Status: Water Supply
Water Type:
Casing Material:
Audit No: 195947
Tag:
Constructn Method:
Elevation (m):
Elevatn Reliabilty:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Clear/Cloudy:
Municipality: MILTON TOWN (NASSAGAWEYA)
Site Info:

Flowing (Y/N):
Flow Rate:
Data Entry Status:
Data Src: 1
Date Received: 04/01/1999
Selected Flag: TRUE
Abandonment Rec:
Contractor: 3406
Form Version: 1
Owner:
County: HALTON
Lot: 006
Concession:
Concession Name: CON
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 10155219
DP2BR:
Spatial Status:
Code OB:

Elevation:
Elevrc:
Zone: 17
East83:

Code OB Desc:
Open Hole:
Cluster Kind:
Date Completed: 08/28/1998
Remarks:
Location Method Desc: Not Applicable i.e. no UTM
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

North83:
Org CS:
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: na

Overburden and Bedrock
Materials Interval

Formation ID: 931453688
Layer: 3
Color: 7
General Color: RED
Material 1: 05
Material 1 Desc: CLAY
Material 2: 11
Material 2 Desc: GRAVEL
Material 3:
Material 3 Desc:
Formation Top Depth: 23.0
Formation End Depth: 27.0
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 931453691
Layer: 6
Color:
General Color:
Material 1: 15
Material 1 Desc: LIMESTONE
Material 2:
Material 2 Desc:
Material 3:
Material 3 Desc:
Formation Top Depth: 53.0
Formation End Depth: 124.0
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 931453686
Layer: 1
Color:
General Color:
Material 1: 13
Material 1 Desc: BOULDERS
Material 2:
Material 2 Desc:
Material 3:
Material 3 Desc:
Formation Top Depth: 0.0
Formation End Depth: 6.0
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931453687
Layer: 2
Color: 7
General Color: RED
Material 1: 05
Material 1 Desc: CLAY
Material 2: 28
Material 2 Desc: SAND
Material 3:
Material 3 Desc:
Formation Top Depth: 6.0
Formation End Depth: 23.0
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931453689
Layer: 4
Color: 2
General Color: GREY
Material 1: 05
Material 1 Desc: CLAY
Material 2:
Material 2 Desc:
Material 3:
Material 3 Desc:
Formation Top Depth: 27.0
Formation End Depth: 50.0
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931453690
Layer: 5
Color: 8
General Color: BLACK
Material 1: 26
Material 1 Desc: ROCK
Material 2:
Material 2 Desc:
Material 3:
Material 3 Desc:
Formation Top Depth: 50.0
Formation End Depth: 53.0
Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 933140370
Layer: 1
Plug From: 0.0
Plug To: 52.0
Plug Depth UOM: ft

Method of Construction & Well

Use

Method Construction ID: 962808962
Method Construction Code: 1
Method Construction: Cable Tool

Other Method Construction:

Pipe Information

Pipe ID: 10703789
Casing No: 1
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 930264134
Layer: 1
Material: 1
Open Hole or Material: STEEL
Depth From:
Depth To: 51.0
Casing Diameter: 6.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Casing

Casing ID: 930264135
Layer: 2
Material: 4
Open Hole or Material: OPEN HOLE
Depth From:
Depth To: 124.0
Casing Diameter: 6.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Results of Well Yield Testing

Pumping Test Method Desc: PUMP
Pump Test ID: 992808962
Pump Set At:
Static Level: 13.0
Final Level After Pumping: 13.0
Recommended Pump Depth: 50.0
Pumping Rate: 5.0
Flowing Rate:
Recommended Pump Rate: 5.0
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 1
Water State After Test: CLEAR
Pumping Test Method: 1
Pumping Duration HR: 1
Pumping Duration MIN:
Flowing: No

Draw Down & Recovery

Pump Test Detail ID: 934977475
Test Type: Draw Down
Test Duration: 60
Test Level: 13.0
Test Level UOM: ft

Water Details

Water ID: 933613009

Layer: 2
Kind Code: 5
Kind: Not stated
Water Found Depth: 98.0
Water Found Depth UOM: ft

Water Details

Water ID: 933613008
Layer: 1
Kind Code: 5
Kind: Not stated
Water Found Depth: 57.0
Water Found Depth UOM: ft

Water Details

Water ID: 933613010
Layer: 3
Kind Code: 5
Kind: Not stated
Water Found Depth: 115.0
Water Found Depth UOM: ft

Appendix: Database Descriptions

Environmental Risk Information Services (ERIS) can search the following databases. The extent of historical information varies with each database and current information is determined by what is publicly available to ERIS at the time of update. **Note:** Databases denoted with " * " indicates that the database will no longer be updated. See the individual database description for more information.

Abandoned Aggregate Inventory:

Provincial [AAGR](#)

The MAAP Program maintains a database of abandoned pits and quarries. Please note that the database is only referenced by lot and concession and city/town location. The database provides information regarding the location, type, size, land use, status and general comments.*

Government Publication Date: Sept 2002*

Aggregate Inventory:

Provincial [AGR](#)

This database of licensed and permitted pits and quarries is maintained by the Ontario Ministry of Natural Resources and Forestry (MNRF), as regulated under the Aggregate Resources Act, R.S.O. 1990. Aggregate site data has been divided into active and inactive sites. Active sites may be further subdivided into partial surrenders. In partial surrenders, defined areas of a site are inactive while the rest of the site remains active.

Government Publication Date: Up to Nov 2024

Abandoned Mine Information System:

Provincial [AMIS](#)

The Abandoned Mines Information System contains data on known abandoned and inactive mines located on both Crown and privately held lands. The information was provided by the Ministry of Northern Development and Mines (MNDM), with the following disclaimer: "the database provided has been compiled from various sources, and the Ministry of Northern Development and Mines makes no representation and takes no responsibility that such information is accurate, current or complete". Reported information includes official mine name, status, background information, mine start/end date, primary commodity, mine features, hazards and remediation.

Government Publication Date: 1800-Apr 2024

Anderson's Waste Disposal Sites:

Private [ANDR](#)

The information provided in this database was collected by examining various historical documents which aimed to characterize the likely position of former waste disposal sites from 1860 to present. The research initiative behind the creation of this database was to identify those sites that are missing from the Ontario MOE Waste Disposal Site Inventory, as well as to provide revisions and corrections to the positions and descriptions of sites currently listed in the MOE inventory. In addition to historic waste disposal facilities, the database also identifies certain auto wreckers and scrap yards that have been extrapolated from documentary sources. Please note that the data is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1860s-Present

Aboveground Storage Tanks:

Provincial [AST](#)

Historical listing of aboveground storage tanks made available by the Department of Natural Resources and Forestry. Includes tanks used to hold water or petroleum. This dataset has been retired as of September 25, 2014 and will no longer be updated.

Government Publication Date: May 31, 2014

Automobile Wrecking & Supplies:

Private [AUWR](#)

This database provides an inventory of known locations that are involved in the scrap metal, automobile wrecking/recycling, and automobile parts & supplies industry. Information is provided on the company name, location and business type.

Government Publication Date: 1999-Apr 30, 2024

Borehole:

Provincial [BORE](#)

A borehole is the generalized term for any narrow shaft drilled in the ground, either vertically or horizontally. The information here includes geotechnical investigations or environmental site assessments, mineral exploration, or as a pilot hole for installing piers or underground utilities. Information is from many sources such as the Ministry of Transportation (MTO) boreholes from engineering reports and projects from the 1950 to 1990's in Southern Ontario. Boreholes from the Ontario Geological Survey (OGS) including The Urban Geology Analysis Information System (UGAIS) and the York Peel Durham Toronto (YPDT) database of the Conservation Authority Moraine Coalition. This database will include fields such as location, stratigraphy, depth, elevation, year drilled, etc. For all water well data or oil and gas well data for Ontario please refer to WWIS and OOGW.

Government Publication Date: 1875-Jul 2018

Certificates of Approval:

Provincial CA

This database contains the following types of approvals: Air & Noise, Industrial Sewage, Municipal & Private Sewage, Waste Management Systems and Renewable Energy Approvals. The MOE in Ontario states that any facility that releases emissions to the atmosphere, discharges contaminants to ground or surface water, provides potable water supplies, or stores, transports or disposes of waste, must have a Certificate of Approval before it can operate lawfully. Fields include approval number, business name, address, approval date, approval type and status. This database will no longer be updated, as CofA's have been replaced by either Environmental Activity and Sector Registry (EASR) or Environmental Compliance Approval (ECA). Please refer to those individual databases for any information after Oct.31, 2011.

Government Publication Date: 1985-Oct 30, 2011*

Dry Cleaning Facilities:

Federal CDRY

List of dry cleaning facilities made available by Environment and Climate Change Canada. Environment and Climate Change Canada's Tetrachloroethylene (Use in Dry Cleaning and Reporting Requirements) Regulations (SOR/2003-79) are intended to reduce releases of tetrachloroethylene to the environment from dry cleaning facilities.

Government Publication Date: Jan 2004-Dec 2022

Commercial Fuel Oil Tanks:

Provincial CFOT

Locations of commercial underground fuel oil tanks. This is not a comprehensive or complete inventory of commercial fuel tanks in the province; this listing is a copy of records of registered commercial underground fuel oil tanks obtained under Access to Public Information.

Note that the following types of tanks do not require registration: waste oil tanks in apartments, office buildings, residences, etc.; aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Oct 2023

Chemical Manufacturers and Distributors:

Private CHEM

This database includes information from both a one time study conducted in 1992 and private source and is a listing of facilities that manufacture or distribute chemicals. The production of these chemical substances may involve one or more chemical reactions and/or chemical separation processes (i.e. fractionation, solvent extraction, crystallization, etc.).

Government Publication Date: 1999-Jan 31, 2020

Chemical Register:

Private CHM

This database includes a listing of locations of facilities within the Province or Territory that either manufacture and/or distributes chemicals.

Government Publication Date: 1999-Apr 30, 2024

Compressed Natural Gas Stations:

Private CNG

Canada has a network of public access compressed natural gas (CNG) refuelling stations. These stations dispense natural gas in compressed form at 3,000 pounds per square inch (psi), the pressure which is allowed within the current Canadian codes and standards. The majority of natural gas refuelling is located at existing retail gasoline that have a separate refuelling island for natural gas. This list of stations is made available by the Canadian Natural Gas Vehicle Alliance.

Government Publication Date: Dec 2012 -May 2024

Inventory of Coal Gasification Plants and Coal Tar Sites:

Provincial COAL

This inventory includes both the "Inventory of Coal Gasification Plant Waste Sites in Ontario-April 1987" and the Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario-November 1988) collected by the MOE. It identifies industrial sites that produced and continue to produce or use coal tar and other related tars. Detailed information is available and includes: facility type, size, land use, information on adjoining properties, soil condition, site operators/occupants, site description, potential environmental impacts and historic maps available. This was a one-time inventory.*

Government Publication Date: Apr 1987 and Nov 1988*

Compliance and Convictions:

Provincial CONV

This database summarizes the fines and convictions handed down by the Ontario courts beginning in 1989. Companies and individuals named here have been found guilty of environmental offenses in Ontario courts of law.

Government Publication Date: 1989-Dec 2024

Certificates of Property Use:

Provincial CPU

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include CPU's on the registry such as (EPA s. 168.6) - Certificate of Property Use.

Government Publication Date: 1994 - Jan 31, 2025

Drill Hole Database:Provincial [DRL](#)

The Ontario Drill Hole Database (ODHD) is offered by the Province of Ontario's Ministry of Mines. The dataset contains information for over 164,000 percussion, overburden, sonic and diamond-drill holes. The presence of assay results with cutoff values for gold, silver, copper, zinc, lead, nickel and platinum group elements is noted. Drill hole data are compiled from assessment files that have been submitted to the ministry in accordance with the Ontario Mining Act (OMA). Source assessment file numbers are captured for cross reference with the Ontario Assessment File Database (OAFD). Please note that limited data is available for southern Ontario, as it was the last area to be completed. The database was created when surveys submitted to the Ministry were converted in the Assessment File Research Image Database (AFRI) project. However, the degree of accuracy (coordinates) as to the exact location of drill holes is dependent upon the source document submitted. Levels of accuracy used to locate holes are: centering on the mining claim; a sketch of the mining claim; a 1:50,000 map; a detailed company map; or from submitted a "Report of Work".

Government Publication Date: 1886 - Aug 2024**Delisted Fuel Tanks:**Provincial [DTNK](#)

List of fuel storage tank sites that were once found in - and have since been removed from - the list of fuel storage tanks made available by the regulatory agency under Access to Public Information.

Government Publication Date: Oct 2023**Environmental Activity and Sector Registry:**Provincial [EASR](#)

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. The EASR allows businesses to register certain activities with the ministry, rather than apply for an approval. The registry is available for common systems and processes, to which preset rules of operation can be applied. The EASR is currently available for: heating systems, standby power systems and automotive refinishing. Businesses whose activities aren't subject to the EASR may apply for an ECA (Environmental Compliance Approval), Please see our ECA database.

Government Publication Date: Oct 2011-Feb 28, 2025**Environmental Registry:**Provincial [EBR](#)

The Environmental Registry lists proposals, decisions and exceptions regarding policies, Acts, instruments, or regulations that could significantly affect the environment. Through the Registry, thirteen provincial ministries notify the public of upcoming proposals and invite their comments. For example, if a local business is requesting a permit, license, or certificate of approval to release substances into the air or water; these are notified on the registry. Data includes: Approval for discharge into the natural environment other than water (i.e. Air) - EPA s. 9, Approval for sewage works - OWRA s. 53(1), and EPA s. 27 - Approval for a waste disposal site. For information regarding Permit to Take Water (PTTW), Certificate of Property Use (CPU) and (ORD) Orders please refer to those individual databases.

Government Publication Date: 1994 - Jan 31, 2025**Environmental Compliance Approval:**Provincial [ECA](#)

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. In the past, a business had to apply for multiple approvals (known as certificates of approval) for individual processes and pieces of equipment. Today, a business either registers itself, or applies for a single approval, depending on the types of activities it conducts. Businesses whose activities aren't subject to the EASR may apply for an ECA. A single ECA addresses all of a business's emissions, discharges and wastes. Separate approvals for air, noise and waste are no longer required. This database will also include Renewable Energy Approvals. For certificates of approval prior to Nov 1st, 2011, please refer to the CA database. For all Waste Disposal Sites please refer to the WDS database.

Government Publication Date: Oct 2011-Feb 28, 2025**Environmental Effects Monitoring:**Federal [EEM](#)

The Environmental Effects Monitoring program assesses the effects of effluent from industrial or other sources on fish, fish habitat and human usage of fisheries resources. Since 1992, pulp and paper mills have been required to conduct EEM studies under the Pulp and Paper Effluent Regulations. This database provides information on the mill name, geographical location and sub-lethal toxicity data.

Government Publication Date: 1992-2007***ERIS Historical Searches:**Private [EHS](#)

ERIS has compiled a database of all environmental risk reports completed since March 1999. Available fields for this database include: site location, date of report, type of report, and search radius. As per all other databases, the ERIS database can be referenced on both the map and "Statistical Profile" page.

Government Publication Date: 1999-Aug 31, 2024**Environmental Issues Inventory System:**Federal [EIIS](#)

The Environmental Issues Inventory System was developed through the implementation of the Environmental Issues and Remediation Plan. This plan was established to determine the location and severity of contaminated sites on inhabited First Nation reserves, and where necessary, to remediate those that posed a risk to health and safety; and to prevent future environmental problems. The EIIS provides information on the reserve under investigation, inventory number, name of site, environmental issue, site action (Remediation, Site Assessment), and date investigation completed.

Government Publication Date: 1992-2001*

Emergency Management Historical Event:

Provincial **EMHE**

List of locations of historical occurrences of emergency events, including those assigned to the Ministry of Natural Resources by Order-In-Council (OIC) under the Emergency Management and Civil Protection Act, as well as events where MNR provided requested emergency response assistance. Many of these events will have involved community evacuations, significant structural loss, and/or involvement of MNR emergency response staff. These events fall into one of ten (10) type categories: Dam Failure; Drought / Low Water; Erosion; Flood; Forest Fire; Soil and Bedrock Instability; Petroleum Resource Center Event, EMO Requested Assistance, Continuity of Operations Event, Other Requested Assistance. EMHE record details are reproduced by ERIS under License with the Ontario Ministry of Natural Resources © Queen's Printer for Ontario, 2017.

Government Publication Date: Apr 30, 2022

Environmental Penalty Annual Report:

Provincial **EPAR**

This database contains data from Ontario's annual environmental penalty report published by the Ministry of the Environment and Climate Change. These reports provide information on environmental penalties for land / water violations issued to companies in one of the nine industrial sectors covered by the Municipal Industrial Strategy for Abatement (MISA) regulations.

Government Publication Date: Jan 1, 2011 - Dec 31, 2023

List of Expired Fuels Safety Facilities:

Provincial **EXP**

List of facilities and tanks for which there was once a fuel registration. This is not a comprehensive or complete inventory of expired tanks/tank facilities in the province; this listing is a copy of previously registered tanks and facilities obtained under Access to Public Information. Includes private fuel outlets, bulk plants, fuel oil tanks, gasoline stations, marinas, propane filling stations, liquid fuel tanks, piping systems, etc; includes tanks which have been removed from the ground.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Oct 2023

Federal Convictions:

Federal **FCON**

Environment Canada maintains a database referred to as the "Environmental Registry" that details prosecutions under the Canadian Environmental Protection Act (CEPA) and the Fisheries Act (FA). Information is provided on the company name, location, charge date, offence and penalty.

Government Publication Date: 1988-Jun 2007*

Contaminated Sites on Federal Land:

Federal **FCS**

The Federal Contaminated Sites Inventory includes information on known federal contaminated sites under the custodianship of departments, agencies and consolidated Crown corporations as well as those that are being or have been investigated to determine whether they have contamination arising from past use that could pose a risk to human health or the environment. The inventory also includes non-federal contaminated sites for which the Government of Canada has accepted some or all financial responsibility. It does not include sites where contamination has been caused by, and which are under the control of, enterprise Crown corporations, private individuals, firms or other levels of government. Includes fire training sites and sites at which Per- and Polyfluoroalkyl Substances (PFAS) are a concern.

Government Publication Date: Jun 2000-Nov 2024

Fisheries & Oceans Fuel Tanks:

Federal **FOFT**

Fisheries & Oceans Canada maintains an inventory of aboveground & underground fuel storage tanks located on Fisheries & Oceans property or controlled by DFO. Our inventory provides information on the site name, location, tank owner, tank operator, facility type, storage tank location, tank contents & capacity, and date of tank installation.

Government Publication Date: 1964-Sep 2019

Federal Identification Registry for Storage Tank Systems (FIRSTS):

Federal **FRST**

A list of federally regulated Storage tanks from the Federal Identification Registry for Storage Tank Systems (FIRSTS). FIRSTS is Environment and Climate Change Canada's database of storage tank systems subject to the Storage Tank for Petroleum Products and Allied Petroleum Products Regulations. The main objective of the Regulations is to prevent soil and groundwater contamination from storage tank systems located on federal and aboriginal lands. Storage tank systems that do not have a valid identification number displayed in a readily visible location on or near the storage tank system may be refused product delivery.

Government Publication Date: Oct 31, 2021

Fuel Storage Tank:

Provincial **FST**

List of registered private and retail fuel storage tanks. This is not a comprehensive or complete inventory of private and retail fuel storage tanks in the province; this listing is a copy of registered private and retail fuel storage tanks, obtained under Access to Public Information.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Oct 2023

Fuel Storage Tank - Historic:

Provincial **FSTH**

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks. Public records of private fuel storage tanks are only available since the registration became effective in September 1989. This information is now collected by the Technical Standards and Safety Authority.

Government Publication Date: Pre-Jan 2010*

Ontario Regulation 347 Waste Generators Summary:

Provincial **GEN**

Regulation 347 of the Ontario EPA defines a waste generation site as any site, equipment and/or operation involved in the production, collection, handling and/or storage of regulated wastes. A generator of regulated waste is required to register the waste generation site and each waste produced, collected, handled, or stored at the site. This database contains the registration number, company name and address of registered generators including the types of hazardous wastes generated. It includes data on waste generating facilities such as: drycleaners, waste treatment and disposal facilities, machine shops, electric power distribution etc. This information is a summary of all years from 1986 including the most currently available data. As of January 1, 2023, businesses and institutions subject to the amended Reg. 347: General – Waste Management are required to report their activities and pay fees through Resource Productivity & Recovery Authority (RPRA) online Hazardous Waste Program Registry (HWPR) rather than the Hazardous Waste Information Network (HWIN) system previously operated by the Ministry of the Environment, Conservation and Parks (MECP). Some records may contain, within the company name, the phrase "See & Use..." followed by a series of letters and numbers. This occurs when one company is amalgamated with or taken over by another registered company. The number listed as "See & Use", refers to the new ownership and the other identification number refers to the original ownership. This phrase serves as a link between the 2 companies until operations have been fully transferred.

Government Publication Date: 1986-Jun 30, 2024

Greenhouse Gas Emissions from Large Facilities:

Federal **GHG**

List of greenhouse gas emissions from large facilities made available by Environment Canada. Greenhouse gas emissions in kilotonnes of carbon dioxide equivalents (kt CO2 eq).

Government Publication Date: 2013-Apr 2024

TSSA Historic Incidents:

Provincial **HINC**

List of historic incidences of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen recorded by the TSSA in their previous incident tracking system. The TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, the TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of historical fuel spills and leaks in the province. This listing is a copy of the data captured at one moment in time and is hence limited by the record date provided here.

Government Publication Date: 2006-June 2009*

Indian & Northern Affairs Fuel Tanks:

Federal **IAFT**

The Department of Indian & Northern Affairs Canada (INAC) maintains an inventory of aboveground & underground fuel storage tanks located on both federal and crown land. Our inventory provides information on the reserve name, location, facility type, site/facility name, tank type, material & ID number, tank contents & capacity, and date of tank installation.

Government Publication Date: 1950-Aug 2003*

Fuel Oil Spills and Leaks:

Provincial **INC**

Listing of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen reported to the Spills Action Centre (SAC). This is not a comprehensive or complete inventory of fuel-related leaks, spills, and incidents in the province; this listing in a copy of incidents reported to the SAC, obtained under Access to Public Information. Includes incidents from fuel-related hazards such as spills, fires, and explosions. Records are not verified for accuracy or completeness.

Government Publication Date: 31 Oct, 2023

Landfill Inventory Management Ontario:

Provincial **LIMO**

The Landfill Inventory Management Ontario (LIMO) database is updated every year, as the Ministry of the Environment, Conservation and Parks compiles new and updated information. Includes small and large landfills currently operating as well as those which are closed and historic. Operators of larger landfills provide landfill information for the previous operating year to the ministry for LIMO including: estimated amount of total waste received, landfill capacity, estimated total remaining landfill capacity, fill rates, engineering designs, reporting and monitoring details, size of location, service area, approved waste types, leachate of site treatment, contaminant attenuation zone and more. The small landfills include information such as site owner, site location and certificate of approval # and status.

Government Publication Date: Mar 31, 2022

Canadian Mine Locations:

Private **MINE**

This information is collected from the Canadian & American Mines Handbook. The Mines database is a national database that provides over 290 listings on mines (listed as public companies) dealing primarily with precious metals and hard rocks. Listed are mines that are currently in operation, closed, suspended, or are still being developed (advanced projects). Their locations are provided as geographic coordinates (x, y and/or longitude, latitude). As of 2002, data pertaining to Canadian smelters and refineries has been appended to this database.

Government Publication Date: 1998-2009*

Mineral Occurrences:

Provincial [MNR](#)

In the early 70's, the Ministry of Northern Development and Mines created an inventory of approximately 19,000 mineral occurrences in Ontario, in regard to metallic and industrial minerals, as well as some information on building stones and aggregate deposits. Please note that the "Horizontal Positional Accuracy" is approximately +/- 200 m. Many reference elements for each record were derived from field sketches using pace or chain/tape measurements against claim posts or topographic features in the area. The primary limiting factor for the level of positional accuracy is the scale of the source material. The testing of horizontal accuracy of the source materials was accomplished by comparing the plan metric (X and Y) coordinates of that point with the coordinates of the same point as defined from a source of higher accuracy.

Government Publication Date: 1846-Feb 2024

National Analysis of Trends in Emergencies System (NATES):

Federal [NATE](#)

In 1974 Environment Canada established the National Analysis of Trends in Emergencies System (NATES) database, for the voluntary reporting of significant spill incidents. The data was to be used to assist in directing the work of the emergencies program. NATES ran from 1974 to 1994. Extensive information is available within this database including company names, place where the spill occurred, date of spill, cause, reason and source of spill, damage incurred, and amount, concentration, and volume of materials released.

Government Publication Date: 1974-1994*

Non-Compliance Reports:

Provincial [NCPL](#)

The Ministry of the Environment Conservation and Parks (MECP) provides information about non-compliant discharges of contaminants to air and water that exceed legal allowable limits, from regulated industrial and municipal facilities. A reported non-compliance failure may be in regard to a Control Order, Certificate of Approval, Sectoral Regulation or specific regulation/act. MECP publicly releases the Environmental Compliance Report (ECR) on the Ontario Data Catalogue. In Ontario, all facilities with regulated wastewater discharges or air emissions under the Ontario Water Resources Act and the Environmental Protection Act must monitor and report any cases where approved operating limits have been exceeded.

Government Publication Date: Dec 31, 2023

National Defense & Canadian Forces Fuel Tanks:

Federal [NDFT](#)

The Department of National Defense and the Canadian Forces maintains an inventory of all aboveground & underground fuel storage tanks located on DND lands. Our inventory provides information on the base name, location, tank type & capacity, tank contents, tank class, date of tank installation, date tank last used, and status of tank as of May 2001. This database will no longer be updated due to the new National Security protocols which have prohibited any release of this database.

Government Publication Date: Up to May 2001*

National Defense & Canadian Forces Spills:

Federal [NDSP](#)

The Department of National Defense and the Canadian Forces maintains an inventory of spills to land and water. All spill sites have been classified under the "Transportation of Dangerous Goods Act - 1992". Our inventory provides information on the facility name, location, spill ID #, spill date, type of spill, as well as the quantity of substance spilled & recovered.

Government Publication Date: Mar 1999-Nov 2023

National Defence & Canadian Forces Waste Disposal Sites:

Federal [NDWD](#)

The Department of National Defence and the Canadian Forces maintains an inventory of waste disposal sites located on DND lands. Where available, our inventory provides information on the base name, location, type of waste received, area of site, depth of site, year site opened/closed and status.

Government Publication Date: 2001-Apr 2007*

National Energy Board Pipeline Incidents:

Federal [NEBI](#)

Locations of pipeline incidents from 2008 to present, made available by the Canada Energy Regulator (CER) - previously the National Energy Board (NEB). Includes incidents reported under the Onshore Pipeline Regulations and the Processing Plant Regulations related to pipelines under federal jurisdiction, does not include incident data related to pipelines under provincial or territorial jurisdiction.

Government Publication Date: 2008-Dec 31, 2024

National Energy Board Wells:

Federal [NEBP](#)

The NEBW database contains information on onshore & offshore oil and gas wells that are outside provincial jurisdiction(s) and are thereby regulated by the National Energy Board. Data is provided regarding the operator, well name, well ID No./UWI, status, classification, well depth, spud and release date.

Government Publication Date: 1920-Feb 2003*

National Environmental Emergencies System (NEES):

Federal

[NEES](#)

In 2000, the Emergencies program implemented NEES, a reporting system for spills of hazardous substances. For the most part, this system only captured data from the Atlantic Provinces, some from Quebec and Ontario and a portion from British Columbia. Data for Alberta, Saskatchewan, Manitoba and the Territories was not captured. However, NEES is also a repository for previous Environment Canada spill datasets. NEES is composed of the historic datasets ' or Trends ' which dates from approximately 1974 to present. NEES Trends is a compilation of historic databases, which were merged and includes data from NATES (National Analysis of Trends in Emergencies System), ARTS (Atlantic Regional Trends System), and NEES. In 2001, the Emergencies Program determined that variations in reporting regimes and requirements between federal and provincial agencies made national spill reporting and trend analysis difficult to achieve. As a consequence, the department has focused efforts on capturing data on spills of substances which fall under its legislative authority only (CEPA and FA). As such, the NEES database will be decommissioned in December 2004.

Government Publication Date: 1974-2003*

National PCB Inventory:

Federal

[NPCB](#)

Environment Canada's National PCB inventory includes information on in-use PCB containing equipment in Canada including federal, provincial and private facilities. Federal out-of-service PCB containing equipment and PCB waste owned by the federal government or by federally regulated industries such as airlines, railway companies, broadcasting companies, telephone and telecommunications companies, pipeline companies, etc. are also listed. Although it is not Environment Canada's mandate to collect data on non-federal PCB waste, the National PCB inventory includes some information on provincial and private PCB waste and storage sites. Some addresses provided may be Head Office addresses and are not necessarily the location of where the waste is being used or stored.

Government Publication Date: 1988-2008*

National Pollutant Release Inventory:

Federal

[NPR2](#)

The National Pollutant Release Inventory (NPRI) is Canada's public inventory of pollutant releases (to air, water and land), disposals, and transfers for recycling. The inventory, managed by Environment and Climate Change Canada, tracks over 300 substances. Under the authority of the Canadian Environmental Protection Act (CEPA), owners or operators of facilities that meet published reporting requirements are required to report to the NPRI.

Government Publication Date: Feb 2024

National Pollutant Release Inventory - Historic:

Federal

[NPRI](#)

Environment Canada has defined the National Pollutant Release Inventory ("NPRI") as a federal government initiative designed to collect comprehensive national data regarding releases to air, water, or land, and waste transfers for recycling for more than 300 listed substances. This data holds historic records; current records are found in NPR2.

Government Publication Date: 1993-May 2017

Oil and Gas Wells:

Private

[OGWE](#)

The Nickle's Energy Group (publisher of the Daily Oil Bulletin) collects information on drilling activity including operator and well statistics. The well information database includes name, location, class, status and depth. The main Nickle's database is updated on a daily basis, however, this database is updated on a monthly basis. More information is available at www.nickles.com.

Government Publication Date: 1988-May 31, 2024

Ontario Oil and Gas Wells:

Provincial

[OOGW](#)

In 1998, the Ministry of Natural Resources (MNR) handed over to the Ontario Oil, Gas and Salt Resources (OGSR) Corporation, the responsibility of maintaining a database of oil and gas wells drilled in Ontario. The OGSR Library has over 20,000+ wells in their database. Information available for all wells in the ERIS database includes well owner/operator, location, permit issue date, and well cap date, license number, status, depth and the primary target (rock unit) of the well being drilled. All geology/stratigraphy table information, plus all water table information is also provided for each well record.

Government Publication Date: 1800-Aug 2024

Inventory of PCB Storage Sites:

Provincial

[OPCB](#)

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of PCB storage sites within the province. Ontario Regulation 11/82 (Waste Management - PCB) and Regulation 347 (Generator Waste Management) under the Ontario EPA requires the registration of inactive PCB storage equipment and/or disposal sites of PCB waste with the Ontario Ministry of Environment. This database contains information on: 1) waste quantities; 2) major and minor sites storing liquid or solid waste; and 3) a waste storage inventory.

Government Publication Date: 1987-Oct 2004; 2012-Dec 2013

Orders:

Provincial

[ORD](#)

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include Orders on the registry such as (EPA s. 17) - Order for remedial work, (EPA s. 18) - Order for preventative measures, (EPA s. 43) - Order for removal of waste and restoration of site, (EPA s. 44) - Order for conformity with Act for waste disposal sites, (EPA s. 136) - Order for performance of environmental measures.

Government Publication Date: 1994 - Jan 31, 2025

Canadian Pulp and Paper:

Private

PAP

This information is part of the Pulp and Paper Canada Directory. The Directory provides a comprehensive listing of the locations of pulp and paper mills and the products that they produce.

Government Publication Date: 1999, 2002, 2004, 2005, 2009-2014

Parks Canada Fuel Storage Tanks:

Federal

PCFT

Canadian Heritage maintains an inventory of known fuel storage tanks operated by Parks Canada, in both National Parks and at National Historic Sites. The database details information on site name, location, tank install/removal date, capacity, fuel type, facility type, tank design and owner/operator.

Government Publication Date: 1920-Jan 2005*

Pesticide Register:

Provincial

PES

The Ontario Ministry of the Environment and Climate Change maintains a database of licensed operators and vendors of registered pesticides.

Government Publication Date: Oct 2011-Feb 28, 2025

Ontario PFAS Spills:

Provincial

PFAS

This specific list of spills includes those incidents where one or more of the listed contaminants are identified in the PFAS Structure List and/or PFAS Chemicals Without Explicit Structure List made available by the United States Environmental Protection Agency (US EPA), is originally sourced from the Ministry of the Environment, Conservation and Parks spills related data. Information from 1988-2002 was part of the ORIS (Occurrence Reporting Information System). The SAC (Spills Action Centre) handles all spills reported in Ontario. Regulations for spills in Ontario are part of the MOE's Environmental Protection Act, Part X.

Government Publication Date: 1988-Jun 2024; Aug 2024; Oct-Nov 2024

NPRI Reporters - PFAS Substances:

Federal

PFCH

The National Pollutant Release Inventory (NPRI) is Canada's public inventory of releases, disposals, and transfers, tracking over 320 pollutants. Per- and polyfluoroalkyl substances (PFAS) are a group of over 4,700 human-made substances for which adverse environmental and health effects have been observed. This listing of PFAS substance reporters includes those NPRI facilities that reported substances that are found in either: a) the Comprehensive Global Database of PFASs compiled by the Organisation for Economic Co-operation and Development (OECD), b) the US Environmental Protection Agency (US EPA) Master List of PFAS Substances, c) the US EPA list of PFAS chemicals without explicit structures, or d) the US EPA list of PFAS structures (encompassing the largest set of structures having sufficient levels of fluorination to potentially impart PFAS-type properties).

Government Publication Date: Feb 2024

Potential PFAS Handlers from NPRI:

Federal

PFHA

The National Pollutant Release Inventory (NPRI) is Canada's public inventory of releases, disposals, and transfers, tracking over 320 pollutants. Per- and polyfluoroalkyl substances (PFAS) are a group of over 4,700 human-made substances for which adverse environmental and health effects have been observed. This list of potential PFAS handlers includes those NPRI facilities that reported business activity (NAICS code) included in the US Environmental Protection Agency (US EPA) list of Potential PFAS-Handling Industry Sectors, further described as operating in industry sectors where literature reviews indicate that PFAS may be handled and/or released. Inclusion of a facility in this listing does not indicate that PFAS are being manufactured, processed, used, or released by the facility - these are facilities that potentially handle PFAS based on their industrial profile.

Government Publication Date: Feb 2024

Pipeline Incidents:

Provincial

PINC

List of pipeline incidents (strikes, leaks, spills). This is not a comprehensive or complete inventory of pipeline incidents in the province; this listing is an historical copy of records previously obtained under Access to Public Information. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2021

Potential PFAS Handlers from EASR:

Provincial

PPHA

The Ontario Environmental Activity and Sector Registry (EASR), described in Ontario Regulation 245/11, allows businesses with less complex operations - and hence not requiring an Environmental Compliance Approval - to register their activities with the Ontario Ministry of the Environment, Conservation and Parks (MECP). This list of potential PFAS handlers includes those EASR facilities that reported business activity (NAICS code) included in the US Environmental Protection Agency (US EPA) list of Potential PFAS-Handling Industry Sectors, further described as operating in industry sectors where literature reviews indicate that PFAS may be handled and/or released. Inclusion of a facility in this listing does not indicate that PFAS are being manufactured, processed, used.

Government Publication Date: Jun 30, 2024

Private and Retail Fuel Storage Tanks:

Provincial

PRT

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks and licensed retail fuel outlets. This database includes an inventory of locations that have gasoline, oil, waste oil, natural gas and/or propane storage tanks on their property. The MCCR no longer collects this information. This information is now collected by the Technical Standards and Safety Authority (TSSA).

Government Publication Date: 1989-1996*

Permit to Take Water:

Provincial PTTW

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include PTTW's on the registry such as OWRA s. 34 - Permit to take water.

Government Publication Date: 1994 - Jan 31, 2025

Ontario Regulation 347 Waste Receivers Summary:

Provincial REC

Part V of the Ontario Environmental Protection Act ("EPA") regulates the disposal of regulated waste through an operating waste management system or a waste disposal site operated or used pursuant to the terms and conditions of a Certificate of Approval or a Provisional Certificate of Approval. Regulation 347 of the Ontario EPA defines a waste receiving site as any site or facility to which waste is transferred by a waste carrier. A receiver of regulated waste is required to register the waste receiving facility. This database represents registered receivers of regulated wastes, identified by registration number, company name and address, and includes receivers of waste such as: landfills, incinerators, transfer stations, PCB storage sites, sludge farms and water pollution control plants. This information is a summary of all years from 1986 including the most currently available data.

Government Publication Date: 1986-1990, 1992-2021

Record of Site Condition:

Provincial RSC

The Record of Site Condition (RSC) is part of the Ministry of the Environment's Brownfields Environmental Site Registry. Protection from environmental cleanup orders for property owners is contingent upon documentation known as a record of site condition (RSC) being filed in the Environmental Site Registry. In order to file an RSC, the property must have been properly assessed and shown to meet the soil, sediment and groundwater standards appropriate for the use (such as residential) proposed to take place on the property. The Record of Site Condition Regulation (O. Reg. 153/04) details requirements related to site assessment and clean up. RSCs filed after July 1, 2011 will also be included as part of the new (O.Reg. 511/09). The Government of Ontario states that it is not responsible for the accuracy of the information in this Registry.

Government Publication Date: 1997-Sept 2001, Oct 2004-Feb 2025

Retail Fuel Storage Tanks:

Private RST

This database includes an inventory of retail fuel outlet locations (including marinas) that have on their property gasoline, oil, waste oil, natural gas and / or propane storage tanks.

Government Publication Date: 1999-Apr 30, 2024

Scott's Manufacturing Directory:

Private SCT

Scott's Directories is a data bank containing information on over 200,000 manufacturers across Canada. Even though Scott's listings are voluntary, it is the most comprehensive database of Canadian manufacturers available. Information concerning a company's address, plant size, and main products are included in this database.

Government Publication Date: 1992-Mar 2011*

Ontario Spills:

Provincial SPL

List of spills and incidents made available by the Ministry of the Environment, Conservation and Parks. This database identifies information such as location (approximate), type and quantity of contaminant, date of spill, environmental impact, cause, nature of impact, etc. Information from 1988-2002 was part of the ORIS (Occurrence Reporting Information System). The SAC (Spills Action Centre) handles all spills reported in Ontario. Regulations for spills in Ontario are part of the MOE's Environmental Protection Act, Part X.

Government Publication Date: 1988-Jun 2024; Aug-Jan 2025

Wastewater Discharger Registration Database:

Provincial SRDS

Facilities that report either municipal treated wastewater effluent or industrial wastewater discharges under the Effluent Monitoring and Effluent Limits (EMEL) and Municipal/Industrial Strategy for Abatement Regulations. The Municipal/Industrial Strategy for Abatement (MISA) division of the Ontario Ministry of Environment keeps record of direct dischargers of toxic pollutants within nine sectors including: Electric Power Generation, Mining, Petroleum Refining, Organic Chemicals, Inorganic Chemicals, Pulp & Paper, Metal Casting, Iron & Steel, and Quarries.

Government Publication Date: 1990-Dec 31, 2021

Anderson's Storage Tanks:

Private TANK

The information provided in this database was collected by examining various historical documents, which identified the location of former storage tanks, containing substances such as fuel, water, gas, oil, and other various types of miscellaneous products. Information is available in regard to business operating at tank site, tank location, permit year, permit & installation type, no. of tanks installed & configuration and tank capacity. Data contained within this database pertains only to the city of Toronto and is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1915-1953*

Transport Canada Fuel Storage Tanks:

Federal TCFT

List of fuel storage tanks currently or previously owned or operated by Transport Canada. This inventory also includes tanks on The Pickering Lands, which refers to 7,530 hectares (18,600 acres) of land in Pickering, Markham, and Uxbridge owned by the Government of Canada since 1972; properties on this land has been leased by the government since 1975, and falls under the Site Management Policy of Transport Canada, but is administered by Public Works and Government Services Canada. This inventory provides information on the site name, location, tank age, capacity and fuel type.

Government Publication Date: 1970 - Apr 2024

Variances for Abandonment of Underground Storage Tanks:

Provincial

[VAR](#)

Listing of variances granted for storage tank abandonment. This is not a comprehensive or complete inventory of tank abandonment variances in the province; this listing is a copy of tank abandonment variance records previously obtained under Access to Public Information. In Ontario, registered underground storage tanks must be removed within two years of disuse; if removal of a tank is not feasible, an application may be sought for a variance from this code requirement.

Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2022

Waste Disposal Sites - MOE CA Inventory:

Provincial

[WDS](#)

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of known open (active or inactive) and closed disposal sites in the Province of Ontario. Active sites maintain a Certificate of Approval, are approved to receive and are receiving waste. Inactive sites maintain Certificate(s) of Approval but are not receiving waste. Closed sites are not receiving waste. The data contained within this database was compiled from the MOE's Certificate of Approval database. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number. All new Environmental Compliance Approvals handed out after Oct 31, 2011 for Waste Disposal Sites will still be found in this database.

Government Publication Date: Oct 2011 - Feb 28, 2025

Waste Disposal Sites - MOE 1991 Historical Approval Inventory:

Provincial

[WDSH](#)

In June 1991, the Ontario Ministry of Environment, Waste Management Branch, published the "June 1991 Waste Disposal Site Inventory", of all known active and closed waste disposal sites as of October 30st, 1990. For each "active" site as of October 31st 1990, information is provided on site location, site/CA number, waste type, site status and site classification. For each "closed" site as of October 31st 1990, information is provided on site location, site/CA number, closure date and site classification. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number.

Government Publication Date: Up to Oct 1990*

Water Well Information System:

Provincial

[WWIS](#)

This database describes locations and characteristics of water wells found within Ontario in accordance with Regulation 903. It includes such information as coordinates, construction date, well depth, primary and secondary use, pump rate, static water level, well status, etc. Also included are detailed stratigraphy information, approximate depth to bedrock and the approximate depth to the water table.

Government Publication Date: Dec 31 2023

Definitions

Database Descriptions: This section provides a detailed explanation for each database including: source, information available, time coverage, and acronyms used. They are listed in alphabetic order.

Detail Report: This is the section of the report which provides the most detail for each individual record. Records are summarized by location, starting with the project property followed by records in closest proximity.

Distance: The distance value is the distance between plotted points, not necessarily the distance between the sites' boundaries. All values are an approximation.

Direction: The direction value is the compass direction of the site in respect to the project property and/or center point of the report.

Elevation: The elevation value is taken from the location at which the records for the site address have been plotted. All values are an approximation. Source: Google Elevation API.

Executive Summary: This portion of the report is divided into 3 sections:

'Report Summary'- Displays a chart indicating how many records fall on the project property and, within the report search radii.

'Site Report Summary'-Project Property'- This section lists all the records which fall on the project property. For more details, see the 'Detail Report' section.

'Site Report Summary-Surrounding Properties'- This section summarizes all records on adjacent properties, listing them in order of proximity from the project property. For more details, see the 'Detail Report' section.

Map Key: The map key number is assigned according to closest proximity from the project property. Map Key numbers always start at #1. The project property will always have a map key of '1' if records are available. If there is a number in brackets beside the main number, this will indicate the number of records on that specific property. If there is no number in brackets, there is only one record for that property.

The symbol and colour used indicates 'elevation': the red inverted triangle will dictate 'ERIS Sites with Lower Elevation', the yellow triangle will dictate 'ERIS Sites with Higher Elevation' and the orange square will dictate 'ERIS Sites with Same Elevation.'

Unplottables: These are records that could not be mapped due to various reasons, including limited geographic information. These records may or may not be in your study area, and are included as reference.



BURNSIDE

[THE DIFFERENCE IS OUR PEOPLE]

Appendix G

Correspondence

From: Public Information Services <publicinformationservices@tssa.org>

Sent: May 2, 2025 9:53 AM

To: Kathleen Langstaff <Kathleen.Langstaff@rjburnside.com>

Subject: RE: TSSA record search for 6119 Trafalgar Road, Milton, ON

Hello ,

NO RECORDS FOUND IN CURRENT DATABASE:

- We confirm that there are NO **fuels records** in our database at the subject address(es).

This is not a confirmation that there are no records in the archives. For a further search in our archives, please go to the [TSSA Client Portal](#) to complete an Application for Release of Public Information.

Please refer to [How to Submit a Public Information Request \(tssa.org\)](#) for instructions.

The associated fee must be paid via credit card (Visa or MasterCard).

Once all steps have been successfully completed you will receive your payment receipt via email.

TSSA does not make any representations or warranties with respect to the accuracy or completeness of any records released. The requestor assumes all risk in using or relying on the information provided.

If you have any questions or concerns, please do not hesitate to contact our Public Information Release team at publicinformationservices@tssa.org.

Kind regards,



Aleena Tahir | Public Information & Records Agent

Public Information

345 Carlingview Drive

Toronto, Ontario M9W 6N9

Tel: +1 416-734-3546 | E-Mail: ATahir@tssa.org

www.tssa.org



From: Kathleen Langstaff <Kathleen.Langstaff@rjburnside.com>
Sent: May 2, 2025 8:22 AM
To: Public Information Services <publicinformationsservices@tssa.org>
Subject: TSSA record search for 6119 Trafalgar Road, Milton, ON

[CAUTION]: This email originated outside the organisation.
Please do not click links or open attachments unless you recognise the source of this email and know the content is safe.

Dear TSSA,

Do you have any TSSA records related to fuel storage at the following address:

- 6119 Trafalgar Road, Milton, ON

Kathleen Langstaff

 **BURNSIDE**
Kathleen Langstaff, B.Sc., P.Geo., QP_{ESA}
Geoscientist
Manager, Contaminant Hydrogeology

R.J. Burnside & Associates Limited
Cell: [519-939-2632](tel:519-939-2632)
Email: kathleen.langstaff@rjburnside.com
www.rjburnside.com

 **100% Canadian Employee-Owned, Led and Operated**

**** CONFIDENTIALITY NOTICE ****

This electronic transmission and any accompanying attachments may contain privileged or confidential information intended only for the use of the individual or organization named above. Any distribution, copying or action taken in reliance on the contents of this communication by anyone other than the intended recipient(s) is STRICTLY PROHIBITED.

If you have received this communication in error please notify the sender at the above email address and delete this email immediately.
Thank you.

This electronic message and any attached documents are intended only for the named recipients. This communication from the Technical Standards and Safety Authority may contain information that is privileged, confidential or otherwise protected from disclosure and it must not be disclosed, copied, forwarded or distributed without authorization. If you have received this message in error, please notify the sender immediately and delete the original message.



BURNSIDE

[THE DIFFERENCE IS OUR PEOPLE]

Appendix H


Watershed and Surface Water Flow Maps

Legend

-  Assessment Parcel

- ANSI**
-  Earth Science Provincially Significant
-  Earth Science Regionally Significant
-  Life Science Provincially Significant
-  Life Science Regionally Significant

- Evaluated Wetland**
-  Provincially Significant
-  Non-Provincially Significant
-  Unevaluated Wetland



Notes:
 No Provincially Significant Wetlands (PSWs) on the Site.
 No Areas of Natural or Scientific Interest on the Site.



Absence of a feature in the map does not mean they do not exist in this area.

This map should not be relied on as a precise indicator of routes or locations, nor as a guide to navigation. The Ontario Ministry of Natural Resources(OMNR) shall not be liable in any way for the use of, or reliance upon, this map or any information on this map.
 © Copyright for Ontario Parcel data is held by King's Printer for Ontario and its licensors and may not be reproduced without permission. THIS IS NOT A PLAN OF SURVEY.



Imagery Copyright Notices: DRAPE © Aéro-Photo (1961) Inc., 2008 - 2009
 GTA 2005 / SWOOP 2006 / Simcoe-Muskoka-Dufferin © FirstBase Solutions, 2005 / 2006 / 2008
 © King's Printer for Ontario, 2025



Surface Water Flow - Creeks/Rivers in the Area Flow toward the Southeast



Watershed Map: Site is within the Sixteen Mile Creek Watershed

Ontario  Ontario GeoHub

Ontario Watershed Boundaries (OWB)

 Authoritative



Private Member 

Ontario Ministry of Natural Resources and Forestry

Summary

The Ontario Watershed Boundaries (OWB) collection represents the authoritative watershed boundaries for Ontario.



Source Protection Area Information: The Site is not within a Wellhead Protection Area



Source Protection Information Atlas

Ministry of the Environment, Conservation and Parks

Latitude: **43.53971** Longitude: **-79.78110**

UTM Zone: **17**

Easting: **598477.27** Northing: **4821472.63**

Upper Tier Municipality: **REGIONAL MUNICIPALITY OF HALTON**

Lower Tier Municipality: **TOWN OF MILTON**

Township Concession and Lot: **TRAFALGAR LOT 6 CON 8**

Assessment Parcel Address: **6119 Trafalgar Road**

Assessment Roll #: **24090900900880000000**

MECP District: **Halton-Peel**

MECP Region: **Central Region**

Source Protection Details for Location

Source Protection Area: **Halton Region**

[View Source Protection Plan](#)

Wellhead Protection Area: **No**

Wellhead Protection Area (WHPA-E): **No**

Issue Contributing Area: **No**

Significant Groundwater Recharge Area: **No**

Highly Vulnerable Aquifer: **No**


Event Based Area: **No**

Wellhead Protection Area Q1: **No**

Wellhead Protection Area Q2: **No**

Intake Protection Zone Q: **No**

Information is current as of: **April 23, 2025**





BURNSIDE

[THE DIFFERENCE IS OUR PEOPLE]

Appendix I

Photographs



Photo 1: Gate entrance at west boundary of the Site, on the east side of Trafalgar Road.



Photo 2: Looking east across clearing where buildings were formerly located.



Project Name	Phase One ESA 6119 Trafalgar Road Milton, Ontario
Project No.	300043649
Report Date	May 2025



Photo 3: Looking south across cultivated farmland from west edge of agricultural field.



Photo 4: Looking northeast across cultivated farmland, from west edge of agricultural field.



Photo 5: Location of former Pole Barn (removed from Site in 2019).



Photo 6: Former Aboveground Storage Tanks (removed from Site in 2019).

Project Name	Phase One ESA
Project No.	300043649.0000
Date	November 2018



Photo 7: Containers of oil stored inside former Pole Barn (removed from Site in 2019).

Project Name	Phase One ESA
Project No.	300043649.0000
Date	November 2018



Photo 9: Lubricants stored inside former Pole Barn (removed from Site in 2019).



Photo 9: Coolant storage tank inside former Pole Barn (removed from Site in 2019).

Project Name	Phase One ESA
Project No.	300043649.0000
Date	November 2018